

S-1850 / S-2200 / S-3200 E-1850 / E-2200 / E-3200


☑ info@mues-tec.com ŵ www.mues-tec.com ७ +49 (0)6648-9167563

SCOPE OF DELIVERY:






Important information: Installation should be performed by qualified person.




 Please check the delivery scope for completeness. Then remove the mounting frame from the TV-Unit.




Install the mounting frame according to your preference recessed, surface or VESA mount. Use the provided screws and bolts or, depending on your wall construction the appropriate fastening material. When using VESA mount, follow their specific instructions.



Ensure the TV-Unit is not connected to power. Then, connect the desired ports to the TV-Unit. When connection external devices, you may use the IR extension.



4. Using the suction cup, carefully attach the TV-Unit to the mounting frame. For recessed mount, and especially when TV is installed in the shower cabin, seal the edges with silicon.



Now, connect the TV to the power. Follow the instructions on the menu using your remote control. For detailed operating information, please read the manual.



 Enjoy your new Waterproof Bathroom TV from Mues-Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice! Our team is at all times available for feedback or questions.












☑ info@mues-tec.com 🖟 www.mues-tec.com 📞 +49 (0)6648-9167563

K-1850 / K-2200

SCOPE OF DELIVERY:





Mounting Frame



Power Supply










Screws & Bolts



Manual

Important information: Installation should be performed by qualified




1. Please check the delivery scope for completeness. Then remove the mounting frame from the TV-Unit.







2. Ensure the TV-Unit is not connected to power. Then, connect the desired ports to the TV-Unit. When connection external devices, you may use the IR extension.



3. Install the mounting frame according to your preference recessed, surface or VESA mount. Use the provid.ed screws and bolts or, depending on your wall construction the appropriate fastening material. When using VESA mount, follow their specific instructions



4. Using the suction cup, carefully attach the TV-Unit to the mounting frame. For recessed mount, and especially when TV is installed in wet or high moisture areas, seal the edges with silicon.



5. Now, connect the TV to the power. Follow the instructions on the menu using your remote control. For detailed operating information, please read the manual.



6. Enjoy your new TV from Mues-Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice! Our team is at all times available for feedback or questions.









MUES TEC GMBH & CO KG


INSTALLATION

Smart Box

☑ info@mues-tec.com 🖟 www.mues-tec.com 📞 +49 (0)6648-9167563

Allgemeine Anschlussmöglichkeit (Kann von Hersteller zu Hersteller variieren!)

SCOPE OF DELIVERY:







Smart Box Control





USB Extension







AC Adapter




Manual




1. Please check the delivery scope for completeness.




2. Connect your Smart Box to your TV with the HDMI cable.



3. Using the IR extender cable, connect the IR plug to the matching IR plug on the TV. Then attach the IR sensor to the external Smart Box.



4. Connect the Smart Box to Power. Turn on your TV and change Input to HDMI.Since your TV has more than one HDMI input, you may need to try all.



5. Use the Smart Remote to control the Smart Box.



6. Enjoy your new TV from Mues – Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. Mues -Tec is always the right choice! Our team is at all times available for feedback or questions.











With Mounting Bracket

SMART MIRROR

SM-1560 / SM-2150 / SM-2360

☑ info@mues-tec.com 🖟 www.mues-tec.com 📞 +49 (0)6648-9167563

SCOPE OF DELIVERY:










Power Supply


Weight Scale(optional)




Smart Mirror is very heavy and must be installed correctly to avoid damageand injury! A minimum of 2 people is required for installation!




Wall needs to be prepared to hold weight of Smart Mirror! Installation must be performed by skilled installer! Select wall screws to fit your wall type and product weight!



1. Attach Optional Mounting bracket to back of Smart Mirror.



2. Attach screws to wall.



3. Attach Smart Mirror to wall bracket on wall.

4. Now connect the Smart Mirror to the power. Follow the instructions on the menu with touch screen . For detailed operating information, please visit our website or Youtube Channel @ Mues-Tec GmbH & Co. KG - YouTube



5. Enjoy your new Smart Mirror from Mues-Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice! Our team is at all times available for feedback or questions.











Without Mounting Bracket

SMART MIRROR

SM-1560 / SM-2150 / SM-2360

MUES TEC GMBH & CO KG

☑ info@mues-tec.com 🖟 www.mues-tec.com 📞 +49 (0)6648-9167563

SCOPE OF DELIVERY:



Smart Mirror



Power Supply




Skin Tester(optional)




Weight Scale(optional)




Smart Mirror is very heavy and must be installed correctly to avoid damageand injury!
A minimum of 2 people is required for installation!




1. Measure mounting holes center to center




3. Attach Smart Mirror to wall.



Wall needs to be prepared to hold weight of Smart Mirror! Installation must be performed by skilled installer! Select wall screws to fit your wall type and product weight!



2. Attach screws to wall.



4. Now connect the Smart Mirror to the power. Follow the instructions on the menu with touch screen . For detailed operating information, please visit our website or Youtube Channel @ Mues-Tec GmbH & Co. KG - YouTube



5. Enjoy your new Smart Mirror from Mues-Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice! Our team is at all times available for feedback or questions.












KITCHEN SMART KS-2150

☑ info@mues-tec.com 🖟 www.mues-tec.com 📞 +49 (0)6648-9167563

SCOPE OF DELIVERY:







Power Supply



Spring-loaded Lever



Push to open pins




Manual





Risk of injury by spring-loaded lever assembly! Do not push lever assembly down without unit attached.

2. Ensure the Kitchen Smart is not connected to power. Attach Kitchen




1. Install the spring-loaded levers. Installation must be performed by a skilled installer to avoid damage and injury!








4. Attach push to open pins to the mounting clip and adjust.




Smart to the Spring-loaded Levers.





3. Now, install the mounting clip for the push to open pins. Recommended to install 2 on the bottom right or left of the cabinet.



■CELAN

■ DC-12V

■USB

5. Now, connect power to the Unit. Follow the instructions on the menu with touch screen. For detailed operating information, please read the manual.



6. Enjoy your new Kitchen Smart from Mues-Tec. We thank you for your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice!

Our team is at all times available for feedback or questions.












FRAME MIRROR TV

R-3200 / R-4300 / R-5500

SCOPE OF DELIVERY:











TV is very heavy and must be installed correctly to avoid damage and A minimum of 2 people is required for installation!




1. Loosen and remove mounting bracket from back of TV.




2. Attach mounting bracket to wall.



TV is very heavy and must be installed correctly to avoid damage and injury!
A minimum of 2 people is required for installation!




3. Attach TV to wall bracket on wall.




Wall needs to be prepared to hold weight of Frame TV! Installation must be performed by skilled installer! Select wall screws to fit your wall type and product weight!

4. Carefully place Frame over TV. Mounting hardware must be in position (A) to avoid scratching the mirror.



5. Slide mounting hardware into position (B) and lightly tighten to hold frame to TV.



6. Adjust Frame to the left and right to position on TV correctly. Then, tighten all mounting hardware brackets.














SCOPE OF DELIVERY:








Remote Control







Manual



7. Attach IR Sensor to Frame.



8. Enjoy your new Frame Mirror TV from Mues-Tec. We thank you for \ your trust and sincerely hope you are pleased with your purchase. MUES-TEC is always the right choice! Our team is at all times available for feedback or questions.





