

The next AMPLab: Real-time Intelligent Secure Execution


Ion Stoica
October 26, 2016



Berkeley's AMPLab

2011 – 2016

- Mission: “*Make sense of big data*”
- 8 faculty, 60+ students



Governmental and industrial founding



AMPLab Goal and Impact

Goal: Next generation of open source
data analytics stack for industry & academia
Berkeley Data Analytics Stack (BDAS)



Apache
MESOS™



ALLUXIO

...

What is next?



RISE: Real-time Intelligent Secure Execution



RISELab

From live data to real-time decisions



AMPLab

From batch data to advanced analytics

Why?

Data only as valuable as the **decisions** it enables



How to Turn Big Data into Insights and Action

by Bernard Marr | May 18, 2016 5:30 am | 1 Comments



Forrester's 2016 Predictions: Turn Data Into Insight And Action

Posted by [Brian Hopkins](#) on November 9, 2015



Why?

Data only as valuable as the **decisions** it enables

What does this mean?

- **Faster** decisions better than slower decisions
- Decisions on **fresh** data better than decisions on stale data
- Decisions on **personalized** data better than on generic data

Goal

Real-time decisions

decide in ms


on live data

*the current state of the
environment*

with strong security

privacy, confidentiality, integrity

Typical decision system



Why is it hard?

Want high **quality** decisions

- **Sophisticated**, e.g., fraud, forecast, fleet of drones
- **Accuracy**, low false positives and negatives
- **Robust** to noisy and unforeseen data

Want low **latency** for both updates and decisions

Want strong **security**: privacy, confidential, integrity

Example: Zero-time defense

Problem: zero-day attacks can compromise millions of hosts in seconds

Solution: **analyze** network flows to detect attacks and patch hosts/software in **real-time**

- **Intermediate data:** create attack model
- **Decision:** detect attack, patch

Quality	sophisticated, accurate, robust
Latency	update (sec) / decision (ms)
Security	privacy (encourage users to share logs), integrity



Application	Quality	Latency		Security
		Update	Decision	
Zero-time defense	sophisticated, accurate, robust	sec	ms	privacy, integrity
Parking assistant	sophisticated, robust	sec	sec	privacy
Disease discovery	sophisticated, accurate	hours	sec/min	privacy, integrity
IoT (smart buildings)	sophisticated, robust	min/hour	sec	privacy, integrity
Earthquake warning	sophisticated, accurate, robust	min	ms	integrity
Chip manufacturing	sophisticated, accurate, robust	min	sec/min	confidentiality, integrity
Fraud detection	sophisticated, accurate	min	ms	privacy, integrity
"Fleet" driving	sophisticated, accurate, robust	sec	sec	privacy, integrity
Virtual companion	sophisticated, robust	min/hour	sec	integrity
Video QoS at scale	sophisticated	min	ms/sec	privacy, integrity

Challenges

RISE Lab

Automated decisions on live data are hard

Real-time, sophisticated decisions that guarantee worst-case behavior on noisy and unforeseen live data

Poor security: exploits are daily occurrences

Ensure privacy and integrity without impacting functionality

One-off solutions, expensive, slow to build

General platform:
Secure Real-time Decision Stack

Research directions

Systems: 100x lower latency, 1,000x higher concurrency than today's Spark

Machine learning: Robust, on-line ML algorithms

Security: achieve privacy, confidentiality, and integrity without impacting performance or functionality

Early work

Drizzle

Opaque

Streaming


Micro-batching vs. record-at-a-time

Micro-batching (e.g., Spark) inherits batch's properties

- fault-tolerance
- straggler mitigation
- optimizations
- unification with other libraries

Record-at-a-time (e.g., Storm, Flink), typically lower latency

Yahoo's streaming benchmark



Input: 20M JSON ad-events / second, 100 campaigns


Output: ad counts per campaign over a 10sec window

Latency: (end of window) – (time last event was processed)


SLA: 1sec

Findings: Storm, Flink provide indeed lower latency than Spark


Spark Streaming




Spark Streaming



Spark Streaming



Spark Streaming




Drizzle

Goal: reduce Spark streaming latency by at least 10x


Key observation: consecutive iterations use same DAG

Solution: push scheduling decisions to workers


Spark Streaming




Drizzle




Spark Streaming




Drizzle




Spark Streaming




Drizzle




Spark Streaming




Drizzle




Latency




Latency




Latency, w/ ReduceBy optimization



Latency, w/ ReduceBy optimization



Fault tolerance



four nines SLA: 8.6 sec per day exceeding SLA


Early results

Drizzle

Opaque

State-of-the-art security today


Authentication, encryption at-rest and in-motion



Not enough if OS or hypervisor compromised, and attacker get root access

State-of-the-art security today

Authentication, encryption at-rest and in-motion




Not enough if attacker
can observe network
and memory access
patterns

Opaque

Leverage Intel's SGX: hardware enclave

Implement secure distributed relational algebra



Opaque: two modes


Encryption mode

- Protect against compromised software (e.g., OS)
- Full data encryption, authentication, and computation verification in hardware enclave


Oblivious mode

- Additionally, hide data access pattern

Opaque: Big Data Benchmark




Opaque: Big Data Benchmark



Opaque: Big Data Benchmark

Up to 100x slower
but 1,000x faster
than state-of-the-art



Next AMPLab: RISELab

Goal: develop Secure Real-time Decision Stack,
an open source platform, tools and algorithms
for real-time decisions on live data with strong
security

Already promising results

Expect much more over the next five years!

Thank you



AMPLab alumni presenting here




Example: “Fleet” driving

Problem: suboptimal driving decisions

Solution: collect & leverage info from other cars and drivers in **real-time**

- **Intermediate data:** automatically annotate maps, actions of other drivers
- **Decision:** avoid obstacles, congestions



Quality	sophisticated, accurate, noise tolerant
Performance	sec (decision) / sec (update)
Security	privacy, data integrity

Not only hypothetical

Attacks getting root access by exploiting OS/DBs vulnerabilities

Attacks exploiting access pattern leakages

THE WALL STREET JOURNAL

BUSINESS

Anthem: Hacked Database Included 78.8 Million People

Health insurer says data breach affected up to 70 million Anthem members

DARKReading
CONNECTING THE INFORMATION SECURITY COMMUNITY

Conficker Showdown: No End In Sight

Reinfected machines likely part of the 5.5 to 6 million-strong Conficker headcount

COMPUTERWORLD
FROM IDG

NEWS

Hackers gain root access to WordPress servers

Observing and Preventing Leakage in MapReduce*

Olga Ohrimenko
Microsoft Research
oohrim@microsoft.com

Manuel Costa
Microsoft Research
manuelo@microsoft.com

Cédric Fournet
Microsoft Research
fournet@microsoft.com

Christos Gkantsidis
Microsoft Research
christos.gkantsidis@microsoft.com

Markulf Kohlweiss
Microsoft Research
markulf@microsoft.com

Divya Sharma
Carnegie Mellon University
divyasharma@cmu.edu


Controlled-Channel Attacks: Deterministic Side Channels for Untrusted Operating Systems

Yanzhong Xu
The University of Texas at Austin
yxu@cs.utexas.edu

Weidong Cui
Microsoft Research
wdcai@microsoft.com

Marcus Peinado
Microsoft Research
marcapi@microsoft.com

Spark Streaming



Drizzle

