Cucumber Report

| Start : Sep 23, 12:48:21.749 PM	End : Sep 23, 12:49:38.458 PM	Duration : 1 m 16.709 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 10 FAILED - 2 SKIPPED - 0

Features: 1 — Pass % 0 %

Scenarios: 3 — Pass % 33 %

Steps: 12 — Pass % 83 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Orange HRM Login feature test	1 m 16.709 s	3	1	2	0	12	10	2	0

#	Feature Name	Scenario Name
1	*Orange HRM Login feature test*	*To validate the Login feature of the OrangeHRM*
2		*To validate the Login feature of the OrangeHRM*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Valid_Credential	1	1	0	0	1	0	1	0
@Invalid_Credential	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Orange HRM Login feature test	3	1	2	0	1 m 16.709 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Orange HRM Login feature test	To validate the Login feature of the OrangeHRM	4	4	0	0	22.453 s
2		To validate the Login feature of the OrangeHRM	4	3	1	0	29.173 s
3		To validate the Login feature of the OrangeHRM	4	3	1	0	25.020 s

Orange HRM Login feature test

FAILED	DURATION - 1 m 16.709 s	Scenarios	Steps
		Total - 3	Total - 12
/ 12:48:21.749 PM // 12:49:38.458 PM /		Pass - 1	Pass - 10
		Fail - 2	Fail - 2
		Skip - 0	Skip - 0

To validate the Login feature of the OrangeHRM

PASSED	DURATION - 22.453 s		Steps
/ 12:48:21.759 PM // 12:48:44.212 PM /			Total - 4
			Pass - 4
Orange HRM Login feature test			Fail - 0
			Skip - 0
@Valid_Credential			

| #	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	13.090 s
2	When User enter the Admin and admin123	PASSED	1.141 s
3	And click the Login btn	PASSED	0.096 s
4	Then Validating Login Page	PASSED	2.067 s
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.795 s
	Screenshot		

To validate the Login feature of the OrangeHRM

FAILED	*DURATION - 29.173 s*
/ 12:48:44.244 PM // 12:49:13.417 PM /	
Orange HRM Login feature test	
@Invalid_Credential	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	12.381 s
2	When User enter the admin and admin	PASSED	1.556 s
3	And click the Login btn	PASSED	0.118 s
4	Then Validating Login Page	FAILED	11.422 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c6554c4d428c26e943da15c3d90cc0c3, findElement {using=xpath, value=//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57766}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57766/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c6554c4d428c26e943da15c3d90cc0c3
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy43.getText(Unknown Source) at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:20) at com.stepdefinition.OrangeStepDefinition.validating_login_page(OrangeStepDefinition.java:42) at ?.Validating Login Page(file:///C:/Users/mmaralinganavar/Desktop/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	Screenshot		

To validate the Login feature of the OrangeHRM

FAILED	DURATION - 25.020 s		Steps	
/ 12:49:13.438 PM // 12:49:38.458 PM /			Total - 4	
Orange HRM Login feature test			Pass - 3	
@Invalid_Credential			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Open Browser OrangeHRM "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	9.008 s
2	When User enter the Mallikarjun and Maralinganavar	PASSED	1.401 s
3	And click the Login btn	PASSED	0.094 s
4	Then Validating Login Page	FAILED	10.870 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.		

#	Step / Hook Details	Status	Duration

	chrome.ChromeDriver Command: [39064b648170bd10ed1403c78fcbebd8, findElement {using=xpath, value=//*[@class="oxd-text oxd-text--h6 oxd-topbar-header-breadcrumb-module"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\MMARAL~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57796}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57796/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 39064b648170bd10ed1403c78fcbebd8
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.getText(Unknown Source)
	  at com.pageactions.OrangeHRMHomePageAction.getHomePageText(OrangeHRMHomePageAction.java:20)
	  at com.stepdefinition.OrangeStepDefinition.validating_login_page(OrangeStepDefinition.java:42)
	  at ?.Validating Login Page(file:///C:/Users/mmaralinganavar/Desktop/PilotProjectOrangeHRM/src/test/resources/Features/OHRMLoginPageTest.feature:7)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.stepdefinition.HooKs.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	Screenshot 		