




MITRE ATT&CK ANALYSIS

Assem ALmadanani

Scenario 1 : Phishing

- MITRE ATT&CK Technique: T1566.002 (Spearphishing Link)
- Explanation: This technique was selected because the scenario describes an employee receiving a deceptive email containing a malicious link. When the employee clicked the link, it triggered a malware download, which directly matches the definition of "Spearphishing Link" under the Initial Access tactic.

Scenario 2: Exploit Vulnerability

- MITRE ATT&CK Technique: T1190 (Exploit Public-Facing Application)
- Explanation: This technique was selected because the adversary took advantage of a vulnerability in outdated software on a web server. Since the web server is accessible from the internet, it is classified as a "Public-Facing Application". Exploiting this weakness allowed the attacker to gain Initial Access and execute malicious commands.

Scenario 3: Password Cracking

- MITRE ATT&CK Technique: T1110.004 (Brute Force: Credential Stuffing)
- Explanation: This technique was selected because the adversary is using a list of stolen usernames and passwords to gain unauthorized access. Trying these credentials across different services to find a valid account is the core definition of Credential

Scenario 4: DoS Attack

- MITRE ATT&CK Technique: T1498.001 (Network Denial of Service: Direct Network Flood)
- Explanation: This technique was selected because the adversary uses a network of compromised devices (botnet) to send a high volume of traffic to the target server. This action aims to flood the server and saturate its capacity, successfully preventing legitimate users from accessing the services

Scenario 5: Lateral Movement

- MITRE ATT&CK Technique: T1210 (Exploitation of Remote Services)
- Explanation: This technique was selected because after gaining initial access to one device, the adversary uses various tools to move laterally within the network. By exploiting remote services, the attacker successfully gains access to additional devices to expand their control and collect sensitive data



THANK
YOU