		~
.E. 67.8 38 R	STUDENT REPORT SERVED AND AND AND AND AND AND AND AND AND AN	
4028 B	ETAILS Name of Student Report April 18 18 18 18 18 18 18 18 18 18 18 18 18	-02
<u>پَ</u>	ETAILS AND THOUSE SAFER THOUSE STREET	SEE
DE	ETAILS SEPARATE STATE OF SEPARATE STATE ST	
38R13E	Name 1018 23th 38th 38th 1018 3 Sth	388
	Ganesh B	,2°
(£0)	Roll Number	
,R23EEO2	3BR23EE028 KPERIMENT 3BR23ELO28	2873E
EX	KPERIMENT SHELD SELD SELD SELD SELD SELD SELD SELD S	,0
Tit	KPÉRIMENT 3 bet la	
ife, (CHOCOLATE JAR	3EEOV
-4	CHOCOLATE JAR CHOCOLATE JAR ARABET	,
38RJ3Ĭ	Description 3 Love 13	
8	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick	128 38í
2		
5R23EE07	chocolates have been picked from all the jars.	3
5	Note: Once a jar is done A will start taking the chocolates from the new jar.	BRIL
38	Input Format:	
,EE028 38	input1: An integer value N representing the number of jars.	202
,~	input2: An integer array representing the quantity of chocolates in each jar.	35.5
23	Output Format:	
183BR23	Return an integer value representing the total number of chocolates that student A will have, after all the chocolates are picked.	028 3E
ć	EXCITIVIE.	
3R23EEO	Input:	3
3	3	3BR135
્ર	10 20 30	
5EE02834	Output:	4.93
		BEE
3BRV?	Explanation:	
30	Jar 1: 10 chocolates -> A-4, B-3,C-3	1800 P
	Jar 2: 20 chocolates -> A-7, B-7, C-6	28
	Jar 3: 30 chocolates -> A-10, B-10,C-10	,
	so A gets a total of 4+7+10=21 chocolates.	ART S
\$	Source Code:	ART S

```
def total_chocolates_for_A(chocolates):
    total_chocolates_A = 0

for jar in chocolates:
    total_chocolates_A += jar // 3

    if jar % 3 >= 1:
        total_chocolates_A += 1

    return total_chocolates_A += 1

    return total_chocolates_A
    jar=int(input())
    chocolates=list(map(int,input(). split ()))
    print(total_chocolates_for_A(chocolates))

RESULT

5/5 Test Cases Passed | 100 %

RESULT

5/5 Test Cases Passed | 100 %
```