# Make tools like wkt, but can create polygon with arc/circle clockwise, counter clockwise with radius centered and can create circle/polygon with safe zero area.
## automatic ploting from coordinate ,see example

EXAMPLE
FROM 083052.99N 0764706.83E along
clockwise arc of radius 5 NM centred
at launch
pad (083159.00N 0765203.00E) to
082759.89N 0764859.16E then to 073205.19N
0760611.00E then along clockwise arc of
radius 75 NM centred at launch pad
(083159.00N 0765203.00E) to 081526.29N
0753813.12E then to 083052.99N
0764706.83E

083052.99N 0764706.83E
5NM
CENTERED 083159.00N 0765203.00E
081526.29N 0753813.12E
082759.89N 0764859.16E
75NM
073205.19N 0760611.00E

Example :
62057.91S 1065832.39E,
52136.48S 1070134.44E,
THEN TO
CENTERED AT 54000.3ES 1082407.87E
COUNTER CLOCKWISE ARC RADIUS 28 NM
THEN TO
52325.22S 1080328.09E,
55449.25S 1080227.41E,
55248.53S 1073344.08E,
62122.04S 1073319.81E,
62057.91S 1065832.39E

62057.91S 1065832.39E
52136.48S 1070134.44E,
28NM
54000.3ES 1082407.87E
55449.25S 1080227.41E
52325.22S 1080328.09E
62122.04S 1073319.81E
55248.53S 1073344.08E

Example :
Make Circle with safe zero area ,
Centered at 033654.00S 1281110.00E radius 75 NM, and safe zero area
Centered at 033654.00S 1281110.00E radius 50 NM.

75NM
50NM
033654.00S 1281110.00E

Example :
Make Polygon with safe zero area ,
62432.00S 1093625.81E,
70730.09S 1093658.67E,
71328.75S 1112842.77E,
55629.37S 1112915.63E,
60245.23S 1103518.61E,
62116.04S 1103323.59E,
62432.00S 1093625.81E
SAFE ZERO AREA
63452.39S 1094950.96E,
65904.56S 1094934.53E,
70414.42S 1111534.05E,
61516.73S 1111924.10E,
61905.39S 1104721.60E,
63541.36S 1104420.85E,
63452.39S 1094950.96E