


### VIRTUATILT - PINBALL FX3 SETUP

Following some basic instructions to have your VirtuaTilt up and running with Pinball FX3.

NOTE: Pinball FX has many limitations; be prepared for troubleshooting if something goes wrong.

Download **DOFLinx** latest package from here: Releases · DOFLinx/DOFLinx (github.com)


Please always refer to official DOFLinx guides available in the downloaded package:





## **DOFLinx Setup**

PREREQUISITES: B2S Server already installed <a href="https://github.com/vpinball/b2s-backglass/releases">https://github.com/vpinball/b2s-backglass/releases</a> and DirectOutput configured (have a look at VirtuaTiltSetup\_v1.X.pdf quide)

Create a folder C:\DOFLinx and uncompress the above zip package (remember to unblock it):













#### Click on Configure button and work through all of your settings:




You need to configure **Key Settings**, **Emulators**, **Inputs** and **Toys** tabs:











#### Click on "Create DOFLinx .INI File" when you're done:




Edit properties of **DOFLinx – Shortcut.lnk** file and add the above string in Target field:


□ → This PC → Local Disk (C:) → DOFLinx →



For automatic startup at every boot, put the shortcut in Startup folder:




Reboot the machine. If your DOFLinx.ini is configured correctly you should not have any error in debug log (launch DOFLinx - Shortcut to check):



## Accelerometer/Analog Plunger configuration


In order to configure KL25Z accelerometer for nudge/tilt and VirtuaTilt analog plunger, you should download **X360CE** emulator from <a href="https://www.x360ce.com/">https://www.x360ce.com/</a>

Unblock the zipfile, uncompress in a folder of your choice (es: C:\vPinball\X360CE\) and launch x360ce.exe



Click on **Add Game** and add the following game **C:\Program Files** (x86)\Steam\steamapps\common\Pinball FX3\Pinball FX3.exe


Add also Steam.exe game at C:\Program Files (x86)\Steam\



IMPORTANT: On the Controller 1 tab, uncheck the "Auto map" checkbox, click "Add..." to the right of that and add your Pinscape controller.

On the **General** tab below, click **Clear** and then set the **left stick X Axis** to **Axis 1** and **left stick Y Axis** to **Axis 2**. Set the **right stick's Y Axis** to **IAxis 3** (**Inverted Axis**)

On the **Left Thumb** (used for nudging) tab you'll likely want to adjust nudging sensitivity. Following are good values to start with VirtuaTilt; you can use them and then modify according to your preferences:



Click on Save All after you configured x360ce and leave it running in background.


NOTE: You can test Nudge sensitivity on Left Thumb tab and Plunger sensitivity on Right Thumb tab.

IMPORTANT: X360CE should always run in background to have plunger/accelerometer functions in Pinball FX.

On the **Options** tab, <u>uncheck the box "Allow only one copy of Application at a time"</u>. This can sometimes cause x360ce to not reopen when tables have been open/closed a few times, even though the old process has been killed.

#### VirtuaTilt – Pinball FX3 Setup v1.0

If you have **1 issue** in x360ce tabs, you have to install Virtual Device Drivers:



Click on Install button and reboot the machine.


Restart x360ce to check if the issue is gone.

#### VirtuaTilt – Pinball FX3 Setup v1.0



## **Enabling Pinball FX3 for DOFLinx**

Copy **DOFLinxTrigger.dll** from C:\DOFLinx to the same folder as Pinball FX3.exe **(C:\Program Files (x86)\Steam\steamapps\common\Pinball FX3\):** 




In DOFLinx.ini be sure to have the **PATH\_FX3=** and **PATH\_FX3\_B2S=** parameters pointing to the place you put the FX3 files.


Make sure you have a \ on the end of the path, so C:\DOFLinx\FX3\

Reboot the machine.

Start **Steam** and go to Steam Settings → Controller



Disable everything under "External Gamepad Settings" with the except of "**Enable Steam Input for generic controllers**".



Now Start Pinball FX3 and have fun. If everything was setup correctly you should be able to use analog plunger, nudging and feedback devices.

## VirtuaTilt – Pinball FX3 Setup v1.0

### DOFLinx.INI file for VirtuaTilt

You can have a look at the following **DOFLinx.ini** file as a reference for your VirtuaTilt. Be sure to correctly configure all paths:

######

# DOFLinx Configuration Tool generated DOFLinx.INI file at 20:09:10 18 October 2024

######

DEBUG=1

COLOUR\_FILE=C:\DirectOutput\directoutputconfig51.ini

DIRECTOUTPUTGLOBAL=C:\DirectOutput\Config\Globalconfig1.xml

PATH\_B2S\_SERVER=C:\vPinball\VisualPinball\Tables\

PATH\_FX2=\

PATH\_FX2\_B2S=\

PATH\_FX3=C:\DOFLinx\FX3\

PATH\_FX3\_B2S=C:\DOFLinx\B2S\

PATH\_MAME=C:\DOFLinx\MAME\

FP\_ATTEMPT\_LINK=1

MAME\_FOLDER=C:\MAME\

PATH\_PIXELCADE=C:\Pixelcade\

PATH\_HI2TXT=C:\HI2TXT\

PROCESSES=Pinball FX2, Pinball FX3, Mame, Future Pinball

MAME\_PROCESS=Mame

L\_FLIPPER\_KEY=A0

R\_FLIPPER\_KEY=A1

LINK\_BUT\_LF=0000,MONO,A0

LINK\_BUT\_RF=0000,MONO,A1

LINK\_BUT\_ML=0000,MONO,A2

LINK\_BUT\_MR=0000,MONO,A3

LINK\_BUT\_ST=0000,MONO,31

LINK\_BUT\_EB=0000,MONO,32

LINK\_BUT\_EX=0000,MONO,1B

LINK\_BUT\_CN=0000,MONO,35

LINK\_BUT\_LB=0000,MONO,0D

L\_FLIPPER\_OUTPUT=1003

R\_FLIPPER\_OUTPUT=1004

LINK\_LF=1003,100,10000,255

LINK\_RF=1004,100,10000,255

LINK\_LS=1001,100,500,255

LINK\_RS=1001,100,500,255

LINK\_ML=1001,100,500,255

LINK\_MC=1001,100,500,255

LINK\_MR=1001,100,500,255

LINK\_BL=1001,100,500,255

LINK\_BC=1001,100,500,255

LINK\_BR=1001,100,500,255

LINK\_GR=1002,1000,10000,255

LINK\_KN=1001,100,500,255

#!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!