دستورکار شماره دوم پایگاه داده

عرفان رفيعي اسكويي - 98243027

ابتدا table مورد نظر را میسازیم:

mysql> CREATE TABLE PERSON (PERSON_ID INT UNSIGNED NOT NULL AUTO_INCREMENT, LAST_NAME VARCHAR(255) NOT NULL, FIR ST_NAME VARCHAR(255) NOT NULL, BIRTH DATE NOT NULL, DEATH DATE, GENDER ENUM('FEMALE','MALE') NOT NULL, PRIMARY KE Y (PERSON_ID));
Query OK, 0 rows affected (0.02 sec)

حال describe میکنیم:

```
mysql> DESCRIBE PERSON
                                        Null | Key | Default
  Field
              Type
               int unsigned
  PERSON_ID
                                        NO
                                                      NULL
                                                                auto_increment
 LAST NAME
               varchar(255)
                                        NO
                                                      NULL
 FIRST_NAME
               varchar(255)
                                                      NULL
                                        NO
 BIRTH
               date
                                        NO
                                                      NULL
 DEATH
               date
                                        YES
                                                      NULL
  GENDER
               enum('FEMALE','MALE')
                                        NO
                                                      NULL
6 rows in set (0.00 sec)
```

حال insert میکنیم:

```
mysql> INSERT INTO PERSON(PERSON_ID, LAST_NAME, FIRST_NAME, BIRTH, GENDER)
-> VALUES (1,'ALAVi','AKBAR','1990-11-12','MALE');
Query OK, 1 row affected (0.01 sec)
```

Table را چک میکنیم:

```
mysql> SELECT * FROM PERSON
->;
+-----+
| PERSON_ID | LAST_NAME | FIRST_NAME | BIRTH | DEATH | GENDER |
+----+
| 1 | ALAVi | AKBAR | 1990-11-12 | NULL | MALE |
+----+
1 row in set (0.00 sec)
```

سیس بقیه مقادیر را نیز اضافه میکنیم:

```
mysql> INSERT INTO PERSON(PERSON_ID, LAST_NAME, FIRST_NAME, BIRTH, GENDER)
    -> VALUES (2,'MAKHDUMI','MARYAM','1992-10-13','FEMALE');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO PERSON
    -> VALUES (3,'Mostafavi','Ahmad','1991-07-15',NULL,'MALE');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO PERSON
    -> VALUES (4,'Akbari','Maryam','1980-05-21','1999-7-1','FEMALE');
Query OK, 1 row affected (0.00 sec)
```

دوباره table را چک میکنیم :

```
mysql> select * from person;
 PERSON_ID | LAST_NAME | FIRST_NAME | BIRTH
                                               DEATH
                                                           GENDER
         1 ALAVi
                                   | 1990-11-12 | NULL
                      AKBAR
                                                             MALE
                                   1992-10-13 | NULL
         2 | MAKHDUMI | MARYAM
                                                             FEMALE
                                   | 1991-07-15 | NULL
         3
           | Mostafavi | Ahmad
                                                             MALE
         4 | Akbari
                      Maryam
                                   | 1980-05-21 | 1999-07-01 | FEMALE
4 rows in set (0.00 sec)
```

حال death ها را ست میکنیم:

```
mysql> update person
    -> set DEATH = '2023-3-05'
    -> WHERE FIRST_NAME ='AHMAD';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> update person
    -> set DEATH = currdate()
    -> WHERE FIRST_NAME='MARYAM';
ERROR 1305 (42000): FUNCTION erfan.currdate does not exist
mysql> update person
    -> set DEATH = curdate()
    -> WHERE FIRST_NAME='MARYAM';
Query OK, 2 rows affected (0.00 sec)
Rows matched: 2 Changed: 2 Warnings: 0

mysql> describe person
```

حال جدول را چک میکنیم:

```
mysql> select * trom person;
 PERSON_ID | LAST_NAME | FIRST_NAME | BIRTH
                                                  DEATH
                                                                GENDER
         1 I
             ALAVi
                         AKBAR
                                      1990-11-12 NULL
                                                                MALE
         2
                         MARYAM
             MAKHDUMI
                                      1992-10-13
                                                 2023-03-05
                                                                FEMALE
         3
             Mostafavi
                         Ahmad
                                      1991-07-15
                                                   2023-03-05
                                                                MALE
                                      1980-05-21 | 2023-03-05 |
             Akbari
                         Maryam
                                                                FEMALE
 rows in set (0.00 sec)
```

حال عمليات حذف را آغاز ميكنيم:

```
mysql> delete from person
    -> where first_name = 'maryam';
Query OK, 2 rows affected (0.00 sec)
```

و در انتها دستورات نهایی را ران میکنیم:

```
mysql> select * from person;
  PERSON_ID | LAST_NAME | FIRST_NAME | BIRTH
                                                  DEATH
                                                                GENDER
         1 | ALAVi
                          AKBAR
                                      1990-11-12
                                                   NULL
                                                                MALE
          3 | Mostafavi | Ahmad
                                      1991-07-15 2023-03-05
                                                              MALE
2 rows in set (0.00 sec)
mysql> INSERT INTO PERSON
   -> VALUES (4,'Akbari','Maryam','1980-05-21','1999-7-1','FEMALE');
Query OK, 1 row affected (0.01 sec)
mysql> delete from person
   -> where first_name =binary 'maryam';
Query OK, 0 rows affected, 1 warning (0.00 sec)
mysql> delete from person
   -> where first_name = 'maryam';
Query OK, 1 row affected (0.00 sec)
```