TS_ANEF_Eloignement_OQTF

Execution Environment

Host name nbenjemi - LFR-5CG1459ZTG.corp.capgemini.com

Local OS Windows 11 64bit

Katalon version 9.6.0.217

Browser Chrome 133.0.0.0

Device name

Summary

ID Test Suites/TS_ANEF_Eloignement_OQTF

Description

Total 6

Passed 1 Failed 5
Error 0 Incomplete 0

Skipped 0

Start 12-02-2025 14:18:55 End 12-02-2025 14:24:39

Elapsed 5m - 44,715s

#	ID	Description	Status
1	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		FAILED
2	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		FAILED
3	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		FAILED
4	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		FAILED
5	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		FAILED
6	Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF		PASSED

Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:18:56 End 12-02-2025 14:20:48

Elapsed 1m - 52,218s

Status FAILED

Details

#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' successfully	10,691s	PASSED
2	Appel Brique Réutilisable pour Identification Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Identification' successfully	13,454s	PASSED
3	Appel Brique Réutilisable pour Creation ou Recherche de dossier avec un numero etranger Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Creation_ou_Recherche_Dossier' successfully	39,003s	PASSED
4	if (CreationOuRecherche == "Creation") Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Formulaire_Creation_Dossier' successfully	24,821s	PASSED
5	println(NumeroEtranger)	0,009s	PASSED

			01.1
#	Description	Elapsed	Status
6	Appel Brique Réutilisable pour Prendre une Mesure selon les Choix : OQTF , Expulsion ,IAT ,ITF ,ExecutionFicheSIS, RemiseSchengen, TransfertDublin	16,098s	FAILED
	Unable to call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invokeo(Native at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall (HighlightElement.groovy:105)		
	at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at Eloignement_OQTF.run(Eloignement_OQTF:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
	at TempTestSuite1739366320778.run(TempTestSuite1739366320778.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		

Elapsed

Status

Description (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure_Formulaire_1' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) $at\ com.kms. katalon. core. keyword. builtin. Call Test Case Keyword. execute$ (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall (HighlightElement.groovy:105) at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at ANEF_Prendre_Mesure.run(ANEF_Prendre_Mesure:92) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) $at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecut$ java:439) $at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase$ (TestCaseExecutor.java:418) $at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase$ (TestCaseExecutor.java:410) $at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)$ java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 28 more Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object Repository/A Version Nawres/Page Prendre Mesure Formulaire 1/btn Ajouter Docume at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword

(WebUIKeywordMain.groovy:26)

Elapsed


Status

```
Description
                at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
 groovy:74)
                at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
 (ClickKeyword.groovy:40)
                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
 (WebUiBuiltInKeywords.groovy:647)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall
 (HighlightElement.groovy:105)
                at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at ANEF_Prendre_Mesure_Formulaire_1.run
 (ANEF_Prendre_Mesure_Formulaire_1:219)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.iava:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
java:285)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 137)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                ... 50 more
 Caused by: org.openqa.selenium.ElementClickInterceptedException: element click
intercepted: Element <button id="btn-add-file-3" class="fr-grid-row--center fr-btn fr-btn--sm
fr-btn--tertiary fr-icon-add-line fr-btn--icon-left fr-mb-2w ng-star-inserted" style="outline:
dashed red;">...</button> is not clickable at point (840, 110). Other element would receive
the click: <button data-fr-opened="false" aria-label="Supprimer" title="Supprimer une
Mesure" disabled="" class="fr-icon-delete-line fr-btn fr-btn--icon-left fr-btn--tertiary">...
 </button>
  (Session info: chrome=133.0.6943.60)
 Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
 System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch:
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 133.0.6943.60, chrome: {chromedriverVersion: 133.0.6943.53 (9a80935019b0...,
 userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:
 chromeOptions: {debuggerAddress: localhost:59604}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
```

Elapsed

Status

```
Description
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: b14a02cbf642a6c32f74641972e34760
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at\ java.base/jdk.internal.reflect.Delegating Constructor Accessor Impl.new Instance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at jdk.internal.reflect.GeneratedMethodAccessor19.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
         at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
         at org.openqa.selenium.WebElement$click.call(Unknown Source)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         ... 70 more
```



Video recording for test case 'Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF' .

Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:20:48 End 12-02-2025 14:22:08

Elapsed 1m - 19,712s

Status FAILED

Details


#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' successfully	5,333s	PASSED
2	Appel Brique Réutilisable pour Identification Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Identification' successfully	11,121s	PASSED
3	Appel Brique Réutilisable pour Creation ou Recherche de dossier avec un numero etranger Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Creation_ou_Recherche_Dossier' successfully	36,487s	PASSED
4	if (CreationOuRecherche == "Creation") Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Formulaire_Creation_Dossier' successfully	22,348s	PASSED
5	println(NumeroEtranger)	0,002s	PASSED

#	Description	Elapsed	Status
6	Appel Brique Réutilisable pour Prendre une Mesure selon les Choix : OQTF , Expulsion ,IAT ,ITF ,ExecutionFicheSIS, RemiseSchengen, TransfertDublin	1,729s	FAILED
	Unable to call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure' (Root cause: com.kms.		
	katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	$at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keyword. Builtin Keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ com. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ core. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ core. kms. kms. katalon. core. keywords. call Test Case (Builtin Keywords. call Test Case) at\ core. kms. kms. kms. kms. kms. kms. kms. kms$		
	groovy:310)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall		
	(HighlightElement.groovy:105)		
	at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at Eloignement_OQTF.run(Eloignement_OQTF:42)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1739366320778.run(TempTestSuite1739366320778.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		

Elapsed

Status

```
Description
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to select option
by label 'IAT' of object 'Object
Repository/A_Version_Nawres/Page_Prendre_Mesure/select_Type_Mesure'
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.
selectOptionByLabel(SelectOptionByLabelKeyword.groovy:98)
          at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.
execute(SelectOptionByLabelKeyword.groovy:71)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByLabel(WebUiBuiltInKeywords.groovy:1252)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.iava:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall
(HighlightElement.groovy:105)
          at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at ANEF_Prendre_Mesure.run(ANEF_Prendre_Mesure:43)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
          at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
          at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
         at\ com.kms.katalon.core.main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
137)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
         ... 28 more
Caused by: org.openqa.selenium.NoSuchElementException: Cannot locate element with
For documentation on this error, please visit: https://www.seleniumhg.
org/exceptions/no_such_element.html
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: unknown
         at org.openqa.selenium.support.ui.Select.selectByVisibleText(Select.java:147)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```



Video recording for test case 'Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF' .

Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:22:08 End 12-02-2025 14:22:18

Elapsed 9,790s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
Appel Brique Réutilisable pour lancer URI ANEF pour Agent	7,533s	FAILED
Unable to call Test Case 'Test Cases/Test		
Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' (Root cause: com.kms.		
katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test		
Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' failed		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
at com.kms.katalon.core.keyword.builtin.		
CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:75)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
(CallTestCaseKeyword.groovy:81)		
at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
(CallTestCaseKeyword.groovy:44)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
groovy:310)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall		
(HighlightElement.groovy:105)		
at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
at Eloignement_OQTF.run(Eloignement_OQTF:22)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
· · · · · · · · · · · · · · · · · · ·		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65)		
$at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1739366320778.run(TempTestSuite1739366320778.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java base/idk internal reflect NativeMethod AccessorImpl involve		

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

Elapsed

Status

```
Description
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to maximize
 current window
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
 (WebUlKeywordMain.groovy:64)
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUlKeywordMain.groovy:26)
                at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.
maximizeWindow(MaximizeWindowKeyword.groovy:74)
                at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute
 (MaximizeWindowKeyword.groovy:69)
                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow
 (WebUiBuiltInKeywords.groovy:322)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
 Method)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall
 (HighlightElement.groovy:105)
                at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at ANEF_Lancer_URL_ANEF.run(ANEF_Lancer_URL_ANEF:344)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 137)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                ... 28 more
 Caused by: org.openqa.selenium.WebDriverException: unknown error: failed to change
 window state to 'normal', current state is 'maximized'
  (Session info: chrome=133.0.6943.60)
 Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
 System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch:
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 133.0.6943.60, chrome: {chromedriverVersion: 133.0.6943.53 (9a80935019b0...,
 userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:59847}, javascriptEnabled: true,
```

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,

Elapsed

Status

Description platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 0d29902f341c107aa926426b4550ab5c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException$ (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:609) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize (RemoteWebDriver.java:837) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWindow.maximize(EventFiringWebDriver.java:769) at com.kms.katalon.core.webui.keyword.builtin. $Maximize Window Keyword \$_maximize Window_closure 1. do Call (Maximize Window Keyword.$ groovy:85) at com.kms.katalon.core.webui.keyword.builtin. MaximizeWindowKeyword\$_maximizeWindow_closure1.call(MaximizeWindowKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 48 more ANEF | AEF Identifiez-vous MOT DE PASSE OUBLIÉ ? ☐ Se souvenir de moi

#	Description	Elapsed	Status
2	Video	0,001s	PASSED
	Video recording for test case 'Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF' .		

Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:22:18 End 12-02-2025 14:22:26

Elapsed 8,343s Status FAILED

Details

Description Elapsed Status

#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent	6,069s	FAILED
	Unable to call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' (Root cause: com.kms.		
	katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:310)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall		
	(HighlightElement.groovy:105)		
	at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at Eloignement_OQTF.run(Eloignement_OQTF:22)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1739366320778.run(TempTestSuite1739366320778.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at jaya hasa/idk internal reflect NativeMethod AccessorImpl invoke		

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

Status

```
Description
                                                                                                                                                       Elapsed
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to maximize
 current window
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
 (WebUlKeywordMain.groovy:64)
                at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUlKeywordMain.groovy:26)
                at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.
maximizeWindow(MaximizeWindowKeyword.groovy:74)
                at com.kms.katalon.core.webui.keyword.builtin.MaximizeWindowKeyword.execute
 (MaximizeWindowKeyword.groovy:69)
                at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.maximizeWindow
 (WebUiBuiltInKeywords.groovy:322)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
 Method)
                at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.java:77)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall
 (HighlightElement.groovy:105)
                at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
                at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at ANEF_Lancer_URL_ANEF.run(ANEF_Lancer_URL_ANEF:344)
                at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
java:439)
                at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
 (TestCaseExecutor.java:410)
                at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
                at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
 137)
                at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                ... 28 more
 Caused by: org.openqa.selenium.WebDriverException: unknown error: failed to change
 window state to 'normal', current state is 'maximized'
  (Session info: chrome=133.0.6943.60)
 Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
 System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch:
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
 133.0.6943.60, chrome: {chromedriverVersion: 133.0.6943.53 (9a80935019b0...,
 userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:59904}, javascriptEnabled: true,
```

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,

Elapsed

Status

Description platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 82e7c10aa63f529957eabf5883f989fd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) $at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException$ (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:609) at org.openga.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize (RemoteWebDriver.java:837) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWindow.maximize(EventFiringWebDriver.java:769) at com.kms.katalon.core.webui.keyword.builtin. $Maximize Window Keyword \$_maximize Window_closure 1. do Call (Maximize Window Keyword.$ groovy:85) at com.kms.katalon.core.webui.keyword.builtin. MaximizeWindowKeyword\$_maximizeWindow_closure1.call(MaximizeWindowKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) ... 48 more ANEF | AEF Identifiez-vous MOT DE PASSE OUBLIÉ ? ☐ Se souvenir de moi

#	Description	Elapsed	Status
2	Video	0,001s	PASSED
	Video recording for test case 'Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF' .		

Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:22:26 End 12-02-2025 14:22:57

Elapsed 30,965s Status FAILED

Details

#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent	5,969s	PASSED
	Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' successfully		
2	Appel Brique Réutilisable pour Identification Agent	11,024s	PASSED
	Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Identification' successfully		

#	Description	Elapsed	Status
3	Appel Brique Réutilisable pour Creation ou Recherche de dossier avec un numero etranger	11,569s	FAILED
	Unable to call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Creation_ou_Recherche_Dossier' (Root cause:		
	com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test		
	Reutilisable/Main/AVersion_Nawres/ANEF_Creation_ou_Recherche_Dossier' failed		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.		
	groovy:310)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kazurayam.ksbackyard.HighlightElement\$_pandemic_closure1.doCall		
	(HighlightElement.groovy:105) at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at Eloignement_OQTF.run(Eloignement_OQTF:28)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1739366320778.run(TempTestSuite1739366320778.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java hase/idk internal reflect NativeMethodAccessorImpl invoke		

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

Status

```
Description
                                                                                                                                                            Elapsed
                 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
 Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text
 '7555685870' of object 'Object
 Repository/A_Version_Nawres/Page_Creation_ou_Recherche_Dossier/Input_Numero_etra
nger'
                 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
 (WebUIKeywordMain.groovy:64)
                 at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
 (WebUIKeywordMain.groovy:26)
                 at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
 (SetTextKeyword.groovy:85)
                 at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
 (SetTextKeyword.groovy:39)
                 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
 executeKeywordForPlatform(KeywordExecutor.groovy:74)
                 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
 (WebUiBuiltInKeywords.groovy:1005)
                 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
 Method)
                 at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
 (NativeMethodAccessorImpl.iava:77)
                 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall
 (HighlightElement.groovy:105)
                 at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
                 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
 (DelegatingMethodAccessorImpl.java:43)
                at ANEF_Creation_ou_Recherche_Dossier.run
 (ANEF_Creation_ou_Recherche_Dossier:38)
                 at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                 at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
                 at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
                 at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
 (TestCaseExecutor.java:418)
                at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
 (TestCaseExecutor.java:410)
                at\ com.kms.katalon.core.main.Test Case Executor.execute (Test Case Executor.execute) at con.kms.katalon.execute (Test Case Executor.execute) at con.kms.kata
java:285)
                 at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
                 at com.kms.katalon.core.keyword.builtin.
 CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
                ... 28 more
 Caused by: org.openga.selenium.ElementNotInteractableException: element not
interactable
   (Session info: chrome=133.0.6943.60)
 Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
 System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch:
 'amd64', os.version: '10.0', java.version: '17.0.7'
 Driver info: com.kms.katalon.selenium.driver.CChromeDriver
 Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
```

133.0.6943.60, chrome: {chromedriverVersion: 133.0.6943.53 (9a80935019b0...,

Status

```
Description
                                                                                            Elapsed
userDataDir: C:\Windows\SystemTemp\scope...}, fedcm:accounts: true, goog:
chromeOptions: {debuggerAddress: localhost:59945}, javascriptEnabled: true,
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: b5eb737fe515299733e4788e4f34948b
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ or g. open qa. selenium. remote. Remote Web Element. clear (Remote Web Element.
java:124)
          at jdk.internal.reflect.GeneratedMethodAccessor31.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:55)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          ... 48 more
```



Information

ID Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF

Description

Tag

Start 12-02-2025 14:22:57 End 12-02-2025 14:24:39

Elapsed 1m - 42,078s

Status PASSED

Details

#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Lancer_URL_ANEF' successfully	4,973s	PASSED
2	Appel Brique Réutilisable pour Identification Agent Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Identification' successfully	11,143s	PASSED
3	Appel Brique Réutilisable pour Creation ou Recherche de dossier avec un numero etranger Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Creation_ou_Recherche_Dossier' successfully	36,889s	PASSED
4	if (CreationOuRecherche == "Creation") Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Formulaire_Creation_Dossier' successfully	21,827s	PASSED
5	println(NumeroEtranger)	0,009s	PASSED
6	Appel Brique Réutilisable pour Prendre une Mesure selon les Choix : OQTF , Expulsion ,IAT ,ITF ,ExecutionFicheSIS, RemiseSchengen, TransfertDublin Call Test Case 'Test Cases/Test Reutilisable/Main/AVersion_Nawres/ANEF_Prendre_Mesure' successfully	24,578s	PASSED

#	Description	Elapsed	Status
7	Video	0.001s	PASSED

Video recording for test case 'Test Cases/Cas D Utilisations/A_Version_Nawres/Eloignement_OQTF' .