TS_ANEF_Eloignement

Execution Environment

Host name	nbenjemi - LFR-5CG1459ZTG.corp.capgemini.com
Local OS	Windows 11 64bit
Katalon version	9.6.0.217
Browser	Chrome 133.0.0.0
Device name	

Summary

ID	Test Suites/TS_ANEF_Eloignement		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	05-03-2025 09:51:36	End	05-03-2025 09:51:57
Elapsed	21,778s		

#	ID	Description	Status
1	Test Cases/Cas D Utilisations/ANEF_Eloignement_V_Nawres/TC_ANEF_Eloignement		FAILED

TC_ANEF_Eloignement

Information

ID	Test Cases/Cas D Utilisations/ANEF_Eloignement_V_Nawres/TC_ANEF_Eloignement
Description	
Tag	

Start	05-03-2025 09:51:36	End	05-03-2025 09:51:57
Elapsed	21,234s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Appel Brique Réutilisable pour lancer URI ANEF pour Agent	8,154s	PASSED

Call Test Case 'Test Cases/Test Reutilisable/Main/ANEF_Eloignement_V_Nawres/ANEF_Lancer_URL_ANEF' successfully

TC_ANEF_Eloignement

#	Description	Elapsed	Status
2	Appel Brique Réutilisable pour Identification Agent	8,423s	FAILED

Unable to call Test Case 'Test Cases/Test
Reutilisable/Main/ANEF_Eloignement_V_Nawres/ANEF_Identification' (Root cause: com.
kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Test
Reutilisable/Main/ANEF_Eloignement_V_Nawres/ANEF_Identification' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:310)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
        at TC_ANEF_Eloignement.run(TC_ANEF_Eloignement:25)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
        at TempTestSuite1741164690805.run(TempTestSuite1741164690805.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'test.
gpe+970@outlook.fr' of object 'Object
Repository/ANEF_Eloignement_V_Nawres/Page_ANEF_Connexion/Input_UserNameAgent'

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall (HighlightElement.groovy:105)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at ANEF_Identification.run(ANEF_Identification:52)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
... 25 more

Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:15419

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

System info: host: 'LFR-5CG1459ZTG', ip: '192.168.1.197', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'

Driver info: driver.version: EventFiringWebDriver

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)

at org.openqa.selenium.remote.RemoteWebDriver.findElements

#	Description	Elapsed	Status
	(RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105) at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1036) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:921) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:902) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:893) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:725) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1416) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall (HighlightElement.groovy:105) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		

#	Description	Elapsed	Status
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at Script1739367416507.run(Script1739367416507.groovy:52) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at Script1739367563043.run(Script1739367563043.groovy:25) ... 15 more Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]: 15419 at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:247) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)		

#	Description	Elapsed	Status
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	... 69 more		
	Caused by: java.net.ConnectException: Connection refused: no further information		
	at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)		
	at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245)		
	at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)		
	at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)		
	at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)		
	at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)		
	at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)		
	at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)		
	at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)		
	at okhttp3.RealCall.execute(RealCall.java:77)		
	at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute		

#	Description	Elapsed	Status
	(HttpCommandExecutor.java:155)		

(HttpCommandExecutor.java:155)
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
	at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
	at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
	at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
	at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
	at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
	at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
	at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1
(EventFiringWebDriver.java:105)
	at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
	at org.openqa.selenium.support.events.EventFiringWebDriver.findElements
(EventFiringWebDriver.java:182)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1036)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:921)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:902)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:893)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:725)
	at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1416)
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
	at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
	at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
	at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:85)
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:39)
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)

#	Description	Elapsed	Status

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at com.kazurayam.ksbackyard.HighlightElement$_pandemic_closure1.doCall (HighlightElement.groovy:105)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at ANEF_Identification.run(ANEF_Identification:52)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)

at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

at TC_ANEF_Eloignement.run(TC_ANEF_Eloignement:25)

... 15 more

)

| 3 | Video | 0,002s | PASSED |

Video recording for test case 'Test Cases/Cas D Utilisations/ANEF_Eloignement_V_Nawres/TC_ANEF_Eloignement' .