



Upload Data

Upload Data Function (Task)

```
Task<> IPFS.IpfsFunctionLibrary.UploadData(  
    IpfsPinningServiceConfig ipfsPinningServiceConfig,  
    string bearerToken,  
    string dataToUpload,  
    string saveAs)
```

This function uploads data to the *IPFS* network. This function requires inputs as follows:

- `ipfsPinningServiceConfig`: Holds the URL and name of the pinning service to send the request to.
- `bearerToken`: The API token for authentication.
- `dataToUpload`: The path of the file to upload.
- `saveAs`: Optional alternate filename for the uploaded file on IPFS.

The returned *Response* is a `Task` that holds data such as headers, status code, and body of the response of the HTTP request.

```
Task<(bool success, string errorMessage, HttpResponseMessage response, string cid)>
```

! INFO

If `success` is `true` that only means the upload to the *IPFS* network was successful.

If successful, returns the `cid` of the uploaded data in *string* format.


Upload Data Function (Delegate)

```
void IPFS.IpfsFunctionLibrary.UploadData(  
    IpfsPinningServiceConfig ipfsPinningServiceConfig,  
    string bearerToken,  
    string dataToUpload,
```

```
string saveAs,  
IpfsUploadDataDelegate responseDelegate)
```

This is a wrapper function for the async implementation. It exists to provide the same functionality but using a delegate for handling responses.

```
delegate void IpfsUploadDataDelegate(  
    bool success,  
    string errorMessage,  
    HttpResponse response,  
    string cid)
```

 [Edit this page](#)