# Documentazione FREDWebTechnology Progetto di tecnologia del web

Nella seguente documentazione sono riportati:

- 1) Operazione per istallazione
- 2) Lo schema logico del database utilizzato
- 3) Scheletro di ogni cartella con i relativi file presenti e il codice di file più significativo.

### 1) Operazione di Installazione:

#### 1.1 Requisiti


- · Aver installato e configurato git
- Server web compatibile con php versione 7.\*
- Aver installato composer

#### 1.2 Operazioni

- 1. Clonare il repository nella directory desiderata git clone https://github.com/3daniele/FREDWebTechnology.git
- 2. Spostarsi all'interno della directory del progetto cd FREDWebTechnology
- 3. Installare tutte le dipendenze necessarie al funzionamento del progetto composer install
- 4. Configurare i dati nel file config-example.php e copiare le informazioni in un nuovo file config.php nella cartella inc cp config-example.php config.php
- 5. Importare il database presente nella cartella DB

Motore di templating utilizzato twig: <a href="https://twig.symfony.com/">https://twig.symfony.com/</a>

# 2) Schema logico



# 3) Codice più significativo

Nei file dove il percorso è evidenziato in blu viene preso il codice e riportato nella documentazione, nei file dove i percorsi sono evidenziati in verde non viene preso il codice perché considerato poco importante ( per prendere visione del codice di questi file si rimanda al repository github sopra menzionato nel punto 1.2 )

#### 3.1) Cartella Admin/pages:

- Article
- Message
- Order
- Product
- Review
- Support
- Templeate-parts
- Client.php
- Index.php

```
Cartella Article:
Admin/pages/article/delete.php
Admin/pages/article/edit-article.php
Admin/pages/article/index.php
Admin/pages/article/save.php
Admin/pages/article/articles.php
<?php include "../../inc/init.php"; ?>
<?php if (!isset($_SESSION["email"]) || $_SESSION["admin"] == 1) {</pre>
 header("Location: " . ROOT_URL);
}
?>
<?php include ROOT_PATH . "public/template-parts/title.php"; ?>
<title>Articoli</title>
<?php include ROOT_PATH . "public/template-parts/header.php"; ?>
<?php include ROOT_PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
<?php
  $articleMgr = new ArticleManager();
  $articles = $articleMgr->getAll();
  $articletxt = array();
 foreach($articles as $a){
    array_push($articletxt,substr($a->text,0,220));
  }
  $loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . '/templates/admin/
article/');
  $twig = new \Twig\Environment($loader, []);
  echo $twig->render('articles.html', [
    'ROOT_URL' => ROOT_URL,
    'articles' => $articles,
    'articletxt' => $articletxt
 ]);
```

?>

# Admin/pages/article/edit.php

```
<?php include "../../inc/init.php"; ?>
<?php if (!isset($ SESSION["email"]) || $ SESSION["admin"] == 1) {</pre>
  header("Location: " . ROOT_URL);
?>
<?php
$title = $ POST["title"];
$text = (string)$_POST["text"];
$img = (string)$_POST["img"];
$id = (int)$ POST["id"];
$articleMgr = new ArticleManager();
$articleMgr->updateArticle($id, $title, $text, $img);
// upload immagine
if (isset($_FILES)) {
  $tmp = $ FILES['image']['tmp name'];
  $folder = ROOT_PATH . "public/img/slider/slide"; //cartella di destinazione dell'immagine
  ne = id;
  $ext = ".png";
  if (is uploaded file($tmp)) {
    $uploadDir = $folder . $name . $ext; //aggiungo il folder di destinazione
    if (move_uploaded_file($tmp, $uploadDir)) {
      $articleMgr->updateImg($id);
      echo "Non è stato possibile caricare l'immagine<br/>";
    }
  }
}
header("Location: ".ROOT_URL."admin/pages/article/edit-article.php?article=".$id);
?>
```

# Admin/pages/article/new-article.php

```
<?php include "../../inc/init.php"; ?>
<?php
if (!defined('ROOT_URL')) {
  die:
}
if ($ SESSION["admin"] == 1) {
  header("Location: " . ROOT_URL);
}
?>
<?php include ROOT_PATH . "public/template-parts/title.php" ?>
<title>Nuovo articolo</title>
<?php include ROOT_PATH . 'public/template-parts/header.php'; ?>
<?php include ROOT_PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
<?php
$manufacturerMgr = new ManufacturerManager();
$manufacturers = $manufacturerMgr->getAll();
$loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . '/templates/admin/article/');
$twig = new \Twig\Environment($loader, []);
echo $twig->render('new-article.html', [
  'ROOT_URL' => ROOT_URL,
  'manufacturers' => $manufacturers
]);
?>
<?php include ROOT_PATH . 'public/template-parts/footer.php'; ?>
Cartella messege:
Admin/pages/messege/send.php
Admin/pages/massege/message.php
<?php include "../../inc/init.php"; ?>
```

```
<?php if (!isset($ SESSION["email"]) || $ SESSION["admin"] == 1) {</pre>
  header("Location: " . ROOT_URL);
}
?>
<?php include ROOT PATH . "public/template-parts/title.php"; ?>
<title>Messaggi</title>
<?php include ROOT PATH . "public/template-parts/header.php"; ?>
<?php include ROOT PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
<?php
$chatMgr = new ChatManager();
$userMgr = new UserManager();
$messageMgr = new MessageManager();
$chat = $chatMgr->getAllChat();
$users = array();
foreach ($chat as $c){
  $user = $userMgr->get($c['user id']);
  array push($users, $user);
}
if(isset($ GET['chat'])){
  $chat id = $ GET['chat'];
  $chatuser = $userMgr->get($chatMgr->get($chat id)->user id);
  $messages = $messageMgr->getMessage($chat id);
}else{
  $chat id = null;
$loader = new \Twig\Loader\FilesystemLoader(ROOT PATH . '/templates/admin/
message/');
$twig = new \Twig\Environment($loader, []);
echo $twig->render('message.html', [
  'ROOT URL' => ROOT URL,
  'users' => $users,
  'chat' => $chat,
  'chat id' => $chat id,
  'chatuser' => $chatuser,
```

```
'messages' => $messages
1);
?>
<?php include ROOT_PATH . "public/template-parts/footer.php"; ?>
Cartella Order:
Admin/pages/order/order.php
Admin/pages/order/update-order.php
Admin/pages/order/single-order.php
<?php include "../../inc/init.php"; ?>
<?php if (!isset($_SESSION["email"]) || $_SESSION["admin"] == 1) {</pre>
  header("Location: " . ROOT URL);
}
?>
<?php
include ROOT PATH. "public/template-parts/title.php";
include ROOT PATH. "public/template-parts/header.php";
include ROOT PATH. "admin/pages/template-parts/adminSidebar.php";
if (!defined('ROOT_URL')) {
  die;
}
if ($orderID == null | | !isset($ SESSION["email"]) | | $ SESSION["userid"] !=
$ordine['user id']) {
  header("Location: " . ROOT_URL);
}
$orderMgr = new OrdersManager();
$orderAMgr = new OrderAddressManager();
$orderItemMgr = new OrdersItemsManager();
$prodcutMgr = new ProductManager();
$imgMgr = new ImgManager();
```

```
$orderID = $ GET["order"];
$order = $orderMgr->getOrderByID($orderID);
$address = $orderAMgr->getAddressByOrder($orderID);
$date = substr($order['date order'], 0, 10);
yy = substr(date, 0, 4);
$mm = substr($date, 5, 2);
$dd = substr($date, 8, 10);
$date = $dd . "-" . $mm . "-" . $yy;
$sum = $orderMgr->getsum($order["id"]);
$date_ = substr($order['stimate_delivery'], 0, 10);
yy = substr($date , 0, 4);
m = substr(\$date , 5, 2);
$dd_ = substr($date_, 8, 10);
$stimateDate = $dd . "/" . $mm . "/" . $yy ;
$listProduct = $orderItemMgr->getItems($orderID);
$products = array();
$imgs = array();
foreach($listProduct as $product){
  $p = $prodcutMgr->get($product['product id']);
  $img = $imgMgr->get thumbnail($product['product id']);
  array_push($products, $p);
  array push($imgs, $img);
}
$loader = new \Twig\Loader\FilesystemLoader(ROOT PATH . 'templates/admin/order/');
$twig = new \Twig\Environment($loader, []);
echo $twig->render('single-order.html', [
  'ROOT URL' => ROOT_URL,
  'order' => $order,
  'date' => $date,
  'sum' => $sum,
  'stimateDate' => $stimateDate,
  'address' => $address,
  'products' => $products,
  'quantity' => $listProduct,
  'imgs' => $imgs
1);
include ROOT PATH. "public/template-parts/footer.php";
```

#### Cartella Product:

Admin/pages/product/new-product.php
Admin/pages/product/save-new-product.php
Admin/pages/product/ save -product.php
Admin/pages/product/edit-product.php

```
<?php include "../../inc/init.php"; ?>
      <?php
      if (!defined('ROOT_URL')) {
         die:
      }
      if ($_GET["product"] == null || $_SESSION["admin"] == 1 || !
isset($_SESSION["email"])) {
        header("Location: " . ROOT_URL . "admin/index.php");
      }
      $productid = $_GET["product"];
      <?php include ROOT_PATH . "public/template-parts/title.php" ?>
      <?php $productmgr = new ProductManager();</pre>
      $product = $productmgr->get($productid);
      if ($product->name == "") {
        header("Location: " . ROOT_URL);
      }
      ?>
      <title>Modifica:<?php echo " " . $product->name; ?></title>
      <?php include ROOT_PATH . 'public/template-parts/header.php'; ?>
      <?php include ROOT_PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
      <?php
         $imgMgr = new ImgManager();
         $categoryItemMgr = new CategoryItemManager();
         $categoryMgr = new CategoryManager();
         $allCategory = $categoryMgr->getAll();
         $categories = $categoryItemMgr->get_category_id_by_product($product->id);
```

```
$categorieS = array();
         foreach ($categories as $category) {
           $results = $categoryMgr->getCategory($category['category_id']);
           foreach ($results as $result) {
             $string = $result['id'];
             array_push($categorieS, $string);
           }
         }
         $imgs = $imgMgr->getAllImgForAdmin($product->id);
         $loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . '/templates/admin/
product/');
         $twig = new \Twig\Environment($loader, []);
         echo $twig->render('edit-product.html', [
           'ROOT URL' => ROOT URL,
           'product' => $product,
           'imgs' => $imgs,
           'category' => $categorieS,
           'allCategory' => $allCategory
        ]);
       ?>
       <?php include ROOT_PATH . 'public/template-parts/footer.php'; ?>
Cartella review:
Admin/pages/review/block.php
Admin/pages/review/unlock.php
Admin/pages/review/review.php
<?php include "../../inc/init.php"; ?>
<?php if (!isset($_SESSION["email"]) || $_SESSION["admin"] == 1) {</pre>
 header("Location: " . ROOT_URL);
}
?>
<?php include ROOT_PATH . "public/template-parts/title.php"; ?>
<title>Recensioni</title>
```

```
<?php include ROOT_PATH . "public/template-parts/header.php"; ?>
<?php include ROOT_PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
<?php
  $reviewMgr = new ReviewManager();
  $productMgr = new ProductManager();
  $userMgr = new UserManager();
  $reviews = $reviewMgr->getAllOrder();
  $products = array();
  $utenti = array();
 foreach($reviews as $review){
    $product = $productMgr->getName($review['product id']);
    array_push($products, $product[0]['name']);
    $users = $userMgr->getName($review['user_id']);
    $user = $userMgr->getSurname($review['user_id']);
    $stampa = $users[0]['name'].", ".$user[0]['surname'];
    array_push($utenti, $stampa);
  }
$loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . '/templates/admin/review/');
$twig = new \Twig\Environment($loader, []);
echo $twig->render('review.html', [
  'ROOT_URL' => ROOT_URL,
  'reviews' => $reviews,
  'products' => $products,
  'users' => $utenti
1):
?>
<?php include ROOT_PATH . "public/template-parts/footer.php"; ?>
Cartella support:
Admin/pages/support/close.php
Admin/pages/support/open.php
Admin/pages/support/support.php
Admin/pages/support/ticket.php
<?php include "../../inc/init.php"; ?>
```

```
<?php
if (!defined('ROOT_URL')) {
  die:
}
if ($_SESSION["admin"] == 1 || !isset($_SESSION["email"])) {
 header("Location: ". ROOT_URL. "admin/index.php");
}
$ticketid = $_GET["ticket"];
$supportMgr = new SupportManager();
$ticket = $supportMgr->get($ticketid);
?>
<?php include ROOT_PATH . "public/template-parts/title.php" ?>
<title>Ticket numero<?php echo " " . $ticket->id; ?></title>
<?php include ROOT_PATH . 'public/template-parts/header.php'; ?>
<?php include ROOT_PATH . "admin/pages/template-parts/adminSidebar.php"; ?>
<?php
$orderMgr = new OrdersManager();
$order = $orderMgr->get($ticket->order_id);
$answerMgr = new AnswerManager();
$answert = $answerMgr->getBySupport($ticket->id);
$answer = $answert[0]['message'];
$userMgr = new UserManager();
$user = $userMgr->get($ticket->user_id);
$imgpath = ROOT_URL . $user->img;
$counttickets = $supportMgr->countTicket($user->id);
$countticket = $counttickets[0]['nticket'];
$orderUser = $orderMgr->getOrder($user->id);
$countOrder = count($orderUser);
$loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . 'templates/admin/support');
$twig = new \Twig\Environment($loader, []);
echo $twig->render('ticket.html', [
```

```
'ROOT_URL' => ROOT_URL,
  'ticket' => $ticket,
  'order' => $order.
  'answer' => $answer,
  'user' => $user,
  'countticket' => $countticket,
  'imgpath' => $imgpath,
  'countorder' => $countOrder
]);
?>
<?php include ROOT_PATH . 'public/template-parts/footer.php'; ?>
Cartella Templeate-parts:
Admin/pages/ templeate-parts /adminSidebar.php
<?php include "../../inc/init.php"; ?>
<?php if (!isset($_SESSION["email"]) || $_SESSION["admin"] == 1) {</pre>
 header("Location: " . ROOT_URL);
}
?>
<?php
$request = $_SERVER['REQUEST_URI'];
if (substr($_SERVER['REQUEST_URI'], 0, 37) == "/FREDWebTechnology/admin/pages/
order/"){
  $request = substr($_SERVER['REQUEST_URI'], 0, 37);
}
if (substr($_SERVER['REQUEST_URI'], 0, 39) == "/FREDWebTechnology/admin/pages/
product/"){
  $request = substr($_SERVER['REQUEST_URI'], 0, 39);
}
if (substr($_SERVER['REQUEST_URI'], 0, 39) == "/FREDWebTechnology/admin/pages/
support/"){
  $request = substr($_SERVER['REQUEST_URI'], 0, 39);
}
if (substr($_SERVER['REQUEST_URI'], 0, 39) == "/FREDWebTechnology/admin/pages/
article/"){
  $request = substr($_SERVER['REQUEST_URI'], 0, 39);
```

```
}
   if (substr($_SERVER['REQUEST_URI'], 0, 39) == "/FREDWebTechnology/admin/pages/
   message/"){
     $request = substr($_SERVER['REQUEST_URI'], 0, 39);
   $loader = new \Twig\Loader\FilesystemLoader(ROOT PATH . '/templates/public/template-
   $twig = new \Twig\Environment($loader, []);
   echo $twig->render('sidebarAdmin.html', [
     'ROOT_URL' => ROOT_URL,
     'request' => $request
   1);
   ?>
   Admin/pages/client.php
   Admin/pages/index.php
3.2)Cartella assest:
   - CSS
   - is
   Cartella css:
   Assest/css/bootstrap.css
   Assest/css/style.css
   Cartella js:
   Assest/is/address.is
   Assest/js/main.js
   Assest/js/payment..js
   Assest/js/review.js
   $(document).ready(function () {
     var addresses = jQuery.parseJSON($('#addresses').text());
     var regions = jQuery.parseJSON($('#regions').text());
     var provinces = jQuery.parseJSON($('#provinces').text());
     var cities = jQuery.parseJSON($('#cities').text());
     $('#modal').on('show.bs.modal', function (event) {
       var type = event.relatedTarget.getAttribute('data-whatever');
```

```
if (type == "aggiungi") {
       $('#modalTitle').text('Inserisci un nuovo indirizzo');
       $("#regione").empty();
       $('#regione').append('<option value="' + 0 + '">' + 'Seleziona la regione' + '</
option>');
       for (let i in regions) {
         $('#regione').append('<option value='" + regions[i].id + '">' + regions[i].name + '</
option>');
       }
       $("#provincia").empty();
       $('#provincia').append('<option value="' + 0 + '">' + 'Seleziona la provincia' + '</
option>');
       $("#comune").empty();
       $('#comune').append('<option value="' + 0 + '">' + 'Seleziona il comune' + '</
option>');
       $('#cap').val("");
       $('#address').val("");
       $('#provincia').attr('disabled', true);
       $('#comune').attr('disabled', true);
       $('#cap').attr('disabled', true);
       $('#address').attr('disabled', true);
       $('#modalBtn').attr('name', 'add');
       console.log($('#modalBtn').attr('name'));
    } else {
       var shipmentID = event.relatedTarget.getAttribute('data-bs-whatever');
       $('#modalTitle').text('Modifica il tuo indirizzo');
       $("#regione").empty();
       $('#regione').append('<option value="' + 0 + '">' + 'Seleziona la regione' + '</
option>');
       for (let i in regions) {
         $('#regione').append('<option value='" + regions[i].id + '">' + regions[i].name + '</
option>');
       }
       $('#provincia').attr('disabled', true);
       $('#comune').attr('disabled', true);
       $('#cap').attr('disabled', true);
       $('#address').attr('disabled', true);
```

```
$('#flagRegion').text(1);
       $('#flagProvince').text(1);
       $('#flagCity').text(1);
      for (let i in addresses) {
         if (addresses[i].id_shipment == shipmentID) {
           $('#regione').append('<option selected value="' + addresses[i].region_id + '">' +
addresses[i].region_name + '</option>');
           $('#provincia').append('<option selected value="' + addresses[i].provinces_id +
'">' + addresses[i].provinces_name + '</option>');
           $('#comune').append('<option selected value="' + addresses[i].city + '">' +
addresses[i].city_name + '</option>');
           $('#cap').val(addresses[i].code);
           $('#address').val(addresses[i].address);
         }
       $('#modalBtn').attr('name', 'update');
    }
  });
  // popolamento della select delle province al settaggio della regione
  $('#regione').on('change', function () {
    var value = $(this).val();
    $('#provincia').removeAttr('disabled');
    var flag = $('#flagRegion').text();
    console.log(flag);
    // verifca se è già stata settata una regione o meno
    if (flag == 0) {
      // aggiunta province
      for (let i in provinces) {
         if (provinces[i].region_id == value) {
           $('#provincia').append('<option value='" + provinces[i].id + '">' +
provinces[i].name + '</option>');
         }
      }
       $('#flagRegion').text(1);
    } else {
      // pulizia delle vecchie province
       $("#provincia").empty();
       $('#provincia').append('<option value="' + 0 + '">' + 'Seleziona la provincia' + '</
option>');
      // pulizia dei vecchi comuni
       $("#comune").empty();
       $('#comune').append('<option value="' + 0 + '">' + 'Seleziona il comune' + '</
option>');
```

```
$('#comune').attr('disabled', true);
       // pulizia del CAP
       $("#cap").val("");
       $('#cap').attr('disabled', true);
       // pulizia della via
       $("#address").val("");
       $('#address').attr('disabled', true);
       // aggiunta province
       for (let i in provinces) {
         if (provinces[i].region_id == value) {
            $('#provincia').append('<option value='" + provinces[i].id + '">' +
provinces[i].name + '</option>');
         }
      }
    }
  });
  // popolamento della select dei comuni al settaggio della provincia
  $('#provincia').on('change', function () {
    var value = $(this).val();
    $('#comune').removeAttr('disabled');
    var flag = $('#flagProvince').text();
    // verifca se è già stata settata una provincia o meno
    if (flag == 0) {
       // aggiunta comuni
      for (let i in cities) {
         if (cities[i].provinces_id == value) {
           $('#comune').append('<option value="' + cities[i].id + '">' + cities[i].name + '</
option>');
       $('#flagProvince').text(1);
    } else {
       // pulizia dei vecchi comuni
       $("#comune").empty();
       $('#comune').append('<option value="' + 0 + '">' + 'Seleziona il comune' + '</
option>');
       // pulizia del CAP
       $("#cap").val("");
       $('#cap').attr('disabled', true);
       // pulizia della via
       $("#address").val("");
       $('#address').attr('disabled', true);
       // aggiunta comuni
       for (let i in cities) {
         if (cities[i].provinces_id == value) {
```

```
$('#comune').append('<option value="' + cities[i].id + '">' + cities[i].name + '</
option>');
      }
    }
  });
  $('#comune').on('change', function () {
    $('#cap').removeAttr('disabled');
    var flag = $('#flagCity').text();
    if (flag == 1) {
      // pulizia del CAP
      $("#cap").val("");
      // pulizia della via
      $("#address").val("");
      $('#address').attr('disabled', true);
      $('#flagCity').text(0);
    } else {
      $('#flagCity').text(1);
    }
  });
  $('#cap').on('change', function () {
    $('#address').removeAttr('disabled');
  });
});
3.3) Cartella classes:
-Classes/Answer.php
-Classes/Article.php
-Classes/Cart.php
-Classes/Category.php
-Classes/CategoryItem.php
-Classes/Chat.php
-Classes/City.php
-Classes/Faq.php
-Classes/Img.php
-Classes/index.php
-Classes/Manufacturer.php
-Classes/Message.php
-Classes/Newsletter.php
```

```
-Classes/OrderAddress.php
-Classes/Orders.php
-Classes/OrdersItems.php
-Classes/Payment.php
-Classes/Product.php
-Classes/ProductCategory.php
-Classes/Provinces.php
-Classes/Region.php
-Classes/Review.php
-Classes/ShipmentInformation.php
-Classes/Support.php
-Classes/UserType.php
-Classes/Wishlist.php
-Classes/User.php
<?php
class User
 public $id;
 public $name;
 public $surname;
 public $email;
 public $password;
 public $img;
 public $user_type;
 public function __construct($id, $name, $surname, $email, $password, $img, $user_type)
  this->id = (int) id;
  $this->name = $name;
  $this->surname = $surname;
  $this->email = $email;
  $this->password = $password;
  $this->img = $img;
  $this->user_type = $user_type;
}
class UserManager extends DbManager
{
 public function __construct()
```

```
{
 parent::__construct();
 $this->columns = array('id', 'name', 'surname', 'email', 'password', 'img', 'user_type');
 $this->tableName = 'User';
}
public function login($email, $password)
 return $this->db->query("SELECT* FROM User WHERE email = '$email' AND password =
'$password'");
}
public function register($name, $surname, $email, $password)
 $user = new User(0, $name, $surname, $email, $password, 'public/img/account.svg', 1);
 $userID = $this->create($user);
 return $userID;
}
//helper per verificare che un'email non sia già stata utilizzata
public function checkEmail($email)
 $result = $this->db->query("SELECT * FROM User WHERE email = '$email'");
 return count($result) > 0;
//helper per verificare che le password coincidono
public function checkPassword($password, $confPassword)
 return $password == $confPassword;
public function data($email)
 return $this->db->query("SELECT * FROM User WHERE email = '$email'");
}
public function getName($id)
 return $this->db->query("SELECT name, img FROM User WHERE id = $id");
public function getSurname($id)
 return $this->db->query("SELECT surname, img FROM User WHERE id = $id");
```

```
}
 public function updateImg($userID, $email) {
  $url = "public/img/user/" . $email . ".png";
 return $this->db->execute("UPDATE User SET img = '$url' WHERE id = $userID");
 /* DASHBOARD */
 public function getClient()
 return $this->db->query("SELECT *FROM User ORDER BY name");
 }
 /* Aggiornamento */
 public function updateUser($id,$name, $surname, $email, $password){
  $this->db->query("UPDATE User SET name = '$name', surname = '$surname', email
='$email', password = '$password' WHERE id =$id");
}
}
-Classes/DB.php
<?php
class DB {
 private $conn;
 public $pdo;
 public function __construct() {
  global $conn;
  $this->conn = $conn;
  if (mysqli_connect_errno()) {
   echo 'Failed to connect to MySql ' . mysqli_connect_errno();
   die;
  $this->pdo = new PDO('mysql:dbname='. DB_NAME .';host=' . DB_HOST, DB_USER,
DB_PASS);
  $this->pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
 }
 public function query($sql) {
 try
 {
   $q = $this->pdo->query($sql);
   if (!$q){
    throw new Exception("Error executing query...");
```

```
}
  $data = $q->fetchAll();
  return $data;
 }
 catch(Exception $e) {
   throw $e;
 }
}
public function execute($sql) {
 $stmt = $this->pdo->prepare($sql);
 $stmt->execute();
}
public function select_all($tableName, $columns = array()) {
 $query = 'SELECT ';
 $strCol = ";
 foreach($columns as $colName) {
  $strCol .= ' '. esc($colName) . ',';
 $strCol = substr($strCol, 0, -1);
 $query .= $strCol . ' FROM ' . $tableName;
 $result = mysqli_query($this->conn, $query);
 $resultArray = mysqli_fetch_all($result, MYSQLI_ASSOC);
 mysqli_free_result($result);
 return $resultArray;
}
public function select_one($tableName, $columns = array(), $id) {
 $strCol = ";
 foreach($columns as $colName) {
  $colName = esc($colName);
  $strCol .= ' ' . $colName . ',';
 $strCol = substr($strCol, 0, -1);
 id = esc(id);
 $query = "SELECT $strCol FROM $tableName WHERE id = $id";
 $result = mysqli_query($this->conn, $query);
```

```
$resultArray = mysqli_fetch_assoc($result);
 mysqli free result($result);
 return $resultArray;
public function delete one($tableName, $id) {
 id = esc(id);
 $query = "DELETE FROM $tableName WHERE id = $id";
 if (mysqli_query($this->conn, $query)) {
  $rowsAffected = mysqli affected rows($this->conn);
  return $rowsAffected;
 } else {
  return -1;
 }
}
public function update_one($tableName, $columns = array(), $id) {
 id = esc(id);
 $strCol = ";
 foreach($columns as $colName => $colValue) {
  $colName = esc($colName);
  $strCol .= " " . $colName . " = '$colValue' ,";
 $strCol = substr($strCol, 0, -1);
 $query = "UPDATE $tableName SET $strCol WHERE id = $id";
 $query = str_replace("'NULL'", "NULL", $query);
 if (mysqli_query($this->conn, $query)) {
  $rowsAffected = mysqli_affected_rows($this->conn);
  return $rowsAffected;
 } else {
  return -1;
 }
}
public function insert one ($tableName, $columns = array()) {
```

```
$strCol = '';
  foreach($columns as $colName => $colValue) {
   $colName = esc($colName);
   $strCol .= ' ' . $colName . ',';
  $strCol = substr($strCol, 0, -1);
  $strColValues = ";
  foreach($columns as $colName => $colValue) {
   $colValue = esc($colValue);
   $strColValues .= " '" . $colValue . "' ,";
  $strColValues = substr($strColValues, 0, -1);
  $query = "INSERT INTO $tableName ($strCol) VALUES ($strColValues)";
  if (mysqli_query($this->conn, $query)) {
   $lastId = mysqli_insert_id($this->conn);
   return $lastId;
  } else {
   return -1;
  }
 }
}
class DBManager {
 protected $db;
 protected $columns;
 protected $tableName;
 public function __construct(){
  this->db = new DB();
 }
 public function get($id) {
  $resultArr = $this->db->select_one($this->tableName, $this->columns, (int)$id);
  return (object) $resultArr;
 }
 public function getAll() {
  $results = $this->db->select_all($this->tableName, $this->columns);
  $objects = array();
```

```
foreach($results as $result) {
      array_push($objects, (object)$result);
     return $objects;
    }
    public function create($obj) {
     $newId = $this->db->insert one($this->tableName, (array) $obj);
     return $newld;
    }
    public function delete($id) {
     $rowsDeleted = $this->db->delete_one($this->tableName, (int)$id);
     return (int) $rowsDeleted;
    public function update($obj, $id) {
     $rowsUpdated = $this->db->update_one($this->tableName, (array) $obj, (int)$id);
     return (int) $rowsUpdated;
    }
   }
3.4) Cartella public/auth:
   -public/auth/pages
   - public/auth/index.php
   -login-action.php
   <?php
   include "../../inc/init.php";
   if (isset($_SESSION["email"])) {
     header("Location: " . ROOT_URL);
   }
   include ROOT_PATH . "public/template-parts/title.php";
   include ROOT_PATH . "public/template-parts/header.php";
   $email = $_POST["email"];
   $password = $_POST["password"];
   $passHash = hash("sha1", $password);
   $userMgr = new UserManager();
   $login = $userMgr->login($email, $passHash);
```

```
if ($login == null) {
  $error = true;
  $loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . 'templates/public/auth');
  $twig = new \Twig\Environment($loader, []);
  echo $twig->render('login.html', [
    'ROOT_URL' => ROOT_URL,
    'error' => $error,
  ]);
} else {
  $ SESSION["email"] = $email;
  foreach ($login as $log) {
    $_SESSION["img"] = $log["img"];
    $_SESSION["admin"] = $log["user_type"];
    $_SESSION["name"] = $log["name"];
    $_SESSION["userid"] = $log["id"];
  }
  header("Location: " . ROOT_URL . "shop");
}
include ROOT_PATH . "public/template-parts/footer.php";
-register-action.php
<?php
include "../../inc/init.php";
if (isset($_SESSION["email"])) {
  header("Location: " . ROOT_URL);
}
$userMgr = new UserManager();
$name = $_POST["name"];
$surname = $_POST["surname"];
$email = $_POST["email"];
$password = $_POST["password"];
$confPassword = $_POST["confPassword"];
$passHash = hash("sha1", $password);
$confPassHash = hash("sha1", $confPassword);
// creazione del nuovo utente
$userID = $userMgr->register($name, $surname, $email, $passHash);
```

```
if ($userID > 0) {
     // login automatico dell'utente appena creato
     $login = $userMgr->login($email, $passHash);
     $_SESSION["email"] = $email;
     foreach ($login as $log) {
       $_SESSION["img"] = $log["img"];
       $ SESSION["admin"] = $log["user type"];
       $_SESSION["name"] = $log["name"];
       $_SESSION["userid"] = $log["id"];
     }
     // creazione e sincronizzazione dei carrelli
     $cartMgr = new CartManager();
     $cartID = $cartMgr->createCart();
     $currentCartID = $cartMgr->getCurrentCartId();
     if ($cartID != $currentCartID) {
       $cartMgr->mergeCarts($cartID, $currentCartID);
     }
     // redirect alla home
     header("Location: " . ROOT_URL . "shop");
   } else {
     /*
     $error = "Errore durante la registrazione, riprova più tardi!";
   }
3.5)Cartella public/img
3.6)Cartella public/pages
3.7)Cartella public/template-parts
   -Footer.php
   -Header.php
   -Single-page.php
   - Title.php
   -Sidelbar.php
          <?php
   include "../inc/init.php";
   if (isset($_SESSION['email'])) {
     $user1 = $_SESSION['name'];
```

```
}
   $userMgr = new UserManager();
   $user = $userMgr->data($_SESSION["email"]);
   $addresMgr = new ShipmentInformationManager();
   $regioneMgr = new RegionManager();
   $provinciaMgr = new ProvincesManager();
   $cittaMgr = new CityManager();
   $cartMgr = new CartManager();
   $indirizzi = $addresMgr->getFatturazionePrincipale($user[0]['id']);
   $regione = $regioneMgr->getRegione($indirizzi[0]['region']);
   $provincia = $provinciaMgr->getProvincia($indirizzi[0]['province']);
   $citta = $cittaMgr-> getCitta($indirizzi[0]['city']);
   if (isset($_SESSION['userid'])) {
     $cartID = $cartMgr->findCart($_SESSION['userid']);
   } else {
     $cartID = $cartMgr->getCart($_SESSION['client_id']);
   }
   if ($cartID) {
     $quantity = $cartItemMgr->countTotalItem($cartID);
   $loader = new \Twig\Loader\FilesystemLoader(ROOT_PATH . 'templates/public/template-
   parts');
   $twig = new \Twig\Environment($loader, []);
   echo $twig->render('sidebar.html', [
     'ROOT_URL' => ROOT_URL,
     'user' => $user,
     'indirizzi' => $indirizzi,
     'citta'=> $citta,
     'provincia'=> $provincia,
     'regione' => $regione,
     'quantity' => $quantity,
   ]);
3.7)Cartella shop
   -/pages
   -article.php
   -cart-action.php
   -Checkout-action.php
   -index.php
   -review-action.php
   -search.php
```

```
-single-product.php
-wishlist action.php
<?php include "../inc/init.php";</pre>
if (!isset($_SESSION["email"])) {
  header("Location: " . ROOT_URL);
}
$wishlistMgr = new WishlistManager();
// AGGIUNTA ALLA LISTA
if (isset($_POST["wishlist"])) {
  $userid = $_SESSION["userid"];
  $productID = $_POST["wishlist"];
  $wishlistMgr->addProduct($userid, $productID);
  $productID = $_POST['productID'];
 header('Location: ' . ROOT_URL . 'shop/single-product.php?product=' . $productID);
}
// AGGIUNTA AL CARRELLO
if (isset($_POST['addToCart'])) {
  $productID = $_POST['addToCart'];
 // addToCart Logic
  $cartMgr = new CartManager();
 if (isset($_SESSION['userid'])) {
    $cartID = $cartMgr->findCart($_SESSION['userid']);
 } else {
    $cartID = $cartMgr->getCurrentCartId();
  }
 // aggiungi al carrello "cartID" il prodotto "productID"
  $cartMgr->addToCart($productID, $cartID);
  header("Location: " . ROOT_URL . "shop/pages/wishlist.php");
}
// RIMOZIONE DALLA LISTA
if (isset($_POST['rimuovi'])) {
  $productID = $_POST['rimuovi'];
  $wishlistMgr->deleteByProductId($productID, $_SESSION["userid"]);
```

```
header("Location: ". ROOT_URL. "shop/pages/wishlist.php");
   }
3.8) Cartella templates.
   -/admin
   -/public
   -/user
   -index.html
   -/shop
   -/shop/search.html
   <form action="{{ROOT_URL}}shop/search.php" method="POST">
     <div class="container-fluid">
       <div class="row">
         <nav id="sidebarMenu" class="col-md-3 col-lg-2 d-md-block sidebar collapse ">
           <div class="position-sticky pt-3" style="margin-top: 65px;">
             ul class="nav flex-column">
                <fieldset class="form-group">
                  <legend class="mt-4 text-primary">
                    <h4><strong>Filtra per categoria</strong></h4>
                  </legend>
                  {% for row in category %}
                  <div class="form-check">
                      <input type="hidden" value="{{search}}" id="search" value="search">
                      <input class="form-check-input" type="checkbox"</pre>
   value="{{row.name}}"
                        id="selezionato[]" name="selezionato[]" {% if row.name in selected
   %} checked {%
                        endif %}>
                      <label class="form-check-label" for="flexCheckDefault">
                        <h5>{{row.name}}</h5>
                      </label>
                    </div>
                  {% endfor %}
                  <br>
                  <button type="submit" class="btn btn-primary" style="width:</pre>
   70%;">Filtra</button>
                </fieldset>
             </div>
   </form>
   </nav>
   <input type="hidden" id="search" name="search" value="{{search}}">
```

```
<main class="col-md-8 col-lg-8">
  <div
    class="d-flex justify-content-between flex-wrap flex-md-nowrap align-items-center pt-3
pb-2 mb-3 border-bottom">
    <h2><strong class="text-primary">"{{search}}"</strong></h2>
  </div>
  <div class="row">
    {% if product or provvisori %}
    {% for m in product %}
    {% set c = ROOT URL ~ m.img %}
    {% set link = redirect ~ m.id %}
    <div class="col-md-3 clearfix d-none d-md-block" style="cursor:pointer;"</pre>
onclick="location.href = '{{link}}';">
      <div class="card mb-2">
        <img class="card-img-top" src="{{c}}" height="304px" width="304px" alt="Card</pre>
image cap">
        <div class="card-body">
          <h4 class="card-title">{{m.name}}</h4>
          {{m.small description}}
          <strong>{{m.price}}€</strong>
          <form method="POST" action="{{ROOT_URL}}shop/cart-action.php">
            <input type="hidden" value="{{REQUEST_URI}}" id="uri" name="uri">
            <input type="hidden" value="{{search}}" id="s" name="s">
            <button class="btn btn-primary btn-sm" name="product_id" type="submit"
value={{m.id}}><svg
                 xmlns="http://www.w3.org/2000/svg" width="16" height="16"
fill="currentColor"
                class="bi bi-cart-plus-fill" viewBox="0 0 16 16">
                   d="M.5 1a.5.5 0 0 0 0 1h1.11l.401 1.607 1.498 7.985A.5.5 0 0 0 4
12h1a2 2 0 1 0 0 4 2 2 0 0 0 0-4h7a2 2 0 1 0 0 4 2 2 0 0 0 0-4h1a.5.5 0 0 0
.491-.408|1.5-8A.5.5 0 0 0 14.5 3H2.89|-.405-1.621A.5.5 0 0 0 2 1H.5zM6 14a1 1 0 1 1-2 0 1
1 0 0 1 2 0zm7 0a1 1 0 1 1-2 0 1 1 0 0 1 2 0zM9 5.5V7h1.5a.5.5 0 0 1 0 1H9v1.5a.5.5 0 0 1-1
0V8H6.5a.5.5 0 0 1 0-1H8V5.5a.5.5 0 0 1 1 0z" />
               </svg></button>
          </form>
        </div>
      </div>
    </div>
    {% endfor %}
    {% else %}
    <h5>Nessun prodotto trovato</h5>
    {% endif %}
  </div>
</main>
</form>
```

```
3.8) Cartella user:
   -account.php
   -accountUpdate.php
   -address-action.php
   -index.php
   -invoice.php
   -notification.php
   -order-detalis.php
   -payment-action.php
   -payment.php
   -support-action.php
   -support.php
   -ticket-support.php
   -order.php
      <?php
      include "../inc/init.php";
      if (!isset($_SESSION["email"])) {
        header("Location: " . ROOT_URL);
      }
      include ROOT_PATH . "public/template-parts/title.php";
      include ROOT_PATH . "public/template-parts/header.php";
      $orderMgr = new OrdersManager();
      $orderAMgr = new OrderAddressManager();
      $orderIMgr = new OrdersItemsManager();
      $productMgr = new ProductManager();
      $imgMgr = new ImgManager();
      $orders = $orderMgr->getOrder($_SESSION['userid']);
      for ($i = 0; $i < count($orders); $i++) {
         $items[$i] = $orderIMgr->getItems($orders[$i]['id']);
         $date = substr($orders[$i]['date_order'], 0, 10);
         $yy = substr($date, 0, 4);
         m = substr(date, 5, 2);
         $dd = substr($date, 8, 10);
         $dates[] = $dd . "-" . $mm . "-" . $yy;
         $sums[] = $orderMgr->getsum($orders[$i]["id"]);
      }
      $size = count($orders);
```