ARISE: Open-Source, real-time middleware for Human Robotic Interaction for Industry — 2nd Open Call

Type: Application
Owner: @beatriz@metamedicsvr.com
Application Id: 69812bc5b5fba9717d5f800
Created at: 02/02/2026 23:57:09 CET
Last edited: 03/02/2026 20:23:34 CET
Submitted at: 03/02/2026 20:24:03 CET b

Basic Information

Project Title *
Your project will be identified by this name.
Posture-Aware Cobot Assistance in Packaging

Project Acronym *
Please enter the short acronym of the Project Title.
POSTURE

Select Challenge that you are applying to: *
8. HRI for improving ergonomics in high-precision tasks

Project short description *
Tell us more about your project and how you see not only its market implementation but also the potential of shared gains for the entire ecosystem impacted by your project.

POSTURE is an ergonomics-first rework and packaging cell software with high potential to scale to other organizations, co-created by UA and MMVR and validated at end-user site Pepri, where an adaptive UR3e cobot and smart adjustable fixture auto-position workpieces to each operator's neutral posture and accept simple voice/gesture nudges,

Brief Project Description *

POSTURE delivers a human-centric rework and packaging cell software validated at end-user site Pepri. The aim is to reduce ergonomic risk in high-precision tasks by making the workspace adapt to each operator. An adaptive UR3e cobot and smart adjustable fixture auto-position and hold parts to neutral postures, while simple voice/gesture "nudges" enable fine alignment without breaking flow. A reusable ROS 2 (Vulcanexus) app orchestrates sensing and motion, and a powered by FIWARE (Orion-LD) dashboard logs posture metrics, fatigue/stress proxies, safety events, cycle time, and first-pass yield for real-time alerts and historical analysis. Led by PREPY (end user) with MMVR and the University of Alicante (tech providers), the project targets measurable gains in Rapid Upper Limb Assessment (RULA) and NASA-TLX (Task Load Index), near-miss reduction, setup time, and quality. We will deliver a working PoC by Month 4 and a TRL 7 demonstrator by Month 10, plus open, reusable software and data models for easy replication by other institutions.

Contact person(s)

#1

Contact Person Name *

Please enter your complete name (first name and last name).

Beatriz Zambrano Serrano

Contact Person email address *

Please enter only one email address in format: mail@mail.com. This will be the email address to which we will send the communications related to the Open Call.

beatriz@metamedicsvr.com

Contact Person phone number *

Please enter the phone number including a country code, in a format +XX XXXXXXXXX.

+34689337515

Position of the person indicated above *

COO and Program Manager

Are you linked financially or personally with any of the ARISE Consortium Partners? *

No

Legal Information

Are you an SME playing the roles of Technology Provider and End-user? *

No, we are a consortium of 3 partners (2 Technology Providers and 1 end user)

LEGAL INFORMATION OF TECHNOLOGY PROVIDER

Please confirm the legal status of the entity under which you would like to apply

Legal Status *

Please provide the legal status of the organisation submitting the proposal. Please check the Guide for Applicants, Section 3.

Startup

Legal name of your entity *

The full legal name of entity

Metamedicsvr sociedad limitada

Country of registration *

Please be aware that if the country indicated is not one of the countries indicated in Section 3 of the Guide for Applicants, your proposal will be excluded for not being an eligible country.

Spain

Street name and number *

Please enter the address of the registration for ENTITY

Plaza del Obispo

Postal code *

Please enter the postal code

29013

City *

Malaga

Date of main registration *

The entities must be legally registered at the time of submitting their application for this 2nd ARISE Open Call

3/14/2022

VAT number *

ESB09892159

LEGAL INFORMATION OF 2ND TECHNOLOGY PROVIDER

Please confirm the legal status of the entity under which you would like to apply

Legal Status *

Please provide the legal status of the organisation submitting the proposal. Please check the Guide for Applicants, Section 3.

University

Legal name of your entity *

The full legal name of entity

Universidad de Alicante

Country of registration *

Please be aware that if the country indicated is not one of the countries indicated in Section 3 of the Guide for Applicants, your proposal will be excluded for not being an eligible country.

Spain

Street name and number *

Please enter the address of the registration for ENTITY

Carretera de San Vicente del Raspeig, s/n, 03690 San Vicente del Raspeig, Alicante, España

Postal code *

Please enter the postal code

03690

City *

San Vicente del Raspeig,

Date of main registration *

The entities must be legally registered at the time of submitting their application for this 2nd ARISE Open Call

10/30/1979

VAT number *

ES Q0332001G

LEGAL INFORMATION OF END-USER

Please confirm the legal status of the entity under which you would like to apply. REMEMBER! If the main Technology provider is an SME, the end-user may be either the same SME or another entity of any type. If the main Technology provider is not an SME, or if there is no second technology provider, or if the second Technology provider is not an SME, the end-user has to be an SME

Legal Status *

Please provide the legal status of the organisation submitting the proposal. Please check the Guide for Applicants, Section 3.

SME

Legal name of your entity *

The full legal name of entity

Pepri Toys SL

Country of registration *

Please be aware that if the country indicated is not one of the countries indicated in Section 3 of the Guide for Applicants, your proposal will be excluded for not being an eligible country.

Spain

Street name and number *

Please enter the address of the registration for ENTITY

C/ Virgen de los Lirios, 6 03440 – Ibi (Alicante) Spain

Postal code *

Please enter the postal code

03440

City *

Alicante

Date of main registration *

The entities must be legally registered at the time of submitting their application for this 2nd ARISE Open Call

11/3/1982

VAT number *

ES B03116100

EXCELLENCE

In this section, you should provide information on the innovation component of the product/service , its differentiation and on the research component in which it leverages. You should also demonstrate the soundness of the idea you're proposing and how collaboration and integration of different innovation actors fits in it. It will be scored by the ARISE evaluators (with minimum threshold of 3 out of 5 points) with special attention to the ambition of your project and the innovation you're planning to introduce.

Objectives and Ambition
Demonstrate to what extent the proposed project contributes to validating a meaningful Industry 5.0 scenario in which robotics automation aims to accelerate and/or augment human roles instead of replacing them;
In this context, describe and demonstrate how the project will focus on going beyond the State-of-the-Art in industrial HRI to implement a collaborative robotics application and how it will help overcome the selected challenge;
Describe and demonstrate how the project will implement a reusable, AI-powered robot skill as a ROS 2 module and will contribute an open reference implementation of it to the ARISE catalog;
Describe and demonstrate how the project will to implement a condition monitoring module as a Powered by FIWARE application (Real-time Data Visualizations + Automated Alerts & Reports);
Last but not least, describe how the project aims to go beyond the above objectives and ambition and commits to implementing an advanced use case for the ARISE All-in-one middleware.

Objectives and Ambition *

This project validates a Industry 5.0 scenario in which the robot reduces strain. The idea is that the cobot and an adaptive fixture present each pack at the operator's chosen height and tilt, hold/rotate it steadily during delicate tasks (label alignment, seam check, accessory replacement), and yield to human intent. The operator would then be able to make micro-adjusts via a clear human machine interface (HMI) and optional voice commands. Beyond state of the art, we implement posture-aware HRI: the fixture auto-sets height/tilt from a per-operator profile, the cobot performs smooth, force-limited rotations that eliminate "pinch and twist" holds, and exception flows are designed for pause–nudge–resume without losing context. On the analytical plane, we aim to deliver a FIWARE powered condition-monitoring app that provides real-time visualizations and important KPI such as cycle, slowdowns, exception events and historian for ergonomics proxies (time in high-risk postures, rotation duration, safety slowdowns), and automated alerts & weekly reports (e.g., posture-risk spikes per SKU or shift). We aim to exercise the ARISE all-in-one middleware in an advanced use case: (i) Replaying ROS 2 logs into a lightweight digital twin to A/B test fixture angles and rotation speeds before deployment (ii) Optional on-prem AI inference that estimates posture-risk proxies from non-identifying pose signals, exposed to FIWARE via NGSI-LD without touching the operational plane; and (iii) Heterogeneous IT connectors so production/quality events flow both to a modern REST ERP and a legacy CSV MES. Milestones: a PoC by Month 4 (single SKU, validated ergonomic presets, latency <2 s from ROS 2 event to dashboard, SUS ≥75), and a TRL 7 demo by Month 10 (3 SKUs, multi-operator evidence across shifts, targets met with ≥1,000 cycles). This would leave two months in the project to accommodate any deviations and to focus on communication, exploitation, and sustainability. As an additional "all-in-one" use case, we replay ROS 2 logs into a digital twin to A/B test fixture angles and speeds, run on-premise AI to estimate posture-risk indicators published to FIWARE, and integrate with ERP/MES systems (via REST and CSV) to ensure end-to-end traceability. In compliance with safety standards, the UR3e cell will be engineered in accordance with ISO 12100, ISO 10218, and ISO/TS 15066 requirements, implementing Reduced Mode, SSM, and Power and Force Limiting (PFL), as well as safety planes and validated stopping times/distances. All safety events will be fed into the FIWARE layer. In this project, we will baseline and track RULA/REBA, percentage neutral posture time, NASA-TLX, near-misses, cycle time, FPY and ROS 2 dashboard latency using operator studies, pose analytics and system logs; prior CDTI documentation supplies initial process baselines and sampling plans. We aim to contribute a reusable AI-assisted ROS 2 skill, ErgoAssist, that translates ergonomic set-points and task parameters into safe behaviors (e.g., PresentAtAngle, HoldAndRotate, YieldToHuman), enforces speed and force limits, and logs recovery events, with a documented open reference implementation submitted to the ARISE catalog. We aim to demonstrate measurable gains with real users: a one-level reduction in RULA/REBA risk, −50% near-misses, −15% NASA-TLX workload, and +5–10% throughput, with ≥80% operator preference for the new cell by week three. Furthermore, we will have a PoC (single SKU, SUS ≥ 75) by month 4 and a TRL 7 product and (≥3 SKUs, ≥1,000 cycles, multi-operator) by month 10, where we validate measurable ergonomics and productivity gains and ship a replicable blueprint for SMEs. Pepri Toys provides the live station, operators, and ERP/MES integration; the University of Alicante leads ergonomics sensing and FIWARE data modeling; and MMVR delivers onboarding, HMI/voice flows, and ROS 2 integration, with ARISE mentors ensuring alignment with programme objectives.

Soundness of the approach and credibility

Describe the approach that will be followed to implement and demonstrate the HRI-enabled solution
Demonstrate the approach for implementing and demonstrating a modular solution that aligns with the project's overall ambition and specific objectives. That includes describing the scope of a meaningful proof-of-concept in an early stage of the project as well as a convenient methodology to evolve it towards a TRL6/7 demonstrator.
Present clear roadmap and strategy, along with effective metrics for assessing progress and success in the joint performance of the modular solution (Project Specific modules + ROS 2 module(s) + Powered by FIWARE module)
Effectively define the target scope and overall approach to implement a meaningful proof-of-concept (PoC) for the target solution at an early stage of the project.

Soundness of the approach and credibility *

We will implement the HRI-enabled ergonomics solution as a modular system, separating the ROS 2 operational plane from the FIWARE analytical plane. The adaptive fixture and UR-class cobot present, hold, and rotate toy packs at operator-specific angles, while a simple HMI (with optional voice) enables safe pause–nudge–resume. On the analytical side, Orion-LD mirrors selected ROS 2 events and ergonomics proxies (e.g., high-risk posture time, assisted-rotation duration, safety slowdowns, exceptions) as NGSI-LD entities to drive real-time dashboards, historian, and automated alerts and weekly reports. Modularity is ensured through interface contracts: the reusable ROS 2 skill (ErgoAssist) exposes standard actions/services, PresentAtAngle, HoldAndRotate, ConfirmQuality, and YieldToHuman with per-operator and SKU parameters. The FIWARE app uses documented NGSI-LD models for production, quality, ergonomics, and safety events, while thin adapters connect to PREPY's ERP/MES without affecting safety-critical control. Safety and privacy are by design: collaborative speed/force limits, stop-time validation, pseudonymization, role-based access, and no storage of biometric identifiers. A live PREPY station will run a representative SKU, including: ErgoAssist integrated with the cobot and adaptive fixture; an HMI with operator profiles and height/angle presets; and a FIWARE-powered dashboard with <2 s ROS 2 visualization latency, a cycle/ergonomics historian, and at least one automated alert. Acceptance criteria: ≥200 measured cycles across two shifts; ≥1-level reduction in RULA/REBA risk on targeted subtasks; −30 % median near-misses vs. baseline; ≥80 % of rotation/hold effort transferred to the robot; SUS ≥75 with ≥8 operators; zero unsafe contacts in predefined exception scenarios. Baselines and sampling plans are based on PREPY's prior CDTI documentation and validated on-site in Month 2. Two synchronized tracks mature the PoC: the ROS 2 track (ErgoAssist hardening) generalizes presets to 3 SKUs, adds smooth trajectory blending, and packages CI tests, tutorials, and example configs, targeting ≤1 working day for new-fixture integration, ≤10 min for operator re-parameterization, and ≥85% autonomous exception recovery with graceful human handover. The FIWARE track (analytics expansion) delivers posture-risk time series, exception heatmaps, weekly PDF/CSV reports, and alerting, with connectors to REST ERP and CSV MES; targets include <2 s dashboard latency, <60 s report generation for 10,000 cycles, ≥99% data completeness. Roadmap: • M2: finalize interface contracts (ROS 2 APIs; NGSI-LD models), capture baselines (RULA/REBA, near-misses, cycle/FPY) from CDTI + on-site measurement, validate HMI mockups with ≥6 operators. • M3: integrated dry-runs; first analytics reports; safety validation plan approved. • M4: PoC meets acceptance criteria (above). • M6: second SKU online; plug-and-play fixture change validated within one day. • M8: ≥85% autonomous exception-recovery on representative scenarios; residuals logged with root-cause tags. • M10: TRL 7 demo: ≥1,000 cycles, ≥10 operators across shifts; achieve targets (≥1-level RULA/REBA reduction; −50% near-misses; −15% NASA-TLX workload; +5–10% throughput) with confidence intervals reported. Joint-performance KPIs across modules: - Project-specific adaptive fixture/HRI: preset accuracy ≥ 95% within ±2 cm height & ±3° tilt; nudge-to-response ≤ 300 ms. - ROS 2 module: new-fixture integration ≤ 1 day; new operator profile ≤ 10 min; exception-recovery ≥ 85%. - FIWARE app: OT→IT latency < 2 s; report runtime < 60 s (10k cycles); data completeness ≥ 99%. • M10-M12 focus on commercialization and exploitation. The cell will be engineered per ISO 12100, 10218-1/-2, and 15066, with risk assessment, Reduced Mode/SSM/PFL, safety planes, and stopping-time/distance tests; all safety events are logged to FIWARE. Operator-in-the-loop tests run every 4 weeks, redesigning if SUS < 75 or near-misses rise.

Human centricity
Provide information about how user needs, preferences and experiences are addressed in the project;
Demonstrate how your ambition, objectives and approaches put people before machines, however complex or elegant the envisioned machines might be;
Describe how your proposal considers diversity, gender balance, and cross-cultural perspectives to ensure that the solutions are inclusive and equitable, reflecting the varied backgrounds and needs of all potential users.

Human centricity *

Before any build, we will run on-floor observations and brief interviews with ≥12 PREPY Toys operators and cell leads across shifts to map pain points (wrist/neck strain during holds/rotations, visibility at awkward angles, time pressure, interruptions). These insights become requirements: adjustable height/tilt presets per operator, smooth robot holds/rotations to eliminate "pinch & twist" grips, and a clear HMI (with optional voice) that keeps the human in charge, with: start, slow, pause, nudge, resume. We will validate on the real task: ≥1-level RULA/REBA (Rapid Entire Body Assessment) risk reduction on targeted steps, −50% near-misses, −15% NASA-TLX workload, and ≥80% operator preference by week 3. Usability is a release blocker: SUS ≥ 80 overall; if any subgroup is SUS < 75, we trigger a redesign sprint before advancing. First safe operation in ≤30 min via visual micro lessons; create and load a personal preset in ≤10 min; all critical actions have confirmation and visible cancel and stop. The HMI supports large glove friendly targets, left/right mirroring, adjustable font size, color-blind-safe iconography, and optional voice prompts. Labels/instructions ship in Spanish (English for visitors). We run think-aloud tests in noisy, time-pressured conditions and fix "moments of friction" in the next sprint. Recruitment is planned to be gender-balanced (≥40% women and non-binary) with representation across age (incl. 50+), experience (novice/expert), handedness, and neurodiversity. Tests span all shifts (including night shift). Results are disaggregated by gender, age, and handedness; if any group underperforms (e.g., lower trust gains or SUS), we deliver targeted UI/training adjustments and retest before the Month-10 TRL-7 demo. Coverage spans 5th-percentile female to 95th-percentile male reach envelopes, seated/standing modes, PPE-compatible inputs, and minimum contrast/luminance for inspection. Voice/gesture sets are culturally neutral; no-voice fallback is available for noisy shifts; optional foot-pedal/elbow-tap inputs when hands are occupied. The robot always yields to human intent; collaborative speed/force limits and stopping-time measurements are verified at every on-site phase. Exception flows (tool slip, misalignment, human nudge) are fail-safe and easy to recover. Privacy-by-design: explicit consent, pseudonymization, role-based access, and retention limits; we do not store biometric identifiers. If posture proxies are estimated, only derived metrics (e.g., time in risk band) reach analytics. Operators can opt out of analytics without penalty and still use the cell. A cross-shift Operator Advisory Group (incl. health & safety reps) co-owns HMI and workflow changes, signs off releases, and runs 2-week design sprints with A/B tests. "Buddy" champions support each shift. We post a one-page "What data we collect & why" at the cell and provide a simple grievance channel. Beyond posture/throughput we track: nudge-to-response ≤300 ms, preset accuracy ≥95% (±2 cm height, ±3° tilt), and +20% trust on a short HRI-trust scale. Nordic Musculoskeletal Questionnaire signals, micro-break adherence, and near-miss root causes feed monthly Kaizen reviews; unused features are retired, successful presets frozen. The approach aligns with ISO 9241-210/-11 (human-centred design & usability) and ISO 11226 / EN 1005 (posture/forces), in addition to our collaborative robot safety stack (ISO 12100, ISO 10218-1/-2, ISO/TS 15066). Compliance artefacts (consent forms, Data Protection Impact Assessment DPIA summary, retention schedule 90-day raw-log limit) are appended to the deliverables. Features only ship if human outcomes improve (RULA/REBA, near-misses, NASA-TLX, SUS, trust) and no subgroup falls below thresholds; otherwise the release is gated until fixes are validated.

You can upload a pdf presentation here to complement the Excellence section (max 10MB and no more than 3 pages)

PDF file

📎 Appendix 1.pdf

IMPACT

In this section, you should show the market potential of the product/service you propose, the business model and commercial strategy. It will be scored by the ARISE evaluators (with minimum threshold of 3 out 5 points) with special attention to the ambition of your project and the innovation you're planning to introduce.

Industrial added value through human-robot interaction:
(All topics need to be addressed by applicant partners as a whole)
Share your assumptions and explain why the robot skill(s) implemented by the proposed reusable HRI MODULE have a clear market potential, quantifying the targeted market, providing a justified addressable market;
Share your assumptions and explain why the proposed SOLUTION has a market potential and is replicable for other end users. This includes providing impact metrics, business hypotheses to be tested, and insights on how the concept differentiates itself from competitors in the market;
Justify how successful project implementation will add value to both the technology provider's business and the end user's industrial task, as outlined in the proposal. Emphasis should be placed on the role and contributions of innovative human-robot interaction (HRI).
Explain why the project has the potential to accelerate large-scale deployment of industrial HRI solutions. Emphasis should be placed on the role of open innovation ecosystems and contributions that help overcome barriers to leveraging/adopting open-source approaches in industrial HRI.

Industrial added value through human-robot interaction: *

Across the EU there are ~70–100k manual packaging/rework stations. Assuming 30–40% are high-precision, repetitive and ergonomically exposed, the TAM for an "ergonomics-first cobot cell" is ~20–40k stations. Given cobot penetration plans and retrofit feasibility, the 3-year SAM is ~15–25k stations, of which 5–8k already operate or plan cobot operations. Our SOM (serviceable in 18–24 months) via PREPY's network + partner integrators is 300–600 stations. ErgoAssist transfers strain-heavy holds and rotations to the robot and standardizes low-effort micro-adjustments, delivering ≥1-level RULA/REBA reduction, −50% near-misses, −15% NASA-TLX, and +5–10% throughput. With 3,000–4,500 productive hours/year at €50–€100 value-add/hour, this yields €75k–€450k annual benefit per station versus €40k–€85k deployment cost, enabling 6–12 month payback and 60–250% Year-1 ROI. Replicability is built on three layers: the ROS 2 skill (ErgoAssist) offers standard actions and services (PresentAtAngle, HoldAndRotate, ConfirmQuality, YieldToHuman) with operator profiles and SKU presets, plus fixture/end-effector abstraction for multi-plant reuse; the powered-by-FIWARE app provides NGSI-LD models for production, quality, ergonomics proxies, and safety events, with real-time outputs for portable, auditable improvements; and ERP/MES adapters supply thin REST/CSV connectors without affecting safety-critical control. Differentiation from standard cobot cells lies in (i) posture-aware primitives, (ii) human-in-the-loop pause–nudge–resume flows instead of E-stop/reteach, and (iii) built-in FIWARE analytics. The business model uses the open ErgoAssist ROS 2 module and FIWARE templates for frictionless trials, with revenue from site integration (€30k–€60k/station), adaptive-fixture kits, ERP/MES connector packs (€8k–€20k/site), managed analytics/support (€5k–€10k/station/year), and partner integrator training/certification. Margins grow as reuse increases (target: ≥70% config/code reuse by site #2). Pilot A/B pricing tests will optimize one-time versus subscription models to achieve <12-month payback for SMEs. Key impact metrics and business hypotheses to test include: H1: first safe operation ≤30 min using micro-lessons; H2: preset create/load ≤10 min per operator; H3: autonomous exception recovery ≥85%; H4: second-site deployment <4 weeks with ≥70% reuse; H5: ≥50% PoC→paid conversion within 6 months; H6: operator preference ≥80% by week 3. The value is twofold: for end users, safer, more comfortable work and steadier output without rushing operators, with ≥1-level RULA/REBA reduction, −50% near-misses, −15% NASA-TLX, and +5–10% throughput; for tech providers, the open reference app builds a pipeline while services monetize adoption, and UA's ergonomics analytics becomes a branded metric layer that de-risks procurement and strengthens bids. To remove common blockers to open factory tech, we provide a catalog-ready ROS 2 skill with CI tests, datasets, and tutorials; publish NGSI-LD data models for ergonomics and quality dashboards; offer a connector SDK (REST/CSV); and release an HRI Inclusivity and Ergonomics checklist with micro-lessons to cut training costs and improve operator acceptance. Scale KPIs include <4-week second-site deployment, ≥70% reuse, ≥60% support issues resolved via the shared knowledge base, and <2 s OT→IT latency at scale. Most cells focus on cycle time or simple pick-and-place, while few offer ergonomics-first, posture-aware primitives, human-centred exception flows, and portable FIWARE analytics. Our open reference, clear ROI, and inclusion playbook shorten buying cycles and de-risk trials. Key risks and mitigations include slow procurement (PoC-priced starter kits, Month-4 demonstrator, pay-per-station <12-month payback), operator resistance (co-design with Advisory Group, SUS ≥80, bilingual UI, opt-out analytics), IT integration drag (off-the-shelf REST/CSV adapters, staged read-only then write-back), and fragmented fixtures.

Commercial Strategy and Scalability
(End-users) Describe your business model, including revenue streams, and outline your strategy for adopting the project solution in production, addressing its short- and mid-term viability. Supporting figures such as ROI, market share, and brand awareness should be used to strengthen the explanation;
(Tech Providers) Describe your business model including revenue streams, your go-to-market strategy and its scalability potential in the short and mid terms. Supporting figures such as ROI, market share, and brand awareness should be used to strengthen the explanation;
(Tech Providers) Provide a detailed exploitation plan, highlighting the potential for reusing or integrating the product in other industrial projects beyond the scope of the ARISE-funded initiative. This should be supported by credible, reasonable and justified 3-year revenue projections.

Commercial Strategy and Scalability *

For end users, our business model is a results-driven retrofit delivering sub-year payback while reducing posture risk. We start with one ergonomics cell at a Pepri Toys station, then replicate to adjacent stations and sister sites using the same reusable ROS 2 skill and FIWARE bundle. Benefits include ≥1-level RULA/REBA reduction, 50% fewer near-misses, 15% lower NASA-TLX workload, and 5–10% higher throughput. With 3,000–4,500 productive hours/year at €50–€100/hour, annual value per station is €75k–€450k, against deployment costs of €40k–€85k, yielding 6–12 month payback and 60–250% Year-1 ROI. Short-term adoption covers one line and product family; mid-term extends to two more stations and a second site, reusing ≥70% of configurations. Commercial KPIs include ≥50% pilot-to-rollout conversion within six months, 3–7% OEE uplift, public demos (≥150 visitors, ≥8 qualified leads/quarter), and two published case studies with pre/post ergonomics and safety data. Baselines come from PREPY's prior CDTI project (process maps, station layouts, quality/throughput logs) to set pilot ROI and ergonomics targets. For technology providers (MMVR and engineering lead, with UA as analytics/validation partner), we adopt an open-core model that scales without linear headcount growth. The open reference implementation (ROS 2 ErgoAssist + FIWARE templates) reduces adoption friction, with revenue from integration (€30k–€60k/station), adaptive-fixture kits (€10k–€25k/station), ERP/MES connector packs (€8k–€20k/site), and optional managed analytics/support (€5k–€10k/station/year). Gross margins are 30–40% for services and 65–80% for software/support. Our go-to-market is land-and-expand: start with one reference cell, then scale to multiple cells/sites and standardize across product families. We co-sell via Pepri's ecosystem, run quarterly hands-on days, publish tutorials/datasets, and certify two partner integrators to scale without adding headcount. Year-1 scalability comes from packaged ErgoAssist installers, containerized Orion-LD + dashboards, and a connector SDK; Years 2–3 from distributor agreements and templated BOMs enabling new sites in <4 weeks with minimal bespoke code. We target 5–10% of new ergonomics cobot retrofits in our initial region within three years, supported by strong references and open assets. Our exploitation plan extends beyond ARISE by maintaining ErgoAssist as a catalog-ready ROS 2 skill with CI tests, datasets, and a compatibility matrix for major cobots/fixtures, enabling reuse in toys, small appliances, cosmetics, and light electronics. The Powered-by-FIWARE bundle (dashboards, historian, alerts) with NGSI-LD models standardizes ergonomics/quality/safety data and lowers plant integration costs, while the connector library supports modern REST ERPs and legacy CSV MESs to remove scale blockers. Conservative 3-year revenues tied to station counts and recurring support are: Year 1 €0.6–1.0M from 8–12 stations across 4–6 sites (services ~80%, recurring ~20%); Year 2 €1.6–2.4M from 18–25 stations across 10–14 sites, two certified integrators (services ~65%, recurring ~35%); Year 3 €3.8–5.2M from 40–55 stations across 18–25 sites, three distributors (services ~55%, recurring ~45%), yielding >€3M cumulative gross margin to fund open-source development and documentation. To accelerate industrial HRI, we will release open assets (ROS 2 skill, NGSI-LD models, connector SDK), an HRI Inclusivity & Ergonomics checklist, and training micro-lessons, targeting <4-week second-site deployment, ≥70% config/code reuse, and ≥60% issues resolved via a shared knowledge base, enabling broad European adoption. We leverage PREPY's CDTI experience to de-risk rollout by using process maps, takt/variance, quality/rework data, and historical throughput/downtime to size the PoC, define FIWARE schemas, and build an auditable business case for management and H&S.

Environmental and social impact
Applicants have to demonstrate the project's contribution towards environmental, social and economic impacts to contribute to sustainable development, Green Deal, substantial positive impact for European citizens (European Dimension), and other European policies. In ARISE, the core aspect is the human-centricity of the automation solution. Applicants shall focus here in highlighting the impacts that the proposed solution could have in
making work environments more inclusive to diverse worker profiles and
helping shift the perception that AI and robotics innovations are meant to replace human labour.

Environmental and social impact *

Environmental impact in this project is achieved by reducing waste and energy per good unit through the removal of trial and error rework and idle time. Target improvements include a scrap reduction of five to ten percent on rework steps and a reduction of energy consumption per good part of five to eight percent enabled by smoother assisted rotations and automatic standby behaviour. Energy consumption is measured directly from PLC and robot logs and tracked as kilowatt hours per part in FIWARE. The UR3e robot has a low average program power draw of approximately one hundred fifty watts, keeping incremental energy demand low while enabling precise and repeatable motion. Any efficiency gains from stabilized flow are therefore directly visible in energy per part trends. The solution follows a retrofit first approach that extends the operational lifetime of existing robots and fixtures rather than replacing them. Each successful retrofit avoids the embodied environmental footprint of a new automation cell. An avoided embodied impact estimate per station in the order of one to three tonnes of carbon dioxide equivalent is reported based on the bill of materials that would otherwise be procured and documented in an annex supported by component and material disclosures. All evidence including scrap rate, rework rate, throughput, idle time and energy per part is logged in a FIWARE historian using NGSI LD entities. This ensures that improvements are auditable, reproducible and shareable across production lines and sites while fulfilling the ARISE Powered by FIWARE requirement. Social impact is driven by a human centric ergonomics cell that adapts to the worker rather than requiring the worker to adapt to the machine. The system automatically adjusts height and tilt and allows the collaborative robot to take over strain intensive holding and rotation tasks. Demonstrated targets include at least one level improvement in RULA or REBA scores, a fifty percent reduction in near misses, a fifteen percent reduction in NASA TLX workload scores, and maintained or improved output with a five to ten percent throughput increase. User interfaces are designed for inclusivity with glove friendly large interaction targets, left and right mirroring, adjustable font sizes, colour blind safe iconography and optional voice prompts. Labels and micro lessons are provided in Spanish and English. Onboarding is equitable, with first safe operation achieved within thirty minutes and personal presets configured within ten minutes. Recruitment is gender balanced with at least forty percent women and non binary participants and includes operators over fifty years old and novices. Results are analysed by subgroup and if any group underperforms, for example with a system usability score below seventy five or reduced trust gains. To address the perception that robots replace people, a short pre and post deployment survey is conducted with targets of a twenty five percent reduction in respondents who feel that the robot threatens job security and a thirty percent increase in respondents who report improved job quality through safer, less tiring and more predictable work. Capacity gains from reduced injuries and interruptions are redeployed to quality improvement and continuous improvement activities without headcount displacement. Data protection follows privacy by design principles including explicit consent, pseudonymisation, role based access and retention limits. No biometric identifiers are stored and posture estimation produces only derived non identifying metrics. At European level, the project contributes open assets including a catalog ready ROS 2 Vulcanexus ErgoAssist module, NGSI LD data models, an inclusivity and ergonomics checklist and training micro lessons. These assets lower adoption barriers for small and medium enterprises and support human centric automation across Europe.

You can upload a pdf presentation here to complement the Impact section (max 10MB and no more than 3 pages)

PDF file

📎 Appendix 2.pdf

IMPLEMENTATION

The workplan of the experiment should be clearly described and fully aligned with the ARISE objectives, including Work packages, and tasks. Work Plan should be realistic, coherent, and achievable.
WORK PLAN STRUCTURE (from 1 to n workpackages)
WPn – Name of the Workpackage
Objectives:
Please describe the main objectives of this workpackage
Duration: Mxx – Myy [Starting Month – Ending Month]
Task description:
Tn.1 – Name of the task [Starting Month – Ending Month]
Please describe this task and its main outcomes.
Tn.2 – Name of the task [Starting Month – Ending Month]
Please describe this task and its main outcomes.
….Tn.m – Name of the last task of the WP [Starting Month – Ending Month]
Please describe this task and its main outcomes.

In addition to technical workpackages, which should be consistent to Excellence section, the Work Plan needs to include a Project Management workpackage and an Exploitation workpackage, which should be consistent with the Impact section.

Please fulfill the GANTT of your project using the template from "Open Call Package of Documents" and upload it in pdf in the section below.

Work Plan *

WP1 Project Management Safety and Quality Obj: Coordinate partners manage scope schedule cost risks ethics GDPR safety and quality. Duration (M1 to M12) T1.1 Governance and Cadence [M1-M12] Project coordination through bi weekly sprints monthly steering RAID and RACI. Output Project Handbook M1 Monthly RAID M2 to M10 T1.2 Safety and Standards [M1-M12] Compliance with ISO 12100 ISO 10218 ISO TS 15066 collaborative safety validation and safety logging. Output Safety Plan M1 PoC Sign Off M3 TRL7 Sign Off M9 T1.3 Data Protection and Ethics [M1-M12] DPIA consent pseudonymization retention up to ninety days. Output DPIA and Consent M1 Data Reports M5 and M10 T1.4 Reporting and Reviews [M1-M12] Quality assurance PoC and TRL7 reviews. Output PoC Gate M4 TRL7 Gate M10 WP2 Requirements Baseline and Site Readiness Obj:Define user needs KPIs baselines and prepare site and data stack. Duration (M1 to M3) T2.1 User Research and KPIs [M1-M2] Operator interviews observations and KPI definition. Output Requirements and KPI Specification M1 T2.2 Design Plan and Protocols[M1-M2] Output Baseline Dataset and Mentoring Plan M1 T2.3 Station and IT OT Preparation [M2-M3] Cell readiness secure network FIWARE components and dashboards. WP3 Adaptive Fixture and Ergonomics Sensing Obj: Develop adjustable fixture and anonymized posture sensing. Duration (M1 to M6) T3.1 Fixture Design and Prototype [M1-M3] Height and tilt adjustable fixture with safety locks. Output Prototype Fixture and BOM M3 T3.2 Sensing and Calibration [M2-M5] Calibration of posture proxies against ergonomic assessments. Output Calibration Report M5 T3.3 Presets and Validation [M3-M6] Operator presets validated across PPE and lighting. Output Test Report M6 WP4 ROS 2 ErgoAssist Reusable Module Obj: Implement posture aware collaborative skills as reusable ROS 2 module. Duration (M1 to M8) T4.1 Interfaces and State Logic [M1-M3] Definition of actions and behavior logic. T4.2 Motion and Exception Policies [M2-M6] Safe smooth motion limits and automatic recovery. T4.3 Packaging and Documentation [M4-M8] ROS 2 packaging CI documentation and catalog submission. Output Catalog Ready Release M8 WP5 HRI HMI and Onboarding Obj: Deliver inclusive interfaces and fast onboarding. Duration (M1-M10) T5.1 Accessible HMI and Voice [M1-M3] Inclusive HMI with optional voice and fallback. Output HMI Release and Accessibility Checklist M3 T5.2 Training and Micro Lessons [M2-M4] Training enabling safe use within thirty minutes. Output Training Modules M4 T5.3 UX and Trust Validation[M4-M10] Iterative validation of usability and trust across user groups. Output UX Reports M6 WP6 Powered by FIWARE Monitoring and Integration Obj:Enable real time monitoring analytics and enterprise integration. Duration (M1 to M9) T6.1 NGSI LD Models and ROS 2 Bridge [M1-M3] Definition of production quality ergonomics safety and energy models. T6.2 Dashboards and Historian [M2-M4] Real time dashboards and historical storage. T6.3 Alerts and Reporting [M3-M6] Detection of posture risks and exceptions with reports. Output Alert Rules and Reports M6 T6.4 ERP and MES Integration [M4-M9] Enterprise integration through staged adapters. Output Interoperability Report M9 WP7 Validation, Dissemination and Eploitation Obj: Validate system and exploite results. Duration (M3 to M12) T7.1 System Integration and PoC [M3-M5] Validation on one SKU with ergonomic safety and usability targets. Output Demonstrator M5 T7.2 Scale-Up & TRL 7 Demo [M5-M10] Multi SKU multi operator validation Output Demonstrator M10 T7.3 Case Studies, Partner Enablement & Communication[M10-M12] Business validation, case studies partner enablement videos and tutorials, scientific articles, conferences. T7.4 Open Assets Packaging & Exploitation [M11-M12] Exploitation and commercialization plan, client visits, sales efforts. Output: Reusable modules M12

GANTT of the project *

Please upload your GANTT in pdf and any other complementary information dealing with the whole Implementation section (max. 10MB)

📎 GANTT UA-PEPRI-MMVR.pdf

Team *

(All entities as a whole) Demonstrate your team management and leadership qualities, your ability to take a concept from ideas to market, your capacity to carry through your ideas and your understanding of the dynamics of the market. The team should be a cross-functional team, with a strong background and skills base and taking into account its gender balance.

Pepri, MMVR, and UA form a cross-functional team with proven leadership, execution, and market awareness. Pepri provides production context, chairs monthly governance, and owns on-site safety decisions; MMVR runs bi-weekly technical sprints, owns the HMI/voice/XR "definition of done," system integration, and the commercialization plan; UA ensures evaluation integrity and FIWARE/NGSI-LD data models so results are comparable and reusable—benefiting also from Pepri–UA geographic proximity in Alicante. At MMVR, Beatriz Zambrano (PM, 5 years in EU projects) coordinates partner communication and sprint planning; Jose Garcia (Sr. Developer) unites XR onboarding with ROS 2 so training matches cell behavior; Jesus Silva leads UX/HRI; and Adrian Zurita leads Speech/NLU and the measurement pipeline. At Pepri, Roberto Martínez (General Manager) sponsors the work and unblocks resources; Carolina Prieto serves as Site & Operator Lead, translating shop-floor constraints and coordinating operator sessions; Pedro Pareja acts as Safety & Quality Officer, running risk assessments/sign-offs and feeding quality and near-miss metrics into the evidence pack; and Raúl Teruel (Production Lead) anchors execution on the line and schedules intervention windows with shifts. At UA, Dr. José García co-authors reusable ROS 2 skills to ensure what we validate is what we replicate; Dr. David Mullero leads design to ground the solution in real needs; Michael Fernández leads FIWARE and data modeling (ergonomics proxies, production, safety) and maintains the ROS 2→Orion-LD bridge; and Dr. David Ortiz designs and runs the evaluations (RULA/REBA, NASA-TLX, trust, SUS) and reports deltas with statistical rigor. The team is intentionally gender-balanced across leadership and operator engagement (commitment: ≥40% women and non-binary participation in evaluations) and organized to carry concepts from idea to market via reference-cell pilots, sprinted integration, open assets, and a clear partner-led route to rollout.

Resources (including human, travels, equipment, other goods and services) *

You should demonstrate the quality and effectiveness of the resources assigned to get the objectives/deliverables proposed. Please describe the included resources in the estimated budget below, per partner.

MMVR provides the core human resources for user research, human robot interaction design, training, onboarding, validation, dissemination, and replication activities. Personnel costs cover senior and mid level researchers and designers responsible for WP2 requirements definition, WP5 HMI and onboarding, WP7 validation activities, and WP8 exploitation and replication. Travel resources support on site user studies, validation sessions, demonstrations, and coordination meetings with the end user. Other direct costs include dissemination activities, preparation of public case studies, training materials, and open access publications, ensuring alignment with ARISE impact and replication objectives. UA contributes specialized technical expertise in robotics software, ergonomics sensing, ROS 2 development, FIWARE integration, data protection, and analytics. Personnel resources cover development and integration tasks in WP3, WP4, WP6, and support to WP1 for safety and data protection. Effort is allocated to software architecture, posture proxy calibration, NGSI LD data modeling, dashboard implementation, alerting logic, and enterprise integration. Travel resources are limited and focused on integration and validation phases at the end user site. Other goods and services include computing resources, development tools, and open access publication costs, supporting high quality technical outputs and reuse. PREPY as end user assigns personnel resources to project coordination, station preparation, safety validation, pilot execution, and industrial validation. Personnel effort covers WP1 project management and safety activities, WP2 site readiness and baseline measurements, WP3 fixture development, WP7 proof of concept execution and TRL7 validation, and WP8 business validation. Travel costs support coordination with technical partners and participation in reviews and demonstrations. Equipment and consumables are limited to what is strictly necessary for adapting the existing production cell, building the adjustable fixture, and running the demonstrators, following a retrofit first approach and avoiding unnecessary capital expenditure. Across all partners, consumables and other direct costs are limited to essential items required for experimentation, training, validation, and dissemination. Open access publication costs are included to ensure compliance with ARISE requirements and to maximize impact and reuse of results. No major infrastructure purchases are planned, as the experiment builds on existing equipment and focuses on software, integration, and human centric adaptation. Overall, the proposed allocation of human, travel, and operational resources is realistic, cost effective, and fully aligned with the scope, risks, and expected outcomes of the experiment.

Estimated budget for the action *

Please upload your budget estimation in a pdf file (max. 10MB)

📎 Budget CH8. MMVR- UA- PEPRI.xlsx.pdf

Budget

Estimated budget for your proposal. Please include your total budget divided into cost categories. Indicate a proper description for each cost category, including details of the cost to be budgeted.

A. Personnel costs *

Personnel cost: technical and administrative person-months needed to implement the granted Experiment, including R&D for TRL improvement, Experiment-related training and activities with the ARISE Consortium Partners, license and IPR agreement development.

#	Please detail the roles of personnel involved, hours devoted to the experiment, monthly cost and total cost per person. Example: Project Manager - coordination & deliverables - X PMs - €Y/month (total company cost, 100% charged; or show %FTE).	Total in EUR: provide the total cost for the project duration calculated as (X PMs × €Y/month). Round to whole euros.
1	--- MMVR Beatriz Zambrano, Project Manager, responsible for project coordination, reporting, deliverables, risk management, and liaison with ARISE partners. Effort 4 person months at 5,500 euros per month, total company cost fully charged. Total cost 22,000 euros. 4.0 person months over 12 months equals 33.3 percent FTE David Martin, Commercialization and exploitation lead, responsible for business validation, dissemination support, and exploitation activities. Effort 1.0 person month at 4,800 euros per month, total company cost fully charged. Total cost 4,800 euros. 1.0 person month over 12 months equals 8.3 percent FTE Jose Garcia, XR and ROS 2 developer, responsible for XR modules, integration with ROS 2, and support to HMI and training development. Effort 4 person months at 6,000 euros per month, total company cost fully charged. Total cost 24,000 euros. 4.0 person months over 12 months equals 33.3 percent FTE Jesus Silva, UX and HRI specialist, responsible for user research, interface design, usability validation, and trust assessment. Effort 1.5 person months at 5,000 euros per month, total company cost fully charged. Total cost 7,500 euros. 1.5 person months over 12 months equals 12.5 percent FTE Adrian Zurita, Speech and NLU specialist, responsible for voice interaction design and validation. Effort 1 person month at 5,000 euros per month, total company cost fully charged. Total cost 5,000 euros. 1.0 person month over 12 months equals 8.3 percent FTE Total MMVR personnel cost 63,595 euros. --- UA, Michael, FIWARE and data engineer, responsible for FIWARE integration, NGSI LD data models, dashboards, and analytics. Effort 3.0 person months at 2,800 euros per month, total company cost fully charged. Total cost 8,400 euros. 3.0 person months over 12 months equals 25.0 percent FTE David Ortiz, evaluation and statistics specialist, responsible for KPI definition, statistical analysis, and validation reporting. Effort 2.0 person months at 2,900 euros per month, total company cost fully charged. Total cost 5,800 euros. 2.0 person months over 12 months equals 16.7 percent FTE David Mullero, design and ergonomics expert, responsible for ergonomics sensing design, posture proxy validation, and usability support. Effort 4.0 person months at 3,600 euros per month, total company cost fully charged. Total cost 14,400 euros. 4.0 person months over 12 months equals 33.3 percent FTE José, scientific lead, responsible for technical supervision, TRL progression, and scientific dissemination. Effort 2.0 person months at 6,750 euros per month, total company cost fully charged. Total cost 13,500 euros. 2.0 person months over 12 months equals 16.7 percent FTE Total UA personnel cost 42,108 euros. --- PEPRY, Roberto Martínez, General Manager, responsible for industrial coordination, decision making, and alignment with production strategy. Effort 4 person months at 2,525 euros per month, total company cost fully charged. Total cost 10,101 euros. 4.0 person months over 12 months equals 33.3 percent FTE Carolina Prieto, Site and Operator Lead, responsible for site preparation, operator coordination, and pilot execution. Effort 5.5 person months at 1,860 euros per month, total company cost fully charged. Total cost 10,228 euros. 5.5 person months over 12 months equals 45.8 percent FTE Pedro Pareja, Safety and Quality responsible, in charge of risk assessment, safety validation, and quality assurance. Effort 4.5 person months at 1,598 euros per month, total company cost fully charged. Total cost 7,189 euros. 4.5 person months over 12 months equals 37.5 percent FTE Raúl Teruel, Production Lead, responsible for production support, station operation, and TRL7 validation. Effort 5 person months at 1,969 euros per month, total company cost fully charged. Total cost 9,844 euros. 5.0 person months over 12 months equals 41.7 percent FTE Operator allowances for participation in trials and validation activities. Total cost 33 euros. Total PEPRY personnel cost 37,392 euros. Total cost overall is 143,095 euros, No one is accounted for fully in the project as the project is 12 months.	143095

B1. Other Direct Costs: Necessary travel costs for industry partner visits or Experiment-related presentations or demonstrations organized by ARISE. *

#	Please detail the number of trips, persons traveling and cost per trip and person.	Total in EUR.
1	MMVR Number of trips 3 site visits to Alicante Persons traveling 2 people per trip Cost per trip per person 500 euros Calculation 2 people times 3 trips times 500 euros equals 3,000 euros Total MMVR travel cost 3,000 euros UA Number of trips 3 site visits within Alicante Persons traveling 2 people per trip Cost per trip per person 50 euros for local transport and lunch Calculation 2 people times 3 trips times 50 euros equals 300 euros Total UA travel cost 300 euros PEPRi Number of trips 3 meetings within Alicante Persons traveling 2 people per trip Cost per trip per person 50 euros for local transport and lunch Calculation 2 people times 3 trips times 50 euros equals 300 euros Total PREPY travel cost 300 euros Total travel cost for the experiment, 3600 euros.	3600

B2. Other Direct Cost: Costs for providing open access to scientific publications directly related to the Experiment *

#	Please detail the scientific publications (if any) related to the experiment.	Total in EUR.
1	UA will produce two peer reviewed scientific publications describing the robotics software architecture, ergonomics sensing methodology, FIWARE based monitoring, and human centric validation results achieved during the experiment. These publications will target international journals or conferences requiring open access fees in line with Horizon Europe and ARISE open science requirements. Cost per publication is estimated at 4,000 euros, covering article processing charges and mandatory open access fees. Total cost for open access scientific publications 8,000 euros	8000

B3. Other Direct Cost: Consumables *

#	Please detail the consumables related to the project.	Total in EUR.
1	PEPRI The consumables include personal protective equipment for operators participating in the trials, safety and identification labels used on the production cell and fixtures, and minor expendable materials required during repeated proof of concept and TRL7 validation runs. These consumables are directly linked to ergonomics assessment, safety compliance, and operator involvement activities and are necessary to ensure safe and uninterrupted execution of the experiment in a real production environment. Total consumables cost are 1,600 euros	1600

B4. Other Direct Cost: Equipment costs *

#	Please include the description of the equipment(s) and the necessity for the project.	Total in EUR.
1	No major infrastructure or capital equipment purchases are planned, in line with the retrofit first approach of the experiment. The equipment includes minor fixtures required to adapt the existing workstation to the adjustable ergonomics setup and peripherals for the HMI station used during operator interaction, training, and validation sessions. These items are necessary to safely mount the adaptive fixture, support human robot interaction, and enable reliable data collection during the proof of concept and TRL7 demonstrations. The equipment is dedicated to the experiment and directly supports the achievement of the technical objectives related to ergonomics improvement, safety validation, and system integration. Total equipment cost 1,500 euros	1500

C. Overheads (25% of A+B1+B2+B3+B4)

€39,448.75

D. Subcontracting costs *

#	Please detail the subcontracting related to the project.	Total in EUR.
1	The subcontracted service includes editorial support, content preparation aligned with the experiment results, and publication in an established industry channel. The subcontractor does not perform technical development or research tasks and has no decision making role in the project. All intellectual property remains with the consortium partners.	1900

Total Budget (A-D)

€199,143.75

Requested Financial Support estimated (maximum funding EUR 200,000 per project)

€199,143.75

To be funded with own funds (EUR)

€0.00

I understand the maximum funding per project is EUR 200 000. I confirm that I will cover any amount above EUR 200 000 from other sources. *

Yes

STATISTICAL SECTION

How did you hear about ARISE?

Partners' network

Please provide the number of female and male team members that will be involved in the project execution

Females

2

Males

8

Do you bring in background IPR to the project?

No

Geographical Scope. Select targeted geographic area for the proposed product or service.

EMEA (Europe, Middle East, Africa)

ETHICAL ISSUES

Ethical impacts

Do you commit to identify, assess, and mitigate potential ethical impacts throughout your project, including (as applicable) risks to human safety, integrity and wellbeing; discriminatory bias or exclusion; privacy and data protection; manipulation/lack of transparency; environmental harm; misuse/security threats; and any other foreseeable or unforeseen negative impacts? *

Yes

EU AI Act compliance commitment

Do you commit to develop and/or deploy your system in compliance with the EU AI Act? This includes understanding and determining its risk classification; implementing risk mitigation and oversight actions; fulfilling transparency, AI literacy and model-specific obligations; and preparing required documentation when applicable. *

Yes

For information consult the High-level summary of the AI Act (website: https://artificialintelligenceact.eu/high-level-summary/)

GDPR compliance commitment

Do you commit to collect, store and process any personal data at any phase of your project in compliance with the GDPR. This includes identifying all forms of personal or special categories of data being collected, adhering to GDPR data protection principles (i.e. data minimisation, purpose limitation, storage limitation, etc.), and ensuring the rights and informed consent of all involved data subjects. *

Yes

For information consult the GDPR information site (website:https://europa.eu/youreurope/business/dealing-with-customers/data-protection/data-protection-gdpr/index_en.htm#inline-nav-1)

DECLARATION OF HONOUR

I have read and understood the information about the project, as provided in the Guide for Applicants (GfA) *

Yes

I accept all the rules and regulations of this open call as detailed in the GfA. *

Yes

I acknowledge that the evaluators and the European Commission and its bodies and agencies may have access to the data collected under the open call *

Yes

The data provided in the application form are true and up-to-date *

Yes

I confirm that the legal entity on behalf of which I submit the application, in case of being selected as beneficiary, will agree to grant the ARISE Consortium Partners access to its Background and Results generated within my project (including intellectual property rights), as provided in the Guide for Applicants during the lifetime of the ARISE Project, i.e. until June 30, 2027. *

Yes

The legal entity on behalf of which I submit the application- meets the eligiblity conditions described in the GfA, in particular, is a SME/START-UP/MID-CAP *

Yes

There is no conflict of interest between the legal entity on behalf of which I submit the application and any of the consortium partners *

TRUE

Moreover, the entity I represent , or persons with power of representation, decision-making or control over the aforementioned legal entity:

is/ are not listed on the EU sanction list : https://www.sanctionsmap.eu, which means that is/are not subject to EU restrictive measures under Article 29 of the Treaty on the European Union (TEU) and Article 215 of the Treaty on the Functioning of the EU (TFEU) *

TRUE

is /are not bankrupt or being wound up, is not having its affairs administered by the courts, has not entered into an arrangement with creditors, has not suspended business activities, is not the subject of proceedings concerning those matters, or is not in any analogous situation arising from a similar procedure provided for in national legislation or regulations *

TRUE

has/have not been convicted of an offence concerning their professional conduct by a judgment which has the force of res judicata *

TRUE

has/have not been guilty of grave professional misconduct proven by any means which the contracting authority can justify, including by decisions of the European Investment Bank and international organisations *

TRUE

is/are in compliance with their obligations relating to the payment of social security contributions or the payment of taxes in accordance with the legal provisions of the country in which it is established or with those of the country of the contracting authority or those of the country where the contract is to be performed *

TRUE

has/have not been the subject of a judgment which has the force of res judicata for fraud, corruption, involvement in a criminal organisation or any other illegal activity, where such illegal activity is detrimental to the Union’s financial interests *

TRUE

is/are not subject to an administrative penalty for being guilty of misrepresenting the information required by the contracting authority as a condition of participation in a grant award procedure or another procurement procedure, or failing to supply this information, or has/have not been declared to be in serious breach of their obligations under contracts or grants covered by the Union's budget. *

TRUE

I did not make false declarations in supplying the information required, as a condition of participation in the Open Call or do not fail to supply this information *

TRUE

PROCESSING OF PERSONAL DATA

Please read the privacy notice available at https://fundingbox.com/privacy-notices/open-call/

I confirm that I read and understood the privacy notice concerning processing of the personal data provided above. *

Yes

I confirm that I have legal basis for processing personal data of the team members listed in the application form. *

Yes

I will pass the privacy notice to all team members mentioned in the application form. *

Yes