# Supplies and Cables for the HP ColorPro, HP 7475A, and HP 7550A Graphics Plotters



**Ordering Information** 



Using Pens and Media on HP Graphics Plotters

For quick reference, check the chart below to determine which pens can be used with each type of media, and on which plotters.

Fiber-tip paper pens	ColorPro HP 7475A HP 7550A	ColorPro HP 7475A HP 7550A			
Fiber-tip transparency pens		ColorPro HP 7475A HP 7550A	ColorPro HP 7475A HP 7550A		
Roller-ball pens	HP 7550A				<u> </u>
Refillable liquid-ink drafting pens				HP 7550A	HP 7475A HP 7550A
Disposable liquid-ink drafting pens	HP 7550A			HP 7550A	

#### **Plotter Pens**

Fiber-tip Paper Pens Single-color pack (5 pens/package) 0.3 mm, black green aqua blue violet brown yellow orange red red-violet 0.7 mm, black green blue red	17825P 17827P 17829P 17831P 17833P 17835P 17837P 17839P 17841P 17843P 17826P 17828P 17828P 17832P 17842P	•		
Multi-color pack ( 5 pens/package)  0.3 mm, 1 each black, blue, red, green, yellow  1 each black, green, aqua, blue, violet  1 each brown, yellow, orange, red, red- violet  0.7 mm, 1 each black, blue, red, green, yellow  1 each black, green, aqua, blue, violet  1 each brown, yellow, orange, red, red- violet	17845P 17847P 17849P 17846P 17848P 17850P	•	•	•

Indicates availability for this model.

## Plotter Pens (continued)

Fiber-tip Transparency Pens					
Floring Transparency Pens			1		
Single-color pack (5 pens/package)	_				1
0.3 mm, black	17725T )	į			1 _
green	177271				
aqua	17729T				
blue	17731T				•
violet	17733T				•
brown	17735T			•	•
yellow	17737T			•	•
orange	17739T			•	•
red	17741T			•	•
red-violet	177411 17743T		•	•	•
0.6 mm, black			•	•	•
	17726T		•	•	
green blue	17728T		•	•	
red	17732Γ		•	•	
ied	17742T J		•	•	•
Multi-color pack (5 pens/package)				···	
0.3 mm, 1 each black, blue, red, green, yellow	1774570 %				
I each black, green, aqua, blue, violet	17745T		•	•	•
1 each brown, yellow, orange, red,	17747T		•	•	•
red-violet	17749Т		•	•	•
0.6 mm, 1 each black, blue, red, green, yellow			1		i -
l each black groom ages black william	17746T		•	•	•
l each black, green, aqua, blue, violet	17748T		•	•	
l each brown, yellow, orange, red, red-violet	17750T J		•	•	•
1eu-violet					
oller-ball Pens					
Single-color pack (4 pens/package)			İ	Ĭ	
0.3 mm, black					
	5061-5033				
red	5061-5034				
green blue	5061-5035		]	l	
blue	5061-5036			!	ě
Multi-color pack (4 pens/package)		•••	ł		
0.3 mm, 1 each black, blue, red, green	5061-5037				•
efillable Liquid-ink Drafting Pens —	<del>   </del>		<del></del>		
one Ded.					
ong Body					
(1 pen body/package)					
Pen body to be used with points listed below.	07580-60025				
power acces octow.	07300-00023			]	•
Plotter points (tungsten) for long-body pens	1 . T			T	
0.18 mm point*	9260-0742			1	
0.25 mm point*	9260-0742				•
0.35 mm point	9260-0588			]	•
0.50 mm point	9260-0744				
0.70 mm point				]	•
1.00 mm point	9260-0579 9260-0743				•
·	3200-0143 J			L J	•
fillable Liquid-ink Drafting Pens —	1				<del></del>
ort Body					
(2 pen bodies/package)					
Pen body to be used with points listed below.	5061-8119			_ ]	
	2001-0119			•	
Plotter points (tungsten) for short-body pens					
0.35 mm point	9300-0957	į	İ	_ [	
0.50 mm point	9300-0958			<u> </u>	
0.70 mm point	9300-0959		j	•	

Indicates availability for this model.

<sup>\*</sup>For special fine-line plotting only. These narrow pen tips require more cleaning and care than wider pen tips. Therefore, we do not recommend these fine-line tips for general use.



## Plotter Pens (continued)

Disposable Liquid-ink Drafting Pens**  Single-color pack (4 pens/package)  0.35 mm point size  Black  Red  Green  Blue  0.70 mm point size  Black  Red  Green  Blue  O.70 mm point size  Black  Red  Green  Blue	5061-7562 5061-7565 5061-7564 5061-7563 5061-7572 5061-7575 5061-7574 5061-7573		•
Four-color pack: 1 each black, red, green, blue (4 pens/package) 0.35 mm point size 0.70 mm point size	5061-7566 5061-7576		•
Adapter and pen cap assemblies (4/package)	5061-7578		 •

<sup>\*\*</sup>Disposable drafting pens require the use of reusable adapter and pen assembly, P/N 5061-7578.

## Pen Supplies

Transparency ink solvent, 1 fluid oz (29.6 ml)	5060-6828	•	•	•
<b>Drafting ink,</b> 0.75 oz bottle, black Used with drafting pens.	9260-0596		•	•
Cleaning syringe for drafting points	9282-0905		•	•
Drafting pen cleaning solution, 5.2 oz bottle	9282-0908		•	•

## Paper and Transparency Film

Non-glossy Plotter Paper			
A-size ( $8\frac{1}{2} \times 11$ in.) 50-sheet package 250-sheet package	17800P 17801P	•	: :
B-size (11 × 17 in.) 50-sheet package 250-sheet package	17804P 17805P		
A4-size (210 × 297 mm) 50-sheet package 250-sheet package	17802P 17803P	•	•
A3-size (297 × 420 mm) 50-sheet package 250-sheet package	17806P 17807P		•
Glossy Plotter Paper			
(100-sheet packages) A-size ( $8\frac{1}{2} \times 11$ in.) B-size ( $11 \times 17$ in.)	17900G 17902G	•	
A4-size (210 × 297 mm) A3-size (297 × 420 mm)	17901G 17903G	•	

Indicates availability for this model.

## Paper and Transparency Film (Continued)

Transparency Plotter Film					
(50-sheet packages)					
A-size ( $8\frac{1}{2} \times 11$ in.), 11 in. edge loading	17702Т			•	•
A4-size (210 $ imes$ 297 mm), 297 mm edge loading	17703T			•	•
A-size $(8\frac{1}{2} \times 11 \text{ in.})$ , $8\frac{1}{2}$ in. edge loading	17700Т	***************************************	•		
A4-size (210 × 297 mm), 210 mm edge loading	1 <b>77</b> 01T		•		

## **Drafting Media**

Vellum			
(150-sheet packages)			
A-size $(8\frac{1}{2} \times 11 \text{ in.})$ B-size $(11 \times 17 \text{ in.})$	9280-0601 9280-0602		
A4-size (210 × 297 mm) A3-size (297 × 420 mm)	9280-0603 9280-0604		
Polyester Film			<del></del>
(50-sheet packages)			
A-size $(8\frac{1}{2} \times 11 \text{ in.})$ B-size $(11 \times 17 \text{ in.})$	9280-0605 9280-0607	•	•
A4-size (210 $\times$ 297 mm) A3-size (297 $\times$ 420 mm)	9280-0608 9280-0606		

#### Kits

Transparency Plotter Film Kits  Overhead Transparency Kit for the ColorPro Plotter  Contains all supplies necessary to prepare up to 50				
overhead projection transparencies. Includes 50 sheets of paper-backed transparency film and 15 pens in 2 tip widths and 10 colors. Includes "A Personal Guide to Professional Business Graphics."				
English A-size (8½ × 11 in.) film Metric A4-size (210 × 297 mm) film	17715TK 17716TK	•		:
Transparency Plotter Film Kit for the HP 7475A and 7550A		***************************************		
Same contents as above.				
English A-size ( $8\frac{1}{2} \times 11$ in.) film Metric A4-size ( $210 \times 297$ mm) film	17717TK 1 <b>7</b> 718TK		•	•
Paper and Pen Kit		 <del></del>		
Paper and Pen Kit (for all HP plotters)  Convenient kit contains all supplies necessary to create charts on paper. Includes 250 sheets of non-glossy plotter paper, 15 fiber-tip paper pens in 10 colors and 2 line widths. Includes "A Personal Guide to Professional Business Graphics."				
English A-size (8½ × 11 in.) paper Metric A4-size (210 × 297 mm) paper	17820PK 17821PK	•	•	•

Indicates availability for this model.

## **Interface Cables**



				-
Male-to-male, RS-232-C/CCITT V.24, straight-through cable (3 meters). For use with Apple IIe, Apple III*, and other DCE devices	17355M	•	•	
Male-to-female, RS-232-C/CCITT V.24, straight-through cable (3 meters). For use with Apple IIe, Apple III*, and other DCE devices, and for remote modem environments	17355D			•
Male-to-male, RS-232-C/CCITT V.24 special cable (1.5 meters). For use with The PORTABLE (HP 110)	92221P	•	•	<b>●</b> **
Male-to-female, RS-232-C/CCITT V.24, straight-through cable (3 meters). For use with selected RS-232-C/CCITT V.24 configurations	17355D	•.	•	
Female-to-female, RS-232-C/CCITT V.24 straight-through cable (3 meters). For use with selected RS-232-C/CCITT V.24 configurations	17355F			•
Male-to-female, RS-232-C/CCITT V.24 cable, modem eliminator type (1.5 meters). For use with IBM PC, PC/XT, and other DTE devices	17255D	•	•	
Female-to-female, RS-232-C/CCITT V.24 cable, modem eliminator type (1.5 meters). For use with IBM PC, PC/XT, and other DTE devices	17255F			•
Male-to-male, RS-232-C/CCITT V.24 cable, modem eliminator type (5 meters). For use with Touchscreen computer, HP Vectra PC with HP 24541A interface card, and other DTE devices	13242G	•	•	
Female-to-male, special RS-232-C/CCITT V.24 9-25 pin cable (3 meters). For use with HP Vectra PC with HP 24540A interface card or IBM AT	24542G	•	•	
Female-to-female, special RS-232-C/CCITT V.24 9-25 pin cable (3 meters). For use with HP Vectra PC with HP 24540A interface card or IBM AT	24542H			•
Male-to-male, RS-232-C/CCITT V.24 (1.5 meters) 9-25 pin cable. For use with Apple Macintosh.	92219M	•	•	<b>●</b> **
Male-to-female, RS-232-C/CCITT V.24 cable, modem eliminator type (1.5 meters). For use with Touchscreen computer, HP Vectra PC with a 24541A interface card, and other DTE devices	17255D			•
RS-422-A adapter cable for use with HP 3000 and other mainframe computers; 5-pin (RS-422-A) male to 25-pin (RS-232-C/CCITT V.24) female (5 meters)	17855D			•
Eavesdrop Y-cable, RS-232-C/CCITT V.24. For use with eavesdrop configurations	17455A		•	
HP-IB (IEEE 488-1978) cable, RFI shielded. For use with HP-IB (IEEE 488-1978) configurations. (A is 1 meter, B is 2 meters, C is 4 meters)	10833A 10833B 10833C	•	•	•
HP-IB (IEEE 488-1978) cable, RFI shielded. For use with The HP Integral PC. (A is 1 meter, B is 2 meters)	82977A 82977B	•	•	•

Indicates availability for this model.

 $<sup>{\</sup>bf \star} {\bf Additional\ cable\ required\ from\ computer\ manufacturer}.$ 

<sup>\*\*</sup>A gender converter (HP 92222F) is required for this configuration.

#### **Accessories Available**

ColorPro	8-pen carousel for fiber-tip pens (paper or transparency)*	07440-60085
	Graphics Enhancement Cartridge	17440A
	Power Supply (based on destination)**  UL/CSA 903, 120V, NEMA 5-15P  TUV 902, 220V, CEE 7-VII 903, 100V, NEMA 5-15P 900, 240V, BS 1363A 906, 220V, SEV 1011 902, 240V, CEE 7-VII 901, 240V, ASC112 912, 220V, DHCK-107 901, 220V, ASC112	17122A 17222A 17322A 17422A 17522A 17622A 17722A 17822A 17922A
	RS-232-C Test Plug (Used for diagnostic testing of the RS-232-C interface on the RS-232-C ColorPro Graphics Plotter; instructions are included.)	07440-60302
	Dust cover	07440-60006
	Vinyl carrying case	07440-60001
	Transit case	07440-60009
HP 7475A	6-pen carousel for fiber-tip pens (paper or transparency)*	5061-5080
	6-pen carousel for refillable short-body drafting pens	07475-60030
	Dust cover	07475-60010
	Vinyl carrying case	07475-60001
	Transit case (suitable for shipping when used with 07475-60001)	1540-0861
HP 7550A	Carousels 8-pen carousel for fiber-tip overhead transparency pens*	07550-60050
	8-pen carousel for fiber-tip paper pens*	07550-60051
	8-pen carousel for roller-ball pens 8-pen carousel for liquid-ink drafting pens (refillable or disposable)	07550-60052 07550-60053
	Automatic Media Handling Supplies	
	A4-size (210 × 297 mm) loading tray for paper and transparency film	07550-60158
	A-size (8½ $\times$ 11 in.) loading tray for paper and transparency film	07550-60152
	A3-size (297 × 420 mm) Automatic Media Handling Kit, containing:  A3-size media loading tray A3/B-size media catcher tray A3-size plotter paper, 50 sheets	17526A
	B-size (11 × 17 in.) Automatic Media Handling Kit, containing:  B-size media loading tray B/A3-size media catcher tray B-size plotter paper, 50 sheets	17525A

<sup>\*</sup>Supplied with plotter.

<sup>\*\*</sup>Appropriate Power Supply shipped with plotter, based on destination.

#### Literature Available

ColorPro	ColorPro Plotter Operating Manual* English (U.S. and Canada) English (International) German French Spanish Italian Japanese	07440-90002 07440-90015 07440-90004 07440-90005 07440-90006 07440-90007 07440-90008
	ColorPro Plotter Programming Manual (also includes information on Graphics Enhancement Cartridge) English French	07440-90001 07440-90014
	ColorPro Plotter Pocket Guide (also includes information on Graphics Enhancement Cartridge; available in English only)	07440-90003
	ColorPro Plotter Service Manual (available in English only)	07440-90000
HP 7475A	HP 7475A Operation and Interconnection Manual* English (U.S. and Canada) English (International) German Japanese French Spanish Italian	07475-90002 07475-90035 07475-90005 07475-90006 07475-90029 07475-90028
	HP 7475A Reference Card*	07475-90004
	HP 7475A Interfacing and Programming Manual* English Japanese French	07475-90001 07475-90013 07475-90026
	HP 7475A Service Manual (available in English only)	07475-90000
HP 7550A	HP 7550A Operation and Interconnection Manual* English (U.S. and Canada) English (International) German French Japanese	07550-90002 07550-90001 07550-90004 07550-90005 07550-90007
	HP 7550A Interfacing and Programming Manual* English French	07550-90001 07550-90019
·	HP 7550A Pocket Guide*	07550-90003
	HP 7550A Service Manual (available in English only)	07550-90000

<sup>\*</sup>Supplied with plotter.

## **Accessories & Supplies**

Grit wheel brush	8710-1386	•	•	•
Standard digitizing sight	09872-60066		•	•
Personal pen organizer Stores 30 fiber-tip pens	92177V	•	•	•
Stacking pen organizers Stores 30 short-body pens Stores 30 long-body pens	92177T 92177U	•	•	•

Indicates availability for this model.

## **Ordering Information**

Want to get a complete list of Hewlett-Packard supplies and accessories? Or need to order products in a hurry? The fastest way is to call one of HP's Direct Order telephone numbers:

United States	1-800-538-8787	Greece	(01) 6726090
California, Alaska, and Hawaii	408-738-4133	Italy	(02) 9236 9702
Australia	(02) 887-1611 (02) 888-7712	Japan Tokyo Osaka	(0427) 59 1311 (06) 304 6021
	(03) 895-2615 (03) 895-2645	Middle East Athens	(01) 6828811
Austria	(0222) 2500-615 (0222) 2500-616	Norway	(02) 171180
Belgium/Luxembourg	(02) 762 32 00	South Africa Johannesburg Cape Town	(011) 8025111 (021) 537954
Canada		-	` ,
Toronto Local Ontario	416-671-8383	Spain	(91) 6374013 (91) 6370011
Quebec British Columbia	1-800-387-3417 1-800-387-3417 112-800-387-3154	Sweden	(08) 7502400
Other Provinces	1-800-387-3154	Switzerland	(057) 31 22 53 (057) 31 22 54
Denmark	(02) 816640, ext. 258		(057) 31 22 59
Finland	(90) 887-2361	The Netherlands	(020) 547 6606
France	(1) 69 28 32 64	United Kingdom	(0734) 697201
Trance (	(1) 69 28 83 39	West Germany	(0130) 3322



