

Introduction

Colic type of pain in the abdomen is identified as *Śūla*. Stabbing pain in general and colic pain in particular.

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

शूल रुजायाम् । शूलति लोक रोगः ॥ *Śabdakalpdruma*
शूलति लोकानिति शूलरोगे ॥ *Śabdakalpdruma*

The term *Śūla* means pain or misery and it is called as disease of mankind.

शूलनिर्घातवेदनाजनकत्वाच्छूलसंज्ञा ।

Ādd.Śa.Prā. 7/42

Severe or sharp quality of pain is known as *Śūla*.

शूलं निखानितमिवासुखं येन तु वेत्त्यसौ ।

S.S.Utt. 42/67

शूलं निखानितमिव कीलकं निखानितमिवेत्यर्थः ।

S.S.Utt. 42/67 (Dalhaṇa)

Discomfort likes that of as if being pricked by pin or spike is known as *Śūla*.

शूलसम्भवत्वादस्य शूलमिति सञ्ज्ञा, शूलनिखातवद् वेदना-
जकत्वाच्च । *M.Ni. 26/1 (Madhu)*

The word *Śūla* refers to spike-a weapon. The discomfort or pain felt which is similar to being pierced by spike or being digging in or thrust off is called *Śūla*.

शूलरोपणवत्पीडा यस्याकस्मात्प्रजायते ।

त्रिशूलसंभवं चैनं शूलमाहुः पुराविदः ॥

Y.R. 29/3

Severe pain as if being pierced by an arrow is known as *Śūla* according to ancient scholars because it appeared first due to the trident.

शङ्खस्फोटनवत्तस्य यस्मात्तीव्राश्च वेदनाः ।

शूलासक्तस्य लक्ष्यन्ते तस्माच्छूलमिहोच्यते ॥

S.S.Utt. 42/81

शङ्खस्फोटनवत्तस्य यस्मात्तीव्राश्च वेदनाः ।
शूलासक्तस्य भवति तस्माच्छूलमिहोच्यते ॥

Y.R. 29/4

Severe excruciating pain as if being pierced by a spear or nail is known as *Śūla*.

यतश्च तस्मिन् शूलविद्ध इव व्यथते तीव्रवेदनार्दितः ।
कृच्छ्रोच्छवासस्तस्माच्छूलमित्युच्यते ॥

A.Sa.Ni. 11/32

गुल्मो नाम्ना शूलमित्युच्यते । *E.A.Sa.Ni. 11/32*

Pain as if pierced by a spear associated with excruciating pain and difficulty in breathing is known as *Śūla*. *Ācārya Indu* described that the *Gulma* is *Śūla* by name.

शूल निदान (Śūla Nidāna)

Consumption of *vātādi* diet and activities causes the development of various *Śūla*. Due to etiological factors *Vātādi doṣās* get aggravated and manifest various *Śūla roga* characterized by pain and burning sensation in the abdomen.

Nidāna Sevana (Consumption of Etiological factors)

↓
Aggravation of *Vātādi doṣās*

↓
Impairment of *Agni*

↓
Development of *Āma* inside the gastro intestinal tract

↓
Localisation of *Vātādi doṣās* and *Rasādi dhātus* in the *Annavaha Srotas*

↓
Leading to development of various kinds of abdominal pain like pain in heart, flanks, back, waist & urinary bladder; burning sensation near the umbilicus, pain near the stomach

↓
Śūla

वातज शूल निदान एवं लक्षण (Vātaja Śūla Nidāna Evam Lakṣaṇa)

व्यायामयानादतिमैथुनाच्च प्रजागराच्छीतजलातिपानात्।
कलायमुद्राढकिकोरदूषादत्यर्थरुक्षाध्यशनाभिघातात् ॥
कषायतिक्तातिविह्वलजान्नविरुद्धवल्लूरकशुष्कशाकात्।
विदुःशुक्रमूत्रानिलवेगरोधाच्छो-कोपवासादतिहास्यभाष्यात्॥ वायुः
प्रवृद्धो जनयेद्धि शूलं हृत्पार्श्वपृष्ठत्रिकबस्तिदेशे । जीर्णो प्रदोषे च
घनागमे च शीते च कोपं समुपैति गाढम् ॥ मुहुर्मुहुश्चोपशमप्रकोपी
विड्वातसंस्तम्भनतोदभेदैः । संवेदनाभ्यञ्जनमर्दनाद्यैः
स्निग्धोष्णभोज्यैश्च शमं प्रयाति ॥ M.Ni. 26/2-5

वातज शूल निदान (Vātaja Śūla Nidāna)

Etiological factors of Vātaja Śūla are as follows : Excessive physical exercises; riding over vehicles & animals; sexual intercourse; awake at night; drinking cold water, consumption of food substances like peas, green gram, *Āḍaki*, *Koraduṣa* and others in excess; rough substances; eating food during indigestion; injury; foods which are astringent and bitter; germinated grains; incompatible dietetics; dried fish & leafy vegetables; suppression of the urge for feces, semen, urine, flatus; grief, fasting; excessive speaking & laughing.

वातज शूल संप्राप्ति (Vātaja Śūla Samprāpti)

Etiological factors excacerbates *Vāta* and manifest *Vātaja Śūla*.

वातज शूल लक्षण (Vātaja Śūla Lakṣaṇa)

Vātaja Śūla is characterised by pain in heart, flanks, back, waist & urinary bladder; gets aggravated during or after the digestion of food, evening, cloudy & cold weather; pain increases or decreases of its own accord frequently; there is obstruction to stool & flatus associated with pricking & tearing pain; get relieved by the use of hot fomentation, oil massage, fatty and warm foods & drinks.

पित्तज शूल (Pittaja Śūla)

क्षारातितीक्ष्णोष्णविदाहितैलनिष्पावपिण्याककुलत्थयूषैः ।
कट्वम्लसौवीरसुराविकारैः क्रोधानलायासरविप्रतापैः ॥

प्राप्यातियोगादशनैर्विदग्धैः पित्तं प्रकुप्याशु करोति शूलम् ।
तृणमोहदाहातिकरं हि नाभ्यां संस्वेदमूर्च्छाभ्रमचोषयुक्तम् ॥ मध्यन्दिने
कुप्यति चार्धरात्रे विदाहकाले जलदात्यये च । शीते च शीतैः
समुपैति शान्तिं सुस्वादुशीतैरपि भोजनैश्च ॥ M.Ni. 26/6-8

पित्तज शूल निदान (Pittaja Śūla Nidāna)

क्षारातितीक्ष्णोष्णविदाहितैलनिष्पावपिण्याककुलत्थयूषैः ।
कट्वम्लसौवीरसुराविकारैः क्रोधानलाया-सरविप्रतापैः ॥
प्राप्यातियोगादशनैर्विदग्धैः पित्तं प्रकुप्याशु करोति शूलम् ।
तृणमोहदाहातिकरं हि नाभ्यां संस्वेदमूर्च्छाभ्रमचोषयुक्तम् ॥ मध्यन्दिने
कुप्यति चार्धरात्रे विदाहकाले जलदात्यये च । शीते च शीतैः
समुपैति शान्तिं सुस्वादुशीतैरपि भोजनैश्च ॥ M.Ni. 26/6-8

The etiological factors for the manifestation of Pittaja Śūla are as follows : Excessive consumption of food substances which are alkaline, heat producing, very hot, food substances which induce burning during digestion, oily preparations, *Niṣpāva* (cow-pea), oil cake, horsegram soup, food substances which are pungent & sour, fermented preparations like *Sauvirā*, *Surā* etc., anger, exposure to fire, fatigue, prolonged exposure to hot sun, sexual intercourse and irritating food substances.

पित्तज शूल संप्राप्ति (Pittaja Śūla Samprāpti)

Due to above etiological factors *Pitta* aggravates in excess & manifest *Pittaja Śūla*.

पित्तज शूल लक्षण (Pittaja Śūla Lakṣaṇa)

It is characterised by thirst, confusion, burning sensation near the umbilicus, perspiration, fainting, giddiness, localised burning sensation; pain aggravates during mid day or mid night, during digestion of food, rainy season; gets relieved by cold substances like cold drinks, cold exposure etc., sweet foods & drinks which is cold.

कफज शूल निदान (Kaphaja Śūla Nidāna)

Etiological factors of Kaphaja Śūla are as follows : Excessive intake of meat of aquatic & marshy land animals; butter milk & other milk products; mutton; sugarcane products; flour preparations of blackgram, sesamum etc., and other *Kapha* increasing factors.

कफज शूल संप्राप्ति (Kaphaja Śūla Samprāpti)

Due to above etiological factors *Kapha* gets aggravated in excess & manifest *Kaphaja Śūla*.

कफज शूल लक्षण (Kaphaja Śūla Lakṣaṇa)

It is characterised by *Nausea*, cough, debility, anorexia, salivation, pain near the stomach, stiffness and loss of movement in the abdomen, heaviness in head, pain increases just after taking food, sunrise, autumn & spring seasons.

सन्निपातज शूल (Sannipātaja Śūla)

सर्वेषु दोषेषु च सर्वलिङ्गं विद्याद्विषक् सर्वभवं हि शूलम् ।
सुकष्टमेनं विषवज्रकल्पं विवर्जनीयं प्रवदन्ति तज्ज्ञाः ॥

M.Ni. 26/11

It is produced by the combination of all the three *Doṣās* simultaneously and manifest the symptoms of all the three *Doṣās*, symptoms persist continuously all the time, powerful, produce severe discomfort like poison & difficult to treat or it should be rejected for the treatment.

आमज शूल (Āmaja Śūla)

आटोपहृल्लासवमीगुरुत्वस्तैमित्यकानाहकफप्रसेकैः ।
कफस्य लिङ्गेन समानलिङ्गमामोद्धवं शूलमुदाहरन्ति ॥

M.Ni. 26/12

Āmaja Śūla is characterised by gurgling sound in the intestines, *Nausea*, vomiting, heaviness, rigidity & distension of abdomen, salivation and other symptoms as described under *Kaphaja Śūla*.

द्वन्द्वज शूल (Dvandvaja Śūla)

वस्ती हृत्पार्श्वपृष्ठेषु स शूलः कफवातिकः ।
कुक्षौ हृत्पार्श्वमध्येषु स शूलः कफपैत्तिकः ॥
दाहज्वरकरो घोरो विज्ञेयो वातपैत्तिकः ।

M.Ni. 26/13-14

कफवातज शूल (Kapha-Vātaja Śūla)

Kapha-Vātaja Śūla is characterised by pain in heart, sides of chest and back.

कफपित्तज शूल (Kapha-Pittaja Śūla)

Kapha-Pittaja Śūla is characterised by pain in abdomen, heart and centre of umbilicus.

वातपित्तज शूल (Vāta-Pittaja Śūla)

Vāta-Pittaja Śūla is characterised by severe pain associated with burning sensation and fever.

साध्यासाध्यता (Sādhyāsādhyaṭā)

एकदोषोत्थितः साध्यः कृच्छ्रसाध्यो द्विदोषजः ।
सर्वदोषोत्थितो घोरस्त्वसाध्यो भूर्युपद्रवः ॥

M.Ni. 26/14-15

If *Śūla* manifests due to single *Doṣa* then it is curable, that produced by combination of any two *Doṣās* then it is curable with difficulty; that produced by combination of all the three *Doṣās*, severe and associated with complications is incurable.

परिणाम शूल (Pariṇāma Śūla)**परिणाम शूल निदान एवं संप्राप्ति (Pariṇāma Śūla Nidāna Evam Samprāpti)**

कफपित्ते समावृत्य शूलकारी भवेद्वली ।
भुक्ते जीर्यति यच्छूलं तदेव परिणामजम् ॥

M.Ni. 26/16

Pariṇāma Śūla manifest due to following etiological factors : Factors which brings aggravation of all the three *Doṣās* by their respective etiological factors resulting in the manifestation of *Pariṇāmaśūla*.

परिणाम शूल प्रत्यात्म लक्षण (Pariṇāma Śūla Pratyātma Lakṣaṇa)

Pariṇāma Śūla is characterised by pain just after the digestion of food.

वातज परिणामशूल लक्षण (Vātaja Pariṇāma Śūla Lakṣaṇa)

आध्मानाटोपविण्मूत्रविवन्धारतिवेपनैः ।
स्निग्धोष्णोपशमप्रायं वातिकं तद्वदेद्विषक् ॥

M.Ni. 26/17-18

Vātaja Pariṇāma Śūla is characterised by distension of abdomen, gurgling sound in the abdomen, non elimination of stool and urine, restlessness, tremors, pain gets relieved by fatty & warm foods.

पित्तज परिणाम शूल (Pittaja Pariṇāma Śūla)

तृष्णादाहारतिस्वेदं कद्वग्ललवणोत्तरम् ।
 शूलं शीतशमप्रायं पैत्तिकं लक्षयेद् बुधः ॥
 M.Ni. 26/18-19

Pittaja Pariṇāma Śūla is characterised by thirst, burning sensation, restlessness, perspiration, burning sensation, pain aggravates after consuming pungent, sour & salty foods but get relieved after taking cold food & cold measures.

कफज परिणाम शूल (Kaphaja Pariṇāma Śūla)

छर्दिहृत्लासंमोहं स्वल्परुग्दीर्घसन्ततिः ।
 कटुतिक्तोपशान्तं च तच्च ज्ञेयं कफात्मकम् ॥
 M.Ni. 26/19

Kaphaja Pariṇāma Śūla is characterised by vomiting, nausea, delusion, mild pain persist for long time, pain gets relieved by pungent & bitter foods.

द्वन्द्वज परिणाम शूल (Dvandvaja Pariṇāma Śūla)

संसृष्टलक्षणं बुद्ध्वा द्विदोषं परिकल्पयेत् ॥ M.Ni. 26/20

Pariṇāma Śūla manifest due to combination of two *Doṣās* and combined features are observed as

per dominancy of *Doṣās*.

त्रिदोषज परिणाम शूल (Tridoṣaja Pariṇāma Śūla)

त्रिदोषजमसाध्यं तु क्षीणमांसबलानलम् । M.Ni. 26/21

Tridoṣaja Pariṇāma Śūla manifest due to combination of all the three *Doṣās* & manifest the clinical features of all the three *Doṣās*. If it is associated with emaciation, loss of strength & digestion is said to be incurable.

अन्नद्रव शूल (Annadrava Śūla)

जीर्णं जीर्यत्यजीर्णं वा यच्छूलमुपजायते ।
 पथ्यापथ्यप्रयोगेण भोजनाभोजनेन च ।
 न शमं याति नियमात्सोऽन्नद्रव उदाहृतः ॥
 अन्नद्रवाख्यशूलेषु न तावत्स्वास्थ्यमश्नुते ।
 वान्तमात्रे जरत्पित्तं शूलमाशु व्यपोहति ॥
 M.Ni. 26/21-23

Annadrava Śūla is characterised by continuous severe pain and not subsiding either by digestion or after digestion or after taking food or in empty stomach. It does not get relieved by any kind of measures. Some people say patient gets relief after vomiting accumulated *Pitta*.

Differentiate Pariṇāma Śūla and Annadrava Śūla

S.No.	Pariṇāma Śūla	Annadrava Śūla
1	It is characterised by pain just after the digestion of food.	It is characterised by continuous severe pain and not subsiding either by digestion or after digestion or after taking food or in empty stomach
2	• <i>Vātaja Pariṇāma Śūla</i> gets relieved by fatty & warm foods. • <i>Pittaja Pariṇāma Śūla</i> get relieved after taking cold food & cold measures • <i>Kaphaja Pariṇāma Śūla</i> gets relieved by pungent & bitter foods	• It does not get relieved by any kind of measures • Some people say patient gets relief after vomiting accumulated <i>Pitta</i>.
3	It is classified into <i>Vātaja Pariṇāma Śūla</i> , <i>Pittaja Pariṇāma Śūla</i> , <i>Kaphaja Pariṇāma Śūla</i> , <i>Dvandvaja Pariṇāma Śūla</i> & <i>Tridoṣaja Pariṇāma Śūla</i>	No classification mentioned

उपशय/पथ्य (Upaśaya/Pathya)

Wholesome Diets: To patient suffering from colic pain, steam boiled nuggets prepared out of *Māsa* along with its husk and fried in the *Ghṛtam*,

should be served as food. Wheat flour mixed with *Ghṛtam* and jaggery is also useful. It can be given along with sugar and cold milk. Lukewarm *Maṇḍa* (water which is strained out after boiling rice) of

Śāli rice free from *Siktā* (sticky portion) is also useful. *Yava* (barley) cooked in milk and added with *Ghṛtam*, vegetable soup and sugar may also be given. The patient can take boiled milk after taking sugar. He can also take *Saktu* (roasted flour) of *Cāka* along with the soup of leaves of *Paṭola*. (B.R. 30/271-273)

The following measures and eatables are considered to be good for the patient suffering from *Śūla* disorder: *Vamana*, *Svedana*, *Lañghana* (fasting), putting wicks in *Guda*, *Basti* therapy, sleeping during daytime, *Recana*, easily digestible edibles, one year old rice, fried barley's *Māṇḍa*, warm milk, meat soup of wild animals, *Paṭola*, *Śobhāñjana*, *Kārvellaka*, aubergine, ripe mangoes, raisins, *Kapittha*, black salt, *Priyālāsthi*, leaves of *Śāli Nca Śaka*, *Vāstuka*, sea salt, *Sauvarcala* salt, asafoetida, dried ginger, *Viḍa* salt, aniseeds, garlic, clove, oil of *Eraṇḍa*, warm water, juice of *Jambīra* lemon, powder of *Kuṭaja* and light *Kṣārās*. (B.R. 30/279-281)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Prohibitions: The patient suffering from colic pain should avoid eating incompatible foods, remaining awake during nights, unequal meals, exercises, sexual intercourse, alcoholic drinks, salt, pungent food, *Dvidala* (pulses having two cotyledons), suppression of the manifested natural urges, worry and anger. (B.R. 30/282-283)

The patient of *Parīṇāma Śūla* should avoid rice obtained from *Śimbi* variety of paddy, edibles containing cold properties, sour eatables and sesame seeds. He should not take meals before digesting the foods earlier taken. He should also avoid sexual intercourse, walking in sun, waking for long hours, getting angry, indulging in grief and the like. (B.R. 30/284-285).

MCQs

- Types of *Soola*
a. 6 b. 8 c. 4 d. 5
- Intake of *Tilasashkuli* is the *nidana* of
a. Kaphajasoola b. Paithikasoola
c. Annadravasoola d. Amajasoola
- Sukashtamenam visha vajra kalpam* is the feature of
a. Amajasoola b. Parinamasoola
c. Tridoshajasoola d. Annadravasoola
- Types of *Parinamasoola*
a. 8 b. 9 c. 3 d. 7
- Jeerne jeeryathyajeerne va* is the feature of
a. Annadravasoola b. Parinamasoola
c. Amajasoola d. Tridoshajasoola
- Ardharatre vidaha kale jaladatyaye cha* is the feature of
a. Vatikasula b. Paithikasoola
c. Annadravasoola d. Amajasoola
- Prognosis of Tridoshajasula*
a. Sadya b. Yapyā
c. Vivarjaneeya d. Krichratama
- Bhukte jeeryati yaccchulam tadeva* ———
fill in the blanks
a. Parinamasoola b. Amajasoola
c. Tridoshajasoola d. Annadravasoola
- Prognosis of Tridoshajaparinamasula*
a. Sadya b. Yapyā
c. Asadya d. Krichratama
- Kaphaja shula features observed in*
a. Amajasoola b. Tridoshajasoola
c. Annadravasoola d. Parinamasoola
- Vantamatre jaratpittam shulamashu vyapohati* observed in
a. Amajasoola b. Tridoshajasoola
c. Annadravasoola d. Parinamasoola

Answer

1. b	2. a	3. c
4. d	5. a	6. b
7. c	8. a	9. c
10. a	11. c	