

Introduction

One who regularly indulges in strenuous exercise, habitually take sour and salty foods, alcohol, soil and fast food, and sleep during day-hours will have one's blood vitiated by *doṣa*. This situation in turn, generate whitish yellow discolouration of the skin. The premonitory symptoms of this disease include cracking of the skin, expectoration, debility, desire for eating mud, oedema of the eye sockets (around the eyes), yellow discolouration of feces and indigestion. Varieties of *Pāṇḍu roga* includes the five types of it depending upon the causative factors viz. *vāta*, *pitta*, *kapha*, *sannipāta* (when all the three *doṣās* are simultaneously vitiated) and *Mṛtbhakṣaṇaja* intake of earth.

सर्वेषु चैतेष्विह पाण्डुभावो यतोऽधिकोऽतः खलु पाण्डुरोगः ।
(S.S.Utt. 44/4)

It is called *Pāṇḍuroga* because of predominance of paleness all over the body.

पाण्डु रोग हेतु (Pāṇḍu Roga Hetu)

क्षाराम्ललवणात्युष्णविरुद्धासात्यभोजनात् ।
निष्पावमाषपिण्याकतिलतैलनिषेवणात् ॥
विदग्धेऽग्ने दिवास्वप्नाद्व्यायामान्मैथुनात्तथा ।
प्रतिकर्मर्तुर्वैषम्याद्वेगानां च विधारणात् ॥
कामचिन्ताभयक्रोधशोकोपहतचेतसः ।
समुदीर्णं यदा पित्तं हृदये समवस्थितम् ॥
वायुना बलिना क्षिप्तं संप्राप्य धमनीर्दश ।
प्रपन्नं केवलं देहं त्वङ्मासान्तरमाश्रितम् ॥
प्रदूष्य कफवातासृक्त्वङ्मांसानि करोति तत् ।
पाण्डुहारिद्रहरितान् वर्णान् बहुविधांस्त्वचि ॥
स पाण्डुरोग इत्युक्तः । (C.S.Ci. 16/7-12)
व्यवायमम्लं लवणानि मद्यं मृदं दिवास्वप्नमतीव तीक्ष्णम् ।
निषेवमाणस्य विदूष्य रक्तं कुर्वन्ति दोषास्त्वचि पाण्डुभावम् ॥
(S.S.Utt. 44/3)

Disease *Pāṇḍu roga* manifest due to following etiological factors :

- Excess intake of alkaline, sour, saline, hot;

incompatible dietetics and unwholesome food substances.

- Intake of *Niṣpāva*, *Māṣa*, *Piṇyāka*, and *Tila Taila* in excess.
- Sleeping during day time.
- Indulgence in sexual intercourse and physical exercises during indigestion.
- Erratic administration of biopurificatory therapies (*Pañcakarma*).

Faulty management of seasonal regime, suppression of natural urges particularly in persons who are afflicted with sexual desire, anxiety, fear, anger, and grief. Excess consumption of wine, eating mud, and penetrating foods.

• सन्तर्पणोत्थ विकार (Santarpanottha Vikāra) C.S.Su. 23/5

• अपतर्पणोत्थ विकार (Apatarpanottha Vikāra) C.S.Su. 23/23

पाण्डु रोग संप्राप्ति (Samprāpti of Pāṇḍu Roga)

निषेवमाणस्य विदूष्य रक्तं कुर्वन्ति दोषास्त्वचि पाण्डुभावम् ॥
(S.S.Utt. 44/3)

दोषाः पित्तप्रधानास्तु यस्य कुप्यन्ति धातुषु ।
शैथिल्यं तस्य धातूनां गौरवं चोपजायते ॥
ततो वर्णबलस्नेहा ये चान्येऽप्योजसो गुणाः ।
व्रजन्ति क्षयमत्यर्थं दोषदूष्यप्रदूषणात् ॥
सोऽल्परक्तोऽल्पमेदस्को निःसारः शिथिलेन्द्रियः ।
वैवर्ण्यं भजते, तस्य हेतुं शृणु सलक्षणम् ॥
(C.S.Ci. 16/4-6)

समुदीर्णं यदा पित्तं हृदये समवस्थितम् ॥
वायुना बलिना क्षिप्तं संप्राप्य धमनीर्दश ।
प्रपन्नं केवलं देहं त्वङ्मासान्तरमाश्रितम् ॥
प्रदूष्य कफवातासृक्त्वङ्मांसानि करोति तत् ।
पाण्डुहारिद्रहरितान् वर्णान् बहुविधांस्त्वचि ॥
स पाण्डुरोग इत्युक्तः । C.S.Ci. 16/9-12

Due to consumption of etiological factors *Doṣa* aggravates especially *Pitta doṣa* and afflicts *dhātus*

mainly *Raktadhātu* as a result it brings laxity and heaviness in the *Dhātus*. Heaviness of *Dhātus* manifest due to the disturbance of normal functions of *Dhātus*. Patients of *Pāṇḍu roga* loses their vitality, complexion, strength, unctuousness and other properties of *Ojas* due to morbidity of *Doṣa* and *Dūṣya*. That's why patients of *Pāṇḍu Roga* suffers from deficiency of *Rakta*, *Meda*, *Nihsāra* (loss of essence) associated with improper functioning of sense organs and discolouration.

Aggravated *Pitta* expelled from *Hṛdaya* Via ten blood vessels, by powerful *Vāta* circulates all over the body. It reaches the space between *Tvak* and *Māmsa* and brings abnormality in *Kapha*, *Vāta*, *Rakta*, *Tvak* and *Māmsa* leading to abnormal complexion like pale yellow, deep yellow and greenish colouration.

Aggravated *Pitta* is responsible for the less production of *Poṣaka* (nutrient portion) from the *Rasadhātu* as a result depletion of *Rakta* takes place.

Nidān Sevana (Consumption of Etiological factors)

↓
Aggravation of *Pittādi doṣās*

↓
Diminution of *Agni*

↓
Development of *Āma* inside the gastro intestinal tract

↓
Aggravated *Pitta* expelled from *Hṛdaya* Via ten blood vessels, by powerful *Vāta* circulates all over the body (afflicts *dhātus* mainly *Raktadhātu*) and it is also responsible for the less production of *Poṣaka* (nutrient portion) from the *Rasadhātu* as a result depletion of *Rakta* takes place

↓
It reaches the space between *Tvak* and *Māmsa*

↓
Brings laxity and heaviness in the *Kapha*, *Vāta*, *Rakta*, *Tvak* and *Māmsa*

↓
leading to abnormal complexion like pale yellow, deep yellow and greenish colouration.

deficiency of *Rakta*, *Meda*, *Nihsāra* (loss of essence) associated with improper functioning of sense organs and discolouration.

↓
Pāṇḍu roga

(Patients of *Pāṇḍu roga* loses their vitality, complexion, strength, unctuousness and other properties of *Ojas* due to morbidity of *Doṣa* and *Dūṣya*)

पाण्डु रोग संप्राप्ति घटक (Samprāpti Ghataka of Pāṇḍu Roga)

Doṣa : *Pitta Pradhāna Tridoṣaja*
Pitta → *Sādhaka*, *Rañjaka* & *Bhrājaka*
Kapha → *Avalambaka*, *Kledaka*
Vāta → *Vyānavāta*

Dūṣya : *Dhātu* → *Rasa*, *Rakta*, *Māmsa*, *Meda*; later all the *Dhātus* (*Nihsāra*)
Upadhātu → *Sarvaupadhātu*
Śārīrika Mala → *Mūtra*, *Puriṣa*
Dhātu Mala → *Kapha*, *Pitta*

Agni : *Jaṭharāgni*, *Dhātvāgni*

Agniduṣṭi : *Mandāgni*

Āma : *Āgnijanya*

Srotas : *Rasavaha*, *Raktavaha*

Srotoduṣṭi : *Saṅga*, *Vimārgagamana*

Udbhavasthāna : *Āmāśayottha*

Sancārasthāna : *Tvak* & *Māmsa*

Vyaktasthāna : *Tvak*

Svabhāva : *Cirakāri*

Prabhāva : Mentioned under prognosis

Roga bheda : 05 types (*Caraka*)
04 types (*Suśruta*)

पूर्वरूप (Pūrvārūpa)

त्वक्स्फोटनं धीवनगात्रसादौ मृद्वक्ष्णं प्रेक्ष्णकूटशोथः ।

विण्मूत्रपीतत्वमथाविपाको भविष्यतस्तस्य पुरःसराणि ॥
(S.S.Utt. 44/5)

तस्य लिङ्गं भविष्यतः ।
हृदयस्पन्दनं रौक्ष्यं स्वेदाभावः श्रमस्तथा ॥
(C.S.Ci. 16/12)

Premonitory signs and symptoms of Pāṇḍu roga are as follows :- Cracking of the skin, splitting of sputum, general body malaise, liking for mud intake, swelling over eye socket, yellowish discolouration of faecal matter and urine; indigestion, palpitation, roughness, absence of perspiration and exhaustion.

सामान्य लक्षण (Sāmānya Lakṣaṇa)

संभूतेऽस्मिन् भवेत् सर्वः कर्णक्ष्वेडी हतानलः ।
दुर्बलः सदोऽन्नद्विद् श्रमभ्रमनिपीडितः ॥
गात्रशूलञ्चरश्वासगौरवारुचिमान्नरः ।
मृदितैरिव गात्रैश्च पीडितोन्मथितैरिव ॥
शूनाक्षिकूटो हरितः शीर्णलोमा हतप्रभः ।
कोपनः शिशिरद्वेषी निद्रालुः षीवनोऽल्पवाक् ॥
पिण्डकोद्वेष्टकट्यूरुपादरुक्सदनानि च ।
भवन्त्यारोहणायासैर्विशेषश्चास्य वक्ष्यते ॥
(C.S.Ci. 16/13-16)

General signs and symptoms of Pāṇḍuroga are as follows:-

- Tinnitus, loss of functions of Agni, debility, general malaise, aversion towards food, fatigue, giddiness, pain all over the body, fever, breathlessness, heaviness and anorexia.
- Patient feels as if his limbs are being kneaded, pressed or churned.
- Swelling over orbit; complexion become greenish; hairfall; loss of lustre; irritability; dislikes cold things; sleepy always; spitting; speaks little; cramps in the calf muscles; patients suffers from pain in waist, thighs and legs; while climbing stairs patient feels exhausted.

पाण्डु रोग भेद (Pāṇḍu Roga Bheda)

Pāṇḍu roga is classified into 5 types in Caraka Samhita and 4 types in Suśruta Samhita are as follows:-

पाण्डुरोगाः स्मृताः पञ्च वातपित्तकफैस्त्रयः ।
चतुर्थः सन्निपातेन पञ्चमो भक्षणात्मदः ॥
(C.S.Ci. 16/3)

पाण्ड्वामयोऽष्टाद्विधः प्रदिष्टः पृथक् समस्तैर्युगपच्च दोषैः ।
(C.S.Utt. 44/4)

- Vātaja Pāṇḍu Roga
- Pittaja Pāṇḍu Roga
- Kaphaja Pāṇḍu Roga
- Sannipātaja Pāṇḍu Roga
- Mṛttikā Bhakṣaṇa Janya Pāṇḍu Roga

(Others feel that Mṛttikā bhakṣaṇa Janya Pāṇḍu roga was included under Sannipātaja Pāṇḍu roga in Suśruta Samhita)

वातज पाण्डु रोग हेतु, संप्राप्ति एवं लक्षण (Vātaja Pāṇḍu Roga Hetu, Samprāpti Evam Lakṣaṇa)

आहारैरुपचारैश्च वातलैः कुपितोऽनिलः ।
जनयेत्कृष्णपाण्डुत्वं तथा रूक्षारुणाङ्गताम् ॥
अङ्गमर्दं रुजं तोदं कम्पं पार्श्वशिरोरुजम् ।
वर्चःशोषास्यवैरस्यशोफानाहबलक्षयान् ॥
(C.S.Ci. 16/17-18)

कृष्णोक्षणं कृष्णसिराऽवनद्धं तद्वर्णविण्मूत्रनखाननञ्च ।
वातेन पाण्डुं मनुजं व्यवस्येद् युक्तं तथाऽन्यैस्तदुपद्रवैश्च ॥
(S.S.Utt. 44/7)

Hetu evam Samprāpti : Due to consumption of Vāta excacerbating dietetics and activities leads to aggravation of Vāta and manifest Vātaja Pāṇḍuroga.

Lakṣaṇa : Blackish discolouration, Pallor, roughness, reddishness of the body, general malaise, discomfort, pricking pain, tremors, pain in sides and head, dryness of stool, distaste in oral cavity, oedema, constipation and loss of strength. Blackish discolouration of eyes, blackish network of blood vessels all over the body, blackish discolouration of stool, urine, nails and oral cavity and other symptoms of Vātaja aggravation.

पित्तज पाण्डु रोग हेतु, संप्राप्ति एवं लक्षण (Pittaja Pāṇḍu Roga Hetu, Samprāpti Evam Lakṣaṇa)

पित्तलस्याचितं पित्तं यथोक्तैःस्वैः प्रकोपणैः ।
दूषयित्वा तु रक्तादीन् पाण्डुरोगाय कल्पते ॥
स पीतो हरिताभो वा ज्वरदाहसमन्वितः ।
छर्दिमूर्च्छापिपासार्तः पीतमूत्रशकृन्नरः ॥
स्वेदनः शीतकामश्च न चान्मभिनन्दति ।
कटुकास्यो न चास्योष्णमुपशेतेऽम्लमेव च ॥
उद्गारोऽम्लो विदाहश्च विदग्धेऽन्नेऽस्य जायते ।

दौर्गन्ध्यं भिन्नवर्चस्त्वं दौर्बल्यं तम एव च ॥
(C.S.Ci. 16/19-22)

पीतेक्षणं पीतसिराऽवनद्धं तद्वर्णविण्मूत्रनखाननञ्च ।
पित्तेन पाण्डुं मनुजं व्यवस्येद् युक्तं तथाऽन्यैस्तदुपद्रवैश्च ॥
(S.S.Utt. 44/8)

Pitta is already disturbed in *Pāṇḍu Roga*, in such circumstances if patient again consumes *Pitta* aggravating dietetics and behaviour. If *Pitta prakṛti* person indulges dietetics and activities which excacerbates *Pitta*.

Samprāpti : Due to intake of *Nidāna*, *Pitta* aggravates in excess and brings abnormality in *Rakta* and manifest *Pittaja Pāṇḍuroga*.

Lakṣaṇa : Complexion becomes either yellow or green, fever, burning sensation, faints due to excessive thirst, morbid thirst, yellowish discolouration of stool and urine, profuse perspiration, desires to take cold substances, aversion towards food, mouth taste becomes pungent, uncomfortable to hot & sour things, sour eructations, patient feels burning sensation during digestion of food, foul smell from oral cavity. *Diarrhoea*, debility and feeling of darkness in front of the eye. Yellowish discolouration in eyes, yellowish network of veins appear all over the body. Yellowish discolouration of skin, faeces, urine, nails & oral cavity.

कफज पाण्डु हेतु, संप्राप्ति एवं लक्षण (Kaphaja Pāṇḍu Hetu, Samprāpti Evam Lakṣaṇa)

विवृद्धः श्लेष्मलैः श्लेष्मा पाण्डुरोगं स पूर्ववत् ।
करोति गौरवं तन्द्रां छर्दिं श्वेतावभासताम् ॥
प्रसेकं लोमहर्षं च सादं मूर्च्छां भ्रमं क्लमम् ।
श्वासं कासं तथाऽऽलस्यमरुचिं वाक्स्वरग्रहम् ॥
शुक्लमूत्राक्षिवर्चस्त्वं कटुरुक्षोष्णकामताम् ।
श्वयथुं मधुरास्यत्वमिति पाण्ड्वामयः कफात् ॥
(C.S.Ci. 16/23-25)

शुक्लेक्षणं शुक्लसिराऽवनद्धं तद्वर्णविण्मूत्रनखाननञ्च ।
कफेन पाण्डुं मनुजं व्यवस्येद् युक्तं तथाऽन्यैस्तदुपद्रवैश्च ॥
(S.S.Utt. 44/9)

Etiological factors, pathogenesis and symptomatology of *Kaphaja Pāṇḍu Roga* are as follows:-

Hetu & Samprāpti : Excessive consumption of

Kapha provocative dietetics and behaviour leads to development of *Kaphaja Pāṇḍu Roga*.

Lakṣaṇa : Heaviness, drowsiness, vomiting, complexion becomes white, salivation in excess, horripilation, general malaise, fainting, giddiness, mental fatigue, breathlessness, cough, laziness, anorexia, loss of speech and voice, whitish discolouration observed in eyes, nail, urine, and stool; likes to take pungent substances, rough and hot things; oedema sweetishness in oral cavity, whitish network of blood vessels seen all over the body and other *Kapha* aggravating symptoms.

सन्निपातज पाण्डुरोग हेतु, संप्राप्ति एवं लक्षण (Sannipātaja Pāṇḍuroga hetu, Samprāpti Evam Lakṣaṇa)

सर्वात्मके	सर्वमिदं	व्यवस्येद् ।
वक्ष्यामि	लिङ्गान्यथ	कामलायाः ॥
(S.S.Utt. 44/10)		
सर्वान्सेविनः	सर्वे	दुष्टा दोषास्त्रिदोषजम् ।
त्रिदोषलिङ्गं	कुर्वन्ति	पाण्डुरोगं सुदुःसहम् ॥
(C.S.Ci. 16/26)		

Hetu evam Samprāpti : If person consumes all kinds of food substances without following rules and regulations of dietetics leading to excacerbation of all the three *Doṣās* and manifest *Sannipātaja Pāṇḍu roga*.

Lakṣaṇa : All the symptomatology of *Tridoṣa* appears in this disease and it is extremely intolerable because it develops complications.

मृत्तिका भक्षणजन्य पाण्डुरोग हेतु, संप्राप्ति एवं लक्षण (Mṛttikā Bhakṣaṇajanya Pāṇḍu roga Hetu, Samprāpti Evam Lakṣaṇa)

मृत्तिकादनशीलस्य कुप्यत्यन्यतमो मलः ।
कषाया मारुतं, पित्तमूषरा, मधुरा कफम् ॥
कोपयेन्मृद्रसादींश्च रौक्ष्याद्भुक्तं विरुक्षयेत् ।
पूरयत्यविपक्वैव स्रोतांसि निरुणद्धि च ॥
इन्द्रियाणां बलं हत्वा तेजो वीर्यौजसी तथा ।
पाण्डुरोगं करोत्याशु बलवर्णाग्निनाशनम् ॥
शून्यगण्डाक्षिकूटभूः शून्यपान्नाभिमेहनः ।
क्रिमिकोष्ठोऽतिसार्येत मलं सासृक् कफान्वितम् ॥
(C.S.Ci. 16/27-30)

One who consumes mud (clay) habitually causes aggravation of either *Vāta* or *Pitta* or *Kapha*.

Astringent taste of mud aggravates *Vāta*, alkaline taste of mud aggravates *Pitta* and sweet taste of mud aggravates *Kapha*. Due to its ununctuousness it brings dryness in the *Rasādhi dhātus*. Undigested mud fills up channels and brings obstruction in them as a result loss of functions of senses, strength, lustre, energy and *Ojas*. This type of *Pāṇḍu Roga* further deteriorates strength, complexion and power of *Agni*.

Lakṣaṇa :

Clinical features of *Mṛtikā Bhakṣaṇajanya Pāṇḍu roga* are as follows:- Oedema around cheek, eye sockets and eyebrows; oedema in the feet, umbilical region and genital parts; development of intestinal worms; diarrhoea associated with blood and mucus.

उपद्रव (Upadrava)

उपद्रवास्तेष्वरुचिः पिपासा छर्दिज्वरो मूर्धरुजाऽग्निसादः ।
शोफस्तथा कण्ठगतोऽबलत्वं मूर्च्छा क्लमो हृद्यवपीडनं च ॥
(S.S.Utt. 44/13)

The following complications arise in *Pāṇḍuroga*. Loss of taste, thirst, vomiting, fever, headache, sluggishness in the functions of *agni*, swelling in the throat, debility, fainting, exhaustion and discomfort in the region of heart.

साध्यासाध्यता (Sādhyāsādhyatā)

अन्तेषु शूनं परिहीनमध्यं म्लानं तथाऽन्तेषु च मध्यशूनम् ।
गुदे च शोफस्यथ मुष्कशूनं प्रताम्यमानं च विसंज्ञकल्पम् ॥
विवर्जयेत् पाण्डुकिं यशोर्थी तथाऽतिसारज्वरपीडितञ्च ॥
(S.S.Utt. 44/43-44)

Physician should reject the patient of *Pāṇḍuroga* for management if patient is suffering from swelling in the extremities and emaciation in the trunk; or swelling observed in both extremities, trunk, anus, penis, and scrotum; one who faints often; loses consciousness and suffering from diarrhoea and fever.

पाण्डुरोगश्चिरोत्पन्नः खरीभूतो न सिध्यति ।
कालप्रकर्षाच्छूनो ना यश्च पीतानि पश्यति ॥
वद्धाल्पविट्कं सकफं हरितं योऽतिसार्यते ।
दीनः श्वेतातिदिग्धाङ्गश्छर्दिमूर्च्छातृषादितः ॥
स नास्त्यसृक्क्षयाद्यश्च पाण्डुः श्वेतत्वमाप्नुयात् ।
इति पञ्चविधस्योक्तं पाण्डुरोगस्य लक्षणम् ॥
(C.S.Ci. 16/31-33)

The following points indicate incurability of *Pāṇḍu Roga*:-

- Persistence of disease for longer duration associated with excessive roughness.
- Due to chronicity patient develops oedema. Patients visualises the objects as yellow.
- Patients will be suffering from either constipation or scanty stool. Patient passes loose stools associated with mucus having greenish discolouration. Having dull look; excessive paleness as if he is smeared; patients suffers from severe trouble due to excessive vomiting, fainting and morbid thirst. If patient develops severe paleness due to deficiency of blood.

उपशय/पथ्य (Upāśaya/Pathya)

C.S.Ci. 16th Chapter

S.S.Utt. 44th Chapter

शालीन् सयवगोधूमान् पुराणान् यूषसंहितान् ॥
मुद्गाढकीमसूरैश्च जाङ्गलैश्च रसैर्हितैः ।
यथादोषं विशिष्टं च तयोर्भैषज्यमाचरेत् ॥
पञ्चगव्यं महातिक्तं कल्याणकमथापि वा ।
स्नेहनार्थं घृतं दद्यात् कामलापाण्डुरोगिणे ॥
(C.S.Ci. 16/41-43)

Samśodhana therapy (*Vamana*, *Virecana*), *Śālianna*, barley, wheat mixed with *Yūṣa* prepared from *Mudga*, *Ādhaki* and *Masūra*; and meat soup of wild animals and birds. Specific medicines are to be administered depending on the predominance of *Doṣās*. *Pañcagavya ghṛta*, *Mahātikta ghṛta* and *Kalyāṇaka ghṛta* are useful for the purpose of oleation therapy.

One who is suffering from *Pāṇḍuroga* should use *Ariṣṭa* prepared from *Guḍa*, honey and *Sugar*; *Āsava* prepared from urines and *Kṣārās*; meat soup added with fats and *Āmalaka* juice (S.S.Utt. 44/36-37)

<i>Dāḍimādyā ghṛta</i>	<i>Pathya ghṛta</i>
<i>Kaṭukādyā ghṛta</i>	<i>Danti ghṛta</i>
<i>Drākṣā ghṛta</i>	<i>Haridrādi ghṛta</i>
<i>Navāyasa Cūrṇa</i>	<i>Maṇḍura vaṭaka</i>
<i>Yogarāja</i>	<i>Tāpyādi yoga</i>
<i>Śilājatu Vaṭaka</i>	<i>Punarnavā Maṇḍūra</i>
<i>Dāryādi Leha</i>	<i>Dhātravaleha</i>
<i>Gauḍāriṣṭa</i>	<i>Bijakāriṣṭa</i>
<i>Dhātryariṣṭa</i>	<i>Vyoṣādi ghṛta</i>

The following measures are helpful for the patient of *Pāṇḍuroga* : *Vamana* (vomiting), *Virecana* (purgation) and processing the burning therapy through below the naval, in the forehead, in the bottom of the hands, in the joints of the legs, in the armpits and around the middle of the breast. Similarly, the patient may take the following edibles: old barley, wheat, *Śālī* variety of rice, *Mudga*, pigeon peas, lentils, flesh and meat juice of wild animals and birds, *Paṭola*, ripe ash gourd, unripe bananas, *Jivanti* leaves, *Yavakṣāra*, *Guḍūcī*, *Taṇḍulīkaya* leaves, *Punarnavā*, *Droṇapuspī*, aubergine, garlic, onion, ripe mango, *Haraḍa*, *Bimbi*, *Śyngī* fish, cow-urine, *Āmalakī* fruits, butter milk, *Ghṛta*, oil, *Sauvīra*, *Tuṣodaka* (rice-washing), butter, sandalwoods, *Haridrā*, and *Keśara*. (B.R. 12/147-152)

Differentiate doṣaja Pāṇḍu

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Avoid etiological factors.

Blood-letting, smoking, sweating and intercourse are to be avoided by the patient of *Pāṇḍu Roga*:- Similarly he should avoid consumption of peas, cooked leaves, asafoetida, *Urada* peas, sesame-cakes, betel leaves, liquor, red chilies, all types of salt, sour edibles, incompatible foods, food items that are heavy to digest and cause burning sensation, etc. Intake of water of rivers like those originating from *Vindhyā* and *Sahyādri* mountains, staying around fire, around sun, hard works and exercise, anger, suppression of natural urges and sleeping during day time is prohibited in *Pāṇḍuroga*. (B.R. 12/153-155)

S.No.	Vātaja Pāṇḍu Roga	Pittaja Pāṇḍu Roga	Kaphaja Pāṇḍu Roga	Sannipātaja Pāṇḍu Roga	Mṛttikā Bhakṣaṇa Janya Pāṇḍu Roga
Etiology	Due to consumption of <i>Vāta</i> exacerbating dietetics and activities	<i>Pitta</i> is already disturbed in <i>Pāṇḍu Roga</i> , in such circumstances if patient again consumes <i>Pitta</i> aggravating dietetics and behavior. If <i>Pitta prakṛti</i> person indulges dietetics and activities which exacerbates <i>Pitta</i>	Excessive consumption of <i>Kapha</i> provocative dietetics and behaviour leads to development of <i>Kaphaja Pāṇḍu Roga</i>	If person consumes all kinds of food substances without following rules and regulations of dietetics	One who consumes mud (clay) habitually causes aggravation of either <i>Vāta</i> or <i>Pitta</i> or <i>Kapha</i> . Astringent taste of mud aggravates <i>Vāta</i> , alkaline taste of mud aggravates <i>Pitta</i> and sweet taste of mud aggravates <i>Kapha</i> .
Clinical presentations	Blackish discoloration of eyes, blackish network of blood vessels all over the body, blackish discoloration of stool, urine, nails and oral cavity	Yellowish discolouration in eyes, yellowish network of veins appear all over the body. Yellowish discolouration of skin, faeces, urine, nails & oral cavity.	Whitish discoloration observed in eyes, nail, urine, and stool & whitish network of blood vessels seen all over the body	All the symptomatology of <i>Tridoṣa</i> appears in this disease and it is extremely intolerable because it develops complications	Oedema around cheek, eye sockets and eyebrows; oedema in the feet, umbilical region and genital parts; development of intestinal worms; diarrhoea associated with blood and mucus.
Modern correlation	Nutritional deficiency anaemia	Haemolytic anaemia & megaloblastic anaemia	Megaloblastic anaemia	Anaemia of chronic diseases like malaria, typhoid, rheumatoid arthritis	Anaemia due to worm infestations folate & vitamin B12 deficiency

MCQs

1. *Shoonanabhipadaasyamehana* is seen in which disease
a. *Svayathu* b. *Mritbhakshanajanyapandu*
c. *Udara* d. *Krimi*
2. Types of *Pandu* as per *Sushruta*
a. 5 b. 4 c. 3 d. 6
3. If abnormal *Kapha* enters *Raktadhatu* manifest which diseases?
a. *Vishpota* b. *Masoorika*
c. *Visarpa* d. *Panduroga*
4. *Dushya* in *Panduroga* as per *Sushruta*
a. *Twak Rakta* b. *Rakta*
c. *Asruk Mamsa* d. *Twak Rakta Mamsa*
5. *Hridayaspandana* seen in
a. *Pandupurvarupa*
b. *Vatajapandu*
c. *Kaphajapandu*
d. *Mritbhakshanajanyapandu*
6. *Sheernaloma hataprabha* is the *lakshana* of
a. *Haleemaka* b. *Kamala*
c. *Pandu* d. *Visarpa*
7. *Lavanavaktratwam* is the feature of
a. *Pittajapandu* b. *Kaphajapandu*
c. *Kaphajasopha* d. *Kaphajavisarpa*
8. *Hatendriya* is the feature of
a. *Vatajapandu*
b. *Kaphajapandu*
c. *Mritbhakshanajanyapandu*
d. *Tridoshaja Pandu*
9. *Antheshushoonampariheenamadyam* is the *Asadya lakshana* of
a. *Gulma* b. *Pandu* c. *Udara* d. *Arsas*
10. What is the prognosis of *Pandu* with *Atisara* and *Jwara*
a. *Krichrasadya* b. *Yapya*
c. *Asadya* d. *Krichrasadya tama*
11. *Indriyanam balam hatwa tejo viryoujasi tatha*
a. *Vatajapandu* b. *Kaphajapandu*
c. *Mritbhakshanajanya pandu*
d. *Tridoshaja Pandu*

Answer

1.	b	2.	b	3.	d
4.	c	5.	a	6.	c
7.	b	8.	d	9.	b
10.	c	11.	c		