

**Introduction**

Obstinate urinary disorders including diabetes. It is of twenty types- ten of them are caused by *kapha*, six by *pitta* and four by *vāta*. Urinary disease (Name applied to all urinary diseases, of which there are 21 varieties including diabetes, gonorrhoea).

**प्रमेह हेतु (Prameha Hetu)****I. आहारज एवं विहारज कारण (Āhāraja evam Vihāraja Kāraṇa)**

आस्यासुखं स्वप्नसुखं दधीनि ग्राम्यौदकानूपरसाः पयांसि ।  
नवान्नपानं गुडवैकृतं च प्रमेहहेतुः कफकृच्च सर्वम् ॥

C.Ci. 6/4

दिवास्वप्नाव्यायामालस्यप्रसक्तं शीतस्निग्धमधुरमेद्यद्रवात्र-  
पानसेविनं पुरुषं जानीयात् प्रमेही भविष्यतीति ॥ S.S.Ni. 6/3

**Etiological factors of Prameha are as follows :** Sedentary life style, excessive sleep, curd, meat soup of domestic, aquatic and marshy animals, milk products, freshly harvested food articles, fresh wine, jaggery preparations and all other *kapha* promoting substances, laziness, intake of food which are cold, unctuous, sweet, fatty, and liquid.

**II. सन्तर्पणोत्थ कारण (Santarpanottha Kāraṇa)**

All etiological factors mentioned for the manifestation of *Santarpanottha Vikara* are also responsible for the development of Prameha (C.S.Su. 23/3-5)

**III. आदिबल प्रवृत्त (Ādibala Pravṛtta)**

.....प्रभृतिर्गहणान्मेह क्षयादयः ।

S.S.Su. 24/5 (Dalhaṇa)

Prameha manifest due to morbidity of *Śukra* and *Śoṇita*.

**IV. तेषां मेदोमूत्रकफावहम् ॥ अन्नपानक्रियाजातं यत्प्रायस्तत्प्रवर्तकम् । (A.H.Ni. 10/1-2)**

Foods, drinks and activities which aggravates *Meda*, *Mūtra* and *Kapha* are main etiological factors for the genesis of *Prameha*.

V. द्वौ प्रमेही भवतः-सहजोऽपथ्यनिमित्तश्च । तत्र सहजो मातृपितृबीजदोषकृतः, अहिताहारजोऽपथ्यनिमित्तः । तयोः पूर्वणोपद्रुतः कृशो रूक्षोऽल्पाशी पिपामुर्धुशं परिसरणाशीलश्च भवति; उत्तरेण स्थूलो बह्वाशी स्निग्धः शय्यासनस्यन्शीलः प्रायेणेति ॥

S.S.Ci. 11/13

It manifests due to two main etiological factors i.e *Sahaja* (Hereditary/Congenital) and *Apathya nimittaja* (due to incompatible dietetics and activities). It manifests due to defective sperm and ovum of the father and mother respectively.

*Apathya nimittaja* due to consumption of erratic dietetic pattern and activities.

*Prāmeha* due to *Sahaja* etiology is characterised by lean, rough body, eats less amount of food, suffering from severe thirst and moves always.

*Apathyanimittaja* is characterised by obesity, eats more food, unctuous, always desires to occupy bed, sitting posture and sleep.

**प्रमेह संप्राप्ति (Samprāpti of Prameha)**

कफः सपित्तः पवनश्च दोषा मेदोऽस्त्रशुक्राम्बुवसालसीकाः ।

मज्जा रसौजः पिशितं च दूध्याः प्रमेहिणां, विंशतिरेव मेहाः ॥

C.S.Ci. 6/8

वर्णं रसं स्पर्शमथापि गन्धं यथास्वदोषं भजते प्रमेहः ।

श्यावारुणो वातकृतः सशूलो मज्जादिसादगुण्यमुपैत्यसाध्यः ॥

C.S.Ci. 6/12

तस्य चैवंप्रवृत्तस्यापरिपक्वा एव वातपित्तश्लेष्माणो यदा मेदसा सहैकत्वमुपेत्य मूत्रवाहिस्त्रोतांस्यनुसृत्याधो गत्वा बस्तेर्मुखमाश्रित्य निर्भिद्यन्ते तदा प्रमेहान् जनयन्ति ॥


S.S.Ni. 6/4

Improperly processed *Vāta*, *Pitta* and *Kapha* mixes with *Dūṣyās* i.e *Medas*, *Rakta*, *Śukra*, *Ambu*, *Vasā*, *Lasikā*, *Majjā*, *Rasa*, *Ojas* and *Māmsa* in the *Mūtravaha Srotas* leading to manifestation of twenty types of *Prameha*.



20 types of *Pramehās* acquires the colour, taste, touch and smell according to the respective *Doṣa*.

*Nidāna Sevana* (Consumption of Etiological factors)



Aggravation of *Vātādi Doṣās*



vitiates *Dūṣyās* i.e. *Medas, Rakta, Śukra, Ambu, Vasā, Lasikā, Majjā, Rasa, Ojas* and *Māmsa*



Get localised in the *Mūtravaha Srotas*



*Prameha*



Negligence of *Prameha* Leads to *Madhumeha*

**प्रमेह संप्राप्ति घटक (Samprāpti Ghaṭaka of Prameha)**

Components of *Samprāpti* are as follows:-

द्वय प्रमेहं मधुरं सपिच्छं मधूपमं स्याद्विधो विचारः ।  
क्षीणेषु दोषेष्वनिलात्मकः स्यात् संतर्पणाद्वा कफसंभवः स्यात् ॥  
C.S.Ci. 6/55

If *Prameha* patient passes urine which is sweet, slimy, and honey like, then there may be two possibilities i.e. diminution of *Doṣās* leads to *Vātaja Prameha* and over nourishment leads to *Kaphaja Prameha*.

**Doṣa** : *Kapha Pradhāna Tridoṣaja*

*Kapha* → *Kledaka*

*Pitta* → *Pācaka*

*Vāta* → *Vyāna & Apāna Vāta*

**Dūṣya** : *Dhātu* → *Meda, Rakta, Śukra, Ambu, Vasā, Lasikā, Majjā, Rasa, Ojas* and *Māmsa*.

*Updhātu* →

*Śārīrika Mala* → *Mūtra*

*Dhātu mala* → *Sveda, Keśa, Nakha, Ojas*

**Agni** : *Jaṭharāgni, Dhātvaṅni, Bhūtāgni*.

**Agniduṣṭi** : *Mandāgni, Viṣamāgni* and *Tikṣṇāgni* depending on predominance of *Kapha, Vāta & Pitta* respectively.

**Āma** : *Āgnijanya*

**Srotas** : *Mūtravaha Srotas*  
*Medavaha Srotas*  
*Raktavaha Srotas*  
*Śukravaha Srotas*  
*Udakavaha Srotas*  
*Majjāvaha Srotas*  
*Rasavaha Srotas*  
*Ojovaha Srotas*  
*Māmsavaha Srotas*

**Srotoduṣṭi** : *Atipravṛtti lakṣaṇa*

**Udbhavasthāna** : *Āmāśayottha,*  
*Pakvāśayottha*  
*Medovaha Srotasmūla*

**Sancārasthāna** : *Rasāyani, Mūtravāhini,*  
*Rasavaha, Dhamani,*  
*Pittavaha Dhamani,*  
*Kaphavaha Dhamani,*  
*Śoṇitavaha Dhamani*

**Vyaktasthāna** : *Mūtravaha Srotas*

**Adhiṣṭhāna** : *Mūtravaha Srotas*

**Svabhāva** : *Āśukāri & Cirakāri*

**Prabhāva** : *Kaphaja-Curable*  
*Pittaja-Manageable*  
*Vātaja-Incurable*

**Roga Bheda** : 20 types (*Kaphaja 10,*  
*Pittaja 6 & Vātaja 4*)

**Roga Mārga** : *Madhyama Roga Mārga* and  
*Bāhya oga Mārga*

**पूर्वरूप (Pūrvarupa)**

स्वेदोऽङ्गन्धः शिथिलाङ्गता च शय्यासनस्वप्नसुखे रतिश्च ।

हन्नेत्रजिह्वाश्रवणोपदेहो घनाङ्गता केशनखातिवृद्धिः ॥

शीतप्रियत्वं गलतालुशोषो माधुर्यमास्ये करपाददाहः ।

भविष्यतो मेहगदस्य रूपं मूत्रेऽभिधावन्ति पिपीलिकाश्च ॥

C.S.Ci. 6/13-14

त्रयस्तु खलु दोषाः प्रकुपिताः प्रमेहानभिनिर्वर्तयिष्यन्त इमानि  
पूर्वरूपाणि दर्शयन्ति; तद्यथा-जटिलीभावं केशेषु, माधुर्यमास्यस्य,  
करपादयोः सुप्ततादाहौ, मुखतालुकण्ठशोषं, पिपासाम्, आलस्यं,  
मलं काये, कायच्छिद्रेषूपदेहं, परिदाहं सुप्ततां चाङ्गेषु,  
षट्पदपिपीलिकाभिश्च शरीरमूत्राभिसरणं, मूत्रे च मूत्रदोषान्,



विस्रं शरीरगन्धं, निद्रां, तन्द्रां च सर्वकालमिति ॥

C.S.Ni. 4/47

तेषां तु पूर्वरूपाणि-हस्तपादतलदाहः स्निग्धपिच्छलगुरुता गात्राणां मधुरशुक्लमूत्रता तन्द्रा सादः पिपासा दुर्गन्धश्च श्वासस्तालुगलजिह्वादन्तेषु मलोत्पत्तिर्जटिलीभावः केशानां वृद्धिश्च नखानाम् ॥ S.S.Ni. 6/5

Aggravated all the three *Doṣās* develops following characteristic features during premonitory stage of the diseases : Matting of hairs, sweetishness in oral cavity, numbness and burning sensation in hands and feet, dryness in mouth, palate and throat, thirst, lassitude, excess accumulation of waste over the body especially in palate, throat, tongue & teeth, adherence of excreta in body orifices, burning sensation and numbness in body, accumulation of bees and ants over the body and urine, abnormality in the urine, fleshy smell from body, excess sleep and drowsiness. Excessive sweating, flaccidity of body, enjoys comfort in lying, sitting and sleeping, smearing in heart, eyes, tongue and ears, excessive growth of hair and nails, liking for cold substances, urine becomes sweet and whitish, breathlessness, heaviness, unctuousness and sliminess in the body.

### रूप (Rupa)

प्रमेह सामान्य लक्षण (Prameha Sāmānya Lakṣaṇa)

प्रमेहपूर्वरूपाणामाकृतिर्यत्र दृश्यते ।  
किञ्चिच्चाप्यधिकं मूत्रं तं प्रमेहिणमादिशेत् ॥  
कृत्स्नान्यर्द्धानि वा यस्मिन् पूर्वरूपाणि मानवे ।  
प्रवृद्धमूत्रमत्यर्थं तं प्रमेहिणमादिशेत् ॥

S.S.Ni. 6/22-23

Slight increase in quantity of urine associated with premonitory symptoms is known as patient of *Prameha*.

or

Complete appearance of premonitory symptoms or half of the premonitory symptoms associated with excess urination is known as patient of *Prameha*.

एवमेव दोषधातुमलाहारविशेषेणोत्कर्षापकर्षकृतेन संयोग-विशेषेण प्रमेहानां नानाकरणं भवति ॥ S.S.Ni. 6/26

Increase or decrease of proportion in the combination of *Doṣās*, *Dhātus*, *Malās* and *Āhāra* are the main factors responsible for the development of various kinds of *Prameha*.

### सामान्य लक्षण (Sāmānya Lakṣaṇa)

सामान्यं लक्षणं तेषां प्रभूताविलमूत्रता ।  
दोषदूष्याविशेषेऽपि तत्संयोग विशेषतः ।  
मूत्रवर्णादिभेदेन भेदो मेहेषु कल्प्यते ।

A.H.Ni. 10/7-8

Cardinal features of *Prameha* are turbidity and increased frequency. Though the *Doṣās* and *Dūṣyās* are similar, their combination being different, there occurs differences in colour etc. of urine based on these, different varieties of *Prameha* described.

### Classification of Prameha

#### I. Two types of Prameha patient

दृष्ट्वा प्रमेहं मधुरं सपिच्छं मधूपमं स्यादिविधो विचारः ।  
क्षीणेषु दोषेष्वनिलात्मकः स्यात् संतर्पणाद्वा कफसंभवः स्यात् ।  
C.S.Ci. 6/55

If the patient suffering from *Prameha* passes urine which is *Madhura* (sweet), *Picchila* (slimy) and *Madhupama* (honey like), then there are two possibilities.

1. If it is caused by *Kṣiṇa Doṣa* (diminution of *Doṣās*) then it is considered as *Vāta* predominant. (*Vāta Pradhana Prameha*)
2. If it is caused by *Santarpaṇa* (over nourishment) then it is considered as *Kapha* predominant. (*Kapha Pradhana Prameha*)

#### II. Two types of Prameha patient

द्वौ प्रमेहौ भवतः-सहजोऽपथ्यनिमित्तश्च । तत्र सहजो मातृपितृबीजदोषकृतः, अहिताहारजोऽपथ्यनिमित्तः ।

S.S.Ci. 11/13

*Prameha* manifests due to two main etiological factors :

1. *Sahaja* (Hereditary/Congenital) - It manifests due to defective sperm and ovum of the father and mother respectively.
2. *Apathya nimittaja* (due to incompatible dietetics and activities)-It manifests due to



consumption of erratic dietetic pattern and activities.

### III. Two types of Prameha patient

स्थूलः प्रमेही बलवानिहैकः कृशस्तथैकः परिदुर्बलश्च ।

संबृंहणं तत्र कृशस्य कार्यं संशोधनं दोषबलाधिकस्य ॥

C.S.Ci. 6/15

Prameha is classified into two categories based on body constitution:

1. *Sthūla Pramehī* - Those who are Sthula (obese) and *Balavāna* (strong).
2. *Kṛśa Pramehī* - Those who are *Kṛśa* (emaciated) and *Durbala* (weak).

### IV. 20 Types of Prameha

त्रिदोषकोपनिमित्ता विंशतिः प्रमेहा भवन्ति ।

C.S.Ni. 4/3

साध्याः कफोत्था दश, पित्तजाः षट् याप्या, न साध्यः पवनाच्चतुष्कः । समक्रियत्वाद्विषमक्रियत्वान्महात्ययत्वाच्च यथाक्रमं ते ॥ C.S.Ci. 6/7

Simultaneous vitiation of all the three *Doṣās* manifest 20 types of *Prameha*. *Kaphaja Prameha* are ten in number and are curable because of the compatibility in the principles of treatment. *Pittaja Prameha* are six in number and are manageable because of the incompatibilities in the lines of treatment.

*Vātaja Prameha* are four in number and are incurable because of their severity of complications.

### कफज प्रमेह हेतु (Kaphaja Prameha Hetu)

तत्रेमे त्रयो निदानादिविशेषाः श्लेष्मनिमित्तानां प्रमेहाणामाश्वभिनिर्वृत्तिकरा भवन्ति; तद्यथा—हायनकयवकचीनकोद्दालकनैषधेत्कटमुकुन्दकमहात्रीहिप्रमोदकसुगन्धकानां नवानामतिवेलमतिप्रमाणेन चोपयोगः, तथा सर्पिष्मतां नवहरेणुमाषसूष्यानां, ग्राम्यानूपौदकानां च मांसानां, शाकतिलपलपिष्टान्नपायसकृशराविलेपीक्षुविकाराणां, क्षीरनवमद्यमन्दकदधिद्रवमधुरतरुणप्रायाणां चोपयोगः, मृजाव्यायामवर्जनं, स्वप्नशयनासनप्रसङ्गः, यश्च कश्चिद्विधिरन्योऽपि श्लेष्ममेदोमूत्रसंजननः स सर्वो निदानविशेषः ॥

C.S.Ni. 4/5

Special etiological factors for the manifestation of *Kapha prameha* are described are as follows:-

- Prolonged and excessive use of new grains like *Hāyanaka*, *Yavaka*, *Cīnaka*, *Uddālaka*,

*Naiṣadha*, *Itkaṭa*, *Mukundaka*, *Mahāvrihi*, *Pramodaka* and *Sugandhaka*.

- Consumption of new pulses like *hareṇu* and *Māṣa* with *Ghr̥ta*.
- Intake of meat of domestic, marshy and aquatic animals.
- Excess use of vegetables, sasamum paste, & flour preparations, *pāyasa*, *kṛśārā* (rice preparation with pulses and oil), *Vilepi* (gruel prepared with four times of water) and sugarcane products.
- Intake of milk, freshwine, immature curd and liquid substances, sweet and fresh substances, avoidance from cleanliness and physical exercises, indulging in excess sleep, bed rest and sedentary lifestyles.
- Indulgence of such factors which aggravate and vitiate *Kapha*, *Meda* and *Mūtra*.

### कफज प्रमेह संप्राप्ति (Kaphaja Prameha Samprāpti)

बहुद्रवः श्लेष्मा दोषविशेषः ॥ बहुबद्धं मेदो मांसं शरीरजक्लेदः शुक्रं शोणितं वसा मज्जा लसीका रसरचौजःसंख्यात इति दूष्यविशेषाः ॥

त्रयाणामेषां निदानादिविशेषाणां सन्निपाते क्षिप्रं श्लेष्मा प्रकोपमापद्यते, प्रागतिभूयस्त्वात्; स प्रकुपितः क्षिप्रमेव शरीरे विसृष्टिं लभते, शरीर शैथिल्यात्; स विसर्पञ्च शरीरे मेदसैवादितो मिश्रीभावं गच्छति, मेदसश्चैव बहुबद्धत्वान्मेदसश्च गुणैः समानगुणभूयिष्ठत्वात्; स मेदसा मिश्रीभवन् दूषयत्येनत्, विकृतत्वात्; स विकृतो दुष्टेन मेदसोपहितः शरीरक्लेदमांसाभ्यां संसर्गं गच्छति, क्लेदमांसयोरतिप्रमाणाभिवृद्धत्वात्; स मांसे मांसप्रदोषात् पूतिमांसपिडकाः शराविकाकच्छपिकाद्याः संजनयति, अप्रकृतिभूतत्वात्; शरीरक्लेदं पुनर्दूषयन् मूत्रत्वेन परिणमयति, मूत्रवहानां च स्रोतसां वङ्क्षणवस्तिप्रभवाणां मेदःक्लेदोपहितानि गुरुणि मुखान्यासाद्य प्रतिक्रियते; ततः प्रमेहांस्तेषां स्थैर्यमसाध्यतां वा जनयति, प्रकृतिविकृतिभूतत्वात् ॥ C.S.Ni. 4/6-8

*Kapha* is the main *Doṣa* consisting of abundant liquid associated with ten *Dūṣyās* namely *Medas* (which is abundant and non compact), *Māmsa*, *Śarīraja Kleda* (body fluids), *Śukra*, *Śoṇita*, *Vasā*, *Majjā*, *Laṣikā*, *Rasa*, and *Oja*. Aggravated *Kapha* due to etiological factors mixes with *Dūṣyās* and manifest *Kaphaja prameha*. Excacerbated *Kapha* spreads all over the body because of laxity of the body.



*Kapha* initially targets the *Medas* because it is abundantly increased, non-compact and similar in properties. As a result *Meda* gets vitiated. Both *Kapha* and *Meda* gets mixed with the body liquids and muscle tissue because latter two are increased excessively. This favour's the congenial atmosphere for the manifestation of putrefied carbuncles like *Śarāvika* and *Kacchapikā* etc. Liquid *Dhātus* further vitiated and transformed into urine. *Mūtravaha Srotas* gets obstructed due to application by *Meda* and liquid *Dhātus* of the body. All above consequences results in the manifestation of *Prameha*, which becomes either chronic or incurable. Stability or incurability is due to application of all the qualities of *Kapha* along with simultaneous vitiation of homogenous and heterogenous *dhātus*.

*Nidāna Sevana* (Consumption of Etiological factors)

Aggravation of *Kapha* consisting of abundant liquid

vitiate *Dūṣyās* i.e. *Medas*, *Rakta*, *Śukra*, *Ambu*, *Vasā*, *Lasikā*, *Majjā*, *Rasa*, *Ojas* and *Māmsa*

Excacerbated *Kapha* spreads all over the body because of laxity of the body

Both *doṣās* and *dūṣyās* localised in the *Mūtravaha Srotas*

*Kaphaja Prameha*.

*Kapha* initially targets the *Medas* because it is abundantly increased, non-compact and similar in properties

As a result *Meda* gets vitiated.

Both *Kapha* and *Meda* gets mixed with the body liquids and muscle tissue because latter two are increased excessively

This favour's the congenial atmosphere for the

manifestation of putrefied carbuncles like *Śarāvika* and *Kacchapikā* etc.

Liquid *Dhātus* further vitiated and transformed into urine.

*Mūtravaha Srotas* gets obstructed due to application by *Meda* and liquid *Dhātus* of the body.

All above consequences results in the manifestation of *Kaphaja Prameha*, which becomes either chronic or incurable.

Stability or incurability is due to application of all the qualities of *Kapha* along with simultaneous vitiation of homogenous and heterogenous *dhātus*.

#### कफज प्रमेह लक्षण (*Kaphaja Prameha Lakṣaṇa*)

शरीरक्लेदस्तु श्लेष्ममेदोमिश्रः प्रविशन् मूत्राशयं मूत्रत्वमापद्यमानः श्लेष्मिकैरेभिर्दशभिर्गुणैरुपसृज्यते वैषम्ययुक्तैः; तद्यथा—श्वेतशीतमूर्तपिच्छिलाच्छस्निग्धगुरुमधुरसान्द्रप्रसादमन्दैः, तत्र येन गुणेनैकेनानेकेन वा भूयस्तरमुपसृज्यते तत्समाख्यं गौणं नामविशेषं प्राप्नोति ॥ C.S.Ni. 4/9

All the liquid *dhātus* mixed with *Kapha* and *Meda* enter into the kidneys and bladder and get transformed into urine. Urine which is coming out is associated with ten morbid qualities of *Kapha* like whitishness, coldishness, viscosity, sliminess, transparent, unctuousness, heaviness, sweatiness, viscous, clear and slowness. Nomenclature of *Kaphaja Prameha* is done according to its association with one or more of the above ten properties of urine.

#### कफज प्रमेह भेद (*Kaphaja Prameha Bheda*)

ते तु खल्विमे दश प्रमेहा नामविशेषेण भवन्ति; तद्यथा—उदकमेहश्च, इक्षुवालिकारसमेहश्च, सान्द्रमेहश्च, सान्द्रप्रसादमेहश्च, शुक्लमेहश्च, शुक्रमेहश्च, शीतमेहश्च, सिकतामेहश्च, शनैर्मेहश्च, आलालमेहश्चेति ॥

ते दश प्रमेहाः साध्याः; समानगुणमेदः स्थानकत्वात्, कफस्य प्राधान्यात्, समक्रियत्वाच्च ॥ C.S.Ni. 4/10-11



Ten types of *Kaphaja Prameha* are described are as follows:-

1. *Udaka meha* 2. *Ikṣuvālikā rasa meha*
3. *Sāndra meha* 4. *Sāndra prasāda meha*
5. *Śukla meha* 6. *Śukra meha*
7. *Śīta meha* 8. *Sikatā meha*
9. *Sanair meha* 10. *Ālālamaha*

All the above ten *Prameha* are curable because they are located in *Meda* having identical properties, the *Kapha* is predominant, and similarity in principles of treatment.

### कफज प्रमेह विशेष लक्षण (Kaphaja Prameha Viśeṣa Lakṣaṇa)

#### 1. उदकमेह (Udaka Meha)

अच्छं बहु सितं शीतं निर्गन्धमुदकोपमम् ।  
श्लेष्मकोपात्रो मूत्रमुदमेही प्रमेहति ॥  
C.S.Ni. 4/13

श्वेतमवेदनमुदकसदृशमुदकमेही मेहति । S.S.Ni. 6/10

Patients of *Udaka meha* passes urine, which is transparent, abundant, whitish, coldish, odourless and water like and patient passes urine without any discomfort.

#### 2. इक्षुवालिका रस मेह (Ikṣuvālikā Rasa Meha)

अत्यर्थमधुरं शीतमीषत्पिच्छिलमाविलम् ।  
काण्डेश्वरसङ्काशं श्लेष्मकोपात् प्रमेहति ॥  
C.S.Ni. 4/14

Patients of *Ikṣuvālikā Rasa Meha* passes urine like sugarcane juice which is exceedingly sweet, cold, slightly saline and turbid.

#### 3. सान्द्र मेह (Sāndra Meha)

यस्य पर्युषितं मूत्रं सान्द्रीभवति भाजने ।  
पुरुषं कफकोपेन तमाहुः सान्द्रमेहिनम् ॥  
C.S.Ni. 4/15

आविलं सान्द्रं सान्द्रमेही । S.S.Ni. 6/10

Patients of *Sāndrameha* is diagnosed based on precipitation in the urine sample when kept over night, urine is turbid & thick.

#### 4. सान्द्र प्रसाद मेह (Sāndra Prasāda Meha)

यस्य संहन्यते मूत्रं किञ्चित् किञ्चित् प्रसीदति ।  
सान्द्रप्रसादमेहीति तमाहुः श्लेष्मकोपतः ॥  
C.S.Ni. 4/16

Qualities of the urine becomes partially viscous and partially clear when kept over night.

#### 5. शुक्ल मेह (Śukla Meha)

शुक्लं पिष्टनिभं मूत्रमभीक्षणं यः प्रमेहति ।  
पुरुषं कफकोपेन तमाहुः शुक्लमेहिनम् ॥  
C.S.Ni. 4/17

Patient of *Śuklameha* passes urine frequently which is white and flour like.

#### 6. शुक्रमेह (Śukra Meha)

शुक्राभं शुक्रमिश्रं वा मुहुर्महति यो नरः ।  
शुक्रमेहिनमाहुस्तं पुरुषं श्लेष्मकोपतः ॥  
C.S.Ni. 4/18

Patients of *Śukrameha* passes urine frequently, which is like semen or mixed with semen.

#### 7. शीतमेह (Śīta Meha)

अत्यर्थमधुरं शीतं मूत्रं मेहति यो भृशम् ।  
शीतमेहिनमाहुस्तं पुरुषं श्लेष्मकोपतः ॥  
C.S.Ni. 4/19

Patients of *Śītameha* passes urine oftenly which is sweet & cold.

#### 8. सिकता मेह (Sikatā Meha)

मूर्तान्मूत्रगतान् दोषानणून्मेहति यो नरः ।  
सिकतामेहिनं विद्यात्तं नरं श्लेष्मकोपतः ॥  
C.S.Ni. 4/20

सरुजं सिकताऽनुविद्धं सिकतामेही । S.S.Ni. 6/10

Patients of *Sikatāmeha* passes urine associated with small particles (gravel) and pain.

#### 9. शनैर्मेह (Sanair Meha)

मन्दं मन्दमवेगं तु कृच्छ्रं यो मूत्रयेच्छनैः ।  
शनैर्मेहिनमाहुस्तं पुरुषं श्लेष्मकोपतः ॥  
C.S.Ni. 4/21

सकफं मृत्स्नं शनैर्मेही । S.S.Ni. 6/10



Patient of *Sanairmeha* passes urine with difficulty and slowly without any urge. Urine appears like mixed with *Kapha* and slimy.

#### 10. आलाल मेह (Ālāla Meha)

तन्तुबद्धमिवालालं पिच्छिलं यः प्रमेहति ।  
आलालमेहिनं विद्यात् नरं श्लेष्मकोपतः ॥

C.S.Ni. 4/22

Patient of *Ālālameha* passes urine which appears like full of threads, saliva like and slimy.

*Susruta* described following ten varieties of *Kaphaja Prameha* are as follows:-

कफादुदकेक्षुवालिकासुरासिकताशनैर्लवणपिष्टसान्द्रशुक्रफेनमेहा  
दश साध्याः । S.S.Ni. 6/8

- |                           |                       |
|---------------------------|-----------------------|
| 1. <i>Udaka meha</i>      | 6. <i>Lavaṇa meha</i> |
| 2. <i>Iksuvālikā meha</i> | 7. <i>Piṣṭa meha</i>  |
| 3. <i>Surā meha</i>       | 8. <i>Sāndra meha</i> |
| 4. <i>Sikatā meha</i>     | 9. <i>Śukra meha</i>  |
| 5. <i>Sanair meha</i>     | 10. <i>Phena meha</i> |

#### सुरा मेह (Surā Meha)

सुरामेही सुरातुल्यम् । S.S.Ni. 6/10

Patients of *Surā meha* passes urine resembling *Surā* (beer).

#### लवण मेह (Lavaṇa Meha)

विशदं लवणतुल्यं लवणमेही । S.S.Ni. 6/10

Patient of *Lavaṇa meha* passes urine which is non slimy and resembling saltish taste.

#### पिष्ट मेह (Piṣṭa Meha)

दृष्टरोगा पिष्टरसतुल्यं पिष्टमेहा । S.S.Ni. 6/10

Patients of *Piṣṭa meha* passes urine which is flour like associated with horripilations.

#### फेन मेह (Phena Meha)

स्तोकं स्तोकं सफेनं फेनमेही मेहति ॥ S.S.Ni. 6/10

Patients of *Phena meha* passes little urine often which is frothy and clear.

#### पित्तज प्रमेह हेतु (Pittaja Prameha Hetu)

उष्णाम्ललवणक्षारकटुकाजीर्णभोजनोपसेविनस्तथाऽति-  
तीक्ष्णातपाग्निसंतापश्रमक्रोधविषमाहारोपसेविनश्च तथाविध-

शरीरस्यैव क्षिप्रं पित्तं प्रकोपमापद्यते, तत्तु प्रकुपितं तयैवानुपूर्व्या  
प्रमेहानिमान् षट् क्षिप्रतरमभिनिर्वर्तयति ॥ C.S.Ni. 4/24

The following etiological factors are responsible for the manifestation of *Pittaja Prameha* : One who consumes substances which are very hot, sour, saline, alkaline and pungent; intake of food before the digestion of previous meal; excessive exposure to intense heat of the sun, fire, physical exertion and anger; intake of incompatible dietetics.

#### Pittaja Prameha Samprāpti

The aggravated *Pitta* due to above causes enters *Medas*, *Māmsa*, *Śarīraja Kleda*, *Śukra*, *Śoṇita*, *Vasā*, *Majjā*, *Lasikā*, *Rasa* and *Oja* leading to development of *Pittaja Prameha*.

Nidāna Sevana (Consumption of Etiological factors)

↓  
Aggravation of *Pitta*

↓  
vitiate *Dūṣyās* i.e. *Medas*, *Rakta*, *Śukra*, *Ambu*, *Vasā*, *Lasikā*, *Majjā*, *Rasa*, *Ojas* and *Māmsa*

↓  
Excacerbated *Pitta* and *Kapha* spreads all over the body because of laxity of the body.

↓  
Both *doṣās* and *dūṣyās* localised in the *Mūtravaha Srotas*

↓  
*Pittaja Prameha*.

*Pittaja Prameha* is classified into six varieties-

- |                          |                       |
|--------------------------|-----------------------|
| 1. <i>Kṣāra meha</i>     | 4. <i>Kāla meha</i>   |
| 2. <i>Nīla meha</i>      | 5. <i>Rakta meha</i>  |
| 3. <i>Mañjiṣṭhā meha</i> | 6. <i>Haridā meha</i> |

साध्यासाध्यता एवं पित्तज प्रमेह लक्षण (Sādhyāsādhyatā  
evam Pittaja Prameha Lakṣaṇa)

सर्व एव ते याप्याः, संसृष्टदोषमेदःस्थानत्वाद्विरुद्धोप-  
क्रमत्वाच्चेति । तत्र श्लोकाः पित्तप्रमेहविशेषविज्ञानार्था भवन्ति ।  
इत्येते षट् प्रमेहाः पित्तप्रकोपनिमित्ता व्याख्याता भवन्ति ॥

C.S.Ni. 4/27,28,35

*Pittaja Pramehās* are manageable due to antagonicity in the lines of treatment and involvement of multiple *Doṣās*. The treatment for



vitiated *Pitta* and *Medas* involves mutual contradiction.

### 1. क्षार मेह (Kṣāra Meha)

गन्धवर्णरसस्पर्शैर्यथा क्षारस्तथाविधम् ।  
पित्तकोपात्रो मूत्रं क्षारमेही प्रमेहति ॥  
C.S.Ni. 4/29

Patient of *Kṣāra meha* passes urine having the smell, colour, taste and touch like that of alkalies.

### 2. काल मेह (Kāla Meha)

मसीवर्णमजस्रं यो मूत्रमुष्णं प्रमेहति ।  
पित्तस्य परिकोपेण तं विद्यात् कालमेहिनम् ॥  
C.S.Ni. 4/30

Patient of *Kāla meha* passes large amount of urine, which is blackish and hot.

### 3. नील मेह (Nīla Meha)

चाषपक्षनिभं मूत्रमम्लं मेहति यो नरः ।  
पित्तस्य परिकोपेण तं विद्यान्नीलमेहिनम् ॥  
C.S.Ni. 4/31

Patient of *Nīla meha* passes urine as sour and having colour like that of the feather of *Cāsa* bird (blue jay).

### 4. रक्त मेह (Rakta Meha)

विस्त्रं लवणमुष्णं च रक्तं मेहति यो नरः ।  
पित्तस्य परिकोपेण तं विद्याद्रक्तमेहिनम् ॥  
C.S.Ni. 4/32

Patient of *Rakta meha* passes urine as having fleshy smell, saline, hot and red.

### 5. मज्जिष्ठ मेह (Mañjiṣṭha Meha)

मज्जिष्ठोदकसंकाशं भृशं विस्त्रं प्रमेहति ।  
पित्तस्य परिकोपात्तं विद्यान्मज्जिष्ठमेहिनम् ॥  
C.S.Ni. 4/33

Patient of *Mañjiṣṭha meha* passes urine frequently resemble like decoction of *Mañjiṣṭha* having the smell like that of raw flesh.

### 6. हारिद्र मेह (Hāridra Meha)

हरिद्रोदकसङ्काशं कटुकं यः प्रमेहति ।  
पित्तस्य परिकोपात्तं विद्याद्धारिद्रमेहिनम् ॥  
C.S.Ni. 4/34

सदाहं हरिद्राऽऽभं हरिद्रामेही । S.S.Ni. 6/11

Patient of *Hāridrameha* passes urine resemble like decoction of *haridra* having pungent taste accompanied with burning sensation.

### वातज प्रमेह हेतू (Vātaja Prameha Hetu)

कषायकटुतिक्तारूक्षलघुशीतव्यवायव्यायामवमनविरेचना-  
स्थापनशिरोचिरेचनातियोगसंधारणानशनाभिघातातपोद्वेगशोकशो-  
णितातिषेकजागरणविषमशरीरन्यासानुपसेवमानस्य तथाविध-  
शरीरस्यैव क्षिप्रं वातः प्रकोपमापद्यते ॥ C.S.Ni. 4/36

The following etiological factors are responsible for the manifestation of *Vātaja prameha*.

Excessive consumption of astringent, pungent, bitter, rough, light and cold things; excessive sexual intercourse and physical exercises; excess administration of enema, purgation, non-unctuous enema, and head evacuation; suppression of natural urges, fasting, trauma, exposure to sun, anxiety, grief, excessive blood letting, keeping awake at night, and uneven body postures.

### वातज प्रमेह संप्राप्ति (Vātaja Prameha Samprāpti)

स प्रकुपितस्तथाविधे शरीरे विसर्पन् यदा वसामादाय मूत्रवहानि  
स्रोतांसि प्रतिपद्यते तदा वसामेहमभिनिर्वर्तयति; यदा पुनर्मज्जानं  
मूत्रवस्ता-वाकर्षति तदा मज्जमेहमभिनिर्वर्तयति; यदा तु लसीकां  
मूत्राशयेऽभिवहन्मूत्रमनुबन्धं च्योतयति लसीकातिबहुत्वा-  
द्विक्षेपणाच्च वायोः खल्वस्यातिमूत्रप्रवृत्तिसङ्गं करोति, तदा स  
मत्त इव गजः क्षरत्यजस्रं मूत्रमवेगं, तं हस्तिमेहिनमाचक्षते; ओजः  
पुनर्मधुरस्वभावं, तद् यदा रौक्ष्याद्वायुः कषायत्वेनाभिसंसृज्य  
मूत्राशयेऽभिवहति तदा मधुमेहं करोति ॥ C.S.Ni. 4/37

### 1. वसा मेह (Vasā Meha)

When aggravated *Vāta* spreading all over the body mixes with *Vasā* and enters into the *Mūtravaha Srotas* and manifest *Vasāmeha*.

### 2. मज्जा मेह (Majjā Meha)

If aggravated *Vāta* carries *Majjā* to the *Mūtravaha Srotas* leading to manifestation of *Majjā meha*.

### 3. हस्ति मेह (Hasti Meha)

When aggravated *Vāta* mixes with *Lasikā* enters into *Mūtravaha Srotas* leading to manifestation of *Lasikāmeha*. It is characterised by



continuous excretion of urine due to abundance of *Lasikā* and frequent micturition with obstruction due to dispersing nature and patient passes large amount of urine continuously without any urge like an excited elephant, that's why, it is called *Hastimeha*.

#### 4. मधुमेह (Madhumeha)

Sweetish nature of *Ojas* gets converted into *Astringent* taste by aggravated *Vāta* and carries into the *Mūtravaha Srotas* and manifest *Madhumeha*.

*Nidān Sevana* (Consumption of Etiological factors)



Aggravation of *Vāta*



vitiates *Dūṣyās* i.e. *Medas*, *Rakta*, *Śukra*, *Ambu*, *Vasā*, *Lasikā*, *Majjā*, *Rasa*, *Ojas* and *Māmsa*



Excacerbated *Vāta* and *Kapha* spreads all over the body because of laxity of the body



Both *doṣās* and *dūṣyās* localised in the *Mūtravaha Srotas*



*Vātajā Prameha*.

साध्यासाध्यता एवं वातज प्रमेह लक्षण (Sādhyā-sādhyatā evam Vātajā Prameha Lakṣaṇa)

इमांश्चतुरः प्रमेहान् वातजानसाध्यानाचक्षते भिषजः, महात्ययिकत्वाद्विरुद्धोपक्रमत्वाच्चेति ॥

तेषामपि पूर्ववद्गुणविशेषेण नामविशेषा भवन्ति; तद्यथावसामेहश्च, मज्जमेहश्च, हस्तिमेहश्च, मधुमेहश्चेति ॥

तत्र श्लोका वातप्रमेहविशेषविज्ञानार्था भवन्ति ॥

C.S.Ni. 4/38-40

*Vātajā Pramehās* are said to be incurable due to their severity and antagonisity in the lines of treatment.

It is subclassified into 4 varieites are as follows:-

1. *Vasā meha*      2. *Majjā meha*
3. *Hasti meha*    4. *Madhu meha*

Signs and symptoms indicating poor prognosis in *Vātajā Prameha*

श्यावारुणो वातकृतः सशूलो मज्जादिसावृण्यमुपैत्यसाध्यः ॥  
C.S.Ci. 6/12

*Vātajā Pramehās* are characterised by greyish or reddish discoloration of urine associated with pain and similarity with *Majjā* etc are incurable.

वातज प्रमेह विशेष लक्षण (Vātajā Prameha Viśeṣa Lakṣaṇa)

वसा मेह (Vasā Meha)

वसामिश्रं वसाभं वा मुहुर्मेहति यो नरः ।

वसामेहिनमाहुस्तमसाध्यं वातकोपतः ॥

C.S.Ni. 4/41

It is said to be incurable and it manifest due to predominance of *Vāta* and patient passes urine frequently mixed with *Vasā* or having the resemblance like that of *Vasā*.

मज्जा मेह (Majjā Meha)

मज्जानं सह मूत्रेण मुहुर्मेहति यो नरः ।

मज्जमेहिनमाहुस्तमसाध्यं वातकोपतः ॥

C.S.Ni. 4/42

Patient of *Majjā meha* passes urine frequently mixed with *Majjā*. It is incurable.

हस्ति मेह (Hasti Meha)

हस्ती मत्त इवाजस्रं मूत्रं क्षरति यो भृशम् ।

हस्तिमेहिनमाहुस्तमसाध्यं वातकोपतः ॥

C.S.Ni. 4/43

Patient of *Hastimeha* passes urine excessively and constantly like an excited elephant, and it is incurable.

साध्यासाध्याता (Sādhyā Sādhyatā)

सपूर्वरूपाः कफपित्तमेहाः क्रमेण ये वातकृताश्च मेहाः । साध्या न ते, पित्तकृतास्तु याप्याः, साध्यास्तु मेदो यदि न प्रदुष्टम् ॥

C.S.Ci. 6/56

*Kaphaja* and *Paittika* types of *Prameha* are incurable if premonitory symptoms persist. *Vātajā* types of *Prameha* are incurable. *Pittaja* types of *Prameha* are manageable. All kinds of *Pramehās* are curable if *Meda dhātu* is not vitiated.



### मधुमेह (Madhumeha)

#### मधुमेह हेतु (Madhumeha Hetu)

गुरुस्निग्धाम्ललवणान्यतिमात्रं समश्नताम् ।  
नवमंत्रं च पानं च निद्रामास्यासुखानि च ॥  
त्यक्तव्यायामचिन्तानां संशोधनमकुर्वताम् ।  
C.S.Su. 17/78-79

The following etiological factors are responsible for the development of *Madhumeha*. Excessive intake of heavy, unctuous, sour and saline taste foods.

Newly harvested crops like cereals, rice etc. and fresh wine consumption in large quantity. Sedentary life-style, not indulging in any sort of physical and mental exercise. One who does not undergo bio-purification of the body.

#### मधुमेह संप्राप्ति (Madhumeha Samprāpti)

श्लेष्मा पित्तं च मेदश्च मांसं चातिप्रवर्धते ॥  
तैरावृतगतित्वयुरोज आदाय गच्छति ।  
यदा बस्तिं तदा कृच्छ्रो मधुमेहः प्रवर्तते ॥  
स मारुतस्य पित्तस्य कफस्य च मुहुर्मुहुः ।  
दर्शयत्याकृतिं गत्वा क्षयमाप्ष्यायते पुनः ॥  
उपेक्षयाऽस्य जायन्ते पिडकाः सप्त दारुणाः ।  
मांसलेष्ववकाशेषु मर्मस्वपि च संधिषु ॥  
C.S.Su. 17/79-82

All above etiological factors aggravates *Kapha*, *Pitta*, *Meda* and *Māmsa* and obstruct the normal pathway of *Vāta*. Agitated *Vāta* carries the *Ojas* to the basti i.e. *Mūtravaha Srotas* and manifest *Madhumeha*, which is difficult for management.

It manifest the signs and symptoms pertaining to *Vāta*, *Pitta* and *Kapha* quite oftenly and these symptomatology may disappear at time and reappear again at appropriate time. Negligence in the management of this disease leads to development of seven severe *Piḍakās* over muscular areas, vital parts and joints.

*Nidāna Sevana* (Consumption of  
Etiological factors)

Aggravation of *Kapha*, *Pitta*, *Meda* and *Māmsa*

Obstruct the normal pathway of *Vāta*

↓  
Agitated *Vāta* carries the *Ojas* to the basti i.e.  
*Mūtravaha Srotas*

↓  
Madhumeha (which is difficult for management)

↓  
It manifest the signs and symptoms pertaining to  
*Vāta*, *Pitta* and *Kapha* quite oftenly

↓  
and these symptomatology may disappear at time  
and reappear again at appropriate time.

↓  
Negligence in the management of this disease

↓  
leads to development of seven severe *Piḍakās*  
over muscular areas, vital parts and joints.

#### मधुमेह लक्षण (Madhumeha Lakṣaṇa)

कषायमधुरं पाण्डु रूक्षं मेहति यो नरः ।  
वातकोपादसाध्यं तं प्रतीयान्मधुमेहिनम् ॥  
C.S.Ni. 4/44

Patient of *Madhumeha* passes urine which is astringent, sweet, pale and ununctuous and it is incurable.

सर्व एव प्रमेहा मूत्रादिमाधुर्ये मधुगन्धसामान्यात् पारिभाषिकीं  
मधुमेहाख्यां लभन्ते ॥ S.S.Ci. 12/6

*Madhumeha* patients passes urine having sweet in taste and smell of the body resembling like honey.

#### कुलज मधुमेह (Kulaja Madhumeha)

जातः प्रमेही मधुमेहिनो वा न साध्य उक्तः स हि बीजदोषात् ।  
ये चापि केचित् कुलजा विकारा भवन्ति तांश्च प्रवदन्त्यसाध्यान् ॥  
C.S.Ci. 6/57

Patients of *Prameha* and *Madhumeha* if develops right from the time of birth or patients of *Prameha/Madhumeha*, who is born of parents who were also suffering from the same ailments are said to be incurable because of the morbidity in their Bija (genes). In the same way other inherited disorders are also considered as incurable.

सर्व एव प्रमेहास्तु कालेनाप्रतिकारिणः ।

मधुमेहत्वमायान्ति तदाऽसाध्या भवन्ति हि ॥

S.S.Ni. 6/27

If treatment is not employed to all varieties of



*Prameha* at the appropriate time converted to *Madhumeha* and it becomes incurable.

मधुमेहो मधुसमं, जायते स किल द्विधा ॥  
क्रुद्धे धातुक्षयाद्वायौ दोषावृतपथेऽथवा ।  
आवृतो दोषलिङ्गानि सोऽनिमित्तं प्रदर्शयेत् ॥  
क्षीणः क्षणात्क्षणात् पूर्णो भजते कृच्छ्रसाध्यताम् ।  
कालेनोपेक्षिताः सर्वे यद्यान्ति मधुमेहताम् ॥  
मधुरं यच्च सर्वेषु प्रायो मध्विव मेहति ।  
सर्वेऽपि मधुमेहाख्या माधुर्याच्च तनोरतः ॥

A.H.Ni. 10/18-21

Disease *Madhumeha* is characterised by excretion of urine in excess which resembles like honey. It arises due to two main reasons i.e. aggravation of *Vāta* by *Dhātukṣaya* and obstruction of its path by the *Doṣās* covering it.

### Mārgāvr̥tajanya Madhumeha

It manifest the symptoms of the *Doṣa* covering it.

### Dhātukṣayajanya Madhumeha

In case if *Madhumeha* develops due to *Dhātukṣaya* it becomes difficult to cure without any apparent cause, bladder becomes empty sometimes and full some times.

All varieties of *Prameha*, if neglected, get converted to *Madhumeha* in due course of time. Characteristic features of *Madhumeha* is the excretion of the urine in excess, which resembles like honey and the whole body also becoming sweet.

### उपद्रव (Upadrava)

उपद्रवास्तु खलु प्रमेहिणां तृष्णातीसारज्वरदाहदौर्बल्या-  
रोचकाविपाकाः पूतिमांसपिडकालजी-विद्रध्यादयश्च  
तत्प्रसङ्गाद्भवन्ति ॥ C.S.Ni. 4/48

Complications of *Prameha* are thirst, diarrhoea, fever, burning sensation, weakness, anorexia & indigestion, development of various *Prameha Pidakās*, and putrifaction of muscle tissue leads to *Alaji* and *Vidradhi* during the chronic stage of the disease.

### विशेष उपद्रव (Viśeṣa Upadrava)

माक्षिकोपसंपणमालस्यं मांसोपचयः प्रतिश्यायः

शैथिल्यारोचकाविपाकाः कफप्रसेकच्छर्दिनिद्राकास-श्वासाश्चेति  
श्लेष्मजानामुपद्रवाः, वृषणयोरवदरणं वस्तिभेदो मेढूतोदो हृदि  
शूलमम्लिकाज्वरातीसारारोचका वमथुः परिधूमायनं दाहो मूर्च्छा  
पिपासा निद्रानाशः पाण्डुरोगः पीतविण्मूत्रनेत्रत्वं चेति पैत्तिकानाम् ।  
हृद्ग्रहो लील्यमनिद्रा स्तम्भः कम्पः शूलं बद्धपुरीषत्वं चेति  
वातजानाम् । एवमेते विंशतिः प्रमेहाः सोपद्रवाव्याख्याताः ॥

S.S.Ni. 6/15

*Upadrava* develops in all *Doṣic* types of *Prameha* are as follows:-

**Kaphaja Prameha Upadrava** : Flies swarm towards the body, lassitude, slight development of muscle tissue, nasal catarrh, looseness of body parts, loss of taste, indigestion, excessive salivation, vomiting, excess sleep, cough and breathlessness.

**Pittaja Prameha Upadrava** : Appearance of cracks over scrotum, pain in the bladder, penis and heart, sour belching, fever, diarrhoea, loss of taste, vomiting, patient feels as if smoke is coming out from the mouth, burning sensation, fainting, thirst, loss of sleep, pallor, yellowish discolouration of faeces, urine and eyes.

**Vātaja Prameha Upadrava** : Feeling of stiffness in cardiac region, excess greed for all things, loss of sleep, rigidity, tremors, pain in abdomen and constipation.

### प्रमेह पिडका (Prameha Pidaka)

तत्र वसामेदोभ्यामभिपन्नशरीरस्य त्रिभिर्दोषैश्चानुगतधातोः  
प्रमेहिणो दश पिडका जायन्ते । तद्यथा-शराविका, सर्षपिका,  
कच्छपिका, जालिनी, विनता, पुत्रिणी, मसूरिका, अलजी,  
विदारिका, विद्रधिका चेति ॥ S.S.Ni. 6/16

*Prameha Pidakās* develop in such patients in whom *Vasā* and *Meda* are excessively accumulated in the body and these are invaded by abnormal three *Doṣās* leading to development of ten kinds of *Prameha Pidakās* namely *Śarāvika*, *Sarṣapikā*, *Kacchapikā*, *Jālinī*, *Vinatā*, *Putriṇī*, *Masūrikā*, *Alajī*, *Vidārikā* and *Vidradikā*. *Caraka Samhitā* described seven varieties of *Pidakās* are as follows.

शराविका कच्छपिका जालिनी सर्षपी तथा ।

अलजी विनताख्या च विद्रधी चेति सप्तमी ॥

C.S.Su. 17/83



*Śarāvikā, Kacchapikā, Jālīnī, Sarṣapī, Alajī, Vinatā and Vidradhī.*

### शराविका (Śarāvikā)

अन्तोन्नता मध्यनिम्ना श्यावा क्लेदरुगन्विता ।  
शराविका स्यात् पिडका शरावाकृतिसंस्थिता ॥

C.S.Su. 17/84

शरावमात्रा तदूपा निम्नमध्या शराविका ।

S.S.Ni. 6/17

*Śarāvikā* type of *Prameha Piḍaka* characterised by development of carbuncles which are raised at margins and depressed at the centre; blackish discolouration, associated with moisture and pain and it resemble like that of earthen saucer.

### कच्छपिका (Kacchapikā)

अवगाढार्तिनिस्तोदा महावास्तुपरिग्रहा ।  
श्लक्ष्णा कच्छपपृष्ठाभा पिडका कच्छपी मता ॥

C.S.Su. 17/85

सदाहा कूर्मसंस्थाना ज्ञेया कच्छपिका बुधैः ।

S.S.Ni. 6/16

*Kacchapikā* type of carbuncle is deep seated associated with severe pain, burning sensation extends to broad area, smooth and resembles like the back of tortoise.

### जालिनी (Jālīnī)

स्तब्धा सिराजालवती स्निग्धास्त्रावा महाशया ।  
रुजानिस्तोदबहुला सूक्ष्मच्छिद्रा च जालिनी ॥

C.S.Su. 17/86

जालिनी तीव्रदाहा तु मांसजालसमावृता ॥

S.S.Ni. 6/18

*Jālīnī* variety of *Prameha Piḍaka* is very stiff, surrounded by network of blood vessels, unctuous discharge having deep base associated with various kinds of pain and burning sensations along with subtle opening.

### सर्षपी (Sarṣapī)

पिडका नातिमहती क्षिप्रपाका महारुजा ।  
सर्षपी सर्षपाभाभिः पिडकाभिश्चिता भवेत् ॥

C.S.Su. 17/87

गौरसर्षपसंस्थाना तत्प्रमाणा च सर्षपी ॥

S.S.Ni. 6/15

*Sarṣapī* type of carbuncle is not very big, suppurates quickly associated with severe pain and its size is similar to white mustard seeds.

### अलजी (Alajī)

दहति त्वचमुत्थाने तृणामोहज्वरप्रदा ।  
विसर्पत्यनिशं दुःखादहत्यग्निरिवालजी ॥

C.S.Su. 17/88

रक्ता सिता स्फोटवती दारुणा त्वलजी भवेत् ॥

S.S.Ni. 6/18

It is characterised by burning sensation in skin during its appearance of red or white coloured vesicle associated with thirst, unconsciousness and fever. It spreads constantly and produces difficult situation by inducing terrible burning sensation like fire. Vesicles may burst leading to dreadful condition.

### विनता (Vinatā)

अवगाढरुजाक्लेदा पृष्ठे वाऽप्युदरेऽपि वा ।  
महती विनता नीला पिडका विनता मता ॥

C.S.Su. 17/89

महती पिडका नीला पिडका विनता स्मृता ।

S.S.Vi. 6/19

*Vinatā* variety of *Prameha Piḍakā* is deep seated associated with pain and thick discharge. It manifests either in back or abdomen and it is bigger in size having bluish discolouration and depression at the centre.

### पुत्रिणी (Putriṇī)

महत्यल्पाचिता ज्ञेया पिडका सा तु पुत्रिणी ॥

S.S.Ni. 6/19

It is bigger in size surrounded by many smaller eruptions.

### मसूरिका (Masūrikā)

मसूरसमसंस्थाना ज्ञेया या तु मसूरिका ।

S.S.Ni. 6/20

Appearance of skin eruptions resemble like lentil size and shape



**विदारिका (Vidārikā)**

विदारीकन्दवद् वृत्ता कठिना च विदारिका ।  
S.Su.Ni. 6/21

It resembles like *Vidārīkanda* and is hard.

**विद्रधिका (Vidradhikā)**

विद्रधेर्लक्षणैर्युक्ता ज्ञेया विद्रधिका बुधैः ॥  
S.S.Ni. 6/21

Features are similar like that of *Vidradhi*.

**Note :** If these *Piḍakās* develop in the anus/rectum, heart, head, shoulders, back and vital organs associated with complications and poor digestive capacity should be rejected for treatment. (S.S.Ni. 6/20).

**उपशय/पथ्य (Upasāya/Pathya)**

C.Ci. 6th Chapter, S.S.Ci. 10, 11 & 12th Chapter

**औषध (Auśadha)****Kaphaja Prameha**

*Haritakyādi Kvātha*  
*Haridrādi Kvātha*  
*Cavyādi Kvātha* etc.

**Pittaja Prameha**

*Uśīrādi Kvātha*  
*Nimbādi Kvātha*  
*Mustādi Kvātha* etc.

**Vātaja Prameha**

*Tindukādi Kvātha*  
*Triphalādi Kvātha*  
*Agnimantha Kvātha* etc

**Common medicines-**

|                           |                           |
|---------------------------|---------------------------|
| <i>Madhvāsava</i>         | <i>Dantyaśava</i>         |
| <i>Bhallātakāsava</i>     | <i>Śilājatu Yoga</i>      |
| <i>Mākṣika Dhātu Yoga</i> | <i>Śālasārādi Avaleha</i> |
| <i>Navāyasa Lauha</i>     | <i>Lohāriṣṭa</i>          |

**अन्न (Anna)**

सारोदकं वाऽथ कुशोदकं वा मधूदकं वा त्रिफलारसं वा ।  
सीधुं पिबेद्वा निगदं प्रमेही माध्वीकमग्नं चिरसंस्थितं वा ॥  
मांसानि शूल्यानि मृगद्विजानां खादेद्यवानां विविधांश्च भक्ष्यान् ।  
संशोधनारिष्टकषायलेहैः संतर्पणोत्थञ्च शमयेत् प्रमेहान् ॥

भृष्टान् यवान् भक्षयतः प्रयोगाच्छुष्कांश्च सक्तून् भवन्ति मेहाः ।  
श्वित्रं च कृच्छ्रं कफजं च कुष्ठं तथैव मुद्गामलकप्रयोगात् ॥  
C.S.Ci. 6/46-48

Patients of *Prameha* should drink *Sārodaka*, *Kuśodaka*, *Madhūdaka*, *Triphalārāsa*, *Sīdhu*, *Mādvika*.

Patient should eat roasted meat of animals and birds and various preparations of barley. Patients of *Prameha* caused by over saturation should be alleviated by the administration of elimination therapies, *Ariṣṭās*, decoctions and linctus.

Habitual consumption of parched barley, dry corn flour, *Mudga* and *Āmalaka* do not suffer from *Prameha*, *Śvitra* and *Kṛcchra Kaphaja Kuṣṭha*.

ततः शालिषट्ठिकयवगोधूमकोद्रवोद्दालकाननवान् भुञ्जीत  
चणकाढकीकुलत्थमुद्रविकल्पेन, तिक्तकषायाभ्यां च शाकगणाभ्यां  
निकुम्भेद्भुदीसर्षपातसीतैलसिद्धाभ्यां, बद्धमूत्रैर्वा जाङ्गलैर्मसैर-  
पहतमेदोभिरनम्लैरघृतैश्चेति ॥ S.S.Ci. 11/6

One should consume food prepared from old *Śāli*, *Ṣaṣṭika*, *Yava*, *Godhūma*, *Kodrava* or *Uddālaka* along with soup prepared either by *Caṇaka*, *Ādhaki*, *Kulattha* & *Mudga*, Vegetables of bitter and astringent taste, groups of vegetables and oils of *Nikumbha*, *Ingudi*, *Sarṣapa* and *Atasī*.

During obstruction to maturation patient should eat fat free meat of animals of desert animals without adding sour and ghee.

**विहार (Vihāra)**

प्रवृद्धमेहास्तु व्यायामनियुद्धक्रीडागजतुरगरथपदातिचर्या-  
परिक्रमणान्यस्त्रोपास्त्रे वा सेवेरन् ॥ परिक्रमणं चङ्क्रमणं,  
गतागतामेत्यर्थः, सर्वतो भ्रमणमित्यन्ये । डल्हनः ।

अधनस्त्वबान्धवो वा पादत्राणातपत्रविरहितो भैक्ष्याशी  
ग्रामैकरात्रवासी मुनिरिव संयतात्मा योजन शतमधिकं वा गच्छेत्,  
महाधनो वा श्यामाकनीवारवृत्तिरामलककपित्थतिन्दुकाश्मन्त-  
कफलाहारो मृगैः सह वसेत्, तन्मूत्रशकृद्भक्षः सततमनुव्रजेद्वाः,  
ब्राह्मणो वा शिलोज्ज्वलतिर्भूत्वा ब्रह्मरथमुद्धरेत्, कृषेत् सततमितरः  
खनेद्वा कूपं, कृशं तु सततं रक्षेत् ॥ S.S.Ci. 11/11-12

During advanced stage of the disease patient should indulge in physical exercises, wrestling, sports, riding on elephant, horses or chariot, foot exercises, briskwalk, archery etc. daily.



One who is poor should undertake 100 Yojana journey on foot, without taking money or relatives with him without using foot wear and umbrella. Eat food obtained through begging staying at one village for one day, leading a life of an ascetic and remaining self controlled.

One who is rich should consume food prepared from *Śyāmāka* or *Nivāra* along with intake of fruits like *Āmalaka*, *Kapittha*, *Tinduka*, and *Aśmantaka* and stay in the company of animals, consume their urine and dung and move along with them always. Patients who are *Brāhmaṇa* should adopt the profession of sculptor and carve a *Brahmaratha*. Others should indulge constantly in ploughing fields or digging wells. Emaciated *Prameha* patient should protect his body constantly by adopting appropriate procedures.

अधनो वैद्यसन्देशादेवं कुर्वन्नतन्त्रितः ।  
संवत्सरादन्तराद्वा प्रमेहात् प्रतिमुच्यते ॥  
S.S.Ci. 11/13

Patient who is poor, adhering to the above regimen as per physician's advise without any lassitude gets cured of *Prameha* within one year or within that period.

In *Prameha*, the foodstuffs like *Mantha*, sour, juice, powder and ointments made with meat soups of *Viṣkīra* (ones having habits of eating wasteful products) and *Pratuda* (ones having long beaks) birds as well as of the wild animals is considered to be a good diet. In addition, lentil, *Mudga* and similar light edibles are also recommended for a *Prameha* patient. (B.R. 37/3)

**Diet and Regimens:** For the patient suffering from *Prameha* food ingredients containing *Śyāmāka*, *Kodrava* and *Uddālaka* variety of rice, *Godhūma* (wheat), *Caṇaka*, *Ādhaki* and *Kulattha* pulse beans which are stored for a long time after harvesting are always wholesome. He should take meat of *Jāṅgala* animals (inhabiting arid land), vegetables having bitter taste, barley and honey. He should perform physical exercise. (B.R. 37/4)

Purification of the body through such bitter herbs like *Neem* and *Haridrā* should be applied to the patient. He should also take up exercises and

should remain awake upto late night hours. The herbs which controls *Kapha* and *Pitta* should be applied in massaging his body. Such external as well as internal measures would provide relief to the patient. (B.R. 37/5)

All types of exercises cure *Prameha*. The patient should continuously walk for one hundred *Yojanās* without using shoes and umbrella, and by begging for his food like a saint. Optionally, he should reside in a forest by eating *Nivāra* and *Āmalakī* which will make him free from the disease. (B.R. 37/15-16)

Once the symptoms of *Prameha* disease are clear, one should first have *Laṅgana* (fasting), vomiting, *Virecana* (purgation) therapies. Apart from this, one should also take appetizer meals and herbs. Massaging should also be applied to the patient. The following eatables are helpful in case of *Prameha*: *Nivāra*, *Kangu*, barley, soft bamboos, wild variety of *Kulattha*, *Mukundaka* variety of rice, old wheat grains, *Śālī* variety of rice, *Kalma* variety of rice, *Yūṣa* of pulses of the *Kulattha*, *Mudga* and pigeon pea, *Lājā* of paddy, old liquor, honey, *Vaṭyamanda* (*Maṇḍa* prepared by cooking barley in water measuring four times), buttermilk, urine of an ass, urine of a buffalo, pigeon, rabbit, partridge, *Lava*, peacock, *Bhṛngarāja* bird, deer, duck, parrot, drum sticks (*Śobhāñjana*), *Paṭola*, *Kāravellaka*, *Karkāṭa*, palm fruit, *Vyāghrī* fruit, *Udumbara* fruit, garlic pearls, fresh banana fruits, leaves of *Pattūra*, *Mūṣākarnī* and *Arka*, *Guḍūcī*, *Triphalā* herbs, *Kapittha*, *Jambū*, *Kaśeru*, *Kamala*, *Kamala Kanda*, *Kamala Utpala*, *Kharajūra*, *Trikaṭu* herbs, *Tindika Phala*, *Khadira* and water melon. Riding elephants and horse is also helpful. So are walking excessively, wandering under the sun, exercising and wrestling. (B.R. 37/244-249)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

1 Avoid the etiological factors

सर्व एव च परिहरेयुः सौबीरकतुषोदकशुक्तमैरेयसुरा-  
सवतोयपयस्तैलघृतेक्षुविकारदधिपिष्टान्नाम्लयवागूपानकानि  
ग्राम्यानुपौदकमांसानि चेति ॥ S.S.Ci. 11/15



All varieties of *Prameha* patients should avoid the use of *Sauvīraka*, *Tuṣodaka*, *Śukta*, *Maireya*, *Sūra*, *Āsava*, *Water*, *Milk*, *Oil*, *Ghee*, products of sugarcane juice, curd, food prepared from flour-*Yavāgu*, *Pānaka*, which are sour, and meat of domestic and aquatic animals.

**Prohibitions:** The patient suffering from *Prameha*, should avoid suppression of urine urge, smoking, fomentation and bloodletting therapies, remaining seated by side of the soft cushions, sleeping during the day hours and indulging in intercourse. He should also not take curd in large quantity, fresh cereals, date fruits, incompressible food items, ash gourd, sugar cane juice, contaminated water, salty, oily pastries, laxative stuff and meat of the animals from aquatic regions. (B.R. 37/250-253)

The patients suffering from the carbuncle or *Prameha Pīḍaka* should avoid the following: heavy meals, the meals that block the *Srotas* (the body fluids), bitter and hot eatables, onions and garlic, fishes and liquor. He should also avoid indulgence in excessive intercourse, exposure to fire and sun, hard exercises, remaining awake till late in nights and the like. (B.R. 38/28-29).

### MCQs

- Picchilaguna* predominant *Prameha* is
  - Ikshu*
  - Shukra*
  - Shukla*
  - Alala*
- Shveta-Snigdha* predominant *Prameha* is
  - Ikshu*
  - Shukra*
  - Shukla*
  - Aalala*
- Katurasa* predominant *Prameha* is
  - Neela*
  - Haridra*
  - Amla*
  - Manjishta*
- Amlarasa* predominant *Prameha* is
  - Neela*
  - Haridra*
  - Kaala*
  - Manjishta*
- Ushnaguna* predominant *Prameha* is
  - Neela*
  - Haridra*
  - Kala*
  - Manjishta*
- Vatikaprimehaupadrava*
  - 12
  - 7
  - 10
  - 16
- Visragandha* predominant *Prameha* is
  - Neela*
  - Haridra*
  - Amla*
  - Manjishta*
- Avegi* - Clinical feature of *Prameha* is seen in
  - Shanairmeha*
  - Hastimeha*
  - Madhu-Meha*
  - All *Prameha*
- Mutra-kricchratva* - Clinical feature of *Prameha* is seen in
  - Shanairmeha*
  - Hastimeha*
  - Madhu-Meha*
  - All *Prameha*
- Dushya* in *Hasti-Meha* is
  - Rasa*
  - Rakta*
  - Lasika*
  - All *Kledas*
- Rasa* of *mutra* in *Madhu-Meha* is
  - Madhura*
  - Lavana-Madhura*
  - Kashaya-Madhura*
  - Tikta-Madhura*
- Rasa* of *mutra* in *Prameha-mukta* is
  - Madhura*
  - Madhura-Lavana*
  - Kashaya-Madhura*
  - Tikta-Katu*
- Sukha Sadhya Prameha* will be having
  - Tulyadosha-dushya*
  - Tulyadosha-ritu*
  - Tulyadosha-desha*
  - None
- Kasa* develops as *Upadrava* of
  - Kapha Prameha*
  - Pitta-Prameha*
  - Vata-Prameha*
  - Both a & c
- Avaranajanya Madhu-Meha* is
  - Sukhasadhya*
  - Kricchrasadhya*
  - Yapya*
  - Asadhya*
- Hasta-tala Daha* in *Prameha* is due to
  - Roga-Svabhaava*
  - Dosha-Prabhaava*
  - Vyadhi-Prabhava*
  - Vyadhi-Svabhaava*
- Mutramapicchila*, *anavila*, *vishada*, *tikta*, *katukatka* are the characteristic properties of urine indicates
  - Recovery from *Prameha*
  - Recovery from *Mutraghata*
  - Recovery from *Mutrakricchra*
  - Recovery from *Ashmari*



18. *Mahavasthuparigraha* is the feature if which *Pramehapitaka*

- a. *Vinata*                      b. *Kacchapika*  
c. *Saravika*                    d. *Jalini*

19. *Kshiprapaka maharaja* is the feature of which *Pramehapitaka*

- a. *Sarshapika*                      b. *Masurika*  
c. *Vinatha*                        d. *Alaji*

### Answer

|     |   |     |   |     |   |
|-----|---|-----|---|-----|---|
| 1.  | d | 2.  | b | 3.  | b |
| 4.  | a | 5.  | c | 6.  | b |
| 7.  | d | 8.  | b | 9.  | a |
| 10. | c | 11. | c | 12. | d |
| 13. | a | 14. | d | 15. | b |
| 16. | c | 17. | a | 18. | b |
| 19. | a |     |   |     |   |