

Introduction

Kāsa is one of the diseases of *Prāṇvaha srotas*. The disease *Kāsa* has been named on the basis of its *Pratyātma lakṣaṇā* (cardinal symptom). It may occur as a separate disease or as a symptom in other diseases. *Acārya Caraka* and *Suśruta* explained *Kāsa* after *Hikkā* and *Śvāsa* because of their similarity in *Nidāna* and *Cikitsā*. But *Vāgbhaṭa* explained *Kāsa* along with *Raktapitta* due to the acuteness of its manifestation and also *Raktapitta* (haemoptysis) is a complication of an untreated *Kāsa*. A cough is an action the body takes to get rid of substances that are irritating to the air passages, which carry the air a person breathes in from the nose and mouth to the lungs.

A cough occurs when cells along the air passages get irritated and trigger a chain of events. The result is air in the lungs is forced out under high pressure. A person can choose to cough (a voluntary process), or the body may cough on its own (an involuntary process).

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

कसु शब्द कुत्सायाम् । *Amakoṣa*
कासः कुत्सित शब्दः ॥ *Śabdakalpdruma*
कासः कुत्सित शब्दः ॥ *Vācaspatyam*

The term *Kāsa* is derived from the root '*Kasr*' meaning "hard" which refer to *Kutsāyām* (contempt). Therefore *Kāsa* factually means the air in the *Prāṇvaha srotas* is forced out under high pressure making unpleasant or contempt sound.

कासतेऽनेन कासः । *Vācaspatyam*
कासनं कास इति ॥ *M.Ni. 11/1-2 (Madhu)*
कसनं कासः ॥ *Āḍḍ.Śa.Prā. 7/21*

It is known as *Kāsa* due to occurrence of symptom *Kāsa* (cough)

कसति शिरः कण्ठात् ऊर्ध्वं गच्छति वायुरिति कासः ॥
"कस" गतौ इत्यस्मात्; कसनात् कासः ॥
M.Ni. 11/1-2 (Madhu)

The word *Kāsa* is derived from *dhātu* "Kasa"

which refers to carry the air a person breathes in from the organs of *Prāṇvaha srotas* refers to *Kāsa* (cough). Pathologically, in the disease *Kāsa*, the vitiated *Vāta* forcibly comes out with upward movement through the channels situated in the head and throat by producing a peculiar sound.

पर्याय (Paryāya)

कासस्तु क्षवथुः ॥ *Amar. Manuṣyavarg. 352*

कासः क्षवथुरुच्यते ॥ *Rā.Ni.Rogādivarg. 20/3*

In *Amarakoṣa* and *Rāja nighaṇṭu* *Kṣavathu* is mentioned as the synonym of *Kāsa*.

हेतु (Hetu)

उक्ता ये हेतवो नृणां रोगयोः श्वासहिकयोः ।

कासस्यापि च विज्ञेयास्त एवोत्पत्तिहेतवः ॥

धूमोपघाताद्रजसस्तथैव व्यायामरूक्षान्ननिषेवणाच्च ।

विमार्गगत्वादपि भोजनस्य वेगावरोधात् क्षवथोस्तथैव ॥

S.S.Utt. 52/3-4

Factors which are responsible for the manifestation of *Hikkā* & *Śvāsa* are also responsible for the development of *Kāsa*.

Exposure to smoke & dust; excessive physical exercises; consumption of rough foods; entry of food substances in abnormal path & suppression of sneezing.

कास रोग संप्राप्ति (Samprāpti of Kāsa Roga)

अधःप्रतिहतो वायुरुर्ध्वस्त्रोतःसमाश्रितः ।

उदानभावमापन्नः कण्ठे सक्तस्तथोरसि ॥

आविश्य शिरसः खानि सर्वाणि प्रतिपूरयन् ।

आभञ्जन्नाक्षिपन् देहं हनुमन्ये तथाऽक्षिणी ॥

नेत्रे पृष्ठमुरःपाश्वे निर्भुज्य स्तम्भयन्स्ततः ।

शुष्को वा सकफो वाऽपि कसनात्कास उच्यते ॥

प्रतिघातविशेषेण तस्य वायोः सरंहसः ।

वेदनाशब्दवैशिष्ट्यं कासानामुपजायते ॥

C.S.Ci. 18/6-9

प्राणो ह्युदानानुगतः प्रदुष्टः सम्भिन्नकांस्यस्वनतुल्यघोषः ।

निरेति वक्त्रात्सहसा सदोषः कासः स विद्वद्भिरुदाहृतस्तु ॥

S.S.Utt. 52/5

Due to above etiological factors *Kapha* gets aggravated and brings obstruction for the movement of *Vāta* in the *Uras* leading to aggravation of *Prāṇavāta* and *Udāna Vāta*. As a result *Vāta* moves upwards, afflicts the channels of circulation in the upper part of the body and gets lodged in the throat & chest. This agitated *Vāta* enters & fills up all the channels of *Śīras* to cause bending & stretching of the body, jaws, sides of neck & eyes. Further *Vāta* brings contraction & stiffness of the eyes, back, chest & sides of the chest, gives rise to *Kāsa* which may be dry or with sputum. It is associated with severe pain & loud sound like that of a broken bronze.

Nidāna Sevana (Consumption of Etiological factors)

↓
Aggravation of *Kaphādi doṣās*

↓
Development of *Āma* inside the gastro intestinal tract

↓
Localisation of *Kapha doṣa* (especially *Rasadhātugata Malarupi Kapha*) in the *Prāṇavaha Srotas*

↓
Leading to aggravation of *Vāta doṣa* inside the *Prāṇavaha Srotas* (mainly throat & chest) which moves upwards

↓
The agitated *Vāta* enters & fills up all the channels of *Śīras* to cause bending & stretching of the body, jaws, sides of neck & eye along with it also brings contraction & stiffness of the eyes, back, chest & sides of the chest

↓
Kāsa

↓
Which may be dry or with sputum and it is associated with severe pain & loud sound like that of a broken bronze.

कास रोग संप्राप्ति घटक (Samprāpti Ghaṭaka of Kāsa Roga)

Doṣa : *Vāta Kapha Pradhāna Tridoṣaja*

Vāta → *Prāṇa, Udāna & Apāna Vāta*
Pitta → *Pācaka*
Kapha → *Kledaka & Avalambaka*

Dūṣya : *Dhātu* → *Rasa Dhātu*
Upadhātu → *Śīrā*
Śārīrika Mala
Dhātu Mala → *Kapha*

Agni : *Jatharāgni, Dhātvaṅni, Bhūtāgni*

Agnidoṣṭi : *Mandāgni*
Āma : *Āgnijanya*
Srotas : *Rasavaha Srotas*
Prāṇavaha Srotas, Annavaha Srotas

Srotodoṣṭi : *Saṅga & Vimārgamana*
Udbhavasthāna : *Āmāśayottha; Antahmārga*
(Koṣṭha-Āmāśaya C.Su 11/17)

Sancārasthāna : *Prāṇavaha Sroto Avayava*
Vyaktasthāna : *Mukha, Śīra, Pṛṣṭa, Pārśva*
(Caraka)
Hṛdaya, Śankha, Mūrdha
(Suśruta)

Adhiṣṭhāna : *Uras (Prāṇavahasrotas)*
Svabhāva : *Āśukāri* → *Dhūmopaghātajanya, Bhojanasya Vimārgajanya Cirakāri*
Prabhāva : *Vātaja, Pittaja & Kaphaja* → *Sādhyā*
Kṣataja Kāsa & Kṣayaja
Kāsa → *Yāpya*

कास भेद (Kāsa Bheda)

स वातपित्तप्रभवः कफाच्च क्षततथाऽन्यः क्षयजोपरश्च ।
पञ्चप्रकारः कथितो भिषग्भिर्विद्विषो यक्ष्मविकारकृत् स्यात् ॥
S.S.Utt. 52/6

वातादिजास्त्रयो ये च क्षतजः क्षयजस्तथा ।
पश्यते स्युर्गुणां कासा वर्धमानाः क्षयप्रदाः ॥
C.S.Ci. 18/4

Kāsa is classified into five varieties namely :

- 1) *Vātaja* 2) *Pittaja*
- 3) *Kaphaja*, 4) *Kṣataja*
- 5) *Kṣayaja*.

पूर्वरूप (Pūrvārūpa)

पूर्वरूपं भवेत्तेषां शूकपूर्णगलास्यता ।
कण्ठे कण्डूश्च भोज्यानामवरोधश्च जायते ॥
C.S.Ci. 18/5

भविष्यतस्तस्य तु कण्ठकण्डूर्भोज्योपरोधो गलतालुलेपः ।
स्वशब्दवैषम्यमरोचकोऽग्निसादश्च लिङ्गानि भवन्त्यमूनि ॥
S.S.Utt. 52/7

Premonitory signs & symptoms of Kāsa are as follows : Patient feels that throat and mouth are filled with a feeling of congestion in the throat; itching sensation in the throat; hinderance to swallowing; coating of throat & palate; hoarseness of voice; loss of taste and mildness of digestive fire.

वातज कास (Vātaja Kāsa)**वातज कास निदान (Nidāna of Vātaja Kāsa)**

रुक्षशीतकषयाल्पप्रमितानशनं स्त्रियः ।
वेगधारणमायासो वातकासप्रवर्तकाः ॥
C.S.Ci. 18/10

Vātaja Kāsa manifest due to consumption of the following etiological factors:- Intake of rough, cold & astringent food; consumption of food in less quantity; inadequate intake of food; fasting; excessive sexual intercourse; suppression of natural urges and excessive physical strain.

वातज कास लक्षण (Lakṣaṇa of Vātaja Kāsa)

हृत्पाश्वोरःशिरःशूलस्वरभेदकरो भृशम् ।
शुष्कोरःकण्ठवक्त्रस्य हृष्टलोमः प्रताम्यतः ॥
निर्घोषदैर्न्यस्तननदौर्बल्यक्षोभमोहकृत् ।
शुष्ककासः कफं शुष्कं कृच्छ्रान्मुक्त्वाऽल्पतां व्रजेत् ॥
स्निग्धाम्ललवणोष्णैश्च भुक्तपीतैः प्रशाम्यति ।
ऊर्ध्ववातस्य जीर्णेऽन्ने वेगवान्मारुतो भवेत् ॥
C.S.Ci. 18/11-13

हृच्छङ्खुमूर्धोदरपार्श्वशूली क्षामाननः क्षीणबलस्वरौजाः ।
प्रसक्तमन्तः कफमीरणेन कासेत्तु शुष्कं स्वरभेदयुक्तः ॥
S.S.Utt. 52/8

Excruciating pain in the cardiac region, sides of the chest, abdomen, temples, chest & head; hoarseness of voice; dryness of chest, throat & mouth; horripilation, feeling of darkness, sounds like that of conch or clouds during coughing; anxious expression; debility; irritation & fainting;

dry cough; patient feels difficulty in expectoration of sputum because of less quantity & dryness of sputum; symptoms gets relieved by foods & drinks which are unctous, sour, saline & warm. Symptoms gets aggravated during empty stomach and diminution of strength, voice & Ojas.

पित्तज कास (Pittaja Kāsa)**पित्तज कास निदान (Nidāna of Pittaja Kāsa)**

कटुकोष्णविदाह्यम्लक्षारणामतिसेवनम् ।
पित्तकासहरं क्रोधः संतापश्चाग्निसूर्यजः ॥
C.S.Ci. 18/14

Pittaja Kāsa manifest due to following etiological factors : Excessive consumption of pungent, hot, Vidāhi, sour & alkaline food, anger; exposure to the heat of fire & sun.

पित्तज कास लक्षण (Lakṣaṇa of Pittaja Kāsa)

पीतनिष्ठीनाक्षित्वं तिक्तास्यत्वं स्वराभयः ।
उरोधूमायनं तृष्णा दाहो मोहोऽरुचिर्भ्रमः ॥
प्रतप्तं कासमानश्च ज्योतींषीव च पश्यति ।
श्लेष्माणं पित्तसंसृष्टं निष्ठीवति च पैत्तिके ॥
C.S.Ci. 18/15-16

उरोविदाहज्वरवक्त्रशोषैरभ्यर्दितस्तिक्तमुखस्तृषार्तः ।
पित्तेन पीतानि वमेत्कटूनि कासेत्सपाण्डुः परिदह्यमानः ॥
S.S.Utt. 52/9

Signs & symptoms of Pittaja Kāsa are as follows : Yellowishness of sputum & eyes; bitterness in the mouth; disorders of voice; patient feels as if smoke is coming out of Uras; thirst; burning sensation; fainting; anorexia & giddiness; due to continous cough patient feels appearance of star particles in front of the eyes; patient expectorates sputum mixed with Pitta; fever; dryness of mouth; vomiting of yellow & pungent materials and cough accompanied with burning sensation in the throat.

कफज कास (Kaphaja Kāsa)**कफज कास निदान (Nidāna of Kaphaja Kāsa)**

गुर्वभिष्यन्दिमधुरस्निग्धस्वप्नाविचेष्टनैः ।
वृद्धः श्लेष्माणिलं रुद्ध्वा कफकासं करोति हि ॥
C.S.Ci. 18/17

Kaphaja Kāsa manifest due to following etiological factors: Consumption of heavy; *Abhiṣyandi* (ingredients which cause obstruction to channels); sweet and unctous substances; excessive sleep and sedentary lifestyle. Due to above etiological factors *Kapha* gets aggravated and obstructs the movement of *Vāta* leading to manifestation of *Kaphaja Kāsa*.

कफज कास लक्षण (Lakṣaṇa of Kaphaja Kāsa)

मन्दाग्नित्वारुचिच्छर्दिपीनसोत्त्वलेशगौरवैः ।
लोमहर्षास्यमाधुर्यक्लेदसंसदनैर्युतम् ॥
बहुलं मधुरं स्निग्धं निष्ठीवति घनं कफम् ।
कासमानो ह्यरुग् वक्षः संपूर्णमिव मन्यते ॥

C.S.Ci. 18/18-19

प्रलिप्यमानेन मुखेन सीदन् शिरोरुजार्तः कफपूर्णदेहः ।
अभक्तरुग्गौरवसादयुक्तः कासेत ना सान्द्रकफं कफेन ॥

S.S.Utt. 52/10

Mildness of digestive fire; anorexia; vomiting; chronic rhinitis; nausea; heaviness of the body; horripilation; sweetness & stickiness of mouth; general malaise; chest is full of sputum and expectorates profuse, sweet, unctous & viscid sputum without pain.

क्षतज कास (Kṣataja Kāsa)

क्षतज कास निदान (Nidāna of Kṣataja Kāsa)

अतिव्यवायभाराध्वयुद्धाश्वगजविग्रहैः ।
रुक्षस्योरः क्षतं वायुर्गृहीत्वा कासमावहेत् ॥

C.S.Ci. 18/20

वक्षोऽतिमात्रं विहतं तु यस्य व्यायामभाराध्ययनाभिघातैः ।
विश्लिष्टवक्षाः स नरः सरक्तं धीवत्यभीक्ष्णं क्षतजं तमाहुः ॥

S.S.Utt. 52/11

Kṣataja Kāsa manifest by following etiological factors:- Excessive indulgence in sex; weight lifting; walking long distances; indulgence in fighting; combat with horses & elephants; studying in loud voice and injuries.

Due to above etiological factors chest becomes injured and bring about roughness in the body leading to aggravation of *Vāta* which gives rise to *Kṣataja Kāsa*.

क्षतज कास लक्षण (Lakṣaṇa of Kṣataja Kāsa)

स पूर्वं कासते शुष्कं ततः धीवेत् सशोणितम् ।
कण्ठेन रुजताऽत्यर्थं विरुग्णेनेव चोरसा ॥
सूचीभिरिव तीक्ष्णाभिस्तुद्यमानेन शूलिना ।
दुःखस्पर्शेन शूलेन भेदपीडाभितापिना ॥
पर्वभेदज्वरश्वासतृष्णावैस्वर्यपीडितः ।
पारावत इवाकूजन् कासवेगात्क्षतोद्भवात् ॥

C.S.Ci. 18/21-23

Signs & symptoms of Kṣataja Kāsa are as follows:- Patient suffers from dry cough followed by expectoration of bloody sputum; intense pain in the throat; excruciating, piercing and breaking pain with tenderness in chest; pain in small joints; fever; dyspnoea; thirst; hoarseness of voice; while coughing patient produces cooing sound like that of a pigeon.

क्षयज कास (Kṣayaja Kāsa)

क्षयज कास निदान (Nidāna of Kṣayaja Kāsa)

विषमासात्पथ्यभोज्यातिव्यवायाद्वेगनिग्रहात् ।
घृणिनां शोचतां नृणां व्यापन्नेऽग्नौ त्रयो मलाः ॥
कुपिताः क्षयजं कासं कुर्युर्देहक्षयप्रदम् ।

C.S.Ci. 18/24-25

Kṣayaja Kāsa manifest due to following etiological factors:- Consumption of irregular meals; unwholesome food; excessive indulgence in sex; suppression of natural urges; immensely hateful disposition and excessive worry. Due to above etiological factors *Agni* becomes deranged along with aggravation of all the three *Doṣās* leading to manifestation of *Kṣayaja Kāsa*, which further causes emaciation of the body.

क्षयज कास लक्षण (Lakṣaṇa of Kṣayaja Kāsa)

दुर्गन्धं हरितं रक्तं धीवेत् पूयोपमं कफम् ॥
स्थानादुत्कासमानश्च हृदयं मन्यते च्युतम् ।
अकस्मादुष्णशीतार्तो बह्वाशी दुर्बलः कृशः ॥
स्निग्धाच्छमुखवर्णत्वक् श्रीमद्दर्शनलोचनः ।
पाणिपादतलैः श्लक्ष्णैः सततासूयको घृणी ॥
ज्वरो मिश्राकृतिस्तस्य पार्श्वरुक् पीनसोऽरुचिः ।
भिन्नसंहतवर्चस्त्वं स्वरभेदोऽनिमित्ततः ॥
इत्येष क्षयजः कासः क्षीणानां देहनाशनः ।

C.S.Ci. 18/25-29

Signs & symptoms of Kṣayaja Kāsa are as follows:- Patient expectorates sputum which is foul smelling, green or red in colour and appears like pus; patient feels displacement of heart from its normal place; patient suddenly feels heat and again cold; excess consumption of food but patient feels weak & emaciated; face, complexion and skin becomes clean & unctuous; patient appearance become gracious with his eyes glowing; sole & feet become smooth; envious; disgustful; suffers from fever having mixed characters; pain in sides; chronic rhinitis anorexia; liquid or solid stool and hoarseness of voice without an apparent cause; burning sensation; delusion; decrease of respiration (*Prāṇakṣaya*); depletion of *Māmsa Dhātu* and kills the emaciated patient.

साध्यासाध्यता (Sādhyāsādhyatā)

इत्येष क्षयजः कासः क्षीणानां देहनाशनः ।
साध्यो बलवतां वा स्याद्याप्यस्त्वेवं क्षतोत्थितः ॥
नवौ कदाचित् सिध्येतामेतौ पादगुणान्वितौ ।
स्यविराणां जराकासः सर्वो याप्यः प्रकीर्तितः ॥

C.S.Ci. 18/2 9-30

तं सर्वलिङ्गं भृशदुश्चिकित्स्यं चिकित्सितज्ञाः क्षयजं वदन्ति ।
वृद्धत्वमासाद्य भवेत्तु यो वै याप्यं तमाहुर्भिषजस्तु कासम् ॥

S.S.Utt. 52/13

Kṣayaja Kāsa is curable in strong persons. If all the signs & symptoms present then it becomes difficult for treatment. Advanced stage of *Kṣayaja Kāsa* is incurable.

Kṣayaja Kāsa is palliable if the patient is strong.

If *Kṣayaja Kāsa* & *Kṣayaja Kāsa* are in their initial stage & if all the four limbs of treatment are excellent then these two are curable at times.

All varieties of *Kāsa* are manageable in old age people.

उपशय/पथ्य (Upaśaya/Pathya)

Diet and drinks for *Vātika Kāsa*: *Vāstuka*, *Vāyas*, *Mūlaka*, *Suniṣaṇṇaka*, unctuous substance like oil, milk, sugar cane juice, preparations of *Guḍa*, curd, *Aranāla* and sour fruits, *Prasannā* type of alcoholic drink and others which are either sweet, sour or saline in taste are useful for a patient

having *Vātika* type of *Kāsa*. These items should be used along with soup of the meat of domesticated, marshy and aquatic animals. (B.R. 15/1-3)

Intake of the soup of the meat of animals dwelling in arid land, sweet eatables, *Śyāmaka*, *Yava*, *Kodravā*, soup of *Mudga*, etc. and vegetables having bitter taste in appropriate quantity is useful for a patient suffering from *Paṭtika* type of *Kāsa*. (B.R. 15/8)

The following are helpful measures for the patient of *Kāsa*:- *Svedana* therapy, *Virecana* (purgation) therapy, vomiting, smoke therapy, taking meals on right time and in limited quantity. He should also take the following items in his meals: separate juices of *Śālīdhānya* rice, *Śāṣṭhi* rice, wheat, *Śyāmaka*, *Yava*, *Kodarva*, seeds of *Ātmaguptā*, *Urada*, *Mudga* and *Kulattha*. Flesh of goat, domestic animals, water animals, buffalo from marshy regions and animals living in deserts. Liquor, old *Ghṛtam*, goat's milk and *Ghṛtam*, *Vāstuka*, leaves of *Makoṭha*, brinjal, young radish, *Vyāghrī*, *Kāsaundi*, *Jivanī* (leaves of *Toḍī*), leaves of *Śirīārī*, *Drākṣā*, *Bimbi*, *Jambīra* lemon, *Kamalakanda*, *Aḍuṣā*, smaller cardamom, cow urine, garlic, *Haraḍa*, *Tṛikaṭu* (dried ginger, *Pippala*, *Marica*), lukewarm water, honey, poppy of paddy, sleeping during day time and easily digestible eatables. (B.R. 15/216-220)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

The following measures are harmful to the patient suffering from *Kāsa* : *Basti* therapy, nasal therapy, blood letting through leech or needle, exercising or wrestling, brushing teeth with twigs or powders, sun bathing, breathing bad odour, doing acts where dust gets into mouth and nose, excessive walking and walking in sand, various types of constipative eatables, taking *Vidāhī* and *Rūkṣa* types of meals, rice, holding the flow of vomit, *Kāsa* (coughs), belch and excretion, taking fish, *Kanda*, potato, leaves of mustard plant, *Tumbīphalā*, *Upodikā*, consuming old rice and water, excessive eating, eating heavy and cold rice and drinking water. (B.R. 15/221-224).

Differential Diagnosis of Doṣaja Kāsa

S.No.	Vātaja	Pittaaja	Kaphaja	Kṣataja	Kṣayaja
Etiology	Intake of rough, cold & astringent food; consumption of food in less quantity; inadequate intake of food; fasting; excessive sexual intercourse; suppression of natural urges and excessive physical strain.	Excessive consumption of pungent, hot, <i>Vidahi</i> , sour & alkaline food, anger; exposure to the heat of fire & sun.	Consumption of heavy; <i>Abhiśyandi</i> (ingredients which cause obstruction to channels); sweet and unctuous substances; excessive sleep and sedentary lifestyle.	Excessive indulgence in sex; weight lifting; walking long distances; indulgence in fighting; combat with horses & elephants; studying in loud voice and injuries.	Consumption of irregular meals; unwholesome food; excessive indulgence in sex; suppression of natural urges; immensely hateful disposition and excessive worry.
Sputum & cough	Dry cough; patient feels difficulty in expectoration of sputum because of less quantity & dryness of sputum	Yellowishness of sputum & patient expectorates sputum mixed with <i>Pitta</i>	Chest is full of sputum and expectorates profuse, sweet, unctuous & viscid sputum without pain.	Patient suffers from dry cough followed by expectoration of bloody sputum. While coughing patient produces cooing sound like that of a pigeon.	Patient expectorates sputum which is foul smelling, green or red in colour and appears like pus
Aggravation and reliving factors	Symptoms get relieved by foods & drinks which are unctuous, sour, saline & warm. A symptom gets aggravated during empty stomach and diminution of strength, voice & <i>Ojas</i> .	<i>Pitta</i> aggravating factors	<i>Kapha</i> aggravating factors	Etiological factors mentioned under <i>Kṣataja kāsa</i>	Etiological factors mentioned under <i>Kṣayaja kāsa</i>
Prognosis	Curable	Curable	Curable	<i>Kṣataja Kāsa</i> is palliable if the patient is strong.	<i>Kṣayaja Kāsa</i> is curable in strong persons. If all the signs & symptoms present then it becomes difficult for treatment. Advanced stage of <i>Kṣayaja Kāsa</i> is incurable.
Modern correlation	Allergic bronchitis	Lower respiratory tract infections	Viral bronchitis, flu etc.	Acute bronchitis, traumatic lung injury, autoimmune lung disease	Lung abscess, severe lower respiratory tract infections

MCQs

1. "Durgandham, haritam, raktamsthivet and pooyopamamkapham" are the characteristic feature of
 - a. Shosha
 - b. Kshayaja Kasa
 - c. Urahkshat
 - d. Kshatajakasa
2. According to Charaka Samhita select the types of Kasaroga indicating the severity in ascending order
 - a. Vataja, Pittaja, Shlesmaja, Kshayaja, Kshataja
 - b. Vataja, Pittaja, Shlesmaja, Kshataja, Kshayaja
 - c. Kshayaja, Kshataja, Shlesmaja, Vataja, Pittaja
 - d. Kshayaja, Kshataja, Shlesmaja, Pittaja, Vataja
3. Paravataivakoojana is the feature of
 - a. Kshatajakasa
 - b. Kshayajakasa
 - c. Vatikakasa
 - d. Tamakaswasa
4. स्थविराणां जराकासः indicates
 - a. Asadya
 - b. Krichrasadya
 - c. Yapy
 - d. Anupakrama
5. Bhinnakamsyaswanatulyaghoshah is observed in
 - a. Kshataksheena
 - b. Kasa
 - c. Swasa
 - d. Apatantraka
6. Sreemad darsana lochana is observed in
 - a. Pitta Kasa
 - b. Kshataja Kasa
 - c. Kshayaja Kasa
 - d. Kapha Kasa
7. Prognosis of Kshataja kasa in Balavan
 - a. Asadhya
 - b. Sadhya
 - c. Yapy
 - d. Krichrasadya
8. बहुलं मधुरं स्निग्धं निष्टीवति घनं कफम् । कासमानो ह्यरुग् वक्षः सम्पूर्णमिव मन्यते । are the feature observed in
 - a. Rajayakshma
 - b. Kshataja kasa
 - c. Kshayaja Kasa
 - d. Kaphaja kasa
9. स पूर्वं कासते शुष्कं ततः ष्ठीवेत् सशोणितम् । कण्ठेन रुजताऽत्यर्थं विरुग्णेनेव चोरस् । are the features observed in
 - a. Raktha pitta
 - b. Vatakas
 - c. Kshayaja Kasa
 - d. Kshataja kasa
10. दुर्गन्धं हरितं रक्तं ष्ठीवेत् पूयोपमं कफम् । are features observed in
 - a. Raktha pitta
 - b. Vatakas
 - c. Kshayaja Kasa
 - d. Kshataja kasa
11. Prognosis of Kshayaja kasa in Balavan
 - a. Asadhya
 - b. Sadhya
 - c. Yapy
 - d. Krichrasadya

Answer

1.	b	2.	b	3.	a
4.	c	5.	b	6.	c
7.	c	8.	d	9.	d
10.	c	11.	c		