

Introduction

This is a state of intermittent spasm of diaphragm accompanied by sudden closure of glottis. It may be caused by stimulation of sensory nerve endings. Vitiating of *Udāna* and *Prāṇa Vāyu* produces outlet of *Vāyu* with 'hik-hik' sound from the mouth with a spasm of the abdomen. This indisposition is identified as *Hikkā*. It is of five types viz. *Ānnaja*, *Yamalā*, *Kṣudrā*, *Gambhīrā* and *Mahatī*. (AH. Ni. 4. 18; CS. Ci. 17. 10-13; SS. Ut. 50. 3-4) *Ban. hikkā*, *Guj. hedkī*, *Hin. hicakī*, *Kan. ikkdu*, *Mal. hikkle*, *ikkittam*, *Mar. uchakī*, *Ori. hakuṭi*, *Pan. hickī*, *Tam. vikkal*, *Tel. ikkillū*.

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

हिक्कातेऽनयेति हिक्काः । *Śabdakalpdruma*

That which produces a spasmodic sound in the throat is called *Hikkā*.

हिक्कति कूजत्यनया हिक्काः । *Śabdakalpdruma*

That which produces an indistinct sound is called *Hikkā*.

हिक्कयते हिनस्तोति वा । *Śabdakalpdruma*

It debilitate the individual due to its effect is called *Hikkā*.

हिंगिति कृत्रा कायति शब्दायते इति ॥

M.Ni. 12/3 (Madhu)

तत्र हिंगिति कायति शब्दं करोति हिक्का ॥

C.Ci. 17/27 (Cakrapāṇi)

Hiccups are repeated spasms of the diaphragm paired with a 'hic' sound from the vocal cords closing are called *Hikkā*.

हिक्कास्वरूपं तु घोषवत्त्वेन प्रतिपादितं ॥

Ādd.Śa.Prā. 7/25

The term *Hikkā*/hiccups derives from the sound of the event.

मुहुर्मुहर्वायुरुदेति सस्वनो यकृत्प्लीहान्त्राणि मुखादिवाक्षिपन् ।

स घोषवानाशु हिनस्ति यस्मात् ततस्तु हिक्केत्यभिधीयते बुधैः इति ॥

Ādd.Śa.Prā. 7/25

मुहुर्मुहर्वायुरुदेति सस्वनो यकृत्प्लीहान्त्राणि मुखादिवाक्षिपन् ।
स घोषवानाशु हिनस्त्यसून् यतस्ततस्तु हिक्केति भिषग्भिरुच्यते ॥

S.S.Utt. 50/6

When *Vāyu* repetitively and intensely brings out a specific sound '*Hik*' through the mouth by pulling *Yakṛt* (liver), *Pliha* (spleen) and *Antrāṇi* (intestines), and is fatal in nature is called *Hikkā* by the physicians.

हिक्का रोग निदान (Nidāna of Hikkā Roga)

पृथक् पञ्चविधावेतौ निर्दिष्टौ रोगसंग्रहे ।

तयोः शृणु समुत्थानं लिङ्गं च सभिषग्जितम् ॥

रजसा धूमवाताभ्यां शीतस्थानाम्बुसेवनात् ।

व्यायामादग्राम्यधर्माध्वरुक्षान्नविषमाशनात् ॥

आमप्रदोषादानाहाद्रोक्ष्यादत्यपतर्पणात् ।

दौर्बल्यान्मर्मणो घातादद्वन्द्वच्छुद्ध्यतियोगतः ॥

अतीसारज्वरच्छर्दिप्रतिश्यायक्षतक्षयात् ।

रक्तपित्तादुदावर्ताद्वि सूच्यलसकादपि ॥

पाण्डुरोगाद्विषाच्चैव प्रवर्तते गदाविमौ ।

निष्पावमाषपिण्याकतिलतैलनिषेवणात् ॥

पिष्टशालूकविष्टम्भिभिदाहिगुरुभोजनात् ।

जलजानूपपिशितदध्यामक्षीरसेवनात् ॥

अभिष्यन्द्युपचाराच्च श्लेष्मलानां च सेवनात् ।

कण्ठोरसः प्रतीघाताद्विबन्धैश्च पृथग्विधैः ॥

C.S.Ci. 17/10-16

विदाहिगुरुविष्टम्भिरुक्षाभिष्यन्दिभोजनैः ।

शीतपानासनस्थानरजोधूमानिलानलैः ॥

व्यायामकर्मभाराध्ववेगाघातापतर्पणैः ।

आमदोषाभिघातस्त्रीक्षयदोषप्रपीडनैः ॥

विषमाशनाध्यशनैस्तथा समशनैरपि ।

हिक्का श्वासश्च कासश्च नृणां समुपजायते ॥

S.S.Utt. 50/3-5

The following etiological factors manifest
Śvāsa and *Hikkā Roga* :- Exposure to dust,

smoke, fire and wind; residing in a cold place & use of cold water; physical exertion; sexual intercourse & long walk beyond one's capacity; intake of rough food; irregular meals; manifestation of certain reactions inside the body due to underprocessed *Anna Rasa* (*Āma Pradoṣa*); distension of abdomen; roughness; pasting in excess; debility; injury to vital organs; usage of mutually contradictory substances; excessive administration of biopurificatory therapies.

Regular consumption of *Niṣpāva*, black gram, oilcake, sesame oilconsumption of flour preparations, tubers, constipating & burning substances, heavy food; intake of meat of aquatic & marshy animals & birds; intake of curd & unboiled milk; consumption of channel blocking substances; regular intake of *Kapha* aggravating factors; injury to throat & chest and various other sorts of retention and suppression of natural urges.

These diseases manifest as complications in following diseases: *Atisāra, Jvara, Chardi, Pratiśyāya, Kṣata, Kṣaya, Raktapitta, Udāvarta, Viṣucikā, Alasaka, Pāṇḍu & Viṣa.*

हिक्का रोग सम्प्राप्ति (Samprāpti of Hikkā Roga)

विहाय प्रकृति वायुः प्राणोऽथ कफसंयुतः ।
श्वासयत्यूर्ध्वगो भूत्वा तं श्वासं परिचक्षते ॥
S.S.Utt. 51/4

मारुतः प्राणवाहीनि स्रोतांस्याविश्य कुप्यति ।
उरःस्थः कफमुद्धूय हिक्काश्वासान् करोति सः ॥
घोरान् प्राणोपरोधाय प्राणिनां पञ्च पञ्च च ।
C.S.Ci. 17/17-18

यदा स्रोतांसि संरुध्य मारुतः कफपूर्वकः ।
विष्वग्गतिं संरुद्धस्तदा श्वासान्करोति सः ॥
C.S.Ci. 17/45

Due to consumption of etiological factors *Prāṇavāta* combining with *Kapha* leaves its own path and begins to move in the upward direction, giving rise to more of respirations is known as *Śvāsa Roga* & *Hikkā Roga*, which are of five kinds each & which may lead to the death of the patient.

कफवातात्मकावेतौ पित्तस्थानसमुद्भवौ ।
हृदयस्य रसादीनां धातूनां चोपशोषणौ ॥
तस्मात् साधारणावेतौ मतौ परमदुर्जयौ ।
मिथ्योपचरितौ कुन्दौ हत आशीविषाविव ॥
C.S.Ci. 17/8-9

Both *Hikkā* & *Śvāsa* originates from the seat of *Pitta* and are caused by the simultaneous aggravation of *Kapha* & *Vāta* and dries up the *Hṛdaya* & *Rasādi Dhātus*. Hence both being similar are regarded as very difficult to treat and if treated inappropriately leading to further aggravation of the condition & kill the patient like serpents.

Nidāna Sevana (Consumption of Etiological factors)

↓
Aggravation of *Kaphadi doṣās*

↓
Development of *Āma* inside the gastro intestinal tract and *Śvāsa* originates from the seat of *Pitta*

↓
Localisation of *Kapha doṣa* (especially *Rasadhātugata Malarupi Kapha*) in the *Prāṇavaha Srotas*

↓
Leading to aggravation of *Vāta doṣa* inside the *Prāṇavaha Srotas* leaves its own path and begins to move in the upward direction

↓
Dries up the *Hṛdaya* & *Rasādi Dhātus*.

↓
Hikkā Roga

प्राणोदकान्नवाहीनि स्रोतांसि सकफोऽनिलः ।
हिक्काः करोति संरुध्य तासां लिङ्गं पृथक् शृणु ॥
C.S.Ci. 17/21

Both *Vāta* and *Kapha* gets obstructed in *Prāṇavaha, Udakavaha & Annavaha Srotas* and manifest *Hikkā Roga*.

Nidān Sevana (Consumption of Etiological factors)

↓
Aggravation of *Kaphadi doṣās*

↓

Development of *Āma* inside the gastro intestinal tract and *Śvāsa* originates from the seat of *Pitta*



Localisation of *Kapha doṣa* (especially *Rasadhātugata Malarupi Kapha*) in the *Prāṇavaha Srotas*



Leading to aggravation of *Vāta doṣa* inside the *Prāṇavaha Srotas* leaves its own path and begins to move in the upward direction



Both *Vāta* and *Kapha* gets obstructed in *Prāṇavaha, Udakavaha & Annavaha Srotas*



Hikkā Roga

हिक्का रोग सम्प्राप्ति घटक (Samprāpti Ghaṭaka of Hikkā Roga)

- Doṣa** : *Vāta-Kapha (Prāṇa and Udāna Vāta, Bhodaka & Kledaka Kapha)*
- Dūṣya** : *Dhātu → Rasa Dhātu Upadhātu → Śārīrika mala → Mūtra, Puriṣa Dhātumala → Kapha, Pitta, Tvacā and Sveda*
- Agni** : *Jaṭharāgni, Dhātvāgni*
- Agniduṣṭi** : *Mandāgni*
- Āma** : *Āgnijanya*
- Srotas** : *Prāṇavaha, Udakavaha, Annavaha and Rasavaha*
- Srotoduṣṭi** : *Saṅga & Vimārgamana*
- Udbhavasthāna** : *Āmāśayottha (Pittasthāna)*
- Vyaktasthāna** : *Āsya, Grīvā, Prṣṭa, Pārśva*
- Sancārasthāna** : *Prāṇavaha Sroto Avayava*
- Adhiṣṭhāna** : *Pitta Sthāna*
- Prabhāva** : *Kṣudra Śvāsa → Sādhyā Tamaka Śvāsa → Kṛcchra Sādhyā Mahā, Cinna and Urdvaśvāsa → Asādhyā*
- Svabhāva** : *Āśukāri*
- Rogamārga** : *Madhyama Roga Mārga*
- Roga Bheda** : 5 kinds

पूर्वरूप (Pūrvārūpa)

कण्ठोरसोर्गुत्वं च वदनस्य कपायता ।
हिक्कानां पूर्वरूपाणि कुक्षेराटोप एव च ॥
C.S.Ci. 17/19

मुखं कपायमरतिर्गारवं कण्ठवक्षसोः ।
पूर्वरूपाणि हिक्कानामाटोपो जठरस्य च ॥
S.S.Utt. 50/8

Premonitory signs and symptoms of Hikkā are as follows:- Feeling of heaviness in the throat & chest, astringent taste in the mouth, *Āṭopa* and restlessness.

महाहिक्का (Mahāhikkā)

क्षीणमांसबलप्राणतेजसः सकफोऽनिलः ।
गृहीत्वा सहसा कण्ठमुच्चैर्घोषवतीं भृशम् ॥
करोति सततं हिक्कामेकद्वित्रिगुणां तथा ।
प्राणः स्रोतांसि मर्माणि संरुध्योष्माणमेव च ॥
संज्ञा मुष्णाति गात्राणां स्तम्भं संजनयत्यपि ।
मार्गं चैवान्नपानानां रुणद्ध्युपहतस्मृतेः ॥
साश्रुविप्लुतनेत्रस्य स्तब्धशङ्खच्युतभ्रुवः ।
सक्तजल्पप्रलापस्य निर्वृतिं नाधिगच्छतः ॥
महामूला महावेगा महाशब्दा महाबला ।
महाहिक्केति सा नृणां सद्यः प्राणहरा मता ॥
इति महाहिक्का । C.S.Ci. 17/22-26

मर्माण्यापीडयन्तीव सततं या प्रवर्तत ॥
देहमायम्य वेगेन घोषयत्यतितृष्यतः ।
महाहिक्केति सा ज्ञेया सर्वगात्रप्रकम्पिनी ॥
S.S.Utt. 50/13-14

Vāta in association with *Kapha* suddenly afflicts the throat in those patients who is suffering from depletion of *Māmsa, Bala, Prāṇa & Tejas* causes constant hiccup with excessively high sound, which is characterised by one, two or three bouts at a time with continuity. *Prāṇavāta* seizes the functions of *Srotas, Marmās* and *Agni* of the patient leading to unconsciousness, stiffness of body parts and restricts the proper entry of foods & drinks. Patient also suffers from loss of memory, profuse lacrymation in the eyes, stiffness in temples, drooping of eyebrows, mingled voice, delirium and doesn't find comfort by any means. *Mahāhikkā* having deep root, forceful paroxysms, loud sound and severe and which kills the patient

instantaneously. *Suśruta* mentioned profound thirst and tremors all over the body. It is termed as *Mahāhikkā* because patient produces exceedingly loud sound.

गम्भीर हिक्का (Gambhīra Hikkā)

हिक्कते यः प्रवृद्धस्तु कृशो दीनमना नरः ।
जजरिणोरसा कृच्छं गम्भीरमनुनादयन् ॥
संजृम्भन् संक्षिपंश्चैव तथाऽङ्गानि प्रसारयन् ।
पार्श्वे चोभे समायम्य कूजन् स्तम्भरुगर्दितः ॥
नाभेः पक्वाशयाद्वापि हिक्का चास्योपजायते ।
क्षोभयन्ती भृशं देहं नामयन्तीव ताम्यतः ॥
रुणद्धुच्छ्वासमार्गं तु प्रणष्टबलचेतसः ।
गम्भीरा नाम सा तस्य हिक्का प्राणान्तिकी मता ॥
इति गम्भीरा हिक्का । C.S.Ci. 17/27-30

नाभिप्रवृत्ता या हिक्का घोरा गम्भीरनादिनी ।
शुष्कौष्ठकण्ठजिह्वास्यश्वासपार्श्वरुजाकरी ॥
अनेकोपद्रवयुता गम्भीरा नाम सा स्मृता ॥

S.S.Utt. 50/12-13

It is the advanced stage of *Hikkā* in which patient hiccups frequently & excessively and produces deep, painful and resonant sound with his shattered chest. It is associated with yawning, contraction & expansion of body parts especially limbs, produces indistinct sound while holding his both flanks associated with stiffness & pain, it starts from navel & gastric regions causing excessive jerks, bending of body, feeling of darkness and obstructs the respiratory passage with loss of strength & consciousness. It is known as *Gambhīra Hikkā*, which is fatal. Patient also suffers from dryness of the lips, throat, tongue & mouth, dyspnoea, pain in the flanks & associated with many secondary diseases.

व्यपेता हिक्का (Vyapetā Hikkā)

व्यपेता जायते हिक्का याऽन्नपाने चतुर्विधे ।
आहारपरिणामान्ते भूयश्च लभते बलम् ॥
प्रलापवम्यतीसारतृष्णातस्य विचेतसः ।
जृम्भिणो विप्लुताक्षस्य शुष्कास्यस्य विनामिनः ॥
पर्याध्मातस्य हिक्का या जत्रुमूलादसन्तता ।
सा व्यपेतेति विज्ञेया हिक्का प्राणोपरोधिनी ॥
इति व्यपेता हिक्का । C.S.Ci. 17/31-33

Disease *Vyapetā Hikkā* ensues during the course of the intake of four types of foods & drinks and gets aggravated after the digestion of food. It is characterised by delirium, vomiting, diarrhoea, morbid thirst, mental confusion, yawning, congestion of eyes, dryness of mouth, bending of the body, severe tympanitis. The *Hikkā* originating off & on from the root of the neck is known as *Vyapetā Hikkā* and it is obstructing the vital breath.

क्षुद्र हिक्का (Kṣudra Hikkā)

क्षुद्रवातो यदा कोष्ठाद्व्यायामपरिघट्टितः ।
कण्ठे प्रपद्यते हिक्कां तदा क्षुद्रां करोति सः ॥
अतिदुःखा न सा चोरःशिरोमर्मप्रवाधिनी ।
न चोच्छ्वासान्नपानानां मार्गमावृत्य तिष्ठति ॥
वृद्धिमायस्यतो याति भुक्तमात्रे च मार्दवम् ।
यतः प्रवर्तते पूर्वं तत एव निवर्तते ॥
हृदयं क्लोम कण्ठं च तालुकं च समाश्रिता ।
मृद्वी सा क्षुद्रहिक्केति नृणां साध्या प्रकीर्तिता ॥

C.S.Ci. 17/34-37

विकृष्टकालैर्या वेगैर्मन्दैः समभिवर्तते ।
क्षुद्रिका नाम सा हिक्का जत्रुमूलात् प्रधाविता ॥

S.S.Utt. 50/11-12

During the course of physical exertion *Vāta* is slightly aggravated moves from belly to throat causes the *Kṣudra Hikkā*. It doesn't cause trouble to the patient, neither it afflicts the vital parts of chest nor it obstruct the passage of respiration & food. It gets aggravated after physical exercises and subsides after meal in the same way as it starts. It is located in the heart, *Kloma*, throat & palate. It is of mild in nature & which is curable is known as *Kṣudra Hikkā*. It appears at any time, with mild bouts & arises from the root of the neck.

अन्नज हिक्का (Annaja Hikkā)

सहसाऽत्यभ्यवहृतैः पानान्नैः पीडितोऽनिलः ।
ऊर्ध्वं प्रपद्यते कोष्ठान्मद्यैर्वाऽतिमदप्रदैः ॥
तथाऽतिरोषभाष्याध्वहास्यभारातिवर्तनैः ।
वायुः कोष्ठगतो धावन् पानभोज्यप्रपीडितः ॥
उरःस्रोतः समाविश्य कुर्याद्विकां ततोऽन्नजाम् ।
तथा शनैरसंबन्धं क्षुवंश्चापि स हिक्कते ॥
न मर्मबाधाजननी नेन्द्रियाणां प्रवाधिनी ।

हिक्का पीते तथा भुक्ते शमं याति च साऽन्नजा ॥
इत्यन्नजा हिक्का । C.S.Ci. 17/38-41

त्वरमाणस्य चाहारं भुञ्जानस्याथवा घनम् ।
वायुरत्रैरवस्तीर्णः कटुकैरदितो भृशम् ।
हिक्वयत्यूर्ध्वगो भूत्वा तां विद्यादन्नजां भिषक् ॥
S.S.Utt. 50/9

Vāta gets aggravated due to sudden intake of drinks & food, in large quantity, eating solid & pungent foods, consumption of intoxicating alcohol products, excessive anger, speech, long walk, laughing for longer period of time and carrying heavy weight and moves upwards from belly and enters the channels of the chest & produces *Annaja Hikkā*. It is characterised by slow hiccups and with interruptions even while he sneezes. It does not afflict the parts and sensory organs. It gets subsided by the intake of foods & drinks. It is known as *Annaja Hikkā*.

यमिका हिक्का (Yamikā Hikkā) Or यमला हिक्का (Yamalā Hikkā)

अतिसंचितदोषस्य भक्तच्छेदकृशस्य च ।
व्याधिभिः क्षीणदेहस्य वृद्धस्यातिव्यवायिनः ॥
आसां या सा समुत्पन्ना हिक्का हन्त्याशु जीवितम् ।
यमिका च प्रलापार्तितृष्णामोहसमन्विता ॥
अक्षीणश्चाप्यदीनश्च स्थिरधात्वन्द्रियश्च यः ।
तस्य साधयितुं शक्या यमिका हन्त्यतोऽन्यथा ॥
C.S.Ci. 17/42-44

चिरेण यमलैर्वैगैर्या हिक्का सम्प्रवर्तते ।
कम्पयन्ती शिरोग्रीवं यमलां तां विनिर्दिशेत् ॥
S.S.Utt. 50/10-11

Yamikā Hikkā arises in those individuals who is having great accumulation of *Doṣās*, weakness due to discontinuation of food, emaciated due to diseases, old age, excessive indulgence of sex and which can kill the patient quickly. It is characterised by *Hikkā* which comes in pairs after long periods of time, causing shaking of head & neck, delirium, distress, thirst, unconsciousness. It is curable if the patient is not emaciated, anxious & possesses firm *Dhātus* & sense organs, otherwise it is fatal.

साध्यासाध्या (Sādhyāsādhyatā)

Mahāhikkā, *Gambhīra Hikkā* & *Vyapetā Hikkā* are incurable.

Kṣudra Hikkā & *Annaja Hikkā* are curable.

आयम्यते हिक्कतोऽङ्गानि यस्य दृष्टिशोर्ध्वं ताम्यते यस्य गाढम् ।
क्षीणोऽन्नद्विद् कासते यश्च हिक्की ती द्वावन्त्यौ वर्जयेद्विक्कमानौ ॥
S.S.Utt. 50/15

One who expands his body during bouts of *Hikkā*, who has his gaze fixed upwards, becomes unconscious deeply, one who is emaciated, dislikes food & coughing frequently should be rejected for treatment. *Gambhīra* & *Mahāhikkā* should be refused for treatment.

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Harmful activities and items in cases of *Hikkā* roga includes : Suppression of the natural urges, nasal therapies, the *Vasti* therapy, chewing wood sticks with the teeth, hard labour, excessive walking, lifting heavy items, facing dust, moving out in sun, consuming meals heavy to digest, having intercourse, taking hot items of meal, taking meat of the animals from the marshy region, taking deep fried nuggets and the like dishes, taking items that produce *Kapha*, taking the *Urada* beans, blood-letting, facing the easternly wind, drinking water immediately after eating meals, taking the milk and *Ghṛta* of sheep, drinking impure water, eating fishes, vegetable leaves of *Kanda* and the like tubers, leaves of mustard, etc. (B.R. 16/137-139)

Pathya and Apathya-Hikkā Roga

उपशय/पथ्य (Upaśaya/Pathya)

Useful items and activities in cases of *Hikkā*. Sweating, vomiting, smoking herbal preparations, sleeping, oily eatables, salt in limited quantity, pulse of *Kulattha*, old wheat, old red variety of *Śālī* rice, old barley, garlic bulbs, *Paṭola* (small cucumber-snake gourd), radish, basil seeds, honey, cow-urine, breathing exercises, smelling the steam coming by the dropping water on burning soil, are very useful in cases of hiccough. (B.R. 16/122-128)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Avoidable items and activities in cases of *Hikkā*.

Suppression natural urges, facing dust, wind, hot sun, hard exercises, incommptiable meals, constipative, hot, sour and cough-generating eatables, *Nisṭpāva*, paste-made eatables, *Urada* beans, cakes of sesame, flesh of birds from marshy regions, milk of sheep, fish, leaves of mustard, citrus items, potato chips deep fried in oil, leaves of *Kanda* and like tubers, mint and cold drinks etc. are harmful for the patients suffering from hiccough. Similarly, the *Basti* therapy and use of tooth-twigs are to be avoided by the patient. (B.R. 16/129-131)

MCQs

1. आहारपरिणामान्तेभूयश्चलभतेबलम is clinical feature of
 - a. व्यपेताहिक्का (Vyapeta Hikka)
 - b. अन्नजाहिक्का (Annaja Hikka)
 - c. गम्भीराहिक्का (Gambhira Hikka)
 - d. क्षुद्राहिक्का (Kshudra Hikka)
2. Hikka having *Jatrumoola* as *udbhavasthana*
 - a. Maha Hikka
 - b. Kshudra Hikka
 - c. Gambhira Hikka
 - d. Annaja Hikka
3. *Marmanyutpidayanti* is the feature observed in
 - a. Gambhira Hikka
 - b. Annaja Hikka
 - c. Maha Hikka
 - d. Kshudra Hikka
4. *Vadanasyakashayata* is the *purvaroop* of
 - a. Swasa
 - b. Kasa
 - c. Ajeerna
 - d. Hikka

5. Types of *Hikka* according to *Ashtanga Hridaya* include all except
 - a. *Bhaktodbhava*
 - b. *Vyapetha*
 - c. *Yamala*
 - d. *Gambhir Hikka*
6. आमामदोषाभिघातस्त्रीशयदोषप्रपीडनैः । विषमाशनाध्यनशनैस्तथा समशनैरपि are the etiological factors responsible for
 - a. *Hikka swasha kasa*
 - b. *Swarabheda*
 - c. *Urahkshata*
 - d. *Rajayakshma*
7. *Ghoran Pranoparodhaya praninam pancha pancha* mentioned in context to
 - a. *Urahkshata*
 - b. *Hikka & Swasha*
 - c. *Rajayakshma*
 - d. *Kasa*
8. *Sarvagatraprakampini* is the feature of
 - a. *Gambhira Hikka*
 - b. *Annaja Hikka*
 - c. *Maha Hikka*
 - d. *Kshudra Hikka*
9. *Nabhipravritta ya Hikka* mentioned in context to
 - a. *Maha Hikka*
 - b. *Kshudra Hikka*
 - c. *Gambhira Hikka*
 - d. *Annaja Hikka*
10. *Kampayanti shirogrivam* mentioned in context to
 - a. *Gambhira Hikka*
 - b. *Yamika Hikka*
 - c. *Maha Hikka*
 - d. *Kshudra Hikka*
11. *Aharaparinamante bhuyascha labhate balam* mentioned in context to
 - a. *Annaja Hikka*
 - b. *Yamika Hikka*
 - c. *Maha Hikka*
 - d. *Vyapeta Hikka*

Answer

1.	a	2.	b	3.	c
4.	d	5.	b	6.	a
7.	b	8.	c	9.	c
10.	b	11.	d		