

CHAPTER

43



Sandhigata Vata and Asthimajjagata Vata

Learning Objectives

- ⇒ To have the understanding of Sandhigata Vata and Asthimajjagata Vata
- ⇒ To frame the probable Samprapti Ghataka of the diseases based on the progression of the symptoms
- ⇒ To frame the Sadhyasadhata of the disease based on the available descriptions

Sandhigata Vata




Figure 186: Depiction of Asthivaha Srotas

Introduction: *Sandhigata Vata* is a spectrum of the diseases where we can observe the vitiation of *Vata* and affliction of *Sandhi* (various joints produced by bones). The name indicates the pathological diagnosis where in vitiated *Vata Dosha* afflicts the *Sandhi* region.




Figure 187: Normal and abnormal states of Sandhi or joint

The type of the *Sandhi* afflicted will be depending upon the nature of exposure of the aetiological factor, duration of the exposure to *Nidana* and physical strength of the patient.

For example, if an individual is having the habit of walking for more than 10 kms every day, this may lead to the initiation of wear and tear of the knee joint leading to the inflammatory changes in the knee joint which further leads to the effusion of the knee joint which appears as a swelling of the knee joint.




Figure 188: Osteomyelitis

वातपूर्ण हतिस्पर्शः शोथः सन्धिगतेऽनिले।

प्रसारणाकुञ्चनयोः प्रवृत्तिश्च सवेदना॥३७॥

Ca.Ci. – 28/37

- There will be vitiation of Vata Dosha and it takes shelter in the *Sandhi*¹ (see Figure 186) region.
- Swelling of the joint can be observed.
- Restricted movement of the joint can be seen
- Association of severe pain during movement can be observed.

हन्ति सन्धिगतः सन्धीन् शूलाटोपौ करोति च॥ Ma.Ni. – 22/21

हन्ति सन्धिगतः सन्धीन् शूलशोफ करोति च॥ Su.Ni. – 1/28

*Sandhigata Vata*² (see Figure 187) as per *Madhava Nidana* and *Sushruta Samhita*, the following features are observed.

- Shula* in *Sandhi* region (pricking type of pain in the joints)
- Atopa* (distension of the joint or joint effusion), though the literal meaning is distension of the abdomen, in this context, joint effusion should be considered.
- Shopha* (swelling of the joint afflicted)

Samprapti Ghataka of Sandhigata Vata

- Dosha** : Vata Pradhana; Kapha Anubandha may be seen
- Dushya** : Asthi, Rasa
- Srotas** : Asthivaha, Rasavaha Srotas
- Srotodushti Prakara**: Sanga and Vimargagamana
- Agni** : Jatharagnimandya
- Ama** : Jatharagnimandyaajanya
- Udbhava Sthana** : Pakvashaya
- Sanchara Sthana** : Sarvasharira
- Vyakta Sthana** : Sandhi (affected Sandhi)
- Vyadyavastha** : Chirakari
- Sadhyasadhya** : Krichrasadhya to Asadhya (depending upon the age of the individual, duration of the illness, number of joints afflicted, nature of exposure of aetiological factor, number of Srotas involved in the disease process, presence of other comorbid conditions, physical strength of the individual)
- Rogamarga** : Madhyama, Bahya, Abhyantara (order of the involvement of Rogamarga in the individual)

G
K

- When an individual is doing exercise related to hand such as having the profession of cooking and he is doing more work than normal, then there will be increased blood circulation occurs to the upper limb. If the person is having more activities related to the lower limb, he will have more blood circulation to the lower limb.
- If the person is having the habit of excess movement of the knee joint, or having the habit of continuous squatting position, then more blood circulation to the knee joint occurs. The affliction of the joint happens because of the impact of the aetiological factor, duration of the exposure of the trauma to the joint etc. This may occur because of
 - Excess movement of the joint leads to increased blood circulation
 - Due to the increased friction between the joint surfaces and wear and tear of the joint surface and menisci happens
 - Because of the wear and tear, inflammation of the joint surfaces resulting in oozing of the fluid in the joint cavity occurs leading to the effusion of the joint.

Asthimajjagata Vata

Introduction: *Asthimajjagata Vata* (see Figure 188) is a spectrum of diseases where vitiated *Vata* is being seen in *Asthi* and *Majja* of the body. The name indicates the pathological diagnosis where in vitiated *Vata Dosha* afflicts the *Asthi* and *Majja* region. The type of the *Asthi* and *Majja* afflicted will be depending upon the nature of exposure of the aetiological factor, duration of the exposure to *Nidana* and physical strength of the patient.

For example, if an individual is performing more physical exercises of the lower limb more than one's own capacity, this will lead to the affliction of the *Asthi* and *Majja* of the lower limb. The person may have clinical presentation of affliction of *Asthi* and *Majja* of lower limb. Clinical features of osteomyelitis may mimic the features of *Asthimajjagata Vata*.

भेदोऽस्थिपर्षणां सन्धिशूलं मांसबलक्षयः।

अखण्डः संतता रुक् च मज्जास्थिकुपिते ऽनिले॥३३॥

Ca.Ci. – 28/33

- ⊗ If the vitiated *Vata* takes shelter in *Asthi* and *Majja*, it is being called as *Asthimajjagata Vata*.
- ⊗ Tearing type of pain in the bones
- ⊗ Tearing type of pain in the joints³
- ⊗ Pricking type of pain in the joints⁴
- ⊗ Depletion of muscle tissue from the body i.e. atrophy of the muscles is seen⁵

- ⊗ Person is presented with reduced strength⁶
- ⊗ Loss of sleep⁷
- ⊗ Continuous pain⁸

Samprapti Ghataka of the Asthimajjagata Vata

- ⊗ **Dosha :** *Vata Pradhana*, *Pitta* or *Kapha* may/ may not be associated
- ⊗ **Dushya :** *Asthi*, *Rasa*
- ⊗ **Srotas :** *Asthivaha*, *Rasavaha Srotas*
- ⊗ **Srotodushti Prakara:** *Sanga* and *Vimargagamana*
- ⊗ **Agni :** *Jatharagnimandya*
- ⊗ **Ama :** *Jatharagnimandya*
- ⊗ **Udbhava Sthana :** *Pakvashaya*
- ⊗ **Sanchara Sthana :** *Sarvasharira*
- ⊗ **Vyakta Sthana :** *Sandhi* (affected *Sandhi*)
- ⊗ **Vyadhyavastha :** *Chirakari*
- ⊗ **Sadhyasadhya :** *Krichrasadhya* to *Asadhya* (depending upon the age of the individual, duration of the illness, number of joints afflicted, nature of exposure of aetiological factor, number of *Srotas* involved in the disease process, presence of other comorbid conditions, physical strength of the individual)
- ⊗ **Rogamarga :** *Madhyama*, *Bahya*, *Abhyantara* (order of the involvement of *Rogamarga* in the individual)

Key summary of the chapter

- ⊗ **Sandhigata Vata** is a spectrum of the diseases where we can observe the vitiation of *Vata* and affliction of *Sandhi* (various joints produced by bones). The name indicates the pathological diagnosis where in vitiated *Vata Dosha* afflicts the *Sandhi* region.
- ⊗ **वातपूर्ण हृत्स्पर्शः शोथः सन्धिगतेऽनिले। प्रसारणाकुञ्चनयोः प्रवृत्तिश्च सवेदना॥३७॥** Ca.Ci. – 28/37 This is a abnormal *Vata* dominant disease where affliction of *Sandhi* is seen, characterised by swelling of the joint, severe pain in the joints associated with severe pain in the joint during the movement.
- ⊗ **Asthimajjagata Vata** is a spectrum of diseases where vitiated *Vata* is being seen in *Asthi* and *Majja* of the body. The name indicates the pathological diagnosis where in vitiated *Vata Dosha* afflicts the *Asthi* and *Majja* region. The type of the *Asthi* and *Majja* afflicted will be depending upon the nature of exposure of the aetiological factor, duration of the exposure to *Nidana* and physical strength of the patient.
- ⊗ **भेदोऽस्थिपर्षणां सन्धिशूलं मांसबलक्षयः। अखण्डः संतता रुक् च मज्जास्थिकुपिते ऽनिले॥३३॥** Ca.Ci. – 28/33; in this spectrum of diseases, the person will have abnormal vitiation of *Vata Dosha* observed in the *Asthi* and *Majja* Dhatu. This is associated with tearing type of pain in bones or/and joints, pricking type of pain bones or/and joints, depletion of muscle tissue (atrophy of muscles), reduced strength, loss of sleep and continuous dull aching type of pain.

- 3 The term *Bhedana* type of discomfort implies tearing type of pain is present in the bones and joints. When the site of discomfort is present with accumulation of pus in the site of the lesion.
- 4 The term *Shula* (pricking type of pain) indicates the dominance of *Vata Dosha* in the body. This indicates the inflammatory response in the affected part of the body.
- 5 When an individual is having degenerative disease of the bone and bone marrow, this will lead to limitation of movement of the affected bones. As the condition progresses, the person will have limited muscular activity, which leads to disuse atrophy of the affected part of the body. Thus, the person will have muscle atrophy.
- 6 When the bone, bone marrow is afflicted, there is a possibility of reduced formation of formed elements of blood – RBCs, WBCs and platelets. This will lead to poor nutrition to the interstitial and intracellular compartments, thus the person may have poor physical strength.
- 7 As the person is suffering from inflammation and infection of bone, and the person may develop continuous aching type of pain in case of affliction of bone, the person may develop of sleeplessness.
- 8 One of the cardinal feature of affliction of bone is continuous aching type of pain which worsens on movement of bone.

Self-Assessment: Questions for Reviews

Long essay questions

- ❖ Explain Nidana, Samprapti, Lakshana, Sadhyasadyata of Sandhigata Vata
- ❖ Describe Sandhigata Vata in detail

Short essay questions

- ❖ Describe the Lakshana of Sandhigata Vata
- ❖ Write Samprapti Ghataka of Sandhigata Vata
- ❖ Explain Asthimajagata Vata

MCQs

1. Crepitus is observed in the patients of

- a. Bronchial asthma;
- b. Bronchogenic carcinoma;
- c. Osteoarthritis;
- d. Congestive cardiac failure

Answer: (c)

2. Crepitus assessment isfinding.

- a. Inspection;
- b. Palpation;
- c. Percussion;
- d. Auscultation

Answer: (b)

3. In case of Sandhigata Vata, the fullness of the joint is like fullness with

- a. Rakta;
- b. Vata;
- c. Medas;
- d. Majja

Answer: (b)

4. Udbhava Sthana of Sandhigata Vata is

- a. Amashaya;
- b. Pakvashaya;
- c. Both Amashaya and Pakvashaya;

d. Sandhi

Answer: (b)

5. Pradhana Dosha involved in Sandhigata Vata is

- a. Vata;
- b. Pitta;
- c. Kapha;
- d. All three Dosha involved

Answer: (a)

Chapter resources

- ❖ Charaka Samhita, Chikitsa Sthana 28th chapter: Vatavyadhi Chikitsa Adhyaya
- ❖ Sushruta Samhita, Nidana Sthana 1st chapter: Vatavyadhi Nidana Adhyaya
- ❖ Madhava Nidana, 22nd chapter: Vatavyadhi Nidana Adhyaya
- ❖ Golwalla's medicine for students by Aspi F Golwalla and Sharukh A Golwalla, edited by Milind Y Nadkar, 25th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, 2017
- ❖ The Merck Manual of Diagnosis and Therapy by Robert S Porter and Justin L Kaplan, 19th edition, Merck Sharp & Dohme Corp, New Jersey, 2011
- ❖ Chamberlain's symptoms and signs in clinical medicine by Colin Ogilvie and Christopher C Evans, 12th edition, Butterworth-Heinemann Publishers, 1997
- ❖ Best & Taylor's physiological basis of medical practice by O P Tandon and Y Tripathi, 13th edition, Wolters Kluwer Health (India) Pvt. Ltd, Gurgaon, 2012
- ❖ Textbook of Medical physiology by Arthur C Guyton and John E Hall, 11th edition, Saunders Elsevier publications, Philadelphia, 2006www.visiblebody.com
- ❖ www. api. parashospitals. com
- ❖ Case courtesy of David Gendy, Radiopaedia.org, rID: 93905 for image of osteomyelitis
