

Synonyms : शोफ (Śopha), शोथ (Śoṭha)

Introduction

Sotha is the diseases of *Udakavaha srotas* & it may occur as a disease or as a symptom in other diseases. *Acarya Caraka* explained *Śoṭha* chapter after *Kṣataksīṇa* because of their resemblance in causative factor i.e. *Marmopaghāta* (injury to vital parts). *Vāgbhaṭa* described *Śoṭha* along with *Pāṇḍuroga*, because *Śoṭha* is the principal complication of *Pāṇḍuroga*. *Śopha*, *Śoṭhaka* and *Śvayathu* are the synonyms of *Śoṭha*.

Petting on pressure, oedema, heaviness in the body, horripilation, discolouration of the skin are the main signs and symptoms of *Śopha*. Its common varieties are as follows: *Vāṭaja Śopha* (*Hṛdjanya Śopha*). - This type of oedema is produced by the diminished pumping power of the heart. The oedema first appears on the feet, and increases during the day and tends to subside in the night. On pressing, the related portion of skin gets depressed, however, immediately after releasing the pressure, it regains its position. *Pittaja Śopha* (*Yakṛtjanya Śopha*) - The oedema due to the derangement of *Yakṛt* (liver) is identified as *Pittaja Śopha*. It first appears on the abdomen and subsequently it spreads up gradually. *Kaphaja Śopha* (*Vṛkkajanya Śopha*) - Oedema produced by the impaired function of kidneys has been identified as *Kaphaja Śopha*. It first appears in the pits of the eyes and subsequently spread to the other parts of the body.

निरुक्ति एवं परिभाषा (Nirūkti and Paribhāṣā)

शोथः शब्दतीति । शु गतौ + बाहुलकात् । *Śabdakalpdruma*

शोफः शु गतौः बाहुलकात् । *Śabdakalpdruma*

श्वयथु श्वयतीति । श्वि गतिवृद्धोः । *Śabdakalpdruma*

The word *Śoṭha* and *Śopha* are derived from the root 'Śu' which indicates "Gatau" which means to go and the word *Śvayathu* is derived from the

root *Śvi* which denotes *Gativṛddhoḥ* which means to swell.

उत्सेधलिङ्गं श्वयथुं करोति । *Ci. 12/8 (Cakrapāṇi)*

Swelling or protuberance in any part of the body is called *Śvayathu*.

सर्वमुत्सेधं शोथमाहुर्नित्यर्थः ॥ *M.Ni. 36/1-2 (Madhu)*

Elevation or protuberance in any part of the body or whole body is known as *Sotha*.

उत्सेधं संहतं शोफं तमाहुर्निचयादतः ॥
A.H.Ni. 13/21

उत्सेधं संहतं शोथं तमाहुर्निचयादतः ॥
M.Ni. 36/2

That which is associated with Swelling or protuberance in any part of the body is called *Śoṭha* or *Śopha*.

रोग भेद (Roga bheda)

Classification of *Śvayathu* according to *Caraka* (*C.S.Ci. 12/4*)

Three types based on Doṣic predominance

वातज श्वयथु (*Vāṭaja Śvayathu*)

पित्तज श्वयथु (*Pittaja Śvayathu*)

कफज श्वयथु (*Kaphaja Śvayathu*)

It is also classified into

A. Exogenous

B. Endogenous

It is also classified into

A. एकाङ्गज (*Ekāṅgaja*)

B. सर्वज (*Sarvaja*)

आगन्तुहेतुः त्रिविधो निजश्च सर्वार्धगात्रावयवाश्रितत्वात् ॥
C.S.Ci. 12/7

Both exogenous and endogenous types of *Śvayathu* is classified into three types according to their location i.e. 1. *Śvayathu* pervading the whole body, 2. *Śvayathu* pervading the half of the body and 3. *Śvayathu* pervading to only one limb or organ.

सर्वसरस्तु पञ्चविधः, तद्यथा—वातपित्तश्लेष्मस-
त्रिपातविषनिमित्तः ॥ S.S.Ci. 23/3

Sarvasara Śopha is classified into five varieties namely *Vātaja*, *Pittaja*, *Śleṣmaja*, *Sannipātaja* and *Viṣaja*.

निज श्वयथु हेतु एवं संप्राप्ति (Nija Śvayathu Hetu
evam Samprāpti)

तत्रापतर्पितस्याध्वगमनादतिमात्रमभ्यवहरतो वा पिष्टान्न-
हरितकशाकलवणानि क्षीणस्य वाऽतिमात्रमम्लमुपसेवमानस्य
मृत्पक्वलोष्टकटशर्करानूपौदकमांससेवनादजीर्णिनो वा ग्राम्यधर्म-
सेवनाद्विरुद्धाहारसेवनाद् वा हस्त्यश्वोष्ट्ररथपदातिसङ्क्षोभणादयो
सितस्य दोषा धातून् प्रदूष्य श्वयथुमापादयन्त्यखिले शरीरे ॥

S.S.Ci. 23/4

One who is malnourished, who resort to long distance walk or consume foods in large quantities or consume food prepared from flour of grains, leafy vegetables and salty foods; or the person who is emaciated consuming food which is very sour, baked on mud plates or stones, foods with more of *Kaṭaśarkara* (lime stone vis-a-vis slaked lime), meat of animals of marshy lands, or one who is suffering from indigestion, or sexual intercourse (excessive or improper), intake of incompatible foods or excessive fatigue by riding on elephant, horse, camel, chariots, cavalry etc.

Due to above etiological factors *doṣās* gets aggravated and brings abnormality in *dhātus* leading to development of *Śvayathu* all over the body.

शुद्धामयाभक्तकृशाबलानां क्षाराम्लतीक्ष्णोष्णगुरूपसेवा ।
दध्याममृच्छाकविरोधिदुष्टगरोपसृष्टान्ननिवेषणं च ॥
अर्शास्यचेष्टा न च देहशुद्धिर्मोपघातो विषमा प्रसूतिः ।
मिथ्योपचारः प्रतिकर्मणां च निजस्य हेतुः श्वयथोः प्रदिष्टः ॥
C.S.Ci. 12/5-6

Consumption of *Kṣāra*, *Āmla*, *Tikṣṇa*, *Uṣṇa* and *Guru* by a person who has become emaciated and debilitated due to evacuation, diseases and undernutrition; excessive use of curd, uncooked food, mud, pot herbs, antagonistic, defective and poisoned food, suffering from piles, lack of exercise, not undergoing biopurificatory therapies in appropriate time, injury to vital organs, difficult labour and faulty management of biopurificatory therapies.

आगन्तुज श्वयथु हेतु (Āgantuja Śvayathu Hetu)

बाह्यास्त्वचो दूषयिताऽभिघातः काष्ठाश्मशस्त्राग्निविषा-
यसाद्यैः आगन्तु हेतुः । C.S.Ci. 12/7

Affliction of the external skin by the wooden piece, stone, sharp instruments, fire, poison and iron made articles etc. gives rise to *Āgantuja Śvayathu*.


श्वयथु निदान संप्राप्ति (Samprāpti of Śvayathu
Nidāna)

बाह्याः सिराः प्राप्य यदा कफासूकपित्तानि संदूषयतीह
वायुः । तैर्बन्धुमार्गः स तदा विसर्पन्तुसेधलिङ्गं श्वयथुं करोति ॥
उरःस्थितैरूर्ध्वमधस्तु वायोः स्थानस्थितैर्मध्यगततैस्तु मय्ये ।
सर्वाङ्गः सर्वगतैः क्वचित्स्थैर्दोषैः क्वचित्
स्याच्छ्वयथुस्तदाख्यः ॥ C.S.Ci. 12/8-9

Due to above etiological factors *Vāta* reaches the external channels and affects *Kapha*, *Rakta* and *Pitta*. As a result of these factors, the passage gets obstructed which spreads to the nearby areas leading to development of oedema characterised by protuberance.

Doṣās seated in the chest cause swelling in upper part of the body, if these afflictions take place in the *pakvāśaya*, which is the location of *Vāta*, then swelling occurs in the lower parts of the body, if these afflictions take place in the middle of the body, then swelling occurs in the middle part of the body, when generalised they cause swelling all over the body and when located in any particular organ they cause localised swelling there itself and it is known by the respective organs.

Nidān Sevana (Consumption of Etiological factors)



Pathogenesis of Śvayathu (Oedema)-Upper body parts

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Vāta*
 ↓
 Reaches the channels of chest
 ↓
 Affects *Kapha*, *Rakta* and *Pitta*.
 ↓
 obstruction in the *Srotas*
 ↓
 which spreads to the upper part of the body
 ↓
 Leading to development of *Śvayathu* (Oedema) in the upper body parts

Pathogenesis of Śvayathu (Oedema)-Lower body parts

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Vāta*
 ↓
 Reaches the channels of *Pakvāśaya*,
 ↓
 Affects *Kapha*, *Rakta* and *Pitta*.
 ↓
 obstruction in the *Srotas*
 ↓
 which spreads to the lower part of the body
 ↓
 Leading to development of *Śvayathu* (Oedema) in the lower body parts

Pathogenesis of Śvayathu (Oedema)-Middle body parts

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Vāta*
 ↓
 Reaches the channels of middle of the body
 ↓

Affects *Kapha*, *Rakta* and *Pitta*.

↓
 obstruction in the *Srotas*
 ↓
 which spreads to the middle part of the body
 ↓
 Leading to development of *Śvayathu* (Oedema) in the middle body parts

Pathogenesis of Śvayathu (Oedema)-Whole body parts/Generalised swelling

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Vāta*
 ↓
 Reaches the channels of whole body
 ↓
 Affects *Kapha*, *Rakta* and *Pitta*.
 ↓
 Obstruction in the *Srotas*
 ↓
 which spreads to all the body parts
 ↓
 Leading to development of *Śvayathu* (Oedema) in the whole body parts (generalised swelling)

श्वयथु निदान संप्राप्ति घटक (Samprāpti Ghaṭaka of Śvayathu Nidāna)

Doṣa : *Tridoṣaja*

सर्वस्त्रिदोषोऽधिकदोषलिङ्गैस्तच्छब्दमभ्येति भिषग्जितं च ॥
C.S.Ci. 12/10

Vāta → *Vyāna*

Pitta → *Pācaka*

Kapha → *Kledaka*

Dūṣya

: *Dhātu* → *Rasa*, *Rakta*

Upadhātu → *Śirā*, *Tvacā*

Śāririkamala →

Dhātumala →

Agni

: *Jaṭharāgni*, *Dhātvaṅni*,
Bhūtāgni

Agniduṣṭi

: *Mandāgni*

Āma	: Agnijanya
Srotas	: Raktavaha, Rasavaha, Udakavaha
Srotoduṣṭi	: Saṅga
Udbhavasthāna	: Koṣṭha
Vyaktasthāna	: Tvacā, Māmsa
Sancārasthāna	: Bāhya Sirāḥ
Svabhāva	: Cirakāri & Āśukāri
Prabhāva	: Ekadoṣaja, newly manifested and in strong person → curable otherwise incurable.
Rogamārga	: Bāhya & Abhyantara
Rogabheda	: 5 types, 2 types, 3 types.

पूर्वरूप (Pūrvarupa)

ऊष्मा तथा स्याद्वयथुः सिराणामायाम इत्येव च पूर्वरूपम् ।
C.S.Ci. 12/10

Premonitory signs & symptoms of Śvayathu are as follows

Increase body temperature, burning sensation in the skin, eyes etc. and appearance of venous network.

सामान्य लक्षण (Sāmānya Lakṣaṇa)

सगौरवं स्यादनवस्थितत्वं सोत्सेधमूष्माऽथ सिरातनुत्वम् ।
सलोमहर्षाऽङ्गविवर्णता च सामान्यलिङ्गं श्वयथोः प्रदिष्टम् ॥
C.S.Ci. 12/11

General signs & symptoms of Śvayathu are as follows : Heaviness, instability, swelling, increased body temperature, thinning of vessels, horripitation and discolouration of body parts.

विशेष लक्षण (Viśeṣa Lakṣaṇa)

वातज श्वयथु (Vātaja Śvayathu)

चलस्तनुत्वक्यरुषोऽरुणोऽसितः प्रसुप्तिहर्षार्तियुतोऽनिमित्ततः । प्रशाम्यति प्रोन्नमति प्रपीडितो दिवाबली च श्वयथुः समीरणात् ॥ C.S.Ci. 12/12

तत्र वातश्वयथुररुणः कृष्णो वा मृदुरनवस्थितास्तोदादयश्चात्र वेदनाविशेषाः । S.S.Ci. 23/5

Vātaja Śvayathu is diagnosed based on its unstable nature; skin becomes thin, rough and reddish or blackish discolouration; soft to touch, associated with numbness, horripilation and pain like pricking etc; subsides without any apparent

cause; when pressed, the swelling disappears but it reappears after the pressure is withdrawn and it is aggravated during day time.

पित्तज श्वयथु (Pittaja Śvayathu)

मृदुः सगन्धोऽसितपीतरागवान् भ्रमन्वरस्येदतृपामदान्वितः ।
य उष्यतेऽस्पर्शसहोऽक्षिरागकृत् स पित्तशोथो भृशदाहपाकवान् ॥
C.S.Ci. 12/13

पित्तश्वयथुः पीतः सरक्तो वा मृदुः शीघ्रानुसार्युपादयश्चात्र वेदनाविशेषाः । S.S.Ci. 23/5

Pittaja Śvayathu is diagnosed based on its softness, odourness, black, yellow or red, spreads quickly associated with giddiness, fever, sweating, thirst, narcosis; has burning sensation, tenderness, redness of eyes, inflammation and suppuration.

कफज श्वयथु (Kaphaja Śvayathu)

गुरुः स्थिरः पाण्डुरोचकान्वितः प्रसेकनिद्रावमिवह्निमान्द्रुकृतः ।
स कृच्छ्रजन्मप्रशमो निपीडितो न चोन्नमेद्रात्रिबली कफात्मकः ॥
C.S.Ci. 12/14

श्लेष्मश्वयथुः पाण्डुः शुक्लो वा स्निग्धः कठिनः शीतो मन्दानुसारी, कण्ड्वादयश्चात्र वेदनाविशेषाः । S.S.Ci. 23/5

Kaphaja Śvayathu is diagnosed based on its heaviness, stableness, paleness, ass, yellowish white or whitish colour, unctous, hard, cold to touch, spreads slowly, itching associated with anorexia, excessive salivation, excessive sleep, vomiting and poor digestion; this type of Śvayathu takes long time to appear and its cure also takes a long time; when pressed and if the pressure is released, the pit doesn't get filled up and it is aggravated during night.

सन्निपातज श्वयथु (Sannipātaja Śvayathu)

सन्निपातश्वयथुः सर्ववर्णवेदनः । S.S.Ci. 23/5

Sannipātaja Śvayathu is diagnosed based on the observation of signs & symptoms of all the three Doṣās together.

विषज श्वयथु (Viṣaja Śvayathu)

विषनिमित्तस्तु गरोपयोगाद् दुष्टतोयसेवनात् प्रकुथितोदकावगाहनात् । सविषसत्त्वदिग्धचूर्णेनावचूर्णनाद्वा सविषसमूत्रपुरीषशुक्रस्पृष्टानां वा तृणकाष्ठादीनां संस्पर्शनात्, स तु मृदुः क्षिप्रोत्थानोऽवलम्बी चलोऽचलो वा दाहपाकरागप्रायश्च भवति ।
S.S.Ci. 23/5

Etiology

If manifest due to ingestion of *Gara Viṣa* (artificial/homicidal poison), drinking polluted water, bathing or immersing in contaminated water, smearing the ash of poisonous animals, coming in contact with urine, stool, semen of poisonous animals and poisonous grass or plants.

Signs & symptoms

It is soft to touch, develops quickly, is drooping downward, either movable or immovable, has burning sensation and ulceration generally.

द्विदोषज एवं त्रिदोषज श्वयथु (Dvidoṣaja evaṁ Tridoṣaja Śvayathu)

नदानाकृतिसंसर्गाच्छ्वयथुः स्याद्विदोषजः ।

सर्वाकृतिः सन्निपाताच्छोथो व्यामिश्रलक्षणः ॥

C.S.Su. 18/10

Presence of symptoms of two *Doṣās* and of all the three *Doṣas* together are to be noticed in *Dvidoṣaja* and *Sannipātaja Śothās* respectively.

अभिघातज शोथ (Abhigātaja Śōtha)

अभिघातेन शस्त्रादिच्छेदभेदक्षतादिभिः ।

हिमानिलोदध्यनिलैर्भल्लातकपिकच्छुजैः ॥

रसैः शूकैश्च संस्पर्शाच्छ्वयथुः स्याद्विसर्पवान् ।

भृशोष्मा लोहिताभासः प्रायशः पित्तलक्षणः ॥

M.Ni. 36/11-12

Assault by weapons causing cutting, breaking or tearing of the parts, assault by frost, breeze, cyclone; contact with fumes or oil of *bhallātaka* (marking nut) and fine thorns of the pod of *kapikacchu* (*mucuna pruriens*), irritating juices of herbs, etc., bring about an oedema which spreads quickly, associated with severe burning sensation, redness and other symptoms of *Pittavṛddhi*.

अवयवस्थित शोथ लक्षण (Avayavasthita Śōtha Lakṣaṇa)

दोषाःश्वयथुमूर्ध्वं हि कुर्वन्त्यामाशयस्थिताः ॥

पक्वाशयस्था मध्ये तु वर्चः स्थानगतास्तत्त्वधः ।

कृत्स्नदेहमनुप्राप्ताः कुर्युः सर्वसरं तथा ॥

S.S. Ci. 12/6-7

Doṣas residing in the stomach produce oedema in the upper part of the body, residing in the large

intestine they produce oedema in the trunk, residing in the rectum they produce oedema in the lower parts and if they are circulating all over the body they produce oedema every where.

साध्यासाध्यता (Sadhyāsādhyatā)

कृशस्य रोगैरबलस्य यो भवेदुपद्रवैर्वा वमिपूर्वकैर्युतः । स हन्ति मर्मानुगतोऽथ राजिमान् परिस्त्रवेन्द्रीनबलस्य सर्वगः ॥ अहीनमांसस्य य एकदोषजो नवो बलस्थस्य सुखः स साधने ।

C.S.Ci. 12/15-16

The patient of Śvayathu succumbs to death because of the following : Development of *Śvayathu* in emaciated persons and who has become weak because of afflictions by diseases, observation of complications like vomiting etc.; if *Śvayathu* manifest in vital parts, having streaks generalised with discharge in weak person.

Śvayathu is curable in those individuals whose muscle tissue is not reduced, is caused by single *Doṣa*, newly manifested and in strong persons.

श्वयथुर्मध्यदेशे यः स कष्टः सर्वगश्च यः ।

अर्धाङ्गैर्गृष्टभूतश्च यश्चोर्ध्वं परिसर्पति ॥

श्वासः पिपासा दौर्बल्यं ज्वरश्छर्दिरोचकः ।

हिवक्तातीसारकासाश्च शूनं सङ्क्षेपयन्ति हि ॥

S.S.Ci. 23/7-9

Presence of swelling in half of the body associated with fatal signs, that which spreads upwards, that accompanied with symptoms such as dyspnoea, severe thirst, debility, fever, anorexia, hiccup, diarrhoea and cough.

उपशय/पथ्य (Upaśaya/Pathya)

The following measures and products are considered to be beneficial if taken in regulated quantity for treating a patient of *Śōtha*: *Samśodhana* (biopurificatory therapeutics), *Laṅgana* (fasting), blood letting, *Svedana* therapy, *Pariṣecana*, old *Śāli* rice, *Kulattha*, *Mudga*, meat of *Godha*, *Śallaka*, peacock, partridge, cock, *Lāva*, wild animals, tortoise and fish, old *Ghṛtam*, buttermilk, liquor, honey, *Āsava*, beans of *Niṣpāva*, *Kāravellaka*, red *Śobhāñjana*, mango, *Karkoṭa*, *Mānamūlam*, *Suvarcalā*, carrot, *Paṭola*, *Vetrāgra*, radish, *Punarnavā*, *Citraka*, *Pāribhadra*, *Śrīparṇa*, leaves of *Neem* and *Kokilākṣa*, oil of

Eraṇḍa, *Kaṭukī*, *Haraḍa*, *Kṣāra* products, *Bhallātaka*, *Guggulu*, *Lauha Bhasma*, *Kaṭu* and bitter juices, pro-digestive foods, urine of cow, goat and buffalo, *Kastūrī*, *Śilājātu* and all those *Pathya* (measures and eatables) which have been recommended in treatment of *Pāṇḍu* and cauterization. (B.R. 42/198-203)

Cook old paddy and *Śālī* rice with decoction of *Daśamūla* and obtain their *Yūṣa* and *Yūṣa* containing *Yava* and rice grains. Consuming these preparations and taking products containing *Kaṭu* juice with little quantity of *Ghṛtam* is also considered to be helpful for the patient of *Śotha*. (B.R. 42/204)

अनुपशय/अपथ्य (*Anupaśaya/Apathya*)

शोफिनः सर्व एव परिहरेयुरम्ललवणदधिगुडवसापय-
स्तैलघृतपिष्टमयगुरुणि ॥ S.S.Ci. 23/10

Patients of all varieties of *Śvayathu* should avoid

ingestion of foods which are sour or salty, curd, jaggery, fat, milk, oil and ghee, that containing more of corn flour and which are hard for digestion.

The following measures and products should be avoided by a patient of *Śotha*: continuous intake of contaminated air and water, obstructing the flow of body excretions, drinking incompatible liquids, incompatible foods, eating soil, meat of animals that live in villages or in marshy areas, salt, dried leaves, fresh rice, products of raw sugar (*Guḍa*), paste-based dishes, curd, *Kṛśara*, liquors without water, citrus products, fried paddy, dry meat, taking edibles that are heavy to digest, unfavorable and steaming food items, sleeping during day time and indulging in intercourse. (B.R. 42/205-206)

Products made up of pastes (of *Māṣa* and wheat), warm foods, salty, liquor, soil, day sleeping, meat of marshy animals and birds, water, jaggery, oil and sweet products are prohibited for the *Śotha* patient. (B.R. 42/207).

Differentiate between *Nija Śvayathu* & *Āgantuja Śvayathu*

S.No.	<i>Nija Śvayathu</i>	<i>Āgantuja Śvayathu</i>
Etiology	Consumption of <i>Kṣāra</i> , <i>Āmla</i> , <i>Tikṣṇa</i> , <i>Uṣṇa</i> and <i>Gurū</i> by a person who has become emaciated and debilitated due to evacuation, diseases and under nutrition; excessive use of curd, uncooked food, mud, pot herbs, antagonistic, defective and poisoned food, suffering from piles, lack of exercise, not undergoing bio-purificatory therapies in appropriate time, injury to vital organs, difficult labour and faulty management of bio-purificatory therapies	Affliction of the external skin by the wooden piece, stone, sharp instruments, fire, poison and iron made articles etc. gives rise to <i>Āgantuja Śvayathu</i> .

Differentiate *Doṣaja Śvayathu*/Śotha

S.No.	<i>Vātaja Śvayathu</i>	<i>Pittaja Śvayathu</i>	<i>Kaphaja Śvayathu</i>	<i>Sannipātaja Śvayathu</i>
Clinical presentation	Skin becomes thin, rough and reddish or blackish discoloration; soft to touch, associated with numbness, horripilation and pain like pricking etc; subsides without any apparent cause; when pressed, the	Softness, odourness, black, yellow or red, spreads quickly associated with giddiness, fever, sweating, thirst, narcosis; has burning sensation, tenderness, redness of eyes, inflam-	Heaviness, stableness, paleness, ass, yellowish white or whitish colour, unctous, hard, cold to touch, spreads slowly, itching associated with anorexia, excessive salivation, excessive sleep, vomiting and poor digestion; this type	<i>Sannipātaja Śvayathu</i> is diagnosed based on the observation of signs & symptoms of all the three <i>Doṣās</i> together

	swelling disappears but it reappears after the pressure is withdrawn	mation and suppuration.	of <i>Svayathu</i> takes long time to appear and its cure also takes a long time; when pressed and if the pressure is released, the pit doesn't get filled up	
Aggra- vation	It is aggravated during day time.		It is aggravated during night	

MCQs

1. *Kshiprothanasama* is the feature of
 - a. *Vataja Shotha*
 - b. *Paithika Shotha*
 - c. *Kaphaja Shotha*
 - d. *Abhighataja Shotha*
2. *Avalambhiseekhrodaharujakarais*
 - a. *Abhighataja Shotha*
 - b. *Agni visarpa*
 - c. *Vishaja Shotha*
 - d. *Kardamavisarpa*
3. The type of *Shotha* aggravates in night
 - a. *Vataja Shotha*
 - b. *Paithika Shotha*
 - c. *Kaphaja Shotha*
 - d. *Vishaja Shotha*
4. *Rathravalpe diva mahan* is the feature of which *sopha*
 - a. *Vataja Shotha*
 - b. *Paithika Shotha*
 - c. *Kaphaja Shotha*
 - d. *Vishaja Shotha*
5. *Bhallathaka, kapikachu* are considered as the *nidana* of which type of *Sopha*
 - a. *Paithika Shotha*
 - b. *Kaphaja Shotha*
 - c. *Vishaja Shotha*
 - d. *Abhighataja*

6. *Sthana* of *Sopha*

- a. *Twak Rakta*
 - b. *Twak Rakta Mamsa*
 - c. *Twak Mamsa*
 - d. *Twak Mamsa Medas*
7. What is the number of types of *Sopha* as per *Susruta*
 - a. 9
 - b. 6
 - c. 3
 - d. 2
 8. दधुःसिरायामोऽङ्गौरवम् is the *Purvarupa* of
 - a. *Sopha*
 - b. *Rakta pitta*
 - c. *Daha*
 - d. *Pandu*
 9. मृदुश्चलोऽवलम्बीचशीघ्रोदाहरुजाकरः is the feature of
 - a. *Paithika Shotha*
 - b. *Kaphaja Shotha*
 - c. *Vishaja Shotha*
 - d. *Abhighataja*
 10. भृशोष्मालोहिताभासः प्रायशः पित्तलक्षणः is the feature of
 - a. *Vishaja Shotha*
 - b. *Agni visarpa*
 - c. *Kardamavisarpa*
 - d. *Abhighataja Shotha*

Answer

1. a	2. c	3. c
4. a	5. d	6. c
7. b	8. a	9. c
10. d		