

Phiranga and Upadamsha

Prof. Parameswarappa S. Byadgi and Dr. Anurag Pandey

फिरङ्ग (Phirāṅga)

Introduction

A kind of Sexually transmitted disorder. *Upadamśa* (syphilis) not treated properly may become generalized through lymphatics affecting skin, mucosa and nearly all the tissues of the body and this indisposition is identified as *Phirāṅga*. The term has derived from the English word foreign.

Definition

फिरङ्गसंज्ञके देशे बाहुल्येनैव यद्भवेत् ।
तस्मात् फिरङ्ग इत्युक्तो व्याधिव्याधिविशारदैः ॥
BPM. 59/1

It is predominant in the country named *Phirāṅga* (Portugal) hence it is termed as *Phirāṅga* by the physicians.

फिरङ्ग निदान (Phirāṅga Nidāna)

गन्धरोगः फिरङ्गोऽयं जायते देहिनां ध्रुवम् ।
फिरङ्गिणोऽङ्गसंसर्गात्फिरङ्गिण्याः प्रसङ्गतः ॥
BPM 59/2

Phirāṅga is also known as *Gandha roga*, manifest by the touch of persons of *Phirāṅga Deśa* and having sexual contact with Portuguese women.

फिरङ्ग संप्राप्ति (Phirāṅga Samprāpti)

व्याधिरागन्तुजो ह्येष दोषाणामत्र सङ्क्रमः ।
भवेत्तं लक्षयेत्तेषां लक्षणैर्भिषजां वरः ॥
BPM 59/3

Vitiations of *Doṣās* develop later because it is a exogenous disease & has to be diagnosed by the physician from symptoms which appear.

फिरङ्ग लक्षण (Phirāṅga Lakṣaṇa)

फिरङ्गस्त्रिविधो ज्ञेयो बाह्य आभ्यन्तरस्तथा ।
बहिरन्तर्भवश्चापि तेषां लिङ्गानि च ब्रूवे ॥
तत्र बाह्यः फिरङ्गः स्याद्विस्फोटसदृशोऽल्परुक् ।
स्फुटितो व्रणवद्वेद्यः सुखसाध्योऽपि स स्मृतः ॥
सन्धिष्व्वाभ्यन्तरः स स्यादामवात इव व्यथाम् ।

शोथञ्च जनयेदेष कष्टसाध्यो बुधैः स्मृतः ॥

BPM 59/4-6

Phirāṅga is classified into three varieties i.e (i) *Bāhya* (ii) *Abhyantara* & (iii) *Bahirantarbhava*.

बाह्य फिरङ्ग (Bāhya Phirāṅga)

External *Phirāṅga* has vesicle associated with mild pain. When it bursts gives rise to an ulcer and can be cured easily.

अभ्यन्तर फिरङ्ग (Abhyantara Phirāṅga)

It manifest in the joints & produces pain similar to *Āmavāta* & it is very difficult to cure.

फिरङ्ग उपद्रव (Phirāṅga Upadrava)

कार्श्यं बलक्षयो नासाभङ्गो वह्नेश्च मन्दता ।
अस्थिशोषोऽस्थिवक्रत्वं फिरङ्गोऽपद्रवा अमी ॥
BPM 59/7

Complications of *Phirāṅga* are emaciation, loss of strength, mutilation of the nose, depletion of digestive power, dryness & deformities of the bones.

साध्यासाध्यता (Sādhyasādhyatā)

बहिर्भवो भवेत्साध्यो नवीनो निरुपद्रवः ।
आभ्यन्तरस्तु कष्टेन साध्यः स्यादयमामयः ॥
बहिरन्तर्भवो जीर्णः क्षीणस्योपद्रवैर्युतः ।
व्याप्तो व्याधिरसाध्योऽयमित्याहुर्मुनयः पुरा ॥
BPM 59/8-9

Phirāṅga which is external, newly manifested without complications is easily curable. *Phirāṅga* which is internal curable with difficulty. *Phirāṅga* which is both internal & external, chronic, emaciated persons & spreaded to other body parts is incurable.

उपदंश (Upadamśa)

Introduction

Veneral Diseases. Factors which lead to venereal diseases (*Upadamśa*) includes the

following: injury to the penis by the hand, nails and teeth; keeping it dirty without washing, indulging in excessive sexual intercourse, contact with contaminated or diseased vagina and such other bad habits and it is of five types.

उपदंश निदान (Upadamśa Nidāna)

हस्ताभिघातान्नखदन्तघातादधावनादत्युपसेवनाद्वा ।
योनिप्रदोषाच्च भवन्ति शिशने पञ्चोपदंशा विविधापचारैः ॥

BPM. 51/1

Trauma to the penis either by the hand nails & teeth; not cleaning the penis properly; indulging in excessive sexual intercourse; contact with diseased vagina and many other abnormal activities gives rise to five varieties of Upadamśa.

तत्रातिमैथुनादतिब्रह्मचर्याद्वा तथाऽतिब्रह्मचारिणीं चिरोत्सृष्टां रजस्वलां दीर्घरोमां कर्कशरोमां सङ्कीर्णरोमां निगूढरोमामल्पद्वारां महाद्वारामप्रियामकामाम् चौक्ष्यसलिलप्रक्षालित योनिमप्रक्षालितयोनिं यो निरोगोपसृष्टां स्वभावतो वा दुष्टयोनिं वियोनिं वा नारीमत्यर्थमुपसेवमानस्य तथा करजदशनविषशूकनिपातनाद्वन्धनाद्धस्ताभिघाताच्चतुष्यदीगमनादचौक्ष्यसलिलप्रक्षालनादवपीडनाच्छुक्रमूत्रवेगविधारणान्मैथुनान्ते वाऽप्रक्षालनादिभिर्मैदृमागम्य प्रकुपिता दोषाः क्षतेऽक्षते वा श्रयथुमुपजनयन्ति, तमुपदंशमित्याचक्षते ॥ S.S.Ni. 12/7

Etiological factors are as follows : Person who is indulging in too much sexual intercourse or too much celibacy, copulating with the woman who is most celibate, who has avoided sexual intercourse for longer period, who is in her menstrual period, whose pubic hairs are long, rough, matted together or hidden; whose vaginal orifice is small or big; who is not liked; not sensual; who has washed the vagina with contaminated water or not washed at all; who is suffering from diseases of vagina; he who uses other places (mouth, rectum, armpits etc.), injury by nails, teeth, application of paste of poisonous insects & by wrapping it, squeezing by hands, sexual intercourse with quadrupeds (cow, goat, sheep, donkey, horse, dog etc.), washing the penis with dirty water, vigorous kneading, controlling ejaculation, not washing the penis soon after sexual intercourse, & such other abnormal activities aggravates the Doṣās in the penis and causes swelling either with a wound or without is known as Upadamśa.

उपदंश भेद (Upadamśa Bheda)

Upadamśa is classified into 5 varieties namely :

- (i) Vātaja Upadamśa
- (ii) Pittaja Upadamśa
- (iii) Raktaja Upadamśa
- (iv) Kaphaja Upadamśa
- (v) Tridoṣaja Upadamśa.

उपदंश लक्षण (Upadamśa Lakṣaṇa)

सतोदभेदस्फुरणैः सकृणैः स्फोटव्यवस्येत्पवनोपदंशम् ।
पीतैर्बहुक्लेदयुतः सदाहैः पित्तेन रक्तैः पिशितावमासैः ॥
स्फोटैः सकृणै रुधिरं स्रवन्तं रक्तात्मकं पित्तसमानलिङ्गम् ।
सकण्डुरैः शोथयुतैर्महद्भिः शुक्लैर्धनैः स्रावयुतैः कफेन ।
नानाविधस्रावरुजोपपन्नमसाध्यमाहुस्त्रिमलोपदंशम् ॥

BPM. 51/2-3

वातज उपदंश (Vātaja Upadamśa)

तत्र वातिके पारुष्यं त्वक्परिपुटनं स्तब्धमेदृता परुषशोफता विविधाश्च वातवेदनाः । S.S.Ni. 12/12

It is characterised by papules in the penis, which is black associated with pricking or pulsating pain, penis has no movements, coarse to touch, & has different kinds of pain of vāta origin.

पित्तज उपदंश (Pittaja Upadamśa)

पैतिके ज्वरः श्रयथुः पक्वोदुम्बरसङ्काशस्तीव्रदाहः क्षिप्रपाकः पित्तवेदनाश्च । S.S.Ni. 12/12

It is characterised by papules in the penis, which is yellow associated with more exudation & burning sensation, fever, swelling resembles a ripe fruit of Udumbara, suppurates quickly, & has different kinds of pain of Pitta origin.

कफज उपदंश (Kaphaja Upadamśa)

श्लेष्मिके श्रयथुः कण्डूमान् कठिनः स्निग्धः श्लेष्मवेदनाश्च । S.S.Ni. 12/9

It is characterised by papules in the penis which is big associated with itching, exudation of thick, white fluid, hard, unctuous & has different kinds of pain of Kaphaja origin.

रक्तज उपदंश (Raktaja Upadamśa)

रक्तजे कृष्णस्फोटप्रादुर्भावोऽत्यर्थमसृक्प्रवृत्तिः पित्तलिङ्गान्यत्यर्थं ज्वरदाहौ शोषश्च याप्यश्चैव कदाचित् । S.S.Ni. 12/12

It is characterised by the papules in the skin which resemble muscles, blackish, exuding blood and all other symptoms of *Pittaja Upadamśa*. It is only manageable disease.

त्रिदोषज उपदंश (Tridoṣaja Upadamśa)

सर्वजे सर्वलिङ्गदर्शनमवदरणं च शेफसः कृमिप्रादुर्भावो मरणं चेति । S.S.Ni. 12/9

It is characterised by appearance of symptoms of all three *Doṣās*. Papules appear in the penis, which discharges different kinds of exudates, manifest various kinds of pain, penis become cracked, associated with *Krimi* & kills the person & it is incurable.

साध्यासाध्यता (Sādhyāsādhya)

प्रशीर्णमासं कृमिभिः प्रजग्धं मुष्कावशेषं परिवर्जनीयम् ।
सञ्जातमात्रे न करोति मूढः क्रियां नरो यो विषये प्रसक्तः ।
कालेन शोथकृमिदाहपाकैः प्रशीर्णशिश्नो म्रियते स तेन ॥

BPM 51/4-5

The foolish person who does not seek proper treatment soon after its onset cause the development of *Krimi*, which starts eating the *Māmsa* of the penis leaving only the scrotum, such condition should be rejected for treatment.

Due to negligence the patient become victims of swelling, infection, burning sensation, suppuration, destruction of penis & death.

उपशय/पथ्य (Upaśaya/Pathya)

The following measures and edibles are considered to be helpful for the patients of *Upadamśa*: *Vamana*, *Virecana*, operating (*Vedhana*) the penis middle vein, blood letting through leeches, the *Secana* therapy, ointmenting, barley, *Śāli* type of paddy, meat of wild animals

and birds, *Yūṣa* of *Mudga*, *Ghṛtam*, *Kāravellaka*, fruits of *Śobhāñjana*, *Paṭola*, *Śāliañca* leaves, young radish, edibles having bitter and pungent tastes, honey, water from the well and sesame oil. (B.R. 52/89-90)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

The following measures and edibles are to be avoided by a patient of *Upadamśa*: sleeping during day hours, obstructing flow of urine, heavy to digest meals, intercourse, raw sugar (*Guḍa*), performing labourious tasks, taking citrus edibles and buttermilk. (B.R. 52/91)

MCQs

1. Types of *Upadamśa*

- a. 3
- b. 5
- c. 7
- d. 9

2. *Krimi* seen in

- a. *Kaphaja Upadamśa*
- b. *Paithika Upadamśa*
- c. *Raktaja Upadamśa*
- d. *Tridoshaja Upadamśa*

3. Prognosis of *Raktaja Upadamśa*

- a. *Asadya*
- b. *Krichra sadya*
- c. *Yapya*
- d. *Dussadya*

4. *Gandha roga* is the synonym of

- a. *Upadamśa*
- b. *Phiranga*
- c. *Nadivrana*
- d. *Masurika*

5. Prognosis of *Abhyanthara Phiranga*

- a. *Yapya*
- b. *Kashta sadya*
- c. *Dussadya*
- d. *Anupakrama*

6. *Nasabhanga* is the *Upadrava* of

- a. *Phiranga*
- b. *Upadamśa*
- c. *Asthi vidradi*
- d. *Slipada*

Answer

1.	b	2.	d	3.	c
4.	b	5.	b	6.	a