

क्लैब्य (Klaibya)

Varieties of Impotency

रेतोदोषोद्धवं क्लैब्यं यस्माच्छुद्धयैव सिध्यति ॥
ततो वक्ष्यामि ते सम्यग्निवेश! यथातथम् ।
बीजध्वजोपघाताभ्यां जरया शुक्रसंक्षयात् ॥
क्लैब्यं संपद्यते । C.S.Ci 30/153-155

Since impotency is caused by the seminal morbidities, and it gets corrected by the purification of the semen, now, O Agniveśa ! I Shall appropriately describe [the etiology, signs and treatment of] this disease systematically. Impotency is of four types depending upon its causative factors as follows :

1. *Bijopaghātaja klaibya* (impotency caused by seminal diminution)
2. *Dhvajabhaṅgaja klaibya* (impotency caused by nonerectile phallus)
3. *Jarāja klaibya* (impotency caused by old age)
4. *Śukra-kṣayaja klaibya* (impotency caused by excessive loss of semen, i.e. by sexual intercourse).

सामान्य लक्षण (Sāmānya Lakṣaṇa)

Signs and Symptoms of Impotency in General

सङ्कल्पप्रवणो नित्यं प्रियां वक्ष्यामपि स्त्रियम् ॥
न याति लिङ्गशैथिल्यात् कदाचिद्याति वा यदि ।
श्वासारतः स्विन्नगात्रश्च मोघसङ्कल्पचेष्टितः ॥
म्लानशिश्नश्च निर्बीजः स्यादेतत् क्लैब्यलक्षणम् ।
सामान्यलक्षणं होतद्विस्तरेण प्रवक्ष्यते ॥

C.S.Ci 30/155-157

Eventhough a man is constantly desirous of sexual intercourse with the partner who is co-operative, he, because of the looseness (absence of erection) of the phallus becomes incapable of performing the sexual act. Even if he rarely attempts sexual act, he gets afflicted with dyspnoea as well as perspiration in the body, and gets

frustrated in his determined efforts. His phallus becomes loose (because of the lack of erection), and he does not ejaculate any semen. These are the general signs and symptoms of impotency. Specific signs and symptoms of impotency will, hereafter be, described in detail.

बीजोपघातज क्लैब्य लक्षण (Bijopaghātaja Klaibya Lakṣaṇa)

Etiology and Signs of Bijopaghātaja Klaibya

शीतरूक्षाल्पसंक्लिष्टविरुद्धाजीर्णभोजनात् ।
शोकचिन्ताभयत्रासात् स्त्रीणां चात्यर्थसेवनात् ॥
अभिचारादविस्त्रम्भाद्रसादीनां च संक्षयात् ।
वातादीनां च वैषम्यात्तथैवानशनाच्छ्रमात् ॥
नारीणामरसज्ञत्वात् पञ्चकर्मापचारतः ।
बीजोपघाताद्भवति पाण्डुवर्णः सुदुर्बलः ॥
अल्पप्राणोऽल्पहर्षश्च प्रमदासु भवेन्नरः ।
हृत्पाण्डुरोगतमककामलाश्रमपीडितः ॥
छर्द्यतीसारशूलार्तः कासञ्चरनिपीडितः ।
बीजोपघातजं क्लैब्यं.....

C.S.Ci 30/158-162

In *Bijopaghātaja* type of *Klaibya* (impotency caused by the diminution of semen), the semen gets vitiated and diminished in quantity because of the following:

Intake of cold, ununctuous, scanty, polluted and mutually contradictory ingredients of food; intake of food before the previous meal is digested; grief, anxiety, fear and terror; excessive indulgence in sex with woman; *Abhicāra* (affliction by black magic); *Avisrambha* (suspicious nature); diminution of *Rasa* and other tissue elements; disharmony among *Vāta* and other *Doṣas*; fasting and fatigue; disliking for women; and improper administration of *Pañca-karma* (five elimination therapies).

Because of the seminal destruction (diminution) as a result of the aforesaid factors, the patient becomes pale in colour, very weak and low in vitality. He gets low excitement while meeting female partners. He suffers from heart diseases, anemia, asthma, jaundice, physical exhaustion, vomiting, diarrhoea, colic pain, cough and fever.

ध्वजभङ्गज क्लैब्य हेतु (Dhvajabhaṅgaja Klaibya Hetu)

Etiology of Dhvajabhaṅgaja Klaibya

अत्यम्लवणक्षारविरुद्धासात्यभोजनात् ।
 अत्यम्बुपानाद्विषमात् पिष्टान्नगुरुभोजनात् ॥
 दधिक्षीरानूपमांससेवनाद्व्याधिकर्षणात् ।
 कन्यानां चैव गमनादयोनिगमनादपि ॥
 दीर्घरोगां चिरोत्सृष्टां तथैव च रजस्वलाम् ।
 दुर्गन्धां दुष्टयोनिं च तथैव च परिस्तुताम् ॥
 ईदृशीं प्रमदां मोहाद्यो गच्छेत् कामहर्षितः ।
 चतुष्पदाभिगमनाच्छेफसश्चाभिघाततः ॥
 अधावनाद्वा मेदस्य शस्त्रदन्तनखक्षतात् ।
 काष्ठप्रहारनिष्पेषाच्छूकानां चातिसेवनात् ॥
 रेतसश्च प्रतीघाताद्ध्वजभङ्गः प्रवर्तते ।

C.S.Ci 30/162-167

Intake of excessively sour, saline, alkaline, mutually antagonistic and unwholesome ingredients of food; intake of water in excess; taking meals irregularly; intake of pastry and heavy food habitually; intake of yoghurt, milk and meat of animals inhabiting marshy land; emaciation because of diseases; cohabitation with young virgin girls; sexual intercourse in parts other than vagina; because of excitement and ignorance, sexual intercourse with a woman who is suffering from chronic diseases, in continuation who has shunned sexual relationship for a long time, who is in menstruation, and whose vagina is offensive in smell, afflicted with diseases and has profuse discharge; sexual intercourse with quadruped animals; trauma to the phallus; not cleaning the phallus properly; injury to the phallus by weapons, teeth, nails, beating by a stick or compression; excessive use of Śūkās (a type of insect which is

applied for the elongation of the phallus); and suppression of the urge for seminal ejaculation during sexual intercourse.

ध्वजभङ्गज क्लैब्य लक्षण (Dhvajabhaṅgaja Klaibya Lakṣaṇa)

Symptoms of Dhvajabhaṅgaja Klaibya

श्वयथुर्वेदना मेद्रे रागश्चैवोपलक्ष्यते ॥
 स्फोटाश्च तीव्रा जायन्ते लिङ्गपाको भवत्यपि ।
 मांसवृद्धिर्भवेच्चास्य व्रणाः क्षिप्रं भवन्त्यपि ॥
 पुलाकोदकसङ्काशः स्रावः श्यावारुणप्रभः ।
 वलयीकुरुते चापि कठिनश्च परिग्रहः ॥
 ज्वरस्तृष्णा भ्रमो मूर्च्छा च्छर्दिश्चास्योपजायते ।
 रक्तं कृष्णं स्रवेच्चापि नीलमाविललोहितम् ॥
 अग्निनेव च दग्धस्य तीव्रो दाहः सवेदनः ।
 बस्तौ वृषणयोर्वाऽपि सीवन्यां वङ्क्षणेपु च ॥
 कदाचित्पिच्छिलो वाऽपि पाण्डुः स्रावश्च जायते ।
 श्वयथुर्जायते मन्दः स्तिमितोऽल्पपरिस्रवः ॥
 चिराच्च पाकं व्रजति शीघ्रं वाऽथ प्रमुच्यते ।
 जायन्ते क्रिमयश्चापि क्लिद्यते पूतिगन्धि च ॥
 विशीर्यते मणिश्चास्य मेदूं मुष्कावथापि च ।
 ध्वजभङ्गकृतं क्लैब्यमित्येतत् समुदाहृतम् ॥
 एतं पञ्चविधं केचिद्ध्वजभङ्गं प्रचक्षते ।

C.S.Ci 30/168-176

Swelling, pain and redness of the phallus; appearance of acute boils, inflammation in Penis; fleshy growth in the phallus and its quick ulceration; exudation which appears like rice-water (Pulakodaka) or which is brownish black or pink in colour; circular and hard induration below the glance penis; fever, morbid thirst, giddiness, fainting and vomiting; discharge of red, black, blue, turbid and red coloured liquid from the urethra; acute burning sensation as if burnt by fire, and pain in the region of urinary bladder, testicles, perineal suture and groins; discharge of slimy and pale yellow liquid at times; mild swelling, numbness and scanty discharge; it takes long time to suppurate and may get abated quickly; appearance of maggots in the phallus; sloughing and foul smell of the phallus; and dropping of the glance penis or of the whole penis or of the testicles.

Thus, the impotency caused by *Dhvajabhaṅga* (morbidly of the phallus) is explained.

According to some physicians, this type of impotency caused by *Dhvajabhaṅga* is of five varieties.

The five varieties of *Dhvajabhaṅga* are as follows :

1. *Vātaja Dhvajabhaṅga*
2. *Pittaja Dhvajabhaṅga*
3. *Kaphaja Dhvajabhaṅga*
4. *Raktaja Dhvajabhaṅga*
5. *Sānnipātika Dhvajabhaṅga*

जराज क्लैब्य हेतु एवं लक्षण (Jarāja Klaibya Hetu evam Lakṣaṇa)

जघन्यमध्यप्रवरं वयस्त्रिविधमुच्यते ।
 अतिप्रवयसां शुक्रं प्रायशः क्षीयते नृणाम् ॥
 रसादीनां संक्षयाश्च तथैवावृष्यसेवनात् ।
 बलवीर्येन्द्रियाणां च क्रमेणैव परिक्षयात् ॥
 परिक्षयादायुषश्चाप्यनाहाराच्छ्रमात् क्लमात् ।
 जरासंभवजं क्लैब्यमित्यैर्हेतुभिर्नृणाम् ॥
 जायते तेन सोऽत्यर्थं क्षीणधातुः स दुर्बलः ।
 विवर्णो दुर्बलो दीनः क्षिप्रं व्याधिमथाश्नुते ॥
 एतज्जरासंभवं हि.....

C.S.Ci. 30/176-180

Age of a person is divided into three parts, viz., *Jaghanya* (childhood), *Madhya* (adulthood) and *Pravara* (old age). In the old age, generally the semen gets diminished.

Impotency takes place in the old age because of the following : Diminution of tissue elements like *Rasa* (Plasma), etc.; constant use of ingredients which are detrimental to the vitality of a person; gradual diminution of strength, energy, power of senses and span of life; inability to take nourishing food, and physical as well as mental fatigue.

Because of the aforesaid factors, the tissue elements of the old man becomes diminished and excessively weak; his complexion becomes perverted; he becomes physically and mentally weak; and he succumbs to different types of disease quickly.

It is stated above that in the old age, generally the semen gets diminished. Use of the word 'generally' (*Prāyaśaḥ*) is significant inasmuch as at times, the semen does not get diminished even in old age if the person is *Śukra-Sāra* (having the excellence of semen) and if he habitually takes aphrodisiac drugs.

क्षयज क्लैब्य (Kṣayaja Klaibya)

.....चतुर्थं क्षयजं शृणु ।
 अतीव चिन्तनाच्चैव शोकात्क्रोधाद्व्यात्तथा ॥
 ईर्ष्यात्कण्ठामेदोद्वेगान् सदा विशति यो नरः ।
 कृशो वा सेवते रूक्षमन्नपानं तथौषधम् ॥
 दुर्बलप्रकृतिश्चैव निराहारो भवेद्यदि ।
 असात्म्यभोजनाच्चापि हृदये यो व्यवस्थितः ॥
 रसः प्रधानधातुर्हि क्षीयेतांशु ततो नृणाम् ।
 रक्तादयश्च क्षीयन्ते धातवस्तस्य देहिनः ॥
 शुक्रावसानास्तेभ्योऽपि शुक्रं धाम परं मतम् ।
 चेतसो वाऽतिहर्षेण व्यवायं सेवतेऽति यः ॥
 तस्यांशु क्षीयते शुक्रं ततः प्राप्नोति संक्षयम् ।
 घोरं व्याधिमवाप्नोति मरणं वा स गच्छति ॥
 शुक्रं तस्माद्विशेषेण रक्ष्यमारोग्यमिच्छता ।

C.S.Ci 30/181-187

Now hear about the fourth type of impotency which is caused by the diminution of semen (*Kṣayaja*). The semen in a man gets diminished because of the following factors;

Constant exposure to worry, grief, anger, fear, envy, anxiety, intoxication and nervousness; intake of ununctuous food, drinks and drugs by an emaciated person; fasting by a person who is weak in nature; and intake of unwholesome food.

क्षयज क्लैब्य संप्राप्ति (Kṣayaja Klaibya Samprāpti)

By the aforesaid factors, *Rasa* (plasma) which is the primary tissue element and which is located in the heart, gets diminished soon. As a result of this, other tissue elements beginning from *Rakta* (blood) upto semen get diminished in that person. Among all these tissue elements, semen (*Śukra*) which is the final product is the most important.

If a person because of excessive mental

excitement indulge in sexual intercourse in excess, his semen gets diminished soon, and he gets emaciated. He succumbs to serious disease, and even death. Therefore, a person desirous of good health should specially preserve his semen.

साध्यासाध्यता (Sādhyāsādhyatā)

Prognosis

केचित् क्लैब्ये त्वसाध्ये द्वे ध्वजभङ्गक्षयोद्भवे ।
वदन्ति शोफसंछेदाद्वृषणोत्पादनेन च ॥
मातापित्रोर्बीजदोषादशुभैश्चाकृतात्मनः ।
गर्भस्थस्य यदा दोषाः प्राप्य रेतोवहाः सिराः ॥
शोषयन्त्याशु तन्नाशद्वेतश्चाप्युपहन्यते ।
तत्र संपूर्णसर्वाङ्गः स भवत्यपुमान् पुमान् ॥
एते त्वसाध्या व्याख्याताः सन्निपातसमुच्छ्रयात् ।
चिकित्सितमतस्तूर्ध्वं समासव्यासतः शृणु ॥
C.S.Ci 30/188-191

According to some physicians, impotency caused by *Dhvajabhaṅga* (morbidity of phallus) and *Kṣaya* (diminution of semen) are incurable. In this context, *Dhvajabhaṅga*, caused by amputation of the phallus and testicles is to be considered as incurable. The term *Kṣaya* in this context of incurability refers to the condition when because of the morbidities of the sperm of the father and ovum of the mother and because of the sinful actions of the past life, during the embryonic stage, the aggravated *Doṣās* afflict the channel carrying sperm, and make it atrophied. Because of this, (in the later part of life) the process of semen formation in the offspring is inhibited. Thus, the man though having full physical development becomes emaciated.

Different types of impotency described before which are caused by the simultaneous vitiation of all the three *Doṣās* (*Sannipāta*) are also incurable.

उपशय/पथ्य (Upaśaya/Pathya)

In cases of *Dhvajabhaṅga*, the following are considered to be beneficial: rice (*Śālī* and *Śaṣṭhi* types), wheat, *Masūra*, grams, butter, milk, *Surā*, *Sidhu*, meats of duck, sparrow, hen, partridge, deer, rabbit and goat and fruit like grapes, date fruits, mango, *Jambū* and pomegranate. (B.R. 92/66-68)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

All the etiological factors.

वंध्यत्व (Vandhyatva)

वंध्यं नष्टार्तयम् विध्यात् । *Su. Utt. 38/10*

A woman who has lost her *ārthava* is called as *Vandhya*.

यदा हयस्या शोणिताख्ये बीजे गर्भाशयस्ये विर्तकं बीजं प्रदुष्यति ।
तदा वंध्यं जनयति ॥ *A.Sm.Sha 2/46-47*

The congenital under development or deformity of female genital tract is responsible for *vandhyatva*.

निदान (Nidāna)

यदा स्त्रिया दोषप्रकोपणोक्तान्याः सेवमानया दोषाः.....।
तदा स्त्रीव्याकृतिभूयिष्ठामास्त्रियं वार्तां नाम जयन्ति तां
स्त्रीव्यापदमाचक्षते ॥ *Ch. Sid. 12/30*

A. Vatakara food

अहारज (Āhāraja)

1. *Vātakara āhara* (intake of *vāta* aggravating factors)
2. *Taila, māmsa rahita āhāra* (consumption of food devoid of oil and meat) etc.

B. Vātakara activities

विहारज (Vihāraja)

Vātakara vīhāra like *rātrijāgarāṇa* (night vigil), *ati vyāyāma* (excessive exercise), *vegadhāraṇa* (suppression of natural urges) etc

Samprāpti (pathogenesis)

Due to consumption of etiological factors exacerbated *vāta* in a woman reaches the ovum and uterus but does not affect them entirely. She conceives and the foetus gets damaged in maternally derived organs. The child will be predominantly female shaped but she will be unable to conceive.

वंध्यस्यात् षट्प्रकारेण बाल्येनापि अथवा पुनः गर्भकोष्ठस्य
भंगाद्वा तथा धातुक्षयादपि जायते न च गर्भस्य संभूतिश्च कथाचन ॥

Harita Samhita

* *Balya* indicates the immaturity of female genital organs or delayed puberty.

* *Garbha koṣa bhaṅga* : any pathology of uterus.

* *Dhātu kṣaya* : Due to *vyādhi* or *āhāra janya*

According to Caraka

सप्रजा अपि इति अवन्ध्या अपि सती कथं चिरेण गर्भं विन्दति ॥

Vandya - It means the absolute inability to become pregnant.

Aprajā - Infertility in which woman conceives after treatment.

Saprajā - It is a condition in which woman in her active reproductive age does not conceive after giving birth to one or more children.

Classification according to Caraka

Aprajā - Primary infertility- where no previous pregnancies reported.

Saprajā - Secondary infertility- Where there has been a previous documented pregnancy. It may be a live birth or failed pregnancy.

Classification according to Hārīta

1. *Kākavandya* - Inability to conceive after one child.
2. *Anāpatya* - Primary sterility where the lady never conceives.
3. *Garbhasrāvi* - Infertility characterized by unsuccessful pregnancies due to repeated abortions.
4. *Mṛthavatsa* - Infertility characterized by unsuccessful pregnancies due to intrauterine death, stillbirths etc.
5. *Balakṣaya* - Infertility due to decrease in *dhātu* due to *dhātu kṣaya*, loss of strength. It indicates immaturity of female genital organs.
6. *Garbhakoṣa bhaṅga* - Infertility due to prolapse or injury to the uterus and loss of *dhātus*.

Classification According to Madhukoṣa

वन्ध्यानां नवधा प्रभेदा.....।

1. *Ādivandhyā pāpakarma nimittaja*
2. *Ratkaja*
3. *Vātaja*
4. *Pittaja*
5. *Kaphaja*
6. *Tridoṣaja*
7. *Bhūtaja*
8. *Daivaja*
9. *Abhicāra*

साध्यासाध्यता (*Sādhyāsādhyatā*)

1. *Vandhyā* in which the woman has congenital absence of uterus and *ārthava* is incurable.
2. All other types of *vandhyā* explained by *Hārīta* are curable.
3. Infertility of women who had coitus before her menarche becomes pregnant with difficulty.

MCQs

1. Types of *Klaibya* as per *Charaka*
 - a. 6
 - b. 8
 - c. 4
 - d. 7
2. Types of *Vandyatva* as per *Harita*
 - a. 6
 - b. 8
 - c. 4
 - d. 7
3. Inability to conceive second child
 - a. *Anapatya*
 - b. *Kakavandya*
 - c. *Garbhakosabhang*
 - d. *Apraja*

Answer

1.	c	2.	a	3.	b
----	---	----	---	----	---