

@YOGESH_GABHANE



ROG NIDAN PAPER 2



INTEGRATIVE ILLUSTRATED NOTES
RAPID REVISION NOTES

*PLEASE VERIFY THE CONTENT WITH THE BOOK
YOU ARE REFERRING !!!

NIDANPANCHAK OF HRIDROGA (HEART DISEASE)

1. NIDANA (ETIOLOGY) - Causative Factors

A. Samanya Nidana (General)



Aharaja: Ushna, Guru, **Kashaya**, Tikta foods; Adhyashana, Vishamashana.



Viharaja: Ati Vyayama, Vega Dharana, Abhighata.



Manasika: Ati Chinta, Bhaya, Trasa, Shoka.

B. Vishesha Nidana (Dosha-Specific)



Vataja: Fasting, grief, tissue depletion.



Pittaja: Alcohol, spicy/sour, anger, heat.



Kaphaja: Excessive sleep, sedentary, heavy/oily.



Krimija: Infected food, sesame, milk, jaggery.

2. SAMPRAPTI (PATHOGENESIS) - Disease Progression



Stage 1: Dosha Prakopa (Vitiation).
(Vyana Vayu aggravated).



Stage 2: Sthana Samshraya (Localization).
Doshas vitiate Rasa Dhatu.



Stage 3: Dushya Sammurchana.
Lodging in Hridaya, blocking Rasavaha & Pranavaha Srotas.



Stage 4: Vyakti (Manifestation).
Pain or functional disturbance = Hridroga.

Samprapti Ghataka (Components)



Dosha: Tridosha (Vyana Vayu, Sadhaka Pitta, Avalambaka Kapha).



Dushya: Rasa, Rakta, Mamsa.



Srotas: Rasavaha, Pranavaha.



Srotodushti: Sanga, Vimarga Gamana.



Adhithana: Hridaya (Heart).

3. PURVARUPA (PRODROMAL SYMPTOMS) - Early Signs



- **Vaivarnya** (Discoloration).
- **Murcha** (Fainting).
- **Jwara** (Mild fever).
- **Klama** (Fatigue).
- **Aruchi** (Loss of taste).



@Yogesh_Gabhane

4. RUPA (CLINICAL FEATURES) - Signs & Symptoms

A. Vataja Hridroga



Pain: Intense, shifting, severe (Toda, Bheda, Sphotana, Vidarana).
Symptoms: Palpitations, breathlessness, dry cough, insomnia.

B. Pittaja Hridroga




Pain: Burning (Daha).
Symptoms: Thirst, Fainting, Giddiness, Fever, Dry mouth.

C. Kaphaja Hridroga



Pain: Dull ache, heaviness (Guruta), Staimitya.
Symptoms: Drowsiness, Anorexia, Salivation, Lethargy.

D. Tridoshaja / Sannipataja Hridroga



Mixed symptoms, unpredictable and severe pain.

E. Krimija Hridroga



Cause: Parasites.
Pain: Severe, piercing (Suchibhiriva Tudyate), Itching (Kandu).
Symptoms: Nausea, Darkness before eyes.

5. UPASHAYA (RELIEF) & PROGNOSIS

UPASHAYA (Relieving Factors) vs. ANUPASHAYA (Aggravating)

Vataja: Upashaya: Warm, oily, rest.
Anupashaya: Cold, fasting.



Pittaja: Upashaya: Cold potency, sweet/bitter.
Anupashaya: Heat, spicy.



Kaphaja: Upashaya: Warm, dry, light, activity.
Anupashaya: Cold, heavy, sleep.



PROGNOSIS (Sadhyaasadhyata)



Sadhy (Curable): Eka-Doshaja (early).



Kashta Sadhy (Difficult): Tridoshaja, Krimija.



Asadhy (Incurable): With severe complications (Shotha, Kshaya).

NIDANPANCHAK OF RAJAYAKSHMA

(King of Diseases)



CONCEPT OF RAJAYAKSHMA
Roga-Rat (King); Dhatu Kshaya (Tissue Depletion);
Severe Immunity Loss & Wasting

@Yogesh_Gabhane

1. NIDANA (ETIOLOGY - CAUSATIVE FACTORS)



SAHASA
(Over-exertion)
Excess physical activity,
Urah-kshata (chest injury)



VEGAVARODHA
(Suppression of Urges)
Vata vitiation disturbs
Pitta/Kapha, leads to
obstruction



KSHAYA
(Depletion of Tissues)
Excess sexual indulgence,
grief, starvation,
Loss of Shukra/Ojas



VISHAMASHANA
(Irregular Dietary Habits)
Eating against rules,
Disrupts Agni, Sroto-rodha

2. SAMPRAPTI (PATHOGENESIS)

Tridosha
(Vata, Pitta, Kapha vitiated)

Dushya
(All 7 Dhatus affected)

Srotas
(Rasavaha, Pranavaha)



Sroto Dushti
(Sanga/Obstruction, Vimarga
Camana/Reverse flow)

Mechanism: Srotorodha blocks
nutrients. Rasa turns to Kapha
phlegm, causing wasting.

3. PURVARUPA (PRODROMAL SYMPTOMS)



Pratishyaya
(Continuous
runny nose)



Daurbalya
(Unexplained
weakness)



**Dosha-
darshana**
(Fault-finding)



**Bibhatsa
Darshana**
(Self-disgust)



**Kesh-nakha
Ativridhi**
(Rapid hair/nail growth)



Swapna
(Nightmares of drying
water, ash, birds)

4. RUPA (CLINICAL FEATURES - EKADASHA RUPA)

Kasa
(Cough)

Jwara
(Fever)

Shvasa
(Breathlessness)

Svarabheda
(Hoarseness, broken note)

Parshva-Shoola
(Flank pain, side icon)

Shira-Shoola
(Headache, throbbing head)

Amsa-Marda
(Shoulder pain)

Raktashtheevana
(Haemoptysis, blood in sputum)

Aruchi
(Anorexia, crossed-out food)

Atisara
(Diarrhea)

Vamana
(Vomiting)



5. UPASHAYA (DIAGNOSIS BY RELIEF)

Brimhana Diet
(Meat soup, Ghee, Milk)

**Relief with
Nourishing Therapy**





Langhana
(Fasting)



**Worsens with
Depletion**

**Confirms Rajayakshma if Brimhana
improves and Langhana worsens.**

Nidan Panchak Flowchart: MUTRAKRICCHRA (DYSURIA/PAINFUL URINATION)



Nidan Panchak Flowchart: MUTRAGHATA (RETENTION/OBSTRUCTION)



DIFFERENTIAL DIAGNOSIS FLOWCHART: MUTRAKRICCHRA vs. MUTRAGHATA

PRIMARY CHARACTERISTIC



PAIN (Kricchrata) is dominant feature.



OBSTRUCTION (Vibandha/Avarodha) is dominant feature.

1. NIDAN (Etiology)



Focus on Irritation:

Intense exercise, sharp/dry medicines, dry wine.
Eating before previous meal digests (Adhyashana), indigestion.
(Ref: Charaka Samhita, Chi. 26)



Focus on Suppression & Trauma:

Vegadharana (suppression of natural urges, esp. urine/semen).
Depletion of Dhatus (Dhatukshaya), trauma to pelvic region.
(Ref: Sushruta Samhita, Uttā. 58)

2. PURVARUPA (Prodromal Symptoms)



Excessive urge but inability to pass.
Heaviness in bladder region.
Mild burning sensation.
(Ref: Sushruta Samhita, Uttā. 58)



Basti Adhmana (Distension of bladder).
Basta Gandhatva (Urine smelling like a goat).
Mutrakricchra (difficulty) itself can be a prodrome.
(Ref: Charaka Samhita, Siddhi 9)

3. RUPA (Clinical Features)

@Yogesh_Gabhane



CARDINAL SIGN: 'Dukhena Mutra Pravritti' (Painful voiding).
Flow: Scanty, frequent (Muhur muhur), drop-by-drop.
Sensation: Burning (Sadaha), cutting pain (Saruja).
(Ref: Madhava Nidana 31)



CARDINAL SIGN: 'Mutra Avarodha' (Total or partial obstruction).
Flow: Broken stream, dribbling, or complete cessation.
Palpation: Distended bladder, palpable mass.
Pain: Secondary to pressure from retention.
(Ref: Madhava Nidana 32)

4. SAMPRAPTI (Pathogenesis)



Pitta & Vata

Irritation & Inflammation:
Vitiated Doshas (Pitta/Vata) irritate the urinary channels, causing painful expulsion.



Vata (Apana)

Mechanical/Functional Blockage:
Vitiated Vata (Apana) is blocked (Avarana) or moves upward, causing accumulation and obstruction at bladder neck.

5. UPASHAYA (Relieving Factors)



Mutra Virechaniya (Diuretics):
Cold potency (Sheeta) measures for Pitta.
Sitz baths (Avagaha) to soothe irritation.
(Ref: Ashtanga Hridaya, Chi. 11)



Basti Shodhana (Clearing obstruction):
Uttara Basti (Instrumentation/Medication via urethra).
Anti-Vata therapies (Oil enemas/Snehana).
(Ref: Ashtanga Hridaya, Chi. 11)

MODERN CORRELATION & CLINICAL TIP



Modern Correlation: UTI, Cystitis, Urethritis, Prostatitis.
Tip: 'It burns and hurts when I go, and I go often, but only drops.'
-> Suspect Mutrakricchra.




Modern Correlation: BPH (Benign Prostatic Hyperplasia), Urethral Stricture, Neurogenic Bladder, Bladder Atony.
Tip: 'My lower abdomen is swollen. I want to go but can't, or it just dribbles.'
-> Suspect Mutraghata.

TYPES OF URINARY DISORDERS & MNEMONICS

MUTRAKRICCHRA (DYSURIA) - 8 TYPES

VPK Stop ASSS




MUTRAGHATA (RETENTION) - 13 TYPES


7 Mutras (AJ UK GSS) trapped by 6 Blockers (3 Vatas, 1 Basti, 1 Vid, 1 Ushna)

Subgroup 1: 1 Vatas blocked the VUB. Inside, 6 Mutras (AJ UK GS) trapped.

THE 2 VATAS



THE 6 BLOCKERS (3 VATAS, 1 BASTI, 1 VID, 1 USHNA)



THE 7 MUTRAS (AJ UK GS)




@Yogesh_Gabhane


NIDANPANCHAK OF UDAR ROGA

(Ayurvedic View)


1. NIDAN (Etiology)



2. PURVARUPA (Prodromal Symptoms)



3. SAMPRAPTI (Pathogenesis)



4. RUPA (Signs & Symptoms)



5. UPASHAYA / ANUPASHAYA



COMPARATIVE SYMPTOMS OF 8 TYPES OF UDAR ROGA

Symptoms (Lakshana)	Vatodara	Pittodara	Kaphodara	Sannipato dara	Plihodara	Baddhagu-dodara	Chidrodara	Jalodara
Abdomen Appearance	 Dryness, Blackish, Variable swelling	 Greenish-yellow, Burning	 White, Cold, Heaviness, Edema	Mixed symptoms, Variable	 Enlarged Spleen (Left side)	Distended, Severe pain above umbilicus	Perforation, Discharge from navel/anus	 Water-bag feel, Fluctuating, Protruding navel
Pain/ Sensation	Pain in abdomen/ waist	 Burning sensation, Fever, Thirst	 Itching, Cold to touch	Severe weakness, Mixed pain	Low-grade fever, Weakness	Severe pain, Constipation	 Severe burning, Hikka (Hiccups)	Dyspnea, Heaviness
Percussion Sound	Resonant sound	-	-	@Yogesh_Gabhane				Fluctuation wave present
Other Features	-	Rapid suppuration	Excessive sleep	Caused by slow poisoning (Dushi Visha)	-	Vomiting of fecal matter	-	-
Dosha Predominance	Vata	Pitta	Kapha	Tridosha	Tridosha (Rakta & Pliha)	Vata & Kapha	Tridosha	Tridosha (Udaka)
Key Characteristic	Variable swelling & Pain	Burning & Discoloration	Coldness & Edema	Mixed & Chronic	Left-sided Hardness	Intestinal Obstruction	Intestinal Perforation	Fluid Accumulation (Ascites)
Aggravating Factors	Cold, Dry food	Hot, Spicy food	Cold, Heavy food	All aggravating factors	-	Constipating food	-	Water intake
Relieving Factors (Upashaya)	Snehana, Swedana	Cold application, Milk Virechana	Hot, Dry, Pungent therapy	Mixed therapy	-	-	-	Strict water restriction, Milk diet

NIDANPANCHAK OF JALODARA (Ascites) - Ayurvedic View

1. NIDAN (Etiology)

Aharaja (Dietary)



Atyambu
Pana



Snehapana
Vibhrama



Ati
Lavana



Mandagni

Viharaja (Lifestyle)



Kloma Vidhha



Kshaya



Srotorodha -
Sweda/Ambu

2. PURVARUPA (Prodromal Symptoms)



Kshudha Nasha
(Loss of Appetite)



Pipasa
(Excessive Thirst)



Guda Srava
(Anal Discharge)



Shvasa
(Mild Breathlessness)



Udar Shoola
(Abdominal Pain)



Kasa
(Dry Cough)


3. SAMPRAPTI (Pathogenesis)



Agni Dosha



Srotas Blockage
(Udakavaha & Swedavaha)
(Kapha)



Vimarga Gamana
(Reverse Flow of Ambu)



Sthana Samsraya
(Lodged in Peritoneum
by Vata)



Dhatu Dravata
(Tissue Liquefaction)

Samprapti Ghataka

Dosha: Vata Pradhana Tridosha
Dushya: Ambu, Rasa, Rakta

Srotas: Udakavaha, Swedavaha
Agni: Severe Mandagni
Adhisthana: Udana

4. RUPA (Clinical Signs & Symptoms)



Kshobha - Fluid Thrill



Nabhi Unnata



Udaka Purna Druti
(Water-bag feel)



Shopha



Shopha



Nabhi Unnata



Jala-Tamara-Hrit



Shvasa & Kasa



Pipasa

5. UPASHAYA / ANUPASHAYA (Diagnostic Tests)

Upashaya (Relief)



Nirjala - Water
Restriction



Dugdhahara -
Milk Diet



Nitya
Virechana

Anupashaya (Aggravation)



Jalapana



Lavana

6. SADHYASADHYATA (Prognosis)

Krichrasadhyata (Difficult)



- Strong patient
- Recent onset
- Milk diet compliance

Asadhyata (Incurable)



Vomiting



Diarrhea



Severe Dyspnea
Complications

@Yogesh_Gabhane

Nidan Panchak of Kasa Vyadhi (Cough)

1. NIDANA (Etiology)



Dhuma Upghata



Raja Sevana



Vyayama



Ruksha Anna Sevana



Vimarga Gamana



Vegavarodha



Kshaya

2. PURVARUPA (Prodromal Symptoms)



Shookapurna Galasyata



Kanthe Kandu



Bhojyanam Avarodha



Talulepa

@Yogesh_Gabhane

3. RUPA (Clinical Features & Types)

A. Vataja Kasa (Dry Cough)



Dry, painful chest



Hoarse voice



Headache

B. Pittaja Kasa (Inflammatory Cough)



Burning chest



Bitter tongue



Yellow sputum



Thirsty person

C. Kaphaja Kasa (Productive Cough)



Excessive thick sputum



Turning away



Heavy chest



Digestive fire

E. Kshayaja Kasa (Tubercular Cough)



Foul-smelling greenish sputum



Severely thin



Difficult to cure

4. UPASHAYA (Relieving Factors)

Vataja:

Snigdha & Ushna
(Warm, Oily)

Pittaja:

Sheeta & Madhura
(Cool, Sweet)

Kaphaja:

Ruksha & Ushna
(Dry, Warm)

5. SAMPRAPTI (Pathogenesis)

Vata Prakopa
(Obstructed Vayu)

Vimarga Gamana
(Upward flow)

Sthana Samshraya
(Uras & Kantha)

Vyakti
(Kasa Sound)

Samprapti Ghataka:

Vata Pradhana, Rasa Dhatu, Pranavaha Srotas,
Sanga & Vimarga Gamana, Uras & Kantha,
Jatharagni Mandya

5 Types of Kasa (Cough)

1. Vataja Kasa (Dry Cough)

Dosha: Vata dominance 

Cause: Dry/cold food, excessive talking



Nature: Dry, non-productive cough

Symptoms:



Shushka Kasa
(No sputum)



Shoola
(Severe chest/head pain)



Svara Bheda
(Hoarseness)

2. Pittaja Kasa (Inflammatory Cough)

Dosha: Pitta dominance 

Cause: Spicy/acidic food, heat exposure



Nature: Productive, inflammatory cough

Symptoms:



Peeta Nishthivana
(Yellow sputum)



Daha
(Burning sensation)



Tikta Asyata & Trishna
(Bitter taste, Thirst)

3. Kaphaja Kasa (Productive Cough)

Dosha: Kapha dominance 

Cause: Heavy, oily foods, excessive sleep



Nature: Wet, heavy cough

Symptoms:



Bahala Nishthivana
(Thick, white sputum)



Manda Rujā & Gaurava
(Mild pain, Heaviness)



Aruchi
(Loss of appetite)

4. Kshataja Kasa (Traumatic Cough)

Dosha: Vata & Pitta (Rakta dushti)



Cause: Physical trauma, excessive exertion



Nature: Injury-related cough

Symptoms:



Sarakta Nishthivana
(Sputum with blood)



Shoola
(Stinging chest pain)



Injury History

5. Kshayaja Kasa (Tubercular Cough)

Dosha: Sannipataja (Tissue depletion)



Cause: Neglected cough, Dhatu Kshaya

Nature: Chronic, wasting cough

Symptoms: Foul, pus/blood sputum)



Durgandha
(Foul, pus/blood sputum)



Krishata
(Severe emaciation)



Difficult to cure
Mixed Signs & Prognosis

@Yogesh_Gabhane

Clinical & Laboratory Examination of Kasa Vyadhi (Cough)

@Yogesh_Gabhane

CLINICAL & LABORATORY EXAMINATION OF KASA VYADHI (COUGH)

A. AYURVEDIC CLINICAL EXAMINATION (ROGI PARIKSHA)

1. TRIVIDHA PARIKSHA (Three-fold Examination)



Darshana (Inspection)



General Appearance (Emaciation-Kshayaja)
Sputum (Dry-Vataja, Yellow-Pittaja, White-Kaphaja, Blood-Kshataja)
Posture (Difficulty lying down).



Sparshana (Palpation)



Temperature (Jwara-Pittaja/Kshayaja)
Chest Tenderness (Pain in Urah/Parshva-Vataja/Kshataja)
Skin (Rukshata-Vataja)



Prashna (Interrogation)



History (Nidana Sevana-smoke/dust/trauma)
Onset (Acute/Chronic)
Pain (Pricking/Burning/Heaviness)
Associated Symptoms (Fever, Aruchi, Svarabheda)



2. ASHTAVIDHA PARIKSHA (Eight-fold Examination)



Nadi (Pulse)



Vataja (Fast, irregular)
Pittaja (Bounding, rapid)
Kaphaja (Slow, steady)



Jihva (Tongue)



Vataja (Dry, rough)
Pittaja (Reddish/yellow)
Kaphaja (Thick white coating)



Shabda (Voice/Sound)



Barking Gurgling

Kasa Vega (Cough sound)
Svara Bheda (Hoarseness in Vataja/Kshataja)



B. MODERN SYSTEMIC & LABORATORY EXAMINATION

B. SYSTEMIC PHYSICAL EXAMINATION (RESPIRATORY)



1. Inspection



Shape of Chest (Barrel, Asymmetry)
Respiratory Rate (Tachypnea)
Clubbing (Fingertips)
Cyanosis (Bluish)



2. Palpation



Trachea (Deviation)
Chest Expansion (Reduced)
Tactile Vocal Fremitus (Increased-Consolidation, Decreased-Effusion)



3. Percussion



Dull Note (Consolidation, Effusion)
Hyper-resonant (Emphysema, Pneumothorax)



4. Auscultation



Breath Sounds (Bronchial/Diminished)
Adventitious Sounds (Rhonchi-Wheeze, Crepitations-Crackles)



C. LABORATORY & DIAGNOSTIC INVESTIGATION (VYADHI PARIKSHA)



1. Hematology (Blood Tests)



CBC (Leukocytosis, Eosinophilia, Lymphocytosis)
ESR (High in chronic)
Hemoglobin (Low in Kshataja/Kshayaja)



2. Sputum Examination



Gram Stain/Culture (Bacteria)
AFB (Tuberculosis check)
Cytology (Eosinophils/Malignant cells)



3. Radiological Examination



X-Ray Chest (Opacities, Cavities, Hyperinflation)
CT Scan (Thorax)



4. Lung Function Tests



PFT/Spirometry (Obstructive vs. Restrictive, Vital Capacity, FEV1)



PANDU ROGA (ANEMIA) - AYURVEDIC DIAGNOSIS & COMPLICATIONS

1. NIDAN (ETIOLOGY/CAUSES)

Aharaja (Dietary)



Excess Kshara, Amla, Lavana, Ushna; Viruddha Ahara; Madya, Masha, Tila

Viharaja (Lifestyle)



Divaswapna (Day sleep); Ati Vyayama (Excess exercise); Vegadharana

Manasika (Psychological)



Kama, Chinta, Bhaya, Krodha

Nidanarthakara (Secondary)



Blood loss (e.g., Raktarsha)

2. PURVARUPA (PREMONITORY SYMPTOMS)



Hridaya Spandana (Palpitations)



Roukshya (Dryness)



Swedabhava (No sweating)



Shrama (Fatigue)



Mrid-bhakshan-icchha (Desire for soil)

3. RUPA (CLINICAL FEATURES)



Aruchi (Anorexia)



Daurbalya (Weakness)



Panduta (Pallor)



Karnakshveda (Tinnitus)



Shwasa (Breathlessness)




Akshikutashotha (Orbital Edema)



Shwasa (Breathlessness)

@Yogesh_Gabhane

4. SAMPRAPTI (PATHOGENESIS)



5. TYPES (BHEDA)

	Vataja Pandu		Dry skin, blackish-pale, tremors, body ache, constipation.
	Pittaja Pandu		Yellowish-pale, fever, burning sensation, thirst, bitter taste.
	Kaphaja Pandu		Whitish-pale, heaviness, drowsiness, nausea, edema.
	Sannipataja Pandu		Mixed symptoms of all three doshas; Difficult to cure.
	Mrid-bhakshanjanya Pandu		Caused by eating soil; Edema on eyes/cheeks/chin, Worm infestation.

6. UPADRAVA (COMPLICATIONS)



Aruchi (Severe Anorexia)



Jwara (Chronic Fever)



Shotha (Generalized Edema)



Pipasa (Excessive Thirst)



Murchha (Fainting)



Dourbalya (Extreme Debility)



Chhardi (Vomiting)




Hridaya Pida (Chest Pain)



Shwasa & Kasa (Dyspnoea & Cough)


KAMALA (Jaundice): Nidan Panchak & Upadrava

1. NIDAN (Etiology)



@Yogesh_Gabhane


2. PURVARUPA (Prodrome)



3. RUPA (Clinical Features)




4. SAMPRAPTI (Pathogenesis)



5. UPASHAYA (Relief)



UPADRAVA (Complications - if untreated)




TYPES OF KAMALA (Detailed Classification)

KAMALA (Jaundice)

KOSHTASHRITA KAMALA (Bahupitta)

Pathology:

Increased Pitta Production
Open Path to Gut



Symptoms:



Stool:
Reddish-yellow
Urine: Dark
yellow/red



Correlation:

Hemolytic/Hepatocellular

Prognosis:

Sadhya
(Curable)



SHAKHASHRITA KAMALA (Ruddhpatha)

Pathology:

Blocked Pitta Path (by Kapha/Vata)
Pitta → Tissues



Symptoms:

Stool:



Tilapishtanibha
(Clay/Sesame)

Urine: **Deep orange**
Itching (**Kandu**)



Correlation:

Obstructive Jaundice

Prognosis:

Krichrasadhya
(Difficult)



@Yogesh_Gabhane

ADVANCED STAGES (Complications as Types)



KUMBHA KAMALA

Deep-seated, Chronic.

Symptoms: Edema,
Ascites, Blackish stool.

Prognosis:

Krichrasadhya/Asadhya



HALIMAKA

Vata-Pitta Dominant.

Symptoms: Greenish/
Blackish color,
Vertigo, Fever.

Prognosis: Difficult



PANAKI

Severe Complication
(Sushruta)

Continuous Fever, Diarrhea,
Intense Yellow, Collapse

Prognosis: Very Grave

PANDU ROGA (Pallor/Anemia)



Primary Cause: Vitiation of Tridosha (mainly Pitta) affecting Rasa & Rakta.

Dietary: Excessive Amla, Lavana, Ushna; Mrid-bhakshana; Incompatible foods.

Lifestyle: Day sleep, Suppression of urges, Excessive exercise.

NIDANA (Etiology)



Key Signs: Hridaya Spandana (Palpitations), Raukshya (Dryness), Swedabhava (No sweat), Shrama (Fatigue).

Specific: Cracking of skin, loss of glow.

PURVARUPA (Premonitory Symptoms)



Primary Cause: Excessive Pitta aggravation in Pandu patient, 'burnt blood' (Rakta-Mamsa Dagdha).

Dietary: Pitta-aggravating food by Pandu patient; Ati-Ushna/Tikshna; Alcohol.

Lifestyle: Neglecting Pandu; Excessive strain or heat.



Key Signs: Often follows Pandu. Peeta-Mutrata (Slight yellow urine), Aruchi (Loss of appetite), Avipaka (Indigestion), Alasya (Lethargy).

Specific: Yellow tinge eyes/nails faintly.

@Yogesh_Gabhane

RUPA (Clinical Features)



Color: Pandu/Shweta (Pale, whitish).

Sensory: Karna Kshveda (Tinnitus), Akshikuta Shotha (Eye swelling).

Systemic: Shwasa (Breathlessness), Gaurava (Heaviness), Pindikodveshtana (Cramps), Arohana Ayasa (Fatigue on stairs).



Color: Haridra/Bheka Varna (Deep yellow, frog-like).

Sensory: Haridra Netra/Nakha (Deep yellow eyes/nails), Rakta-Peeta Shakrut (Reddish-yellow stool).

Systemic: Daha (Burning sensation), Trishna (Excessive thirst), Avipaka, Daurbalya (Profound weakness).

Dosha: Pitta Pradhana Tridosha
Dushya: Medas, Rakta, Twak.

Nidana Sevana -> Pitta Pradhana Tridosha Prakopa

Enters Hridaya & Dasha Dhamani -> Vitiates Rasa & Rakta

Lodges in Skin/Muscle

Result: PANDU ROGA
(Alpa Rakta / Dhatu Shaithilya - Looseness, Pallor).



Responds to: Deepana-Pachana, Tikshna Shodhana (Strong purification), Loha preparations.

SAMPRAPTI (Pathogenesis)

Dosha: Kevala Pitta.
Dushya: Rakta, Mamsa.

Pandu Rogi takes Pitta Ahara -> Excessive Pitta Increase

Burns (Dagdha) Rakta & Mamsa

Yellow Pigmentation spreads

Result: KAMALA ROGA
(Rakta-Mamsa Dagdha - Burnt Blood).



Responds to: Mridu Virechana (Mild purgation) with Tikta Rasa (bitter drugs).

UPASHAYA (Relieving Factors)

Types Summary: Pandu (5 types: Vataja, Pittaja, Kaphaja, Sannipataja, Mrid-bhakshanaj).
Kamala (2 main types: Koshtashrita, Shakhashrita).

NIDAN PANCHAK OF KUSTHA & UPADRAVA

1. NIDANA (ETIOLOGY/CAUSATIVE FACTORS)

AHARAJA (DIETARY)

Viruddha Ahara (e.g., Fish+Milk)
Excessive Drav/Snigdha/Guru,
Navanna, Dadhi, Ajirmashana



VIHARAJA (LIFESTYLE)

Vegadharana (Suppressing urges),
Temperature Shock (Hot to Cold),
Divaswapna (Day sleep)



KARMAJA (KARMIC)

Papakarma (Sinful Acts,
Insulting Elders)



2. PURVARUPA (PRODROMAL SYMPTOMS)



Sparsha-agyatva (Numbness), Ati-sweda/Asweda,
Vaivarnya (Discoloration), Lomaharsha (Goosebumps),
Kandu & Toda (Itching/Pricking),
Klama (Fatigue), Vrana-dushchikitsya



3. RUPA (CLINICAL FEATURES/SIGNS)

MAHA KUSTHA (7 Major)

Deeper, difficult to cure.
Examples: Kapala (Blackish),
Udumbara (Red),
Mandala (Circular),
Rishyajihva



KSHUDRA KUSTHA (11 Minor)

Superficial, easier to manage.
Examples:
Eka Kustha (Psoriasis-like),
Dadru (Ringworm),
Vicharchika (Eczema)



DOSHIC SYMPTOMS

Vata (Dry/Pain), Pitta (Burn/Red), Kapha (Itch/Thick)


@Yogesh Gabhane

4. SAMPRAPTI (PATHOGENESIS)

SAPTA DRAVYA (7 Factors)

Vata, Pitta, Kapha, Tvak (Skin), Rakta (Blood), Mamsa (Muscle), Lasika (Lymph)

Nidana Sevana → Tridosha Vitiation → Move via Tiriyaga Sira → Lodge in 4 Dushyas (Tvak, Rakta, Mamsa, Lasika) → Obstruction & Decay → KUSTHA



5. UPASHAYA (RELIEF)

Avoiding Nidana, Vaman (Emesis - Kapha),
Virechana (Purgation - Pitta), Tikta/Kashaya Herbs



UPADRAVAS OF KUSTHA (COMPLICATIONS)

NEGLECTED KUSTHA → DEEPER PENETRATION (Majja/Asthi) → COMPLICATIONS



Prasrava (Discharge)
Angabheda (Mutilation)
Patana (Sloughing)
Trishna (Thirst)
Jwara (Fever)
Atisara (Diarrhea)
Daha (Burning)
Daurbalya (Weakness)
Aruchi (Anorexia)
Avipaka (Indigestion)
Krimi (Maggots/Worms)



POOR PROGNOSIS (ASADHYA): KRIMI, TRISHNA, ATISARA

TYPES OF KUSTHA (SKIN DISEASES)

@Yogesh_Gabhane

A. MAHA KUSTHA (7 MAJOR TYPES)


Deep-seated, difficult to cure

1. KAPALA (Vata) 🌬️

- **Appearance:** Blackish-red, broken pot-like.

Texture: Dry, rough, hard.

Symptoms: Severe pricking pain, numbness.



2. UDUMBARA (Pitta) 🔥

- **Appearance:** Copper-colored, ripe fig-like.

Symptoms: Excessive burning, redness, discharge, itching.



3. MANDALA (Kapha) 💧

- **Appearance:** Circular, thick, connected, white/red.

Texture: Smooth, oily, heavy.

Symptoms: Severe itching, white discharge.



4. RISHYAJIHVA (Vata + Pitta) 🌬️🔥

- **Appearance:** Rough, reddish-black edges, dark center, antelope tongue-like.

Symptoms: Painful, burning, fast spread.



5. PUNDARIKA (Pitta + Kapha) 🔥💧

- **Appearance:** White with reddish margins, white lotus petal-like.

Symptoms: Elevated, burning, rapidly spreading.



6. SIDHMA (Vata + Kapha) 🌬️💧

- **Appearance:** White/copper, thin patches.

Key Feature: Dust sheds when rubbed.

Location: Chest/upper back.



7. KAKANAKA (Tridosha) 🌬️🔥💧

- **Appearance:** Gunja seed color (red/black).

Nature: Deeply inflammatory, suppurating, painful.

Prognosis: Incurable.



B. KSHUDRA KUSTHA (11 MINOR TYPES)

Superficial, easier to manage

1. EKA KUSTHA (Vata + Kapha) 🌬️💧

- **Symptoms:** No sweating, extensive spread, fish-skin scaling.

Correlate: Psoriasis.



2. CHARMAKHYA (Vata + Kapha) 🌬️💧

- **Symptoms:** Thick, rough, hard, elephant skin-like.

Correlate: Lichenification.



3. KITIBHA (Vata + Kapha) 🌬️💧

- **Symptoms:** Blackish, rough, hard, scar-like.

Correlate: Psoriasis/Lichen Planus.



4. VIPADIKA (Vata + Kapha) 🌬️💧

- **Symptoms:** Cracks/fissures in palms/soles with pain.

Correlate: Cracked heels.



5. ALASAKA (Vata + Kapha) 🌬️💧

- **Symptoms:** Reddish nodules with itching and pain.



6. DADRU (Pitta + Kapha) 🔥💧

- **Symptoms:** Elevated circular patches, reddish vesicles, severe itching. **Correlate:** Ringworm.



7. CHARMADALA (Pitta + Kapha) 🔥💧

- **Symptoms:** Redness, itching, pustules, skin peeling, tenderness.



8. PAMA (Pitta + Kapha) 🔥💧

- **Symptoms:** Small white/reddish pustules, excessive itching/discharge. **Correlate:** Scabies/Eczema.



9. VISPHOTA (Pitta + Kapha) 🔥💧

- **Symptoms:** Bullae or blisters with thin skin, like burns.



10. SHATARU (Pitta + Kapha) 🌬️🔥

- **Symptoms:** Multiple ulcerations with burning and pain.



11. VICHARCHIKA (Kapha) 💧

- **Symptoms:** Dark, itching, oozing pustules. Wet/weeping look. **Correlate:** Wet Eczema.



NOTE: SHWITRA (Leucoderma/Vitiligo)


Distinct from Kustha: No discharge or tissue destruction, only color loss.





Classification & Maha Kushtha (Major Types)

Classification of Kushtha

Sanskrit Shloka:
स सप्तविधोऽष्टादशविधोऽपरिसंख्येय विधो वा भवन्ति ।
(च. नि. 5/6)



Maha Kushtha (Major Types)

1. Kapala Kushtha  Vata dominant. Hard, rough, painful.	2. Audumbara Kushtha  Pitta dominant. Burning, itching, redness.	3. Mandala Kushtha  Kapha dominant. Stable, dense, oily.
4. Rishyajihva Kushtha  Vata-Pitta dominant. Painful.		
5. Pundarika Kushtha  Pitta-Kapha dominant. Burning, elevated.	6. Sidhma Kushtha  Vata-Kapha dominant. Often on chest.	7. Kakanaka Kushtha  Tridosha dominant. Severe pain, incurable.

Kshudra Kushtha

(Minor Skin Diseases - All 11 Types)

Minor forms of Kushtha with less severe symptoms, often treatable. Total 11 types.

Eka Kushtha




Vata-Kapha dominant.
Large area, scaly, no sweating.

Kitibha Kushtha



Vata-Kapha dominant.
Blackish, rough, hard.

Vipadika Kushtha



Vata-Kapha dominant.
Severe pain, cracks on hands/feet.

Dadru Kushtha (Ringworm)



Pitta-Kapha dominant.
Circular, itchy, elevated with papules.

Charmakhya Kushtha



Vata-Kapha dominant.
Thick, hard, resembling elephant skin.

Pama Kushtha (Scabies)



Pitta-Kapha dominant.
Excessive itching, pustules, burning.

Visphota Kushtha



Pitta dominant.
Thin-walled blisters, reddish/dark.

Shataru Kushtha



Pitta-Kapha dominant.
Red, painful, many ulcers.

Vicharchika Kushtha (Eczema)



Kapha dominant.
Itching, oozing, dark boils.

Alasaka Kushtha



Vata-Kapha dominant.
Red, itchy nodules.

Sthularushka Kushtha



Vata-Kapha dominant.
Thick, hard, red patches.

These 11 types are collectively known as **Kshudra Kushtha** and involve various Dosha combinations, primarily Vata and Kapha.


RAKTA PITTA: NIDAN PANCHAK & UPADRAVA FLOWCHART

1. HETU (Etiology/Causes)

AHARAJA (Dietary)



VIHARAJA (Lifestyle)



MANASIKA (Psychological)




2. SAMPRAPTI (Pathogenesis)



RAKTA DUSHTI Blood Vitiation



RAKTA VRIDHI Blood Volume Increase



RAKTA VRIDHI Blood Volume Increase


SROTODUSHTI (ATIPRAVRUTTI) Vessel Overflow



3. PURVARUPA (Prodromal Symptoms)



4. RUPA & GATI (Types & Symptoms)



5. UPADRAVA (Complications)



@Yogesh_Gabhane

TYPES OF RAKTA PITTA

(Ayurvedic Bleeding Disorders)

1. CLASSIFICATION BY GATI (Direction & Prognosis)

URDHVAGA (Upward Flow)



Route: Nose, Ears, Eyes, Mouth.
Associated Dosha: Kapha (Upper Body).
Prognosis: Sadhya (Curable).
Why: Virechana (Purgation) treats it.
Medicine: Sweet/Cold drugs.

ADHOGA (Downward Flow)



Route: Urethra, Rectum, Vagina.
Associated Dosha: Vata (Lower Body).
Prognosis: Yasya (Manageable).
Why: Vamana (Emesis) is difficult.
Medicine: Mild/Sweet drugs.

TIRYAK / UBHAYA (Oblique/Both)



Route: All orifices + Skin Pores (Roma Kupa)
Associated Dosha: Vata + Kapha (Tridoshaja)
Prognosis: Asadhya (Incurable).
Why: Therapies contraindicated.

2. CLASSIFICATION BY DOSHA (Appearance & Flow)

VATAJA RAKTA PITTA



Appearance: Shyava/Aruna (Blackish/Red-brown), Saphena (Frothy), Tanu (Thin), Ruksha (Dry).

Flow: Scanty, frequent.

PITTAJA RAKTA PITTA



Appearance: Krishna (Dark Black), Gomutra Sannibha (Shiny), Ushna (Hot).

Flow: Profuse, hard to stop.

KAPHAJA RAKTA PITTA



Appearance: Sandra (Thick), Pandu (Pale/Yellowish), Picchila (Slimy), Snigdha (Oily).

Flow: Slow, steady oozing.

DVANDVAJA & SANNIPATAJA (Combined)



Dvandvaja: Mixed features of two.
Sannipataja: Features of all three.
Usually Tiryak (Incurable).

@Yogesh_Gabhane

NIDAN PANCHAK OF GULMA: ILLUSTRATED FLOWCHART

DEFINITION OF GULMA: Palpable, round abdominal lump due to aggravated Vata Dosha encapsulated by other doshas, spreading like a bush.

1. NIDAN PANCHAK

A. NIDANA (Etiology)



Aharaja (Dietary):

- Excessive Dry/Cold/Fermented food
- Fasting
- Excess water after meals.



Viharaja (Lifestyle):

- Suppression of Urges (Flatus, Feces, Urine)
- Grief, Trauma
- Improper Panchakarma.



B. PURVARUPA (Prodromal) @Yogesh_Gabhane



Udgarabahulya
(Excessive belching)



Purisha-bandha
(Constipation)



Anannabhilasha
(Anorexia)



Antra-kujana
(Gurgling)



Adhmana
(Distension)




Atopa
(Rumbling & bloating)

C. SAMPRAPTI (Pathogenesis)

Nidana
Sevana



Dosha Prakopa
(Vata aggravates in
GI tract)



Sthana Samshraya
(Localization in Nabhi,
Hridaya, Parshva, Basti)



**Dosha Dushya
Sammurchana**
(Vata encapsulates/interacts
with Pitta/Kapha/Rakta)



Vyadhi Utpatti
(Formation of
Palpable Gulma
Lump)


D. RUPA (Clinical Features)



Sparshopalabhyam
(Palpable mass)




Shula
(Pain - nature depends
on Dosha)



Paripindita
(Hard, globular)



Sthana
(Primary sites: Nabhi,
Hridaya, Parshva, Basti)



Vyadhi Utpatti
(Formation of
Palpable Gulma
Lump)

E. UPASHAYA (Relieving Factors)

Vata-pacifying comforts provide relief:

- Warm food/drinks
- Unctuous/Oily substances, Fomentation.



2. TYPES OF GULMA (BHEDA) - 5 Types



VATAJA GULMA:

Moving lump, changes size/shape.
Severe, unpredictable pain.
Dry mouth, constipation.



KAPHAJA GULMA:

Deep-rooted, heavy, hard,
stone-like. Dull ache, nausea,
cough, excessive sleep.



PITTAJA GULMA:

Inflamed, hot to touch.
Burning sensation (Vidaha).
Fever, thirst, redness.



SANNIPATAJA (NICHAYA) GULMA:

Mixed features of all three.
Severe pain, stone-hard, burning.
Incurable (Asadhya).



RAKTAJA GULMA (Women only):

Due to suppressed menstruation/improper
post-partum care.
Accumulation of vitiated blood in uterus.
Resembles pregnancy but no fetal movement.

@Yogesh_Gabhane

3. UPADRAVA (COMPLICATIONS)



Jwara
(Fever)



Chardi
(Vomiting)



Trishna
(Excessive
thirst)



Aruchi
(Anorexia)



Hrit-shula
(Cardiac pain)



Shotha
(Edema)



Atisara
(Diarrhea)




Kasa / Shwasa
(Cough /
Dyspnea)

GULMA NIDANA ADHYAYA: DIAGNOSIS OF ABDOMINAL MASSES

(Charaka Samhita, Nidana Sthana, Ch. 3)

FUNDAMENTAL CAUSE: NO GULMA WITHOUT VATA



@Yogesh_Gabhane

VATAJA GULMA (Vata-Type)

Etiology (Nidana)



Symptoms & Nature (Rupa)



Aggravation



PITTAJA GULMA (Pitta-Type)

Etiology (Nidana)



Symptoms & Nature (Rupa)



Aggravation



KAPHAJA GULMA (Kapha-Type)

Etiology (Nidana)



Symptoms & Nature (Rupa)



Aggravation



SANNIPATAJA / NICHAYA GULMA (Tridoshaja-Type)

Etiology & Symptoms



Prognosis



SHONITAJA GULMA (Blood-Origin / Women Only)

Etiology (Nidana)



Pathology & "False Pregnancy"



Prognosis




GENERAL PRODROMAL SYMPTOMS (PURVARUPA)



Aruchi (Loss of Appetite), Atopa (Gurgling), Vibandha (Constipation), Belching

FIVE LOCATIONS OF GULMA (GULMA STHANA)



1. Hridaya (Heart)
2. Nabhi (Umbilicus)
3. Vasti (Bladder)
4. & 5. Parshva (Right & Left Flanks)

SUMMARY OF PROGNOSIS (SADHYASADHYATA):

SADHYA (Curable): Vataja, Pittaja, Kaphaja (Single Dosha), Shonitaja. | ASADHYA (Incurable): Sannipataja, Deeply Rooted, with Complications



AMLAPITTA

NIDAN PANCHAK & PROGRESSION



I. HETU (ETIOLOGY - Causative Factors)

AHARAJA (Dietary)



VIHARAJA (Lifestyle)




MANASIKA (Psychological)



@Yogesh_Gabhane

II. SAMPRAPTI (PATHOGENESIS FLOWCHART)



Amashaya

HETU
SEVANA

DOSHA
PRAKOPA
(Pachaka Pitta)

AGNI
MANDYA

AMASHAYA
DUSHTI

PITTA DRAVA &
AMLA GUNA
VRIDDHI
(Sour, Liquid Pitta)

VIDAGDHA
AHARA
(Acidic Food)

AMLAPITTA
MANIFESTATION

III. PURVARUPA (Prodromal Symptoms)



Avipaka, Klama, Utklesha,
Tikta-Amla Udgara, Gaurava,
Hrit-Kantha Daha

IV. RUPA (Clinical Features)



Amla-Tikta Udgara,
Hrit-Kantha-Kukshi Daha,
Avipaka, Aruchi, Gaurava,
Klama, Antra Kujana

TYPES OF AMLAPITTA (BHEDA - By Gati)

A. URDHWAGA AMLAPITTA (Upward Moving)



Movement: Upward to mouth.
Symptoms: Vamana
(Green, yellow, sour/bitter),
Shiroruja,
Chest/Side pain,
Burning in throat/chest,
Jwara

B. ADHOGA AMLAPITTA (Downward Moving)



Movement: Downward to rectum.
Symptoms: Bhedanam
(Loose, yellow/red stools),
Rectal Daha, Trishna,
Murcha/Bhrama, Kotha,
Sweda

UPADRAVA (COMPLICATIONS - Chronic/Untreated)

If neglected, leads to systemic
toxicity & tissue depletion:

1. Jwara (Fever)
2. Atisara (Chronic Diarrhea)
3. Pandu (Anemia)



4. Shula (Colic Pain)
5. Shotha (Edema)
6. Aruchi (Severe Anorexia)
7. Bhrama (Vertigo)
8. Grahani (Malabsorption)

GRAHANI ROGA (Malabsorption Syndrome / IBS)

- Illustrated Nidan Panchak, Types & Upadrava

1. NIDAN PANCHAK (Diagnostic Protocol)

@Yogesh_Gabhane

A. NIDANA (Etiology / Causes)

AHARAJA (Dietary)



Abhojana, Atibhojana, Vishamashana, Viruddha Ahara, Guru/Sheeta/Ruksha Foods

VIHARAJA (Lifestyle)



Vega Vidharana, Swapna Viparyaya

MANASIKA (Psychological)



Chinta, Shoka, Bhaya, Krodha
→ Agni Mandya

B. PURVARUPA (Prodromal Symptoms)



Trishna
(Thirst)



Alasya
(Lethargy)



Balakshaya
(Weakness)



Anna-vidaha
(Acidic Feeling)



Chira Paka
(Delayed Digestion)



Kayasya Gauravam
(Heaviness)

C. RUPA (Clinical Features)



Durgandha Mala
(Foul smell)



Ama Yukta
(Mucus/Undigested food)



CARDINAL SYMPTOM:
Muhur Baddham Muhur Dravam
(Alternating solid & loose stool)



Udarashoola
(Abdominal pain)



Aruchi
(Anorexia)



Klama
(Fatigue)

D. UPASHAYA (Relieving Factors)



Pathya Ahara
(Light, Warm, Digestible)



Takra
(Buttermilk - Nectar)



Deepana/Pachana
(Digestive Fire Kindlers)

E. SAMPRAPTI (Pathogenesis)



1. Agni Dushti
(Weak Fire)



2. Ama Utpatti
(Toxin Formation)



3. Grahani Dushti
(Duodenum Damage)



4. Functional Failure
(No Holding/Digesting/ Separating)



5. Result
(Premature Expulsion of Ama/Digested Food)

2. TYPES OF GRAHANI

VATAJA GRAHANI



Cause: Dry, cold, bitter foods, fasting.

Symptoms:
Dry skin/throat, pain, dry/frothy/noisy stool, anxiety.

PITTAJA GRAHANI



Cause: Spicy, sour, burning foods.

Symptoms:
Burning sensation, sour belching, loose yellowish/bluish stool, excessive thirst.

KAPHAJA GRAHANI



Cause: Heavy, fatty, cold foods, sleep after meal.

Symptoms:
Heaviness, nausea, sweet taste, heavy mucus-filled whitish stool.

SANNIPATAJA GRAHANI



Cause: Combination of causes.

Symptoms:
Mixed symptoms, extreme weakness, confusion. Difficult to cure (Krichra Sadhya).

3. UPADRAVA (Complications)


@Yogesh_Gabhane



PANDU
(Anemia)



SHOTHA
(Edema)



GULMA
(Abdominal Tumor)



UDARA ROGA
(Ascites)



ARSHA
(Hemorrhoids)



PLIHA ROGA
(Splenomegaly)



JVARA
(Chronic Fever)



HRIDROGA
(Heart Disorders)

COMPARATIVE FLOWCHART: GRAHANI ROGA (Malabsorption/IBS), PRAVAHIKA (Dysentery), & ATISARA (Diarrhea)

- Nidan Panchak, Types, & Upadrava @Yogesh_Gabhane

GRAHANI ROGA

Primary Definition



Muhur Baddham Muhur Dravam
(Alternating loose & solid due to weak holding power)

Nature of Disease




Chirakari (Chronic / Long term)

1. Nidana (Etiology)




Agni Mandya (Weak digestion) is main cause. Adhyashana (Eating before digestion)

2. Samprapti (Pathogenesis)



3. Rupa (Symptoms)



Foul smell, alternating hard/loose stool, thirst, edema, anorexia, Undigested food

4. Upashaya (Relief)



Takra (Buttermilk), Light food, Deepana drugs (Fire kindlers)

5. Types (Bheda)



(Others: Sangraha, Ghatiyantira)

6. Upadrava (Complications)



PRAVAHIKA

Primary Definition



Pravahana (Straining)
(Passage of stool with forceful straining and mucus)

Nature of Disease




Ashukari (Acute) or Chronic

1. Nidana (Etiology)




Ahita Ahara (Unwholesome food) leading to Kapha accumulation and Vata aggravation

2. Samprapti (Pathogenesis)



3. Rupa (Symptoms)



Tenesmus (Painful straining), Stool with Mucus (Kapha) or Blood, Feeling of incomplete evacuation

4. Upashaya (Relief)



Basti (Enema) - specifically Piccha Basti for healing ulcers/mucus

5. Types (Bheda)



(Blood dysentery)

6. Upadrava (Complications)



Grahani:
Damaged
Absorption
(Ama)



Pravahika:
Inflamed
Colon
(Mucus/Strain)

ATISARA

Primary Definition



Bahu Drava Saranam
(Excessive flow of watery stool)

Nature of Disease



Ashukari (Acute / Sudden onset)

1. Nidana (Etiology)




Consumption of heavy, liquid, or polluted water/food (Guru, Dravapraya)

2. Samprapti (Pathogenesis)



3. Rupa (Symptoms)



Watery stool, Frequency is very high, Body ache, dryness of mouth, Weakness

4. Upashaya (Relief)




Langhana (Fasting) initially, then Peya (Gruel). Stambhana (Stopping) prohibited initially

5. Types (Bheda)



6. Upadrava (Complications)



Atisara:
Increased
Motility & Water
(Flow)


SPECIAL CHRONIC TYPES OF GRAHANI: SANGRAHA & GHATIYANTRA

1. SANGRAHA GRAHANI (The Accumulating Type)


Definition: Intestine collects waste for a long period then expels forcefully.




A. Nidana (Etiology)



Primarily **Vata Dosha & Ama (Toxins)**



Ahara: Cold, heavy, greasy, incompatible foods while Agni weak



Vihara: Sleeping during day (Diva Swapna) is major trigger

B. Samprapti (Pathology)



1. **Weak Agni** creates Ama



2. **Vata** traps Ama in intestines



3. **Collection Phase:** Sluggish gut holds stool



4. **Expulsion Phase:** Forceful bulk expulsion, liquid/mixed

C. Rupa (Clinical Features)



Antra Kujana: Constant gurgling noise



Mala (Stool): Alternating Drava/Ghana, Snigdha/Picchila, Ama Yukta



Distinctive Feature: **Diva Prakopa** (Worse Day), **Ratrau Shanti** (Relief Night)



Physical: **Kati Shoola** (Waist pain), **Alasya** (Lethargy)

D. Upadrava (Complications)



Severe weakness/weight loss, Rectal prolapse

2. GHATIYANTRA GRAHANI (The Noisy Type)

Definition: Named after sound like a submerged water pitcher.



A. Nidana (Etiology)



Caused by **Sannipata** (All 3 Doshas), intense Vata-Kapha



Correlated with severe intestinal infections or deep-seated malabsorption

@Yogesh Gabhane

B. Rupa (Clinical Features)



CARDINAL SYMPTOM: **Ghatiyantara Iva Shrutah** (Loud splashing/gurgling sounds like submerged pitcher)



Parshva Shoola: Intense side pain



Mala: Copious, watery, passed with undigested particles



General: Severe emaciation, sleeplessness, anxiety

C. Sadhya-Asadhyata (Prognosis)



Asadhyata (Incurable) or **Krichra Sadhya** (Difficult). **Reason:** Deep tissue damage, total loss of digestive fire

NIDAN PANCHAK OF SHOOLA

(Ayurvedic Colic Pain)

1. NIDANA (Etiology)



Aharaja

Dry/Cold/Light Food,
Fasting, Incompatible Diet



Viharaja

Vegadharana
(Suppressing Urges),
Overexertion, Cold Wind



Manasika

Stress, Grief (Shoka),
Anger (Krodha)


@Yogesh_Gabhane

2. PURVARUPA (Prodromal Symptoms)



Vistambha (Distension), **Aruchi** (Loss of Appetite),
Avipaka (Indigestion), **Klama** (Fatigue)

3. SAMPRAPTI (Pathogenesis)



"Vata Prakopa" increases in the gut, and
Avarana (Blockage by Pitta/Kapha/Mala)

Dosha: Vata Pradhana

Srotas: Annavaha, Purishavaha

Adhithana: Amashaya & Pakvashaya

4. RUPA (Clinical Features)



Cardinal Symptom: "Shanku-vat Toda"
(Piercing Pain like a Nail/Trident)

General Symptoms: Abdominal Distension,
Gurgling Sounds, Difficulty Breathing

TYPES & UPADRAVA

TYPES OF SHOOLA (8+)

-  **Vataja** (Throbbing, Shifting)
-  **Pittaja** (Burning, Thirst)
-  **Kaphaja** (Dull, Heavy)
-  **Sannipataja** (Mixed)
-  **Amaja** (Indigestion)
-  **Parinama** (During Digestion)
-  **Annadrava** (Constant)

UPADRAVA (Complications)

-  **Murchha** (Fainting)
-  **Trishna** (Excessive Thirst)
-  **Shwasa** (Dyspnea)
-  **Bhrama** (Giddiness)
-  **Anaha** (Severe Bloating)
-  **Hrit-Pida** (Cardiac Pain)
-  **Krishata** (Emaciation)

DETAILED TYPES OF SHOOLA

(Ayurvedic Colic Varieties)

@Yogesh_Gabhane

TYPES OF SHOOLA

A. DOSHA-BASED TYPES



1. Vataja Shoola (Wind-dominant)

Shifting, throbbing, severe pain. Aggravated by cold, relieved by warmth/massage.



2. Pittaja Shoola (Fire-dominant)

Burning pain (Daha), excessive thirst, sweating, it. Aggravated by hot, relieved by cold.



3. Kaphaja Shoola (Water/Earth-dominant)

Dull, heavy pain (Gaurava), nausea, salivation. Aggravated after meals, relieved by dry/strong massage.



4. Sannipataja Shoola (Mixed)

Mixed symptoms of all three Doshas. Very severe, difficult to treat (Kashtasadhya).

B. DIGESTIVE & TIME-BASED TYPES



5. Amaja Shoola (Due to Indigestion)

Associated with heavy abdomen, nausea, vomiting. Pain persists until Ama (toxins) is digested.



6. Parinama Shoola (During Digestion)

Pain occurs during the digestion of food. Relieved after digestion is complete or by vomiting.



7. Annadrava Shoola (Constant Pain)

Constant pain regardless of food intake; relieved only momentarily by eating.

Note: Dwandaja (Dual Dosha) types also exist, combining symptoms of two Doshas.


START: Patient Presents with Raised Skin Eruptions (Wheals/Hives)

@Yogesh_Gabhane

Is there
Pricking Pain & Burning?
(Suspect Vata-Pitta)

YES

1. SHEETAPITTA (Vata-Pitta)



- **Primary Sensation:** Pricking pain (**Toda**), Burning sensation (**Daha**).
- **Visual Appearance:** Red, inflamed wasp-sting like (**Varati Damstra**), Center is red.
- **Key Etiology:** Exposure to Cold Wind (**Sheeta Maruta**), Daytime sleep.
- **Systemic Symptoms:** Fever (**Jwara**), Thirst (**Pipasa**), Nausea (**Chardi**), Body aches.

NO

Is there Intense Itching
& Pale Swelling?
(Suspect Kapha)

YES


2. UDARDA (Kapha)



- **Primary Sensation:** Deep, intense itching (**Kandu**), No significant burning.
- **Visual Appearance:** Pale or whitish (**Shveta / Pandu**), Significant swelling/heaviness (**Utsedha**).
- **Key Etiology:** Cold Seasons (Winter/**Shishira**), Cold water contact.
- **Systemic Symptoms:** Heaviness of body (**Gaurava**), Lethargy, Weak digestion.

NO (Transient & Recurrent?)

3. KOTHA (Rakta-Pitta-Kapha)




- **Primary Sensation:** Itching with redness (**Raaga**).
- **Visual Appearance:** Circular patches (**Mandala**), Transient/Fading quickly (**Niranubandha**).
- **Key Etiology:** Improper Vamana, Suppression of vomit urge (**Chardi Vega Dharana**).
- **Systemic Symptoms:** History of digestive toxins (**Ama**), Often recurrent (**Utkotha**).

Differential Diagnosis Complete.
Proceed to Treatment Protocol.

NIDAN (ETIOLOGY OF PRAMEHA)

AHARAJA (Dietary)



VIHARAJA (Lifestyle)



PURVARUPA (PREMONITORY SYMPTOMS)




@Yogesh_Gabhane

RUPA (CLINICAL FEATURES)



Bladder
Prabhuta Mutrata (Polyuria),
Avila Mutrata (Turbidity)

SAMPRAPTI (PATHOGENESIS)



PRAMEHA TYPES & UPADRAVA (COMPLICATIONS)



KAPHAJA (10 Types - Sadhya)



PITTAJA (6 Types - Yapy)



VATAJA (4 Types - Asadhya)



UPADRAVA (COMPLICATIONS)

GENERAL UPADRAVA



PRAMEHA PIDAKAS (CARBUNCLES)



PRAMEHA PIDAKA (DIABETIC ABSCESSES)

- CHARAKA SAMHITA (SUTRA & CHIKITSA STHANA)

1. THE 7 TYPES (LAKSHANA & APPEARANCE)



1. Sharavika
Saucer-shaped;
elevated edges,
depressed
center; dark.



2. Sarshapi
Mustard-like;
small white
pustules; not
very painful.



3. Kacchapika
Tortoise-shell;
hard, deep, large;
very painful &
burning.



4. Jalini
Networked;
surface
veins/fibers;
intense burning,
sticky discharge.



5. Vinata
Deep depression;
large,
deep-seated,
blue/black;
painful.



6. Putrini
Clustered; large
central boil with
smaller
surrounding
boils.



7. Vidarika
Tuber-like;
round, hard,
reddish;
resembles
Vidari tuber.

(Note: Sushruta lists Alaji, characterized by red blisters and spreading)

2. SAMPRAPTI (PATHOGENESIS)



Dosha: Kapha & Pitta



**Dushya: Medas (Fat),
Rakta, Mamsa**

Vitiated Medas & Kapha
obstruct pathways.



**Sthana (Site):
Fatty Areas, Joints,
Vital Spots**

Manifestation where fat
is abundant; indicates
deep tissue destruction.

3. SADHYA-ASADHYATA (PROGNOSIS)

A. Krichhra Sadhya (Difficult to Cure)



Types: Sharavika,
Kacchapika, Jalini

Reasons: Mahavastu (Large
size), Deep-seated,
Significant tissue necrosis.

B. Asadhyata (Incurable/Fatal Signs)

B.1. Fatal Complications (Upadravas)



Trishna (Severe Thirst)



Shwasa (Breathlessness)



Mamsa-kotha
(Gangrene)



Hikka (Hiccups)



Moha (Delusion/Coma)



Jwara (High Fever)



Visarpa (Erysipelas)

B.2. Marmasthana & General Fatal Signs



Marmasthana (Vital Organs)



Ruksha (Excess Dryness)



Krishna (Black/Necrosis)



Sphotaka-chita (Blisters)



Maharti (Excruciating Pain)

Prognosis worsens with depth,
vital organ involvement, and
systemic complications.

@Yogesh_Gabhane

PANDU ROGA SAMPRAPTI (Pathogenesis)

1. NIDANA SEVANA (Etiology)

Intake of Pitta-provoking diet (sour, salt, hot) & lifestyle (day sleep, over-exertion, suppressing urges).



2. PITTA PRAKOPA (Aggravation)

Pitta dosha (esp. Sadhaka & Bhrajaka) becomes severely aggravated, increasing heat.



3. MIGRATION (Hridaya Gami & Vayu Prerita)

Aggravated Pitta is propelled by Vata into the Heart (Hridaya) and then the 10 great vessels (Dhamanis).



4. STHANA SAMSHRAYA (Localization)

Pitta lodges in the space between Skin (Tvak) and Muscle (Mamsa).



@Yogesh_Gabhane

5. DHATU DUSHANA (Vitiation)

The heat vitiates Rakta (blood), Tvak, Mamsa, and Kapha, causing 'slacking' of tissues.



6. OJO KSHAYA & VARNA NASHA (Loss of Vitality & Color)

Loss of Ojas (vital essence) and natural complexion. Agni is impaired.



7. PANDU ROGA VYAKTI (Manifestation)

Appearance of pallor (Pandu, Peeta, Haridra). The disease is fully manifested.

**PANDU
ROGA**



KAMALA SAMPRAPTI

(Pathogenesis of Jaundice)

1. KOSH THASHAKHASHRITA KAMALA (Bahupitta - Hepatocellular)



NIDANA SEVANA: (In Pandu or independent)
Excessive sour, salt, hot, spicy foods;
Alcohol; Suppression of urges.



PITTA PRAKOPA: Pitta becomes excessively increased in quantity and heat.



RAKTA & MAMSA DAGDHA:
Aggravated Pitta 'burns' or vitiates
Rakta (Blood) and Mamsa (Flesh).



PITTA VIMARGA GAMANA & STHANA SAMSHRAYA:
Pitta overflows from its site, spreads via Vata, and lodges in Skin, Eyes, Nails.



KAMALA ROGA VYAKTI: Manifestation.
Symptoms: Haridra Netra (Yellow eyes),
Haridra Tvak (Yellow skin), Rakta-Peeta
Shakrit (Reddish-yellow stool).



2. SHAKHASHRITA KAMALA (Alpapitta - Obstructive)



NIDANA SEVANA: Intake of Dry, Cold, Heavy,
Sweet foods & Excessive Exercise.

@Yogesh_Gabhane

VATA-KAPHA PRAKOPA & SROTO AVARODHA:
Aggravated Kapha blocks the Pitta Vaha Srotas
(Bile duct).



PITTA PRATINIODHA (Backflow):
Pitta is forced to move retrograde into
the Shakha/Blood circulation.



LAKSHANA VYAKTI (Shakha & Koshtha):
In Shakha: Accumulation causes yellow eyes/skin.
In Koshtha: Absence of Pitta causes Tilapishta
Nibha Varcha (White/Clay-colored stools).



SHAKHASHRITA KAMALA:
Manifestation with clay-colored stool.



GRIDHRASI SAMPRAPTI (Sciatica Pathogenesis)

1. NIDANA SEVANA

(Improper posture, heavy lifting, trauma to back)



2. VATA PRAKOPA

(Aggravation of Vata, specifically Vyana & Apana Vayu)



3. STHANA SAMSHRAYA (Localization)

(Vata accumulates in Sphik (Buttocks) and Kati (Lower Back))



4. KANDARA/SIRA DUSHTI

(Affliction of the specific Kandara (Sciatic nerve) towards the foot)



5. MARGAVARODHA & STAMBHA

(Stiffness and obstruction of movement)



6. GRIDHRASI VYAKTI

(Radiating pain: Sphik → Kati → Uru → Janu → Jangha → Pada)



PAKSHAGHATA SAMPRAPTI (Hemiplegia Pathogenesis)

1. NIDANA SEVANA

(Stress, hypertension, trauma, blocking of channels)



2. VATA PRAKOPA (Urdhva Gati)

(Vayu moves upwards towards the Head/Brain)



3. SIRA-SNAYU SHOSHA

(Dryness/Damage to vessels and ligaments of one side)



4. SANDHI BANDHA VIMOKSHA

(Loosening of joints and loss of motor control)



5. ARDHA KAYA VATA

(Vata paralyzes one half of the body - Left or Right)



6. PAKSHAGHATA VYAKTI

(Hemiplegia with loss of speech and movement)



@Yogesh_Gabhane

SANDHIGATAVATA

(Osteoarthritis - Degeneration)

1. NIDANA SEVANA
(Aging, Dry/Cold Food, Over-exertion)



2. VATA PRAKOPA & DHATUKSHAYA
(Vata aggravates, tissues weaken)



3. SHLESHAKA KAPHA KSHAYA
Joint lubrication decreases)



4. SANDHI RIKTAATA & GHARSHAN
Joint space creates friction)



5. RUPA (Lakshana)



Pain on movement,
Crepitus ('Kat-Kat')
No swelling

6. UPASHAYA (Relief)



Oil application (Snehan)
& Fomentation

AMAVATA

(Rheumatoid Arthritis - Inflammation/Toxins)

1. NIDANA SEVANA
(Weak digestion, Incompatible food)



2. AMA UTPATTI & SANCHAR
(Toxins form and move with Vata)



3. SHLESHMA STHANA SAMSHRAYA
(Ama lodges in joints)



4. SROTORODHA & SHOTHA
Channels blocked, causing swelling)



5. RUPA (Lakshana)



Severe 'scorpion-bite' pain,
Shifting pain, Fever, Stiffness

6. UPASHAYA (Relief)



Dry Heat (Ruksha Sweda)
e.g., Sand bag)

VATARAKTA

(Gout - Metabolic/Blood)

1. NIDANA SEVANA
(Alcohol, Spicy/Salty food, Sedentary life)



2. VATA & RAKTA PRAKOPA
(Both Vata and Blood aggravate)



3. ANYONYA AVARANA
(Mutual obstruction of Vata & Blood)



4. PADANGUSHTHA ASHRAYA
(Lodges in big toe/small joints)



5. RUPA (Lakshana)



Burning sensation (Daha)
Redness (Raga)
Extreme tenderness

6. UPASHAYA (Relief)



Cold application (Sheeta/ Upchar) or Bloodletting

CLINICAL EXAMINATION (ROGI PARIKSHA) OF VATA VYADHIS

Disease & Main Focus		Darshana (Inspection)	Sparshana (Palpation)	Vishesha Pariksha (Specific Tests)
GRIDHRASI (Sciatica) @Yogesh_Gabhane	Lower back, Sciatic path	   Antalgic Gait Posture Muscle Wasting	  Tenderness Spandana	  SLR Test Bragard's Sign
PAKSHAGHATA (Hemiplegia)	One body half Neuro	   Face deviation Arm/Leg Cheshta Nasha	  Muscle Tone Sandhi Bandha	   Babinski Sign Grip Strength Vak Pariksha
SANDHIGATAVATA (Osteoarthritis)	Knees Hips Wt. bearing	   Shotha Deformity Gait	   Crepitus Tenderness Temperature	  ROM Movement Pain
AMAVATA (Rheumatoid Arthritis)	Small joints Symmetry Systemic	   Symmetry Anga Vikriti Shotha	  Ushna Sparsha Asahatva	   >1 hr Squeeze Test Fever
VATARAKTA (Gout)	Big Toe, Skin appearance	   Site Varna Tophi	  Extreme Tenderness Daha	  History Check Asymmetry

Gridhrasi (Sciatica)

@Yogesh_Gabhane

SLR Test (Straight Leg Raise)



Passive leg elevation causes radiating pain due to nerve root tension.

Bragard's Sign



Confirms nerve root irritation by increasing sciatic tension.

Pakshaghata (Hemiplegia)

Babinski Sign




Indicates Upper Motor Neuron lesion.

Grip Strength



Assesses motor power loss.


Vak Pariksha (Speech Assessment)



Evaluates speech and language function.

Sandhigaavata (Osteoarthritis) of Knee

Range of Motion (ROM) Test



Joint movement is limited due to pain and stiffness.

Movement Pain (*Prasarana-Akunchana Vedana*)

@Yogesh_Gabhane



Pain is characteristically worse with activity and relieved by rest.

Morning Stiffness




Stiffness in joints lasting more than an hour after waking.

Squeeze Test (MCP Compression)




Indicates active inflammation in small joints.

Fever (Jwara)



Systemic sign of chronic inflammatory process.

History Check (Triggers & Onset)



Classic presentation is a sudden attack of intense pain at night.

Asymmetry (Monoarthritis)



Typically affects one joint, most commonly the big toe, asymmetrical.

VISHUCHIKA

The "Pricking" Expulsion

ALASAKA

The "Lazy/Blocked" Stomach
(AYURVEDIC INDIGESTION DISORDERS)

VILAMBIKA

The "Delayed" Stasis

1. Etiology (Nidana)

Intake of incompatible/heavy food leads to Ajirna



1. Etiology (Nidana)

Eating while previous meal is undigested (Adhyashana) + Suppression



1. Etiology (Nidana)

Excessive intake of heavy, unctuous, or cold food




2. Dosha Vitiation

Vata Dosha becomes dominant (highly mobile & aggressive)



2. Dosha Vitiation

Vata + Kapha dominant (Kapha blocks path; Vata trapped)



2. Dosha Vitiation

Kapha + Vata dominant (Heavy, sticky, and slow nature)



3. Pathogenesis (Samprapti)

Expulsive Movement (Upward & Downward)



3. Pathogenesis (Samprapti)

Blocked Movement (Neither Up nor Down). Vata moves upward inside, causing pressure.



3. Pathogenesis (Samprapti)

Zero Movement (Stagnation). Food sticks to walls coated in Ama.



4. Symptoms (Lakshana)

Simultaneous Vomiting & Diarrhea with severe needle-like pricking pain, dehydration



4. Symptoms (Lakshana)

Absolute Constipation, No Vomiting, Drum-like distension (Adhmana), Loud rumbling



4. Symptoms (Lakshana)

Food remains undigested for a very long time. No Vomiting/Purgation. Silent abdomen.



5. Prognosis

Sadhya (Curable with early intervention)



5. Prognosis

Sadhya (Curable), but can become dangerous due to pressure




5. Prognosis

Krichrasadhya (Difficult) or Asadhya (Incurable) due to sticky Ama



VISARPA: NIDAN PANCHAK & UPADRAVA (Complications)



TYPES OF VISARPA (CLASSIFICATION & SYMPTOMS)

