

स्वरूप (Nature of Diseases)

निबद्धः श्वयथुर्यस्य मुष्कवल्लम्बते गले ।
महान् वा यदि वा ह्रस्वो गलगण्डं तमादिशेत् ॥
S.S.Ni. 11/31

The disease *Galaganda* is characterised by swelling which hangs over the region of *gala* like *muṣka*, which may be either big or small in size.

गलस्यपार्श्वगलगण्डएकः ॥ C.S.Ci. 12/79

Single swelling over the side of *gala* is the clinical feature of *Galaganda*.

पवनश्लेष्ममेदोभिर्गलगण्डो भवेद्वहिः ।
वर्धमानः स कालेन मुष्कवल्लम्बते निरुक् ॥
A.H.Utt. 21/53

Impaired *vāta*, *kapha* and *medas* causes swelling in the outer aspect of *gala* and gradually increases its size associated with severe pain and hangs like *mushka*.

निदान (Nidāna)

मात्स्यमाहिषवाराहपिशितामकमूलकम् ।
माषसूपदधिक्षीरसुक्तेक्षुरसफाणितम् ॥
अवाक्शय्यां च भजतो द्विषतो दन्तधावनम् ।
धूमच्छर्दनगण्डूषानुचितं च सिराव्यधम् ॥
कुब्धाः श्लेष्मोल्बणा दोषाः कुर्वन्त्यन्तर्मुखं गदान् ।
A.H.Utt. 21/1-2

Excessive intake of meat of *matsya* (fish), *māhiṣa* (buffalow) and *vārāha* (pig), unripened *mūlaka* (Radish), *māṣasūpa* (black gram soup), buttermilk, milk, *iṣurasa* (sugar cane juice), and *phāṇita* (inspissated juice of the sugarcane), improper sleeping position, avoidance of toothbrush, improper *dhūmapāna* (smoke), *vamana* (emesis), *gaṇḍūṣa* (gargle) and *sirā vyadhanam* (vein puncture) therapeutics leading to exacerbation and vitiation of *kaphādi doṣa* and manifest diseases of *mukha*.

सम्प्राप्ति (Samprāpti)

यस्य श्लेष्मा प्रकुपितो गलबाह्योऽवतिष्ठते ।
शनैः संजनयेच्छोफं गलगण्डोऽस्य जायते ॥
यस्य श्लेष्मा प्रकुपितस्तिष्ठत्यन्तर्गले स्थिरः ।
आशु संजनयेच्छोफं जायतेऽस्य गलग्रहः ॥
C.S.Su. 18/21-22

If the aggravated *Kapha* is located *Galabāhya* (outside the throat), it causes gradual swelling called as *Galaganda*, it is chronic in nature.

वातः कफश्चैव गले प्रवृद्धौ मन्ये तु संसृत्य तथैव मेदः ।
कुर्वन्ति गण्डं क्रमशः स्वलिङ्गैः समन्वितं तं गलगण्डमाहुः ॥
S.S.Ni. 11/23

The aggravated *Vāta* and *kapha* amalgamate with the *medas* (fat) and produce swelling in the neck and its sides. The manifestation of symptoms of the *doṣas* develop gradually. This disease is known and *Galaganda*.

Intake of etiological factors

↓
Vitiation and aggravation of *Vāta*, *Kapha* and *Meda*

↓
Reaches *Gala* (Neck)

↓
Amalgamation of *doṣās* and *dūṣyās* in the *Gala* (neck region)

↓
Produces swelling in Duter Ospect of *Gala*

↓
Gradually increases its size associated with sever pain & hangs like *Muṣka*

↓
Galaganda

भेद (Bhedā)

वातज कफज मेदोज....

Galaganda is classified into three varieties

namely *Vātaja*, *Kaphaja* and *Medoja*. *Pittaja* type of *Galagaṇḍa* is not mentioned due to specific *guṇās* of *Pitta*.

वातज गलगण्ड (Vātaja Galagaṇḍa)

कृष्णोऽरुणो वा तोदाढ्यः सा वातात्कृष्णराजिमान् ।

वृद्धस्तालुगले शोषं कुर्याच्च विरसास्यताम् ॥

A.H.Utt. 21/54

Vātaja Galagaṇḍa is characterised by the black or reddish colour swelling associated with pricking type of pain, appearance of black colour veins in the neck and aggravated *vāta* dries up the *tālu* (palate) and *gala* (neck-throat) associated with bitterness of mouth.

कफज गलगण्ड (Kaphaja Galagaṇḍa)

स्थिरः सवर्णः कण्डूमाज् शीतस्पर्शो गुरुः कफात् ।

वृद्धस्तालुगले लेपं कुर्याच्च मधुरास्यताम् ॥

A.H.Utt. 21/55

Kaphaja Galagaṇḍa develops due to exacerbation of *kapha* and it is characterised by swelling over the *gala* which is immovable and resembles the colour of the body associated with itching, cold to touch and feeling of heaviness. It also causes coating like feeling in the *tālu* and *gala* along with sweetishness in the mouth.

मेदज गलगण्ड (Medaja Galagaṇḍa)

मेदसः श्लेष्मवृद्धातिवृद्धयोः सोऽनुविधीयते ।

देहं वृद्धश्च कुरुते गले शब्दं स्वरेऽल्पताम् ॥

A.H.Utt. 21/56

Clinical features of *Medaja Galagaṇḍa* are similar to the features of *Kaphaja Galagaṇḍa*. It increases and decreases its size in proportion with the body size and due to its excessiveness it causes *alpasvara*.

साध्यासाध्यता (Sādhyāsādhyaṭā)

साध्याः स्मृताः पीनसपाश्र्वशूलकासज्वरच्छर्दियुतास्त्वसाध्यः ॥

C.S..Ci. 12/79

कृच्छ्राच्छ्वसन्तं मृदुसर्वगात्रं संवत्सरातीतमरोचकार्ताम् ।

क्षीणं च वैद्यो गलगण्डिनं तं भिन्नस्वरं चैव विवर्जयेत् ॥

S.S.Ni. 11/30

Galagaṇḍa is considered as curable if there is

no association of *Pīnasa*, *Pārsvasūla*, *Kāsa*, *Jvara* and *Chardi*. If it is associated with *Śvāsa*, *Mṛdutā* in *gātra*, persists for more than 1 year, *Arocaka*, *Daurbalya* and *Bhinnasvaram* such cases of *galagaṇḍa* should not be treated.

गलगण्डः स्वरभ्रंशी कृच्छ्रोच्छ्वासोऽतिवत्सरः ।

A.Utt. 21/69

Galagaṇḍa which is associated with *Svarabhramsa*, *Kṛchrasvāsa* and lasts for more than a year are considered to be as *asādhya*.

Thyroid enlargement

1. Palpable thyroid enlargement is common, affecting about 5% of the population.
2. Multinodular goitres and solitary nodules sometimes present with acute painful enlargement due to haemorrhage into a nodule.

Causes of thyroid enlargement

Diffuse goitre

- Simple goitre
- Transient thyroiditis
- Hashimoto's thyroiditis
- Dysthyroidism
- Graves' disease
- Drugs
- Infiltrative
- Iodine, amiodarone, lithium
- Amyloidosis, sarcoidosis etc
- Iodine deficiency (endemic)
- Riedel's thyroiditis
- Suppurative thyroiditis
- Multinodular goitre
- Solitary nodule
- Simple cyst
- Medullary cell
- Colloid nodule carcinoma
- Follicular adenoma
- Anaplastic carcinoma
- Papillary carcinoma
- Lymphoma
- Follicular carcinoma
- Metastasis

