

CHAPTER

9

Mutrakrichra

Learning Objectives

- ⇒ To understand the concept of Mutrakrichra
- ⇒ To understand the Nidana Panchaka of Mutrakrichra mentioned in Ayurveda literatures
- ⇒ To frame out the possible Samprapti Ghataka based on the progression of the disease

Introduction




Figure 18 : Pratyatma Lakshana of Mutrakrichra

Mutra is considered to be one of *Mala* (waste product generated inside the body) which is liquid in nature. This is excreted to the exterior at regular intervals. This is produced in the body as an end product of the metabolism. As per *Ayurveda* understanding, *Mutra* is formed out of *Anna* (consumed food) along with *Purisha* (faeces).

Due to various reasons may be structural or functional, the adequate amount of *Mutra* is not passed. When an

individual facing difficulty in passing the urine to the exterior is termed as *Mutrakrichra*¹.

This discomfort can be present either in the form of difficulty in micturition or reduced amount of micturition in a day or pain during micturition. As per current understanding, the patient having disturbances in urethra or urinary bladder or ureter or kidneys may present with difficulty in micturition.

मूत्रकृच्छ्राणीति मूत्रस्य कृच्छ्रेण महता दुःखेन प्रवृत्तिः।

Madhu, Ma.Ni. – 30/1,2

–मूत्रकृच्छ्रे कृच्छ्रत्वमतिशयितं,

Madhu, Ma.Ni. – 31/1,2

The term *Mutrakrichra* comprises of two words – *Mutra* and *Krichra*. The term *Mutra* refers to urine and *Krichra* refers to difficulty. If we add the two words, it means the difficulty or pain during micturition. As per *Madhukosha* commentary of *Madhava Nidana*, the person will have very severe discomfort while micturition in the case of *Mutrakrichra*.

Nidana of Mutrakrichra

व्यायामतीक्ष्णौषधरूक्षमद्यप्रसङ्गं नित्यद्रुत पृष्ठयानात्।

आनूपमसाध्यशनादजीर्णात्सुमूत्रकृच्छ्राणि नृणां तथा-ऽष्टौ॥१॥

Ma.Ni. – 30/1

❖ **Vyayama**²: excess exercise

❖ **Tikshnoushadha**³: consumption of high potent or corrosive medicines

G
K

- 1 Disturbances in any of the above parts may lead to difficulty in micturition.
- 2 When an individual performs more amount of exercise, that will be responsible for the increased blood flow to skeletal muscles and there will be hypoperfusion of the kidneys, thus leading to the less amount of urine formation.
- 3 Frequent consumption of highly potent medicines are responsible for the inflammation of gastrointestinal compartment. This will lead to the shift of the fluid from the intravascular compartment to alimentary canal compartment. Thus the person may develop hypovolemic shock which in turn leads to poor formation of urine.

- **Ruksha**⁴: excess consumption of dry substances
- **Madya**: excessive consumption of alcohol or intoxicating substances
- **Prasanga**⁵: excessive sexual intercourse
- **Nityadruta**⁶: excessive walking daily
- **Nityaprishtayana** – travelling for longer distance daily
- **Anupa Mamsa**⁷: excess consumption of meat of marshy animals
- **Adhyashana**⁸: excess consumption of food substances without complete digestion of previously ingested meals
- **Ajirna**⁹: indigestion of food

Samprapti of Mutrakrichra

पृथङ्मलाः स्वैः कुपिता निदानैः सर्वेऽथवा कोपमुपेत्य बस्तौ।
मूत्रस्य मार्गं परिपीडयन्ति यदा तदा मूत्रयतीह कृच्छ्रात्॥२॥

Ma.Ni. – 30/2

- Due to the exposure to etiological factors, respective *Dosha* get vitiated in various degrees.
- These vitiated *Dosha* will travel to the *Basti* region.
- When the person passes urine at this juncture will be presented with pain or discomfort or burning or incomplete micturition. In other words, he will have difficulty in micturition.

Samprapti Ghataka

- **Dosha** : *Vata Pradhana (Apanavata)* can be associated with other physical *Dosha* i.e. *Pitta* or *Kapha*
- **Dushya** : *Mutra*
- **Srotas** : *Mutravaha Srotas*
- **Srotodushti** : *Sanga* and *Vimargagamana*
- **Agnimandya** : *Jatharagnimandya*
- **Ama** : *Jatharagnimandya*janya *Ama*
- **Udbhava Sthana** : *Pakvashaya*
- **Sanchara Sthana** : *Mutravaha Srotas*
- **Vyakta Sthana** : *Medhra, Mutramarga, Yoni, Kukshi, Kati*

- **Rogamarga** : *Madhyama* (as *Basti* is involved)
- **Sadhyasadyata** : *Krichrasadhya* to *Asadhya*

Purvarupa of Mutrakrichra: *Purvarupa* of the disease *Mutrakrichra* is not described in *Ayurveda* textbooks.

Pratyatma Lakshana (Cardinal feature) of Mutrakrichra

मूत्रकृच्छ्राणीति मूत्रस्य कृच्छ्रेण महता दुःखेन प्रवृत्तिः।

Madhu, Ma.Ni. – 30/1,2

Madhu, Ma.Ni. – 31/1,2

मूत्रकृच्छ्रे कृच्छ्रत्वमतिशयितं,

When an individual is presented with difficulty in passing the urine such a clinical presentation is termed as *Mutrakrichra*. The nature of difficulty could be either pain during the passage of urine or there will be burning sensation during micturition or the person may pass whitish coloured urine. The discomfort may be in the form of difficulty in commencement of micturition or the person may have passage of either flatus or faecal matter or semen or frank blood in the urine. All the *Lakshana* mentioned in this section need not be present while making the diagnosis of *Mutrakrichra*. Depending upon the vitiation of *Dosha*, the cardinal features may vary.

Sankhya Samprapti

As per *Madhavakara*, the *Sankhya Samprapti* of *Mutrakrichra* is 8 types. They are

1. *Vataja*
2. *Pittaja*
3. *Kaphaja*
4. *Sannipataja*
5. *Shalyaja*
6. *Purishaja*
7. *Shukraja*
8. *Ashmarijanya*

As per *Sushruta*, *Sankhya Samprapti* of *Mutrakrichra* is 8 types.

1. *Vataja*
2. *Pittaja*

G
K

- 4 Excess consumption of *Ruksha* substances will manifest pathological events similar to the events occur in case of consumption of *Tikshna* medicines.
- 5 When the couple indulges in increased sexual intercourse will be responsible for the entry of the microorganisms through urethral route resulting in urinary tract infection. Most of the cases, the cardinal feature is burning micturition. This is indicative of dominance of *Pitta Dosha*.
- 6 The pathological mechanisms observed during this is similar to the effects observed in case of excessive *Vyayama*
- 7 This will lead to the vitiation of *Kapha Dosha* in the body.
- 8 This will lead to the vitiation of *Kapha Dosha* in the body.
- 9 Normally, about 7 litres of secretions are secreted in the gastrointestinal tract from different glands present in the gastrointestinal tract from mouth to ileocaecal junction. Around 1.5 litres of the fluid portion comes from the oral cavity in the form of food supplement. Thus from 8 to 9 litres coming into the small intestine, 6.5 to 7.5 litres of the fluid are absorbed from the small intestine. When an individual is suffering from *Ajirna*, this will lead to hampered absorption of water from the alimentary canal and more amount of water will be excreted from the alimentary canal. Thus, the person may develop hypovolemic shock leading to hypoperfusion of the kidney.

Chapter 9

3. Kaphaja
4. Sannipataja
5. Abhighataja
6. Shakrit Janya (Purishaja)
7. Ashmarijanya
8. Sharkarajanya

Vataja Mutrakrichra

तीव्राति रुग्णक्षणावस्तिमेहे स्वल्पं मुहुर्मूत्रयतीह वातात्।

Ma.Ni. – 30/3

- ⊗ During the act of micturition, the person presents with severe pain in the Vankshana (inguinal) region
- ⊗ Severe pain in the urinary bladder
- ⊗ Severe pain in the groin or genital region
- ⊗ Patient voids little amount of urine in one frequency

Pittaja Mutrakrichra

पीतं सरक्तं सरुजं सदाहं कृच्छं मुहुर्मूत्रयतीह पित्तात्॥

Ma.Ni. – 30/3

- ⊗ In Pitta dominant Mutrakrichra, the person presents with passage of yellowish coloured urine
- ⊗ Passage of reddish coloured urine
- ⊗ The person passes pain and burning sensation during micturition due to which the person experiences difficulty in micturition

Kaphaja Mutrakrichra

बस्तेः सलिङ्गस्य गुरुत्वशोथौ मूत्रं सपिच्छं कफमूत्रकृच्छे।

Ma.Ni. – 30/4

- ⊗ In Kapha dominant Mutrakrichra, the person presents with heaviness of the lower abdomen
- ⊗ Swelling in the lower abdomen
- ⊗ The person passes turbid urine
- ⊗ The person passes slimy urine

Sannipataja Mutrakrichra

सर्वाणि रूपाणि तु सन्निपाताद्भवन्ति तत्कृच्छ्रतमं हि कृच्छ्रम्॥

Ma.Ni. – 30/4

- ⊗ In this type, the person will be presented with the features of vitiation of all three Dosha
- ⊗ All the clinical features are in severe form

Shalyaja Mutrakrichra

मूत्रवाहिषु शल्येन क्षतेष्वभिहतेषु वा।

मूत्रकृच्छं तदाघाताज्जायते भृशदारुणम्॥

वातकृच्छ्रेण तुल्यानि तस्य लिङ्गानि निर्दिशेत्।

Ma.Ni. – 30/5,6

मूत्रवाहिषु शल्येन क्षतेष्वभिहतेषु च।

स्त्रोतःसु मूत्राघातस्तु जायते भृशवेदनः॥१८॥
वातवस्तेस्तु तुल्यानि तस्य लिङ्गानि लक्षयेत्।

Su.Ut. – 59/8,9

- ⊗ If any injury occurs to Mutravaha Srotas then the person develops Shalyaja Mutrakrichra.
- ⊗ This is considered to be severe in nature i.e. Rogabala (strength of the disease) is more than Rogibala (strength of the patient).
- ⊗ The clinical features of Shalyaja Mutrakrichra mimics the features of Vataja Mutrakrichra.
- ⊗ The person will be presented with absence of micturition associated with severe pain
- ⊗ The clinical features of Shalyaja Mutrakrichra resemble the clinical features of Vatabasti. (Vatabasti is a variety of Mutraghata).

Purishaja Mutrakrichra

शकृतस्तु प्रतीघाताद्वायुर्विगुणतां गतः॥६॥

Ma.Ni. – 30/6,7

आध्मानं वातशूलं च मूत्रसङ्गं करोति च।

शकृतस्तु प्रतीघाताद्वायुर्विगुणतां गतः॥९॥

Su.Ut. – 59/9,10

आध्मानं च सशूलं च सूत्रसङ्गं करोति हि।

- ⊗ When the person does the suppression of urge of defaecation, this leads to the accumulation of faecal matter in the large intestine.
- ⊗ This leads to the reverse movement of Apana Vata leading to the distension of the lower abdomen.
- ⊗ There will be pricking type of pain manifested in an individual due to the vitiation of Vata Dosha.
- ⊗ The person is unable to pass the urine leading to severe pain and difficulty in passing the urine. This clinical feature is said to be due to the vitiation of Apanavata and this Vata is controlling both the functions of micturition and defaecation.

Shukraja Mutrakrichra

शुके दोषैरुपहते मूत्रमार्गे विधाविते।

Ma.Ni. – 30/8

सशुक्रं मूत्रयेत्कृच्छ्राद्वस्तिमेहनशूलवान्॥

शुक्रं मलाश्चैव पृथक् पृथक् मूत्राशयस्थाः प्रतिवारयन्ति।

मूत्रं सशुक्रं कुरुते विबद्धम्॥४२॥

स्तब्धश्च शूनो भृशवेदनश्च तयाहतं मेहनवस्तिशूलं तुद्येत वस्तिवृषणौ च तस्या।

Ca.Ci. – 26/42,43

- ⊗ This type of Mutrakrichra occurs only in males. If a male does the suppression of Shukra Vega, then it leads to accumulation of Shukra and there will be vitiation of Vata Dosha.
- ⊗ Vitiated Vata Dosha leads to the dryness of Shukra that turns out to be spermolith. (refer volume 1 written by the author to know the concept of spermolith)
- ⊗ The person will pass the urine mixed with semen.
- ⊗ The person will have the pricking type of pain in the

lower abdomen (*Basti*), genital organs, testicles

- Swelling of the genital organs

Ashmarijanya Mutrakrichra

Ma.Ni. – 30/7

अश्मरीहेतु तत्पूर्वं मूत्रकृच्छ्रमुदाहरेत्॥७॥
कदम्बपुष्पाकृतिरश्मतुल्या लक्षणा त्रिपुट्यप्यथवाऽपि मृद्वी।
मूत्रस्य चेन्मार्गमुपैति रुवा मूत्रं रुजं तस्य करोति वस्तौ॥ ३७॥
ससेवनी मेहनबस्तिशूलं विशीर्णधारं च करोति मूत्रम्।
मृद्नाति मे स तु वेदनात मुहुः शकृन्मुञ्चति मेहते च॥३८॥
क्षोभात् क्षते मूत्रयतीह सासृक तस्याः सुखं मेहति च व्यपायात्।

Ca.Ci. – 26/37-39

- The person who is having accumulation of concentrated and residual urine, urine will be condensed and solidified, will have the development of *Ashmari* (stone in the urinary system).
- The stone resembles *Kadamba Pushpa* or any stone in appearance that is rough and dry in its surface.
- When this moves in the urinary tract, it may get stuck somewhere leading to obstruction to the passage of urine. The person may even get dribbling of urine depending on the size of *Ashmari* (urinary calculus).
- The person may have severe pain in loin, groin, pelvic, lumbar and genital regions.
- The urine flow out in very thin stream or double stream. Patient experiences severe pain in the genital region.

Sharkarajanya Mutrakrichra

अश्मरी शर्करा चैव तुल्ये संभवलक्षणैः।
शर्कराया विशेषं तु शृणु कीर्तयतो मम॥१॥
पच्यमानस्य पित्तेन भिद्यमानस्य वायुना।
श्लेष्मणोऽवयवा भिन्नाः शर्करा इति संज्ञिताः॥१२॥
हृत्पीडा वेपथुः शूलं कुक्षौ बहिः सुदुर्बलः।
ताभिर्भवति मूर्च्छा च मूत्राघातश्च दारुणः॥१३॥
मूत्रवेगनिरस्तासु तासु शाम्यति वेदना।

Key points of the chapter

मूत्रकृच्छ्राणीति मूत्रस्य कृच्छ्रेण महता दुःखेन प्रवृत्तिः।

–मूत्रकृच्छ्रे कृच्छ्रत्वमतिशयितं,

- When an individual is presented with difficulty in the act of micturition, it could be in the form of pain during micturition or discomfort produced in the act of micturition or discolouration observed during micturition can be considered under the umbrella of *Mutrakrichra*.
- As far as *Nidana* of *Mutrakrichra* are considered, *Vyayama*, *Tikshnoushadha*, *Rukshahara*, *Madya* consumption, riding on animals or other vehicles, eating the flesh of aquatic animals, animals living in marshy places, over eating and indigestion are responsible for the manifestation of *Mutrakrichra*.
- *Purvarupa*, *Upadrava* and *Asadhya Lakshana* of the disease are not mentioned in *Ayurveda* textbooks.
- As far as *Sankhya Samprapti* of *Mutrakrichra* is concerned, 8 types of *Mutrakrichra* are mentioned in *Madhava Nidana*. They are *Vataja*, *Pittaja*, *Kaphaja*, *Sannipataja*, *Shalyaja*, *Purishaja*, *Shukraja* and *Ashmarijanya*.

यावदन्या पुननैति गुडिका स्रोतसो मुखम्॥१४॥
शर्करासंभवस्यैतन्मूत्राघातस्य लक्षणम्।

Su.Ut. – 59/11-15

- This type is specifically mentioned by *Sushruta*.
- The *Ashmari* (urinary stone) that is produced in the *Mutravaha Srotas* may break down into smaller pieces.
- *Ashmari* happens due to the influence of *Kapha Dosha* and undergoes *Pachana* due to the influence of *Pitta Dosha*. With the help of *Vata Dosha*, the stone gets dried up and turns brittle, and later breaks into small pieces or gravels and flows out with urine during micturition. This is termed as *Sharkara*.
- When these gravels pass in the urinary tract that leads to severe pain in the urinary bladder, pelvis and cardiac region. This is associated with tremors and weak digestive fire.
- The patient develops pain so severe that he may develop *Murcha* (altered state of consciousness) while passing urine.

What is the difference between *Ashmari* and *Sharkara*? This is the most important question asked by most of the *Ayurveda* learners.

पित्तेन पच्यते वायुना शोष्यते, संधानं कफेनावलम्बनं संश्लेषः, अथवा कफ एव संधानं संधीयतेऽनेन इति व्युत्पत्त्या; एतेन पचनाद्विशोषणात् पित्तवातौ संधानरूपस्य कफस्य शोषत्वेन तौ शर्कराया हेतुत्वेनोक्तौ, पित्तेन पाचिता, वायुना शोषिता, श्लेष्मणा संधिता अश्मरी; ताभ्यां विमुक्तसंधाना शर्करा क्षरन्ती सती शर्करारूपा, क्षरन्तीति बस्तितः॥

Madhukosha commentary, Ma.Ni. – 30/9-12

When we think about the pathogenesis of *Ashmari* and *Sharkara*, both are same. The *Pitta Dosha* is responsible for *Pachana*, *Vata Dosha* is responsible for dryness and *Kapha Dosha* is responsible for compactness. The difference in the pathogenesis of *Ashmari* and *Sharkara* is in involvement of *Kapha Dosha*. In *Ashmari*, *Kapha Dosha* will be bringing all smaller pieces together and in *Sharkara*, *Kapha Dosha* is not playing the role which will lead to the formation of smaller pieces and these smaller pieces are termed as *Sharkara*.

Madhu, Ma.Ni. – 30/1,2

Madhu, Ma.Ni. – 31/1,2

Self-Assessment: Questions for Reviews

Short answer questions

- ⊗ Explain the Samprapti and Samprpti Ghataka of Mutrakrichra
- ⊗ Explain the types of Mutrakrichra
- ⊗ Explain the Nidana and Samprapti of Mutrakrichra
- ⊗ Explain Ashmarijanya Mutrakrichra

MCQs

1. Srotas afflicted in Mutrakrichra is
- Purishavaha;
 - Mutravaha;
 - Raktavaha;
 - All of the above

Answer: (b)

2. Type of Srotodushti occurring in the patient of Mutrakrichra is
- Siragranthi;
 - Atipravritti;
 - Sanga and Vimargagamana;
 - Sanga and Siragranthi

Answer: (c)

3. Sankhya Samprapti of Mutrakrichra is
- 4;
 - 5;
 - 7;
 - 8

Answer: (d)

4. Types of Mutrakrichra as per Madhavakara is
- 4;
 - 5;
 - 7;
 - 8

Answer: (d)

5. The term Kadamba Pushpa Akriti is related to which of the following type of Mutrakrichra?
- Kaphaja Mutrakrichra;
 - Shakrit Vighatajanya Mutrakrichra;
 - Ashmarijanya Mutrakrichra;
 - Pittaja Mutrakrichra

Answer: (c)

6. As per Sushruta, the types of Mutrakrichra are
- 8;
 - 6;
 - 13;
 - 12

Answer: (a)

7. Akriyayam Dhruvu Mrityuh, Kriyayam Samshayo Bhavet is the term used for
- Kandabhagna;
 - Baddhagudodara;
 - Mudhagarbha;
 - Ashmari

Answer: (d)

8. The amount of urine passed in one frequency of micturition is approximately about
- 100 ml in one frequency;
 - 500 ml in one frequency;
 - 250 ml in one frequency;
 - 600 ml in one frequency

Answer: (c)

9. The normal average amount of urine formed in 24 hours by a normal individual is
- 500 ml in 24 hours;
 - 100 ml in 24 hours;
 - 2500 ml in 24 hours;
 - 1200 ml in 24 hours

Answer: (d)

10. When an individual suffering from colicky type of pain radiating from loin to groin may indicate the site of the lesion is in
- Urethra;
 - Urinary bladder;
 - Glomerulus;
 - Ureter

Answer: (d)

Chapter References

- ⊗ Madhava Nidana – 30th chapter – Mutrakrichra Nidana
- ⊗ Charaka Samhita Chikitsa Sthan 25th chapter – Trimarmiya Chikitsa Adhyaya
- ⊗ Sushruta Samhita Uttara Tantra 59th chapter – Mutrakrichra Pratishedha Samhitya
- ⊗ Yoga Ratnakara – Mutrakrichra Chikitsa
- ⊗ Golwalla's medicine for students by Aspi F Golwalla and Sharukh A Golwalla, edited by Milind Y Nadkar, 25th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, 2017
- ⊗ The Merck Manual of Diagnosis and Therapy by Robert S Porter and Justin L Kaplan, 19th edition, Merck Sharp & Dohme Corp, New Jersey, 2011
- ⊗ Chamberlain's symptoms and signs in clinical medicine by Colin Ogilvie and Christopher C Evans, 12th edition, Butterworth-Heinemann Publishers, 1997
- ⊗ Best & Taylor's physiological basis of medical practice by O P Tandon and Y Tripathi, 13th edition, Wolters Kluwer Health (India) Pvt. Ltd, Gurgaon, 2012
- ⊗ Textbook of Medical physiology by Arthur C Guyton and John E Hall, 11th edition, Saunders Elsevier publications, Philadelphia, 2006
- ⊗ www.kramesstaywell.com
