

CHAPTER

2



Chardi

Learning Objectives

- ⇒ To learn the concept of Chardi
- ⇒ To learn the Nidana Panchaka of Chardi mentioned in Ayurveda literatures
- ⇒ To frame out the probable Samprapti Ghataka based on the progression of the disease
- ⇒ To learn the concepts of above mentioned diseases with the lens of physiology, pathology, physics, chemistry and biology

Introduction



Figure 5 : Pratyatma Lakshana of Chardi

Chardi is the spectrum of the diseases where contents of the *Amashaya* will be expelled through mouth resulting emptiness of *Amashaya* producing various discomforts in the abdomen, chest, face and mouth. When we speak from western point of view, Chardi is vomiting. Vomiting is a reflex mechanism where contents of stomach will be expelled through mouth. This is a defense mechanism. In a strict sense, vomiting refers to expulsion of contents of stomach and distal to stomach. Elimination of contents of pharynx and oesophagus is termed as regurgitation,

which is quite different from vomiting. Abnormal *Pranavata* moving in the reverse direction is responsible for Chardi.

Definition of Chardi

छादयन्नाननं वेगैरदयन्नङ्गभञ्जनेः।

निरुच्यते छर्दिरिति दोषो वक्रं प्रधावितः॥४॥ Ma.Ni. – Chardi/4

- ⊗ Vitiated *Dosha* is responsible for Chardi is *Vata Dosha*.
- ⊗ This will lead to filling up of oral cavity and it occurs in episodes.
- ⊗ This is responsible for various discomfort and various movements of the body such as holding the chest or forehead by one hand and another hand to the mouth etc.

Nidana of Chardi

अतिद्रवैरतिस्निग्धैरहृद्यैर्लवणैरति।

अकाले चातिमात्रैश्च तथाऽसात्यैश्च भोजनैः॥२॥

श्रमाद्ध्यात्तथोद्वेगादजीर्णात् क्रिमिदोषतः।

नार्याश्चापन्नसत्त्वायास्तथाऽतिद्रुतमशनतः॥३॥

बीभत्सैर्हेतुमिश्रचान्यैर्द्रुतमुत्कलेशितो बलात्। Ma.Ni. – Chardi/2-4

- ⊗ Excess consumption of **liquid substances**¹
- ⊗ Excess consumption of **Snigdha** (unctuous) substances
- ⊗ Excess consumption of substances not liked by oneself

G
K

1 Normal capacity of the stomach is 1.5 to 2 litres. When an individual consumes more amount of water resulting in closure of pyloric sphincter. This is responsible for the overdistended stomach as a sequel to pyloric antrum closure due to increased fluid consumption. This will lead to the initiation of antiperistalsis movement.

- ❖ Excess consumption of salty substances²
- ❖ Excess consumption of more amount of food at improper time³
- ❖ Consumption of incompatible food substances⁴
- ❖ Excess physical exertion
- ❖ Fear
- ❖ Anxiety⁵
- ❖ Indigestion
- ❖ Worm infestation⁶
- ❖ Pregnancy⁷
- ❖ Excess consumption of food at a time⁸
- ❖ Visualizing the fearful views or situations⁹

Samprapti Ghataka

- ❖ **Dosha** : Vata along with Kapha
- ❖ **Dushya**: Rasa
- ❖ **Srotas** : Pranavaha, Annavaha and Rasavaha Srotas
- ❖ **Srotodushti Prakara**: Sanga and Vimargagamana
- ❖ **Agni** : Jatharagnimandya
- ❖ **Ama** : Jatharagnimandyajanya
- ❖ **Udbhava Sthana** : Amashaya

- ❖ **Sanchara Sthana** : Sarva Sharira (as Rasa is involved)
- ❖ **Vyakta Sthana** : Vaktra
- ❖ **Rogamarga** : Abhyantara and Bahya
- ❖ **Vyadhyavastha** : Ashukari
- ❖ **Sadhyasadhya** : Sadhya to Asadhya depending upon the clinical features, duration and severity of the illness

Purvarupa of Chardi

तासां हृदुत्वलेशकफप्रसे कौ द्वेषोऽशने चैव हि पूर्वरूपम्॥6॥

Ca.Ci. – 20/5

हल्लासोद्धारोद्यौ च प्रसेको लवणस्तनुः।

द्वेषोऽन्नपाने च भृशं वमीनां पूर्वलक्षणम्॥5॥

Ma.Ni. – Chardi/5

- ❖ Nauseating sensation¹⁰
- ❖ No eructation¹¹
- ❖ Salty and thin secretions¹² in the mouth
- ❖ Aversion to take food and drinks¹³

Bheda of Chardi

5 types as per Charaka

1. Vataja Chardi
2. Pittaja Chardi

- 2 When an individual is consuming excess amount of Snigdha (unctuous) substances, then that will lead to increase of Kapha Dosha in the Amashaya and decreased movement of Pranavata in the Amashaya, the outcome is reversed movement of Vata in the upper alimentary canal. This will lead to the manifestation of vomiting.
Excess consumption of unctuous substances will be responsible for stasis of the food for longer period of time than usual (> 2 hours), this will lead to the stretching of the stomach along with closure of pyloric sphincter. If the individual still indulges in the consumption of unctuous substances, he will have reverse peristaltic movements, leading to vomiting.
- 3 When one speaks of likes and dislikes, it is being operated by limbic system of the brain. In the limbic there are two types of areas: reward centre and punishment centre. When the punishment centre is activated, that will lead to a state called rage. In this situation, there will be activation of sympathetic nervous system and when there is activation of sympathetic nervous system, that will lead to decreased gastrointestinal secretions, increased peristaltic movement and closure of pyloric antrum. In such situation, there will be reverse peristaltic movement leading to the manifestation of vomiting.
Further, as the person is having the aversion towards the food substances, that will lead to irritation of the alimentary canal, leading to the increased secretion in the alimentary canal which further leads to the stretching of the stomach wall, which further adds to the increase of volume of the stomach. This will lead to the initiation of vomiting.
- 4 Excess consumption of incompatible food substances will lead to the inflammation of stomach, small intestines etc which in turn is responsible for delayed pyloric emptying, excess stretching of the stomach and antiperistalsis and vomiting.
- 5 Psychological disturbances are associated with frequent vomiting.
- 6 Round worm infestation is usually responsible for vomiting.
- 7 Vomiting is seen in first trimester of pregnancy. This is attributable to hormonal variation observed in the gestation period. This is usually self limiting and mild in nature. Hyperemesis gravidarum, a condition where the lady will be presented with profuse vomiting sometimes associated with electrolyte imbalances may require significant hospital stay for subsidence of the symptoms.
- 8 This is responsible for over distention of stomach which further leads to the antiperistalsis and the final end result is vomiting.
- 9 Emesis is provoked by unpleasant thoughts and smells originate in the cerebral cortex.
- 10 In this context, two meanings have to be learnt. In one context, Hrillasa Rodha (absence of nausea) and Udgara Rodha (absence of eructation). In another context, Hrillasa should be considered separately and Udgara Rodha has to be considered separately. The appearance of nausea before vomiting indicates the cause of vomiting as gastrointestinal origin. In case of neurogenic vomiting, the person may not have nauseating sensation.
- 11 This can be attributable to the absence of peristaltic movements associated with closure of pyloric antrum and stretching of the stomach wall.
- 12 The presence of salty taste indicates the secretion of the sodium and chloride ions which is increased when there is stretch of the stomach wall.
- 13 This can be attributable to fullness of the stomach as a result of closure of pyloric antrum and stretching of the stomach wall and there will be reverse peristaltic movement.

3. Kaphaja Chardi
4. Sannipataja Chardi
5. Dvishitartha Samyogaja Chardi

5 types as per Madhava Nidana

1. Vataja Chardi
2. Pittaja Chardi
3. Kaphaja Chardi
4. Sannipataja Chardi
5. Agantuja Chardi

Vataja Chardi

व्यायामतीक्ष्णौषधशोकरोगभयोपवासाद्य तिकर्शितस्य।
वायुर्महास्रोतसि संप्रवृद्ध उत्क्लेश्य दोषास्तत ऊर्ध्वमस्यन्॥7॥
आमाशयोत्क्लेशकृतां च मर्म प्रपीडयंश्छर्दिमुदीरयेत्।
हृत्पाश्वर्षीडामुखशोषमूर्धनाभ्यर्तिकासस्वरभेदतोदैः॥8॥
उद्गारशब्दप्रबलं सफेनं विच्छिन्नकृष्णं तनुकं कषायम्।
कृच्छ्रेण चाल्पं महता च वेगे- नातोऽनिलाच्छर्दयतीह दुःखम्॥9॥

Ca.Ci. - 20/7-9

हृत्पाश्वर्षीडामुखशोषशीर्षनाभ्यर्तिकासस्वरभेदतोदैः।
उद्गारशब्दप्रबलं सफेनं विच्छिन्नकृष्णं तनुकं कषायम्।
कृच्छ्रेण चाल्पं महता च वेगेनातोऽनिलाच्छर्दयतीह दुःखम्॥6॥

Ma.Ni. - 15/6

- ✳ Excess exercise
- ✳ Consumption of highly irritating medicines
- ✳ Grief
- ✳ Other preexisting illnesses
- ✳ Fear
- ✳ Starvation

Lakshana produced during Vataja Chardi:

- ✳ Chest discomfort and pain on either sides of the chest
- ✳ Dryness of the mouth
- ✳ Headache
- ✳ Pain in the umbilical region
- ✳ Cough
- ✳ Hoarseness of voice
- ✳ Pricking type of pain
- ✳ While vomiting, the sound produced will be very loud
- ✳ Presence of foams in the vomitus
- ✳ Nature of vomitus is scattered and black colour, soft and astringent taste in mouth while vomiting
- ✳ The person feels very miserable.

Pittaja Chardi

अजीर्णकट्वम्लविदाह्यशीतै रसायनीभिर्विसृतं प्रपीड्य मूर्च्छापिपासा

मुखशोषमूर्ध- पीतं भृशोष्णं हरितं सतितं रामाशये पित्तमुदीर्णवेगम्।
मर्मोर्ध्वमागम्य वामं करोति॥10॥
तालवक्षिसन्तापतमोभ्रमार्तः।
धूम्रं च पित्तेन वमेत् सदाहम्॥11॥
मूर्च्छापिपासामुखशोषमूर्ध तालवक्षिसन्ताप तमोभ्रमार्तः।
पीतं भृशोष्णं हरितं सतितं धूम्रं च पित्तेन वमेत्सदाहम्॥7॥

Ca.Ci. - 20/10,11

Ma.Ni. - 15/7

- ✳ Indigestion state of the vomiting
- ✳ Consumption of *Katu* (pungent) and *Amla* (sour) substances
- ✳ Consumption of *Vidahi* (substances which cause burning sensation and thirst) substances
- ✳ Consumption of *Ushna* (hot in potency) substances

Lakshana of Pittaja Chardi

- ✳ Altered state of consciousness
- ✳ Thirst
- ✳ Dryness of mouth
- ✳ Increased temperature in the head region
- ✳ Increased temperature in the palate
- ✳ Increased temperature around the eyes
- ✳ Darkness in front of the eyes
- ✳ Giddiness
- ✳ Vomitus will be of yellow, green colour associated with bitter taste in the mouth and the person will have burning sensation and he will have feeling of smoke coming from the mouth

Kaphaja Chardi

स्निग्धातिगुर्वामविदाहिभोज्यैः स्वप्नादिभिश्चैव कफोऽतिवृद्धः।
उरः शिरो मर्म रसायनीश्च सर्वाः समावृत्य वामं करोति॥12॥
तन्नास्यमाधुर्यकफप्रसेक संतोषनिद्रारुचिगौरवार्तः।

Ca.Ci. - 20/12,13

स्निग्धं घनं स्वादु कफाद्विशुद्धं सलोमहर्षोऽल्परुजं वमेत्॥13॥

Ma.Ni. - 15/8

- ✳ Excess consumption of *Snigdha* (unctuous) substances
- ✳ Excess *Guru* (heavy to digest) substances
- ✳ Excess improperly cooked substances
- ✳ Excess sleep

Lakshana of Kaphaja Chardi

- ✳ Drowsiness
- ✳ Sweetish taste in the mouth
- ✳ Excess salivation
- ✳ Early satiety
- ✳ Excess sleep
- ✳ Tastelessness

- Heaviness of the body parts
- Vomitus will be unctuous, sweetish state in the mouth with mucus
- Horripilation
- Mild discomfort during vomiting

Sannipataja Chardi

समश्नतः सर्वैरसान् प्रसक्तं मामप्रदोषतुर्विपर्ययैश्च।

सर्वे प्रकोपं युगपत् प्रपन्ना श्छिदिं त्रिदोषां जनयन्ति दोषाः॥14॥

शूलाविपाकारुचिदाहतृष्णा 'श्वासप्रमोहप्रबला प्रसक्तम्।

छिदिंस्त्रिदोषाल्लवणाम्लनीलसान्द्रोष्णरक्तं वमतां नृणां स्यात्॥15॥

Ca.Ci. – 20/14,15

शूलाविपाकारुचिदाहतृष्णाश्वासप्रमोहप्रबला प्रसक्तम्।

छिदिंस्त्रिदोषाल्लवणाम्लनीलसान्द्रोष्णरक्तं वमतां नृणां स्यात्॥19॥

Ma.Ni. – 15/9

- Consumption of substances which are having all six *Rasa*
- Consuming the food substances in the state of *Amapradosha* (acute condition related alimentary canal where the person will have pain abdomen and vomiting and diarrhoea)
- Consuming the substances not in accordance to a particular season

Lakshana of Sannipataja Chardi

- Pricking type of pain
- Impaired digestion
- Tastelessness
- Burning sensation
- Thirst
- Breathing discomfort
- Confusion
- Vomitus will have bluish, reddish colour with salt and sour taste during vomiting with dense consistency and hot

Dvishtartha Samyogaja Chardi

द्विष्टप्रतीपाशुचिपूत्यमेध्यबीभत्सगन्धाशनदर्शनैश्च।

यच्छर्दयेत्तप्तमना मनोनैद्विष्टार्थसंयोगभवा मता सा॥ 18॥

Ca.Ci. – 20/18

- Seeing the things which are disliked by an individual such as unclean substances, foul smelling substances such as decaying dead body, fearful situations etc
- This is responsible for the affliction in *Manas* responsible for the manifestation of *Chardi*

Agantuja Chardi

वीभत्सजा दौर्हृदजाऽऽमजा च असात्म्यजा च क्रिमिजा च या हि।

सा पञ्चमी तां च विभावयेच्च दोषोच्छ्रयेणैव यथोक्तमादौ॥12॥

Ma.Ni. – 15/12

This type of *Chardi* is mentioned depending upon the external causes. The causes mentioned for this type of *Chardi* are as follow:

- Seeing ferocious thing or substance
- Pregnancy
- State of indigestion
- Consumption of incompatible substances
- Presence of worm infestation

Upadrava of Chardi

(कासश्वासोऽज्वरो हिक्का तृष्णा वैचित्त्यमेव च।

हृद्रोगस्तमकश्चैव ज्ञेयाश्छदेरुपद्रवाः॥15॥) Ma.Ni. – Chardi/15

- Cough
- Breathing discomfort¹⁴
- Raised body temperature¹⁵
- Hiccups¹⁶
- Thirst¹⁷
- Abnormal function of mind¹⁸
- Heart disease¹⁹
- Darkness in front of the eyes²⁰

- These symptoms are attributable to the manifestation of aspiration pneumonia which develops due to antiperistalsis movement in the stomach, relaxation of lower and upper oesophageal sphincter and there will be closure of mouth facilitating the movement of food from the stomach into the respiratory passageways. It may enter into nasal pathways or into the trachea. These two symptoms are life threatening, if we are not taking adequate care during the aspiration. If the size of the food entering into the trachea is large enough, then the person may have choking effect and the person may lose his life suddenly.
- This may occur in pneumonia develops after aspiration. This is associated with cough which may have whitish, yellowish to greenish coloured sputum.
- The most common cause of hiccups is gastric distension after rapid ingestion of food, alcohol or air. Other common causes include excitement and sudden change in temperature either of the environment or of the stomach induced by very hot or very cold food intake. When an individual having hiccups after vomiting, it usually results because of diaphragmatic irritation.
- This is attributable to the poor fluid intake secondary to the increased frequency of vomiting leading to hypovolemia.
- This is attributable to hypovolemia, hypoglycemia or electrolyte imbalances which can result in episodes of syncope in affected individuals.
- This is attributable to hypokalemia. Abnormal potassium in the blood either hyperkalemia or hypokalemia will be responsible for the heart disease, particularly rhythm disturbances. In case of vomiting, it is hypokalemia will be responsible for the manifestation of heart disease.
- This is attributable to syncopal episodes.

Sadhyasadyata of Chardi

क्षीणस्य या छर्दिरतिप्रसक्ता सोपद्रवा शोणितपूययुक्ता।
सचन्द्रिकांतां प्रवदेदसाध्यां, साध्यां चिकित्सेन्निरुपद्रवां च॥14॥

- If the person is having *Dhatukshaya*²¹ (excess depletion of body tissues)

- If the person is having frequent episodes of vomiting²²
- If the person is presented with *Upadrava*²³ (complications)
- If the vomitus²⁴ contains blood or pus or both
- If the vomitus contains multiple colours like peacock feather²⁵

Key points of the chapter

Ma.Ni. – Chardi/4

छादयन्नानं वेगैरदयन्नभञ्जनैः निरुच्यते छर्दिरिति दोषो वक्रं प्रधावितः॥4॥

- Vitiated Dosha is responsible for Chardi is Vata Dosha. This will lead to filling up of oral cavity and it occurs in episodes. This is responsible for various discomfort and various movements of the body such as holding the chest or forehead by one hand and another hand to the mouth etc.
- Chardi (vomiting) may manifest due to the irritation of the stomach, intestine or irritation of the vomiting centre or may be due to the increase in intracranial pressure. It may occur due to the dietary habits such as consumption of salt or in case of first trimester of pregnancy.
- Sankhya Samprapti of Chardi is of 5 types, Vataja, Pittaja, Kaphaja, Sannipataja and Dvishtarthasamyogaja Chardi.
- Most of the Upadrava manifest due to the excess fluid loss from the body or due to the presence of blood in the vomitus or due to electrolyte imbalances. Depending upon the duration of the illness, severity of symptoms, Sadhyasadyata of Chardi is decided.

Self-Assessment: Questions for Review

Long essays

- Define Chardi. Explain the Nidana Panchaka of Chardi.

Short essays

- Explain the Samprapti Ghataka of Chardi
- Explain the Nidana of Chardi
- Explain Dvishtarthasamyogaja Chardi
- Explain the Sadhyasadyata of Chardi

Short answers

- Enumerate the types of Chardi
- Write Sankhya Samprapti of Chardi
- Write the definition of Chardi
- Write a short note on Dvishtarthasamyogaja Chardi

MCQs

1. Dvishtarthasamyogaja is the type of
 - a. Gulma;
 - b. Chardi;
 - c. Arochaka;
 - d. Grahani

Answer: (b)

2. Sankhya Samprapti of Chardi is
 - a. 4;
 - b. 5;
 - c. 6;
 - d. 7

Answer: (b)

3. Projectile vomiting is seen in which of the following types of vomiting
 - a. Gastritis;
 - b. Duodenitis;
 - c. Gastroenteritis;
 - d. Brain tumour

Answer: (d)

G
K

- 21 In this occasion, the person will have hypoglycemia or electrolyte imbalances or nutrition deficiency. If proper supplementation is not done, that may lead to serious complication such as comatose state etc.
- 22 Frequent episodes of vomiting refers to rapid fluid loss from the body. In other words, there will be shrinkage of intravascular, interstitial and intracellular compartments rapidly owing to frequent vomiting.
- 23 When Chardi is associated with Upadrava then it indicates severity of the clinical condition. If the person is having two or more Upadrava, it indicates the person is suffering from severe form of the clinical condition.
- 24 When blood is present in the vomitus, it indicates the person is having gastrointestinal bleeding. It may indicate either simple gastritis or peptic ulcer disease or cirrhosis of the liver or carcinoma of the stomach. It could be either trivial disease or life threatening disease. When the person is having the pus in the vomitus, it indicates the progression of infection in the stomach.
- 25 The colour which resembles peacock feather is observed when there is presence of oil or unctuous substance in the vomitus. This is seen when there is presence of fat or lipids in the vomitus. In other words, when you observe multiple colours like feather of peacock, it indicates that the person is having fat indigestion, the absorption of which is very much essential for the storage of energy in the body. If the person is presented with persistent and frequent vomiting, this may lead to the shift of utilisation of energy from carbohydrate to fat metabolism. Thus, the person may have rapid energy loss in the body which can be fatal at times.

4. Chardi is considered to be Srotogata Vikara.

- a. Raktavaha; b. Rasavaha;
- c. Annavaha; d. Udakavaha

Answer: (c)

5. Udbhava Sthana of the disease Chardi is

- a. Amashaya;
- b. Pakvashaya;
- c. Both a and b;
- d. None of the above

Answer: (a)

Chapter resources

- ✶ Charaka Samhita Chikitsa Sthana 20th chapter, Chardi Chikitsa Adhyaya
- ✶ Sushruta Samhita, Uttara Tantra 49th chapter – Chardi Pratishedha Adhyaya
- ✶ Madhava Nidana 15th chapter – Chardi Nidana

- ✶ Golwalla's medicine for students by Aspi F Golwalla and Sharukh A Golwalla, edited by Milind Y Nadkar, 25th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, 2017
- ✶ The Merck Manual of Diagnosis and Therapy by Robert S Porter and Justin L Kaplan, 19th edition, Merck Sharp & Dohme Corp, New Jersey, 2011
- ✶ Chamberlain's symptoms and signs in clinical medicine by Colin Ogilvie and Christopher C Evans, 12th edition, Butterworth-Heinemann Publishers, 1997
- ✶ Best & Taylor's physiological basis of medical practice by O P Tandon and Y Tripathi, 13th edition, Wolters Kluwer Health (India) Pvt. Ltd, Gurgaon, 2012
- ✶ Textbook of Medical physiology by Arthur C Guyton and John E Hall, 11th edition, Saunders Elsevier publications, Philadelphia, 2006

