

Introduction

Generally in persons who have tender health, who indulge in wrong diet and regimen, who are obese and who lead a leisurely life, *vāyu* and *rakta* get aggravated because of the following factors: intake of food which is saline, sour, pungent and alkaline in taste; intake of ununctuous and hot food; intake of food before the previous meal is digested; intake of meat of aquatic and marshy land animals; intake of oil cake, raddish, *kulattha*, *māṣa*, *niṣpāva*, leafy vegetables, *palala* sugarcane juice and its preparations, curd *aranāla* (a sour drink prepared by acid-fermentation), *sauvīra* (vinegar), *śūkta* (another type of vinegar), butter milk, *surā* (alcoholic drink) and *āsava* (a type of alcoholic drink); Intake of mutually contradictory food; *Adhyasana* (intake of second meal immediately after first meal); and anger, sleep during day time and remaining awake at night. Persons who indulge in eating while riding an elephant, a horse or a camel, and persons who indulge in eating *vidāhi* food (which causes burning sensation), his entire blood gets vitiated and gets accumulated in the legs. This gets further vitiated by the aggravated *vāyu*. Subsequently, *vāta-rakta* (gout) is manifested.

Excessive sweating or absence of sweating; appearance of grayish black patches on the body; lack of touch sensation; excessive pain by injury; looseness of joints; laziness, prostration and appearance of boils; excruciating pain, cramps, breaking pain, heaviness and numbness in knee joints, calf region, thighs, lumber region, shoulder region and other joints of upper limbs, lower limbs and different parts of the body; itching and pain in joints which often appear and disappear; and discoloration of the skin and appearance of circular patches over it.

The patient of *vāta rakta* with the following complications is incurable: Sleeplessness, anorexia, dyspnoea, *māmsa kotha* (sloughing of muscle

tissue) and stiffness of head; fainting, excessive prostration, excessive pain, morbid thirst, fever, perspiration, trembling, hiccup, *pāṅgulya* (inability to walk), erysipelas, suppuration, pinching pain, giddiness and fatigue. Curvature and deformity of fingers and toes; eruptions, burning sensation, stiffness of vital organs and tumours; and unconsciousness. The patient suffering from *vāta rakta* for more than one year is also incurable. If the patient has only a few of the complications, then the condition is *yāpya* (palliable). If, however, he is free from complications, then he is curable. *Vāta rakta* is of two types: viz. *uttāna* (superficial) and *avagāḍha* (deep-seated). The former afflict the skin and the muscle tissue, while the later is deep seated. For both the type of *vāta rakta*, blood-letting therapy is administered with the help of *śṛṅga* (horn of animals), *sūcī* (prickling by needles), *alābu* and leeches. If the *vāta rakta* is of shifting type then blood-letting is performed by venesection or *prachanna* (scratching) if the disease is associated with fatigue and if as a result of aggravated *vāyu*, there is ununctuousness in the body, then also blood-letting is performed by venesection. Gout; Acute pain and inflammation of joints which begins from the small toe or finger, and subsequently gradually spreads to the other joints of the body, extreme tenderness and burning sensation in the involved joints, excessive sweating, rigidity, numbness, discolouration of the skin on the affected joint, are the general signs and symptoms of *Vātarakta*. Ban. *bāt rakt*, Guj. *gthiyo*, Hin. *gthiā*, Kan. *vātrakt*, Mal. *vātraktam*, Mar. *vāt rakt*, Ori. *ambilipti*, Tam. *vāt raktam*. (CS. Ci. 29. 5 -7; SS. Ci. 5. 5).

वातरक्त हेतु (Vāta-Rakta Hetu)

लवणाम्लकटुक्षारस्निग्धोष्णाजीर्णभोजनैः	I
क्लिन्नशुष्काम्बुजानूपमांसपिण्याकमूलकैः	II
कुलत्थमाषनिष्पावशाकादिपल्लेशुभिः	I
दध्यारनालसौवीरशुक्ततक्रसुरासवैः	II

विरुद्धाध्यशनक्रोधदिवास्वप्नप्रजागरैः ।
 प्रायशः सुकुमाराणां मिष्टान्नसुखभोजनाम् ॥
 अचङ्क्रमणशीलानां कुप्यते वातशोणितम् ।
 अभिघातादशुद्ध्या च प्रदुष्टे शोणिते नृणाम् ॥
 कषायकटुतिक्ताल्परुक्षाहारादभोजनात् ।
 हयोष्ट्रयानयानाम्बुकीडाप्लवनलङ्घनैः ॥
 उष्णे चात्यध्वगमनाद्वयवायाद्वेगनिग्रहात् ।

C.S.Ci 29/5-10

प्रायशः सुकुमाराणां मिथ्याऽऽहारविहारिणाम् ।
 शोकाच्च प्रमदामद्यव्यायामैश्चातिपीडनात् ॥
 ऋतुसात्म्यविपर्ययात् स्नेहादीनां च विभ्रमात् ।
 अव्यवाये तथा स्थूले वातरक्तं प्रकुप्यति ॥
 हस्त्यश्वोष्ट्रैर्गच्छतोऽन्यैश्च वायुः कोपं यातः कारणैः सेवितैः स्वैः ।
 तीक्ष्णोष्णाम्लक्षारशाकादिभोज्यैः सन्तापाद्यैर्भूयसा सेवितैश्च ॥

S.S.Ni 1/40-42

The following etiological factors mentioned for the manifestation of Vāta-rakta.

Rakta Prakopaka Nidāna : Regular consumption of saline, sour, pungent, alkaline, unctuous, hot and uncooked food; regular intake of putrified or dry substances; meat of aquatic or marshy land inhabiting animal; oil cakes; radish; horsegram; blackgram; *Nispāva*; other vegetables (leguminous); sesamum paste; sugarcane; curd; sour gruel; *sauvīra*; (sour preparation of dehusked barely, etc.), *Sukta* (vinegar), butter milk, alcohol & wine; intake of mutually contradictory food; eating during indigestion, anger; sleeping during daytime and awakening in night; delicate people, who indulge excess sweet preparations, eating abundantly and adopting sedentary life style; due to injury and avoidance of the bio-purification therapies when needed.

Vāta Prakopaka Nidāna

Excessive intake of astringent, pungent, bitter and unctuous substances; less intake of food or fasting; riding over horses and camels or on carts carried by them; resorting to aquatic games like swimming, jumping; excess traveling in hot season by bare foot; sexual intercourse and suppression of natural urges.

Suśruta included some other factors like one who is suffering from chronic diseases; long walk;

intake of wine in excess; excessive physical activities; one who indulge in food & activities opposite to the season; who abstains from sexual intercourse; those who are obese etc.

वातरक्त संप्राप्ति (Vāta-Rakta Samprāpti)


वायुर्विवृद्धो वृद्धेन रक्तेनावारितः पथि ॥
 कृत्स्नं संदूषयेद्रक्तं तज्ज्ञेयं वातशोणितम् ।
 खुडं वातबलासाध्यमाद्वयवातं च नामभिः ॥

C.S.Ci 29/10-11

क्षिप्रं रक्तं दुष्टिमायाति तच्च वायोर्मार्गं संरुणद्ध्याशु यातः ।
 कुद्धोऽत्यर्थं मार्गरोधात् स वायुरत्युद्रिक्तं दूषयेद्रक्तमाशु ॥
 तत् संपृक्तं वायुना दूषितेन तत्प्राबल्यादुच्यते वातरक्तम् ।
 तद्वत् पित्तं दूषितेनामृजाऽऽक्तं श्लेष्मा दुष्टो दूषितेनामृजाऽऽक्तः ॥
 S.S.Ni. 1/43-44

Due to above etiological factors *Vāta* and *Rakta* excacerbate simultaneously. Aggravated *Vāta* having been obstructed in its passage by aggravated blood vitiates the entire blood. This is known as *Vāta-Rakta*. It is also known by synonyms like *Khuda*, *Vāta-Balāsa* and *Ādhya-Vāta*. When aggravated *Pitta* combining with vitiated blood is known as *Pitta-Rakta* and when excacerbated *Kapha* combining with vitiated blood is known as *Kapha-Rakta*.

Nidān Sevana (Consumption of Etiological factors)



(It is caused by the vitiation of *Rakta* by *Vāta*)

Pathogenesis of Pitta-Rakta

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Pittādi doṣās*
 ↓
 Diminution of *Agni*
 ↓
 Development of *Āma* inside the gastro intestinal tract
 ↓
 Excacerbation of *Pitta* and *Rakta* simultaneously
 ↓
 Obstruction in the *Lohitavaha Srotas* for *Pitta* movement
 ↓
 Vitiates the whole *Rakta*
 ↓
 Pitta-Rakta
 (It is caused by the vitiation of *Rakta* by *Pitta*)

Pathogenesis of Kapha-Rakta

Nidān Sevana (Consumption of Etiological factors)
 ↓
 Aggravation of *Kaphādi doṣās*
 ↓
 Diminution of *Agni*
 ↓
 Development of *Āma* inside the gastro intestinal tract
 ↓
 Excacerbation of *Kapha* and *Rakta* simultaneously
 ↓
 Obstruction in the *Lohitavaha Srotas* for *Kapha* movement
 ↓
 Vitiates the whole *Kapha*
 ↓
 Kapha-Rakta
 (It is caused by the vitiation of *Rakta* by *Kapha*)

वातरक्त संप्राप्ति घटक (Samprāpti Ghaṭaka of Vāta-Rakta)

Doṣa : *Vāta pradhāna tridoṣaja*
Vāta → *Vyāna*

Pitta → *Pācaka*

Kapha → *Śleṣaka*

Dūṣya : *Dhātu* → *Uttāna Vāta-Rakta* → *Rakta, Rasa, Māmsa*

Gambhīra Vāta-Rakta → *Rakta, Rasa, Māmsa, Meda, Asthi & Majjā.*

Upadhātu → *Sira, Kaṇḍarā, Sandhi, Snāyu, Tvacā*

Śārīrika mala → *Mūtra, Puriṣa*
Dhātumala → *Kapha, Sveda & Pitta*

Agni : *Jaṭharāgnijanya, Dhātvāgnijanya*

Agniduṣṭi : *Mandāgni*

Āma : *Agnijanya*

Srotas : *Vātavaha, Rasavaha, Rakta-vaha* initially later all *Dhātu vaha srotas*

Srotoduṣṭi : *Sanḡa*

Adhiṣṭhāna : *Jānu, Jaṅgā, Uru, Kaṭi, Amsa, Dhamani, Hastapādāṅga Sandhi*

Udbhavasthāna : *Pakvāśayottha, Āmāśayottha*

Vyaktasthāna : *Jānu, Jaṅgā, Uru, Kaṭi, Amsa, Dhamani, Hastapādāṅga Sandhi*

Sancārasthāna : *Rasa, Raktavāhinyah*

Svabhāva : *Āśukāri*

Prabhāva : *Ekadoṣaja* → *Sādhyā*
Dvidōṣaja → *Yāpya*
Tridoṣaja → *Asādyā*

Roga Mārga : *Madhyama*

Roga bheda : 1. *Uttāna*
 2. *Gambhīra*
 3. *Ubhayāśraya*

वातरक्त मूल स्थान (*Vāta-Rakta Mūla Sthāna*)

तस्य स्थानं करौ पादावङ्गुल्यः सर्वसन्धयः ।
 कृत्वाऽऽदौ हस्तपादे तु मूलं देहे विधावति ॥
 सौक्ष्म्यात् सर्वसरत्वाच्च पवनस्यासृजस्तथा ।

तद्वत्त्वत्वात् सरत्वाच्च देहं गच्छन् सिरायनैः ॥
 पर्वस्वभिहतं क्षुब्धं यक्रत्वादवतिष्ठते ।
 स्थितं पित्तादिसंसृष्टं तास्ताः सृजति वेदनाः ॥
 करोति दुःखं तेष्वेव तस्मात् प्रायेण सन्धिषु ।
 भवन्ति वेदनास्तास्ता अत्यर्थं दुःसहा नृणाम् ॥

C.S.Ci 29/12-15

Vāta-Rakta manifest in hands, feet, fingers and all joints. Initially hand and feet are afflicted and later it spreads to all over the body. Due to subtleness and pervasiveness of *Vāta* and liquidity and dispersibility of *rakta* it circulates all over the body through blood vessels, get obstructed in the joints due to zigzagway, which makes them further aggravated and gets lodged there. Further in the joints, in combination with *Pittādi Doṣās* causes respective afflictions and produces different types of pain in the joints, which is very severe and patients suffers from such pain becomes unbearable.

पूर्वरूप (Pūrvarupa)

स्वेदोऽत्यर्थं न वा काष्ण्यं स्पर्शज्ज्वलं क्षतेऽतिरुक् ।
 सन्धिशैथिल्यमालस्यं सदनं पिडकोदगमः ॥
 जानुजङ्घोरुक्तयंसहस्तपादाङ्गसन्धिषु ।
 निस्तोदः स्फुरणं भेदो गुरुत्वं सुप्तिरेव च ॥
 कण्डूः संधिषु रुग्भूत्वा भूत्वा नश्यति चासकृत् ।
 वैवर्यं मण्डलोत्पत्तिर्वातासूक्ष्मपूर्वलक्षणम् ॥

C.S.Ci 29/16-18

तस्य पूर्वरूपाणि तोददाहकण्डूशोफस्तम्भत्वक्पारुष्य-
 सिरास्नायुधमनीस्पन्दनसक्थिदौर्बल्यानि श्यावारुणमण्डलोत्पत्ति-
 श्चाकस्मात् पाणिपादतलाङ्गुलिगुल्फमणिबन्धप्रभृतिषु
 तत्राप्रतिकारिणोऽपचारिणश्च रोगो व्यक्तरः, तस्य लक्षणमुक्तं
 तत्राप्रतिकारिणो वैकल्यं भवति ॥ C.S.Ci 5/4

The premonitory signs and symptoms of the *Vāta-Rakta* are as follows : Excess or absence of perspiration; blackishness; anesthesia; severe pain if there is injury; looseness of joints; lassitude; malaise; skin eruption; pricking pain, quivering, tearing, heaviness and numbness in the knees, calf region, thighs, umbilical region, shoulders, hands, feet and joints in the body; itching frequently; pain subsides & reappears; discolouration in the skin and appearance of circular patches over the body; rigidity; roughness of the skin; throbbing of veins, ligaments and arteries; debility of the leg; appearance of bluish red patches without any

aparant cause developing in the palms, soles, fingers, ankle, wrist etc.; at this stage if treatment is not initiated or if the person indulges the causative factors leading to complete manifestation of the disease. If not treated properly it produces deformities.

Classification of *Vāta-Rakta*

उत्तानमथ गम्भीरं द्विविधं तत् प्रचक्षते ।
 त्वद्मांसाश्रयमुत्तानं गम्भीरं त्वन्तराश्रयम् ॥

C.S.Ci 29/19

It is classified into two varieties i.e *Uttāna* & *Gambhīra*. *Uttāna* is situated superficially in the skin along with muscle tissues. *Grambhīra* is located in deeper tissue of the body.

तत्र वातेऽधिके वा स्यादुक्ते पित्ते कफेऽपि वा ।
 संसृष्टेषु समस्तेषु यच्च तच्छृणु लक्षणम् ॥

C.S.Ci 29/24

Classification of *Vāta-Rakta* is based on predominance of *Doṣās*

- a) *Vāta* predominant *Vāta-Rakta*
- b) *Pitta* predominant *Vāta-Rakta*
- c) *Kapha* predominant *Vāta-Rakta*
- d) *Dvandva Doṣa* predominant *Vāta-Rakta*
- e) *Tridoṣaja* predominant *Vāta-Rakta*

According to *Suśruta*

द्विविधं वातशोणितमुत्तानमवगाढं चेत्येके भाषन्ते । तत्तु न
 सम्यक्, तद्धि कुष्ठवदुत्तानं भूत्वा कालान्तरेणावगाढीभवति, तस्मान्न
 द्विविधम् ॥ S.S.Ci 5/3

Some people classify *Vāta-rakta* into two types *Uttāna* and *Gambhīra* but this is not correct because it develops first as *Uttāna* and later becomes *Gambhīra*, just like *Kuṣṭha*, that is why it should not be classified into two types.

Common Signs and Symptoms of *Vāta-Rakta*

स्पर्शोद्विग्नो तोदभेदप्रशोषस्वापोपेतौ वातरक्तेन पादौ ।
 पित्तासृग्भ्यामुग्रदाहौ भवेतामत्यर्थोष्णौ रक्तशोफौ मृदु च ॥
 कण्डूमन्तौ श्वेतशीतौ सशोफौ पीनस्तब्धौ श्लेष्मदुष्टे तु रक्ते ।
 सर्वैर्दुष्टे शोणिते चापि दोषाः स्वं स्वं रूपं पादयोर्दर्शयन्ति ॥
 S.S.Ni 1/45-46

Patient will not tolerate touch in feet region and develops severe pain i.e either pricking or cutting in the feet; profound dryness; wasting; loss of sensation.

With the association of *Pitta & Rakta* produces severe burning sensation, profound heat, redness and soft swelling in the feet.

With the association of *Kapha & Rakta* causes swelling, itching, whitishness, coldish touch, bulged up and immovable. With the association of all the *Doṣās* with *Rakta* causes respective signs & symptoms of all the three *Doṣās* in the legs.

पादयोर्मूलमास्थाय कदाचिद्धस्तयोरपि ।
आखोर्विषमिव कुब्धं तद्देहमनुसर्पति ॥

S.S.Ni 1/48

Generally it starts from feet but some times it may start from hands, getting increased, spreads to entire body like rat poison.

Specific signs & symptoms of Vāta-Rakta

उत्तान वातरक्त (Uttāna Vātarakta)

कण्डूदाहरुगायामतोदस्फुरणकुञ्चनैः ।
अन्विता श्यावरक्ता त्वग्बाह्ये ताम्रा तथेष्ट्यते ॥

C.S.Ci 29/20

Uttāna Vātarakta is characterised by itching, burning sensation, pain, stretching, piercing pain, quivering and contraction. The skin colour changed to brownish black, red or coppery in colour.

गम्भीर वातरक्त (Gambhīra Vātarakta)

गम्भीरे श्वयथुः स्तब्धः कठिनोऽन्तर्भृशार्तिमान् ।
श्यावस्ताम्रोऽथवा दाहतोदस्फुरणपाकवान् ॥
रुग्विदाहान्वितोऽभीक्ष्णं वायुः सन्ध्यस्थिमज्जसु ।
छिन्दन्निव च रत्यन्तर्वक्रीकुर्वश्च वेगवान् ॥
करोति खड्गं पङ्क वा शरीरे सर्वतश्चरन् ॥

C.S.Ci 29/21-23

Gambhīra Vātarakta is characterised by swelling, stiffness, hardness, severe pain in interior part of the body, blackish brown or coppery discolouration, burning sensation, pricking pain, quivering and inflammation. Aggravated *Vāta* moves with high speed brings pain & burning sensation in the joints, bones and bone marrow as if cutting and making them crooked produces limping or lameness while moving all over the body.

उभयाश्रय (Ubhayāśraya)

All the signs & symptoms of *Uttāna & Gambhīra* are manifested.

वात प्रधान वातरक्त (Vāta Pradhāna Vāta-Rakta)

विशेषतः सिरायामशूलस्फुरणतोदनम् ।
शोथस्य काण्यं रौक्ष्यं च श्यावतावृद्धिहानयः ॥
धमन्यङ्गुलिसन्धीनां सङ्कोचोऽङ्गग्रहोऽतिरुक् ।
कुञ्चनस्तम्भने शीतप्रद्वेषश्चानिलेऽधिके ॥

C.S.Ci 29/25-26

It is characterised by dilatation of vessels, colic pain, quivering, piercing pain, blackishness, roughness and brownishness of swelling; along with its increase & decrease, contraction in the blood vessels, fingers and joints; stiffness in the extremities, intense pain; contraction & stiffness in the involved parts and aversion towards cold substances.

रक्त प्रधान वात-रक्त (Rakta pradhāna Vāta-Rakta)

श्वयथुर्भृशरुक् तोदस्ताम्रश्चिमिचिमायते ।
स्निग्धरुक्षैः शमं नैति कण्डूक्लेदान्वितोऽसृजि ॥

C.S.Ci 29/27

Rakta pradhāna Vātarakta is characterised by swelling with severe distress, pricking pain, coppery discolouration, tingling sensation, do not subside by either unctuous or rough applications; itching and sloughing.

पित्तप्रधान वातरक्त (Pitta Pradhāna Vāta-Rakta)

विदाहो वेदना मूर्च्छा स्वेदस्तृष्णा मदो भ्रमः ।
रागः पाकश्च भेदश्च शोषश्चोक्तानि पैत्तिके ॥

C.S.Ci 29/28

It is characterised by burning sensation, pain, fainting, sweating, morbid thirst, narcosis & giddiness, redness, inflammation, tearing and wasting of the extremities.

कफप्रधान वातरक्त (Kapha Pradhāna Vāta-Rakta)

स्तैमित्यं गौरवं स्नेहः सुप्तिर्मन्दा च रुक् कफे ।

C.S.Ci 29/29

It is characterised by feeling of wetness, heaviness, unctuousness, numbness associated with mild pain.

द्विदोष या त्रिदोष प्रधान वातरक्त (Dvidoṣa or Tridoṣa Pradhāna Vātarakta)

Vātarakta caused either by two *Doṣa*

dominancy or three *Doṣa* dominancy should be known by combined etiology and symptoms.

साध्यासाध्यता (Sādhyasādhyatā)

एकदोषानुगं साध्यं नवं, याप्यं द्विदोषजम् ।
त्रिदोषजमसाध्यं स्याद्यस्य च स्युरुपद्रवाः ॥
C.S.Ci 29/30

If *Vātarakta* caused by predominance of single *Doṣa* & newly manifested is curable.

If *Vātarakta* caused by dominancy of two *Doṣās* is palliable. If *Vātarakta* caused by dominancy of all the three *doṣās* along with complications is incurable.

उपद्रव (Upadrava)

अस्वप्नारोचकश्वासमांसकोथशिरोग्रहाः ।
मूर्च्छायमदरुक्तृष्णाज्वरमोहप्रवेपकाः ॥
हिक्कापाङ्गुल्यवीसर्पपाकतोदभ्रमक्लमाः ।
अङ्गुलीवक्रता स्फोटा दाहमर्मग्रहाबुदाः ॥
एतैरुपद्रवैर्वर्ज्यं मोहेनैकेन वाऽपि यत् ।
संप्रस्रावि विवर्णं च स्तब्धमर्बुदकृच्च यत् ॥
वर्जयेच्चैव संकोचकरमिन्द्रियतापनम् ।
अकृत्स्नोपद्रवं याप्यं साध्यं स्यान्निरुपद्रवम् ॥

C.S.Ci 29/31-34

The following complications observed in *Vātarakta* patients : Sleeplessness, anorexia, dyspnoea, sloughing, stiffness in head, fainting, narcosis, distress, morbid thirst, fever, unconsciousness, trembling, hiccup, lameness, erysipelas, inflammation, pricking pain, giddiness, exhaustion, curvature of fingers & toes, blisters, burning sensation, afflictions in vital parts and tumours. Such patients should not be managed or even one complication i.e unconsciousness is enough to judge incurable nature of the disease.

If *Vātarakta* associated with profuse discharge having abnormal complexion of the skin, stiffness, tumor, contraction and afflictions of the senses, such patients should not be treated. Patients suffering from few complications may be palliable and absence of complications is curable.

उपशय/पथ्य (Upaśaya/Pathya)

Auśadha

Srāvanyādi ghr̥ta, *Balā ghr̥ta*, *Pāruṣaka ghr̥ta*, *Jivaniya ghr̥ta*, *Sthirādya ghr̥ta*.

Taila

Sthirādya taila, *Madhuparnyādi taila*, *Sukumāraka taila*, *Amṛtādya taila*, *Mahāpadmaka taila*, *Khuḍḍāka-padmaka taila*, *Madhuka taila*, *Śatapāka-madhuka taila*, *Sahasrapāka* and *Śatapāka balā taila*, *Piṇḍa taila*, *Vardhamāna pippali yoga*.

Anna

(C.Si.Ci. 29/50-54)

One should consume cereals like old Barley, Wheat, *Nivāra* (wild rice), *Śāli* and *Śaṣṭika* types of rice, soup of the meat of *Viṣkīra* (gallinaceous) and *Pratuda* (pecker) birds; soup of *Āḍhaki*, *Caṇaka*, *Mudga*, *Masūra* and *Makuṣṭha* added with ghee in liberal quantity; leafy vegetable like *Suniṣaṇṇaka*, tender branches of *Vetra*, *Kākamāci*, *Śatāvāri*, *Vāstuka*, *Upodikā* and *Sauvarcalā* fried with ghee. Meat Soup, Milk of Cow, Buffalo & Goat.

Vihāra

Warm poultices, pouring liquids on the body, warm application of paste of drug, residing in chamber devoid of heavy breeze, which is large & pleasing to the mind, use of soft pillows and bed & mild massaging.

The pigeon peas, grams, *Mudga*, lentil and *Samakuṣṭhakā* cooked along with *Ghr̥tam* are considered to form good diet in cases of *Vāta Rakta*. Also eating old barley, wheat, *Nivāra* (*Tr̥ṇadhānya*), *Śāli* rice, *Śaṣṭhi* rice and milk of cow, buffalo and goats are also useful for the patients of the disease. (B.R. 27/5-6)

One should get the ointment, *Abhyañjana*, *Pariṣeka* and *Pralepa* therapies in cases of *Uttāna Vāta Rakta* (initial stage of gout). When the disease is serious, one should take treatment by *Sneha Pāna* (taking oily eatables), *Āsthāpana Basti* therapy and *Virecana* (purgation) therapy. One can process the blood letting therapy using needle, leeches, sharp horn or sharp part of the plants. Generally, ointment of *Śatadhautā Ghr̥tam* and bathing with milk of sheep is useful in such cases. Massaging through oil medicated by muskmelon, white sandalwood, *Śinśapa* wood, *Aguru*, *Devadāru* and *Saral* wood is also helpful. Other

useful edibles in this case include barley, *Ṣaṣṭhi*, *Nivāra*, *Kalamā* and *Aruṇasāli* varieties of rice, wheat, pulses of gram, kidney beans, pigeon peas and *Makuṣṭha*, milks of goat, buffalo and cow and non-vegetable preparations prepared out of the meats of peacock, hen, duck, parrots, pigeon, quails and the like; also good are the leafy vegetables involving *Upodikā*, *Kākamācī*, *Vetāgra*, pumpkin, *Vāstuka*, *Kāravellaka* and the like. (B.R. 27/195-202)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Avoid sexual intercourse, anger and food which are hot in potency, sour & salty, day sleep, food which brings more moisture inside & difficult for digestion. All etiological factors.

Differential diagnosis of āmavāta

A patient of *Vāta-Rakta* should avoid the following: sleeping during daytime, exercising, indulging in intercourse, eating materials which are pungent, warm, *Gurupāki*, *Abhiṣyandi* (yogurt etc.), salty and bitter. (B.R. 27/7)

A patient of *Vāta-Rakta* should avoid the following: sleeping during daytime, enjoying heat of fire, exercising or wrestling, staying under sun, indulging in sexual activities, *Urđi*, *Kulattha*, *Niṣpāva* (*Sema*) peas, *Kṣāra* products, flesh of aquatic and marshy animals (from the *Anūpa Deśa*), taking incompatible eatables, yogurt, sugarcane, liquor, *Piṇyāka*, cake of sesame seeds, sour and bitter drinks, *Kāñji*, items that are pungent, hot, heavy to digest and carminative (*Abhiṣyandi*). (B.R. 27/203-205).

Sl. No.	Points	Āmavāta	Sandhigata vāta	Vātarakta	Uruṣṭhambha	Sandhika sannipāta jvara	Kroṣṭukṣira
1.	Nidān (Hetu)	Āma & vāta kara āhara vihāra	Vātakara āhara vihāra	Vāta & rakta kara āhara vihāra	Kapha kara & Vātakar	Trdoṣa kara	Vāta & rakta kara vihāra
2.	Dosic involvement	Trdoṣa mainly vāta & kapha	Mainly vātadoṣa	Vāta & rakta	Kapha vāta	Trdoṣa	Vāta & rakta
3.	Pradhān factors	Āma plays vital role with vāta	Vāta plays dominant role	Vāta & rakta both takes active part	Kapha dominates	Trdoṣa	Vāta dominates
4.	Involvement of sandhi	Intiates from big joints	starts from big joints	starts from small joints	Uruśakti	all sandhi	Jānu sandhi
5.	Śūla (Nature of Pain)	Nature of pain is like that of scorpion sting	Bheda, Todana vāta pida	Bheda, Todana śpuranvā pida (Akhoriṣa)	-	-	Toda Bheda Mahārūja
6.	Rogādhikār separate	Described as a vāta vyādhi disease entity	Included under disease	Separate disease	Separate disease entity	Included under jvara roga	Included under vāta vyādhi
7.	Pratyātmā lakṣaṇa	Koṣṭha, Trika, Sandhiśūla and stabdata	Sandhi stabdata śūla atopa	Pain starts from pada mūla	Main site is the Uruśakti	Sandhisottha, Jvara, Nidrānās kāsa, stimita	Jānuśottha as like Kroṣṭukṣira (jacklehead) Mahārūja
8.	Śūla Prakṛti	Radiating pain	oftenly radiates	Usually radiating pain is not noticed	Confined in the ūru only	Burning pain	Restricted to Jānu sandhi only
9.	Upaśaya & Unpaśaya	Guggulu preparation gives maximum benefit Initially snehana is contra indicated	Gives benefit snehana is the best therapy	It will not give much benefit Snehana Indicated	Gives benefit Snehana contra indicated	-	Give benefit
10.	Rogamārga	Marmasthi sandhi mainly kapha sthānas	Sandhis	Marmasthi sandhi & sakhas	Uru only	-	Jānu only

MCQs

1. *Adhya-roga* according to *Vagbhata* is
 - a. *Ama-Vata*
 - b. *Uru-Sthambha*
 - c. *Vata-Rakta*
 - d. *Meda-Kaphaavrutavata*
2. वर्जयेच्चैव सङ्कोचकरमिन्द्रियतापनम् । *are the features indicating asadhya lakshana of*
 - a. *Ama-Vata*
 - b. *Uru-Sthambha*
 - c. *Vata-Rakta*
 - d. *Meda-Kaphaavrutavata*
3. Which disease is having premonitory signs similar to *Kushta*
 - a. *Krimi*
 - b. *Vatarakta*
 - c. *Visarpa*
 - d. *Vidradhi*
4. *Bhutvabhutvapranasayatimuhuravirbhavanti* is
 - a. *Rupa of Vatarakta*
 - b. *Purvarupa of Vatarakta*
 - c. *Samanyalakshana of Vatarakta*
 - d. *Rupa of Urusthambha*
5. *Gambheera Vatarakta* features include all except
 - a. *Swayadhu*
 - b. *Twaktamra*
 - c. *Karotikhanjampangum*
 - d. *Both b & c*
6. *Chimichimayana* is the feature of which *doshika Vatarakta*
 - a. *Vata*
 - b. *Pitta*
 - c. *Rakta*
 - d. *Kapaha*

Answer

1.	c	2.	b	3.	b
4.	b	5.	b	6.	c