


CHAPTER

48



Klaibya and Vandhyatva

Learning Objectives

- ⇒ To learn the concepts of Klaibya and Vandhyatva
- ⇒ To learn the Nidana Panchaka of Klaibya and Vandhyatva mentioned in Ayurveda textbooks
- ⇒ To enlist the types of Klaibya and Vandhyatva

Klaibya

Definition

क्लैब्यमिति ध्वजानुच्छ्रायः। Chakra, Ca.Su. – 28/18,19

Klaibya is the condition where there will be disturbance in erection. The person suffering from *Klaibya* is not in a position to perform sexual intercourse. Because of this, the person is not in a position to attain orgasm.

न मूत्रं फेनिलं यस्य विष्टा चाप्सु निमज्जति।

मेढ्रं चोन्मादशुक्राभ्यां हीनः क्लीबः स उच्यते॥

Katyayana; Shabda Kalpa Druma; Vachaspathya

- ✱ The urine of the person will not be containing foam or froth
- ✱ The faecal matter will sink in water
- ✱ The erection of the penis will be absent
- ✱ The absence of *Shukra* in the individual are the features seen in the person suffering from *Klaibya*.

Synonyms of Klaibya

Shandha, Tritiya Prakriti, Napumsaka, Purushatvahina – reference: *Shabda Kalpa Druma*;

First three definitions are taken from *Amarakosha* – 2/6/39 and *Shabda Kalpa Druma*

Nidana of Klaibya

बीजध्वजोपघाताभ्यां जरया शुक्रसंक्षयात्॥154॥

लैन्यं संपद्यते तस्य शृणु सामान्यलक्षणम्। Ca.Ci. – 30/154,155

Klaibya occurs in an individual because of following reasons. They are

- ✱ **Bijopaghataja¹** – the defect in *Shukra* due to the morbidity in *Shukravaha Srotas*
- ✱ **Dhvajopaghataja²** – injury to male genital organ
- ✱ **Jara³** – due to Jara or old age
- ✱ **Shukra Sankshaya⁴** – due to reduced *Shukra* in the body

G
K

- 1 Here, the term *Bijopaghata* refers to the defect in the steps of spermatogenesis or disturbances in hormone secretion or dysfunction related to seminal vesicles or prostate gland or cryptorchidism.
- 2 The male sexual function involves the following steps.
 1. Intact libido
 2. Ability to achieve and maintain erection
 3. Ejaculation
 4. Detumescence (resolution of penile erection)

Trauma to the penis leads to damage to corpora cavernosa and corpus spongiosum which is present in the shaft of the penis.
- 3 As per western physiology, testosterone secretion increases in pubertal age; reduces by 20 to 50% of the peak value by the age of 80 years. Testosterone, hormone is secreted by Leydig cells located in the interstitium of testis and this hormone is responsible for the growth and division of the testicular germinal cells, which is the first stage in formation of sperms. Thus, due to the reduced secretion of testosterone, there will be hampered formation of sperms.
- 4 In this context, the term *Shukra Kshaya* refers to reduced hormonal secretion, reduced sperm count and reduced semen production. Here, reduced hormonal secretion is observed in hypogonadism. Reduced sperm count refers to the reduced sperm production in the testis. Reduced semen production refers to reduced secretion of seminal vesicles and reduced secretion of prostate gland.

Samanya Lakshana of Klaibya

सङ्कल्पप्रवणो नित्यं त्रियां वश्यामपि स्त्रियम्॥155॥
न याति लिङ्गशैथिल्यात् कदाचिद्याति वा यदि।

श्वासाः निवात्रय मोघसङ्कल्पचेष्टितः॥156॥

ग्लानशिक्षा निवजेः स्यादेतत् क्लैम्यलक्षणम्।

सामान्यलक्षणं ह्येतद्विस्तरेषु प्रवक्ष्यते॥157॥

Ca.Ci. – 30/155-157

- ⊗ The person will lose interest in sexual act or libido
- ⊗ The person will not be in a position to **satisfy woman sexually**⁵
- ⊗ **Absence of erection**⁶
- ⊗ **Scanty ejaculation**⁷
- ⊗ Breathlessness and sweating and the inability for intercourse⁸ by the individual
- ⊗ **Shukra**⁹ (semen) contains no sperms

Types of Klaibya

As per Shabda Kalpa Druma and Vachaspatya

14 types of Klaibya are being explained.

1. *Nisarga Shanda* (impotent by nature)
2. *Ananda* (absence of *Shukra*)
3. *Paksha Shanda* (impotent for one *Paksha* or 15 days)
4. *Guroh Abhishapajanya* (manifests due to the curse of teachers or elders)
5. *Rogat* (due to the presence of disease)
6. *Devakrodhajanya* (due to idiopathic cause)
7. *Irshya Shanda* (impotence due to jealousy)
8. *Asekya* (*Mukhayoni*); this is manifested due to less amount of *Shukra* in the father
9. *Vataretas* (*Vata* dominant *Shukra*)
10. *Mukhe Bhaga* (oral sex – cunnilingus)
11. *Vyakshipta*
12. *Mogha Bija*
13. *Shaleena* – poor sexual intercourse
14. *Anyapati* – poor sexual intercourse

As per Charaka, 4 types

1. *Bijopaghataja*
2. *Dhvajabhangajanya*
3. *Jarajanya*

4. Shukra Kshayajanya

Types of Klaibya mentioned in Shabda Kalpa Druma and Vachaspatya

1. *Nisarga Shanda* and *Ananda* are *Apratikarya* (better not to be treated)
2. *Paksha Shanda* – 15 days to appropriate treatment is necessary
3. *Guru Abhishapajanya*, *Rogajanya* and *Devakrodhajanya* – should be treated for the period of 1 year
4. *Irshya Shanda*, *Asekya*, *Vataretas* and *Mukhe Bhaga* should be avoided
5. *Vyakshipta* and *Moghabija* should not be treated
6. *Shalina* and *Anyapati* – usually will have poor penetration or poor copulation ability

Bijopaghataja Klaibya

शीतरुक्षात्पसंक्लिष्टविरुद्ध जीर्णभोजनात्।

शोकचिन्तामयत्रासात् स्त्रीणां चात्यर्थं सेवनात्।

अभिचारादविखम्भाद्रसादीनां च संक्षयात्।

बातादीनां च वैषम्यात्तथैवानरानाच्छ्रमात्॥159॥

नारीणामरसज्ञत्वात् पञ्चकर्मापचारतः।

बीजोपघाताद्भवति पाण्डुवर्णः सुदुर्बलः॥160॥

अल्पप्राणोऽस्पर्श प्रमदासु भवेन्नरः।

इत्याण्डुरोगतमककामलाश्रमपीडितः॥161॥

छतीसारशूलाः कासज्वरनिपीडितः।

बीजोपचारं यं

Ca.Ci. – 30/158-162

- ⊗ Excess consumption of *Shita* (cold in touch and potency) substances
- ⊗ Excess consumption of *Ruksha* (dry) substances
- ⊗ Little consumption of food
- ⊗ Excess consumption of food substances which are having stones etc
- ⊗ Excess consumption of incompatible food substances
- ⊗ Consumption of food in the state of indigestion
- ⊗ Excess grief
- ⊗ Excess thinking
- ⊗ Excess fearful situation exposure
- ⊗ Excess sexual intercourse
- ⊗ Exposure to black magic
- ⊗ Lack of confidence in self
- ⊗ Excess depletion of the body tissues

G
K

Disorders in arousal and orgasm in male as well as female is attributable to psychological and emotional factors. Particularly among the young, it can be attributable to performance anxiety. Fear of pregnancy and fear of pain during intercourse are the other causes, particularly in females.

Most of the occasions, it is lack of libido is the main reason of absence of erection.

This is attributable to reduced secretion of seminal vesicles and prostate gland.

This is attributable to reduced secretion of seminal vesicles and prostate gland.

In conditions, where there is absence of secretion of epididymis is resulting absence of sperms in the semen.

- Vitiation of *Vata Dosha*
- Fasting
- Excess physical activities responsible for exhaustion
- Lack of libido
- Abnormal *Panchakarma* procedure
- Defects in sperms

Lakshana of Bijopaghatajanya Klaibya

- *Pandu Varna* - Yellowish white discolouration
- Weakness
- Low vitality
- Less orgasm while indulging sexual activities
- *Hridroga*
- *Panduroga*
- *Tamaka* (Darkness in front the eyes)
- *Kamala*
- *Shrama* – physical exhaustion
- *Chardi* – vomiting
- *Atisara* – diarrhoea
- *Shula* – pain abdomen
- Cough
- Raised body temperature

Dhvajabhangaja Klaibya

The term *Dhvajabhangaja* refers to the injury to phallus, where in the person is unable to get erection, this leads to the inability to perform sexual intercourse.

ध्वजभङ्गतं शृणु॥162॥

अत्यम्ललवणक्षारविरुद्धासात्म्य भोजनात्।

अत्यम्बुपानाद्विपमात् पिष्टानगुरुभोजनात्॥163॥

दधिक्षीरानूपमांससेवनायाधिकर्षणात्।

कन्यानां चैव गमनादयोनिगमनादपि॥164॥

दीर्घरोग चिरोत्सृष्टां तथैव च रजखलाम्।

दुर्गन्धां दुष्टयोनिं च तथैव च परिलुताम्॥165॥

ईदृशीं प्रमदां मोहायो गच्छेत् कामहर्षितः।

चतुष्पदाभिगमनाच्छेफसञ्चाभिघाततः॥166॥

अधावनाद्वा मेदस्य शस्त्रदन्तनखक्षतात्।

हाष्ठप्रहारनिष्येषाच्छृकानां चातिसेवनात्॥167॥

रेतसय प्रतीघातादुजभङ्गः प्रवर्तते।

(नवन्ति यानि रूपाणि तस्य वक्ष्याम्यतः परम्।)

श्वयथुर्वेदना मेरे रागचैवोपलक्ष्यते॥168॥

स्फोटाच तीव्रा जायन्ते लिङ्गपाको भवत्यपि।

मांसवृद्धिर्भवेच्चास्य व्रणाः क्षिप्रं भवन्त्यपि॥169॥

पुढाकोदकसङ्काशः लावः श्यावारुणप्रभः।

पीकुरुते चापि कठिनश्च परिग्रहः॥170॥

ज्वरस्तृष्णा भ्रमो मुर्च्छाच्छर्दिश्चास्योपजायते।

रक्तं कृष्णं स्रवेद्यापि नीलमाविल्लोहितम्॥171॥

अङ्गिनेव च दुग्धस्य तीव्रो दाहः संवेदनः।

यस्तौ वृषणयोर्वाऽपि सीवन्यां बगेषु च॥172॥

कदाचित्पिच्छिलो वाऽपि पाण्डुः स्रावश्च जायते।

श्वयथुर्जायते मन्दः स्तिमितोऽल्पपरिस्रवः॥173॥

चिराच्च पाकं व्रजति शीघ्रं वाऽथ प्रमुच्यते।

जायन्ते क्रिमयधापि क्रियते पूर्तिगन्धि च॥174॥

विशीर्यते मणिस्य मेहं मुष्कावथापि च।

ध्वजभङ्गकृतं क्लैम्यमित्येतत् समुदाहृतम्॥175॥

एतं पञ्चविधं केचिद्भजभङ्गं प्रचक्षते।

Ca.Ci. – 30/162-175

- Excess consumption of *Amla* (sour), *Lavana* (salt) *Rasa* substances
- Excess consumption of *Kshara* (alkaline) substances
- Excess consumption of *Viruddha* (unwholesome) substances
- Excess consumption of *Asatmya* (incompatible) substances
- Excess consumption of water
- Frequent consumption of food at improper time and quantity
- Excess consumption of *Pishtanna* (flour)
- Excess consumption of *Guru* (heavy to digest) substances
- Excess consumption of *Dadhi* (curds)
- Excess consumption of milk and milk products
- Excess consumption of meat of marshy animals
- Due to the primary disease or if the person is suffering from chronic disease
- Excess intercourse with virgin women
- Intercourse in other orifices other than penovaginal intercourse
- Intercourse with menstruating woman
- Intercourse with woman who has foul smell from genital organs
- Intercourse with woman who has defect in genital organs
- Intercourse with lower animals (four legged animals)
- Trauma to phallus
- Not cleaning the phallus properly
- Injury to the phallus by weapons, teeth and nails
- Suppression of the urge of ejaculation during intercourse

Lakshana of Dhvajabhangajanya Klaibya

- Swelling and pain in the phallus
- Redness of the phallus
- Formation of small blisters around the phallus

- Suppuration in the phallus
- Fleshy growth in the phallus along with ulcer formation.
- Exudation of fluid which appears like rice water or which is brownish black or pink in colour.
- Circular and hard in duration below the glans penis.
- Raised body temperature, thirst, giddiness and vomiting.
- Reddish, blackish bluish turbid secretion from the wound in the genital region.
- Severe burning sensation or pain in the lower abdomen or scrotum or genital region.
- Slowly progressive swelling.
- Sensation of covering of the part with wet cloth.
- Little secretion from the wound around the genital region.
- Slowly suppurative swelling.
- Foul smelling discharge through the wound.
- Destruction of phallus and scrotum due to proliferation of microorganisms.
- *Dhvajabhanga* is of 5 types – *Vataja*, *Pittaja*, *Kaphaja*, *Raktaja* and *Sannipataja*.

Jarasambhavajanya Klaibya

Klaibya which manifests in an individual due to old age.

- लैव्यं जरासंभवं हि प्रवक्ष्याम्यथ तच्छृणु॥176॥
जघन्यमध्यप्रवरं वयस्त्रिविधमुच्यते।
अतिप्रवयसां शुक्रं प्रायशः क्षीयते नृणाम्॥177॥
रसादीनां संक्षयाच्च तथैवावृष्यसेवनात्।
बलवीर्येन्द्रियाणां च क्रमेणैव परिक्षयात्॥178॥
परिक्षवादायुपश्चाप्यवाहाराच्छ्रमात् क्रमात्।
जरासंभवजं क्लैम्यमित्येतैर्हेतुभिर्नृणाम्॥179॥
जायते तेन सोऽस्वये श्रीषधातुः सुदुबला।
विण दुर्बलो दीनः क्षिप्रं व्याधिमधासुते॥180॥

Ca.Ci. – 30/176-181

- Excess depletion of *Rasa* etc *Dhatu* from the body.
- Excess consumption of substances which are considered as *Avrishya* (unaphrodisiac).
- In conditions where there is gradual loss of strength, valour, function of *Indriya*.
- In condition where there is gradual loss of life span.
- Fasting
- Excess physical exertion.
- Condition which leads to fatigue without any physical exertion.

Lakshana of Jarajanya Klaibya

- Excess depletion of body tissues from the body.

- Weakness
- Discolouration of the body.
- Ill look.
- Quickly afflicted to various diseases.

Kshayaja Klaibya

- चतुर्थं क्षयजं शृणु।
अतीव चिन्तनाचैव शोकात्क्रोधाद्भयात्तथा॥189॥
ईष्यत्कण्ठामदोद्वेगान् सदा विशति यो नरः।
कृशो वा सेवते रुक्षमन्नपानं तथौषधम्॥182॥
दुर्बलप्रकृतिश्चैव निराहारो भवेद्यदि।
असाध्य भोजनाचापि हृदये यो व्यवस्थितः॥183॥
रसः प्रधानधातुर्हि श्रीयेताशु ततो नृणाम्।
रक्तादयश्च सीयन्ते धातवस्तस्य देहिनः॥184॥
शुक्रावसानास्तेभ्योऽपि शुक्रं धाम परं मतम्।
चेतसो वाऽतिहर्षेण व्यवायं सेवते ऽति यः॥185॥
तस्याशु क्षीयते शुक्रं ततः प्राप्नोति संक्षयम्।
घोरं व्याधिमवाप्नोति मरणं वा स गच्छति॥186॥
शुक्रं तस्माद्विशेषेण रक्ष्यमारोग्यमिच्छता।
एवं निदानलिङ्गाभ्यामुक्तं लैव्यं चतुर्विधम्॥187॥

Ca.Ci. – 30/181-187

- Excess thinking
- Excess grief
- Excess anger
- Excess fear
- If the person is continuously having jealousy, mental excitement.
- If the person is emaciated and he is taking *Ruksha* food substances and drinks continuously.
- Weak *Prakriti* (constitution) and he is not taking any food substances.
- The person is continuously taking incompatible food substances.

Lakshana of Kshayajanya Klaibya

- Rapid depletion of body tissues.
- Rapid depletion of *Shukra* from the body.
- Rapid manifestation of the disease or rapid death.

Sadhyasadyata of Klaibya

- केचित् क्लैम्ये त्वसाध्ये द्वे ध्वजभङ्गक्षयोद्भवे।
बदन्ति शेफसच्छेदाषोत्पाटनेन च॥188॥
मातापित्रोयजदोषादशुभैवाकृतात्मनः।
गर्भस्वस्य यदा दोषाः प्राप्य रेतोवहाः सिराः॥189॥
शोषयन्त्याशु तमाशात्रेतश्चाप्युपहन्यते।
तत्र संपूर्णसर्वाङ्गः स भवत्यपुमान् पुमान्॥190॥
पते त्यसाध्या व्याख्याताः सन्निपातसमुच्छ्रयात्॥

Ca.Ci. – 30/188-190

- *Dhvajabhangajanya* and *Kshayajanya* *Klaibya* are *Asadhya*¹⁰ (incurable)
- *Dhvajabhang* caused by amputation of phallus and removal of testicles is *Asadhya* (incurable)
- *Klaibya* manifested due to the defect in *Bija* from maternal or paternal side is *Asadhya* (incurable)
- *Klaibya* manifested in an individual due to *Ashubha Karma* (unclean activities) is *Asadhya* (incurable)
- If *Tridosha* vitiation is observed in the patient of *Klaibya* is *Asadhya* (incurable)
- If the person is suffering from generalised illness is *Asadhya* (incurable)

Vandhyatva

Introduction

Vandhyatva is a spectrum of diseases where the woman who has lost her *Artava*. In other words, the woman has disturbances in getting conception i.e. barren or childless woman. This is not manifested as an individual and independent disease, it occurs as a association of other diseases or because of consumption of different medicines. This is not mentioned in all major treatises of *Ayurveda*, except in *Harita Samhita*. As per *Harita*, it is not the attainment of *Garbha* considered as *Vandhyatva*, it is not having the children or progeny is considered as *Vandhyatva*. This definition of *Vandhyatva* is not suitable nowadays. That means the non formation of *Garbha* is considered as *Vandhya*. *Sushruta* has mentioned *Vandhya* as a type of *Yonivyapat*, whereas *Charaka* has mentioned *Vandhya* as *Bijadushtijanya Vikara*. *Kashyapa* has mentioned *Vandhyatva* as one of 80 types of *Vataja Vikara*.

बन्ध्यां नष्टातवां विद्याहि

Su.Ut. – 38/10; Ma.Ni. – 62/2

*Vandhya*¹¹ is the spectrum of the diseases, where the lady is will have absence of menstruation

यदा ह्यस्याः शोणिताख्ये बीजे गभाशयस्थे निर्वर्तकं थीजं प्रदुष्यति तदा बन्ध्यां जनयति।

A.San.Sha. – 2/30

The woman who has congenital or developmental anomalies related to female reproductive system is responsible for *Vandhyatva*.

Nidana of Vandhyatva

There are no direct references related to *Vandhyatva* as far as *Ayurveda* literatures are concerned. We have to take indirect references for the same.

मिथ्याचारेण ताः स्त्रीणां प्रदुष्टेनार्तवेन च।

जायन्ते बीजदोषाच्च देवाच्च शृणु ताः पृथक्॥४॥

Ca.Ci. – 30/8

एवमेव पुरुषस्य यदा बीजे बीजभागः प्रदोषमापद्यते, तदा बन्ध्यां जनयति॥

Ca.Sha. – 4/31

यदा स्त्रिया दोषप्रकोपणोक्तान्यासेवमानाया दोषाः प्रकुपिताः शरीरमुपसर्पन्तः शोणितगर्भाशयावुपपद्यन्ते, न च कात्स्निकं शोणितगर्भाशयौ दूषयन्ति, तदेयं गर्भं लभते स्त्री; तदा तस्य गर्भस्य मातृजानामवयवानां अन्यतमोऽवयवो विकृतिमापद्यत एकोऽथवाऽनेके, यस्य यस्य ह्यङ्गावयवस्य बीजे बीजभागे वा दोषाः प्रकोपमापद्यन्ते, तं तमवयवं विकृतिराविशति। यदा ह्यस्याः शोणिते गर्भाशय बीजभागः प्रदोषमापद्यते, तदा बन्ध्यां जनयति यदा त्वस्याः शोणितेगर्भाशयबीजभागावयवः स्त्रीकराणां च शरीरबीजभागानामेकदेशः प्रदोषमापद्यते, तदा स्याकृतिभूयिष्ठामस्त्रियं वार्ता नाम जनयति, तां स्त्रीव्यापदमाक्षते॥

Ca.Sha. – 4/30

• **Inappropriate diet¹² and regimen¹³** followed by

- 10 All the situations mentioned in this context are showing low physical strength of the patient and more severe form of the disease of the disease; more potent aetiological factor exposure. For example, if the fracture of shaft of penis occurs, that leads to the permanent disability related to erection, thus the person is unable to have erection, thereby unable to perform sexual intercourse, thus the person may have infertility.
 - The main source of formation of spermatozoa is testicles. If the testes are removed, the source of spermatogenesis is removed, thus, the person may have infertility.
 - In case of *Bija Dushti*, the person may have defects in the sperm or ovum.
 - It is being mentioned that in case of febrile condition, there will be poor spermatogenesis.

Thus, all conditions mentioned in poorer prognosis, the person will have extreme nutrition deficiency which may be required for spermatogenesis.
- 11 This is observed in the patients who are suffering from endocrine dysfunction, structural diseases of female reproductive system, anaemia due to chronic diseases.
- 12 When the lady indulges in inadequate diet or inappropriate diet, that will lead to inflammatory responses in the stomach, as the food remains in the stomach for the period of 2 hours. In other words to say, *Adhyashana*, *Vishamashana*, *Samashana*, *Atyashana*, *Vishamashana*, *Rukshashana* etc various ways of abnormal food patterns will lead to inflammation in the stomach.
 - Inflammatory response in the stomach will lead to gastric mucosal damage
 - Along with inflammatory response, there will be infective process occurs as most of the foods consumed are having carbohydrate in them
 - Due to the frequent food substances consumption, there will be increase of pH of the stomach (normal pH necessary for digestion is 1.8 to 3.5), this will lead to alkalinity of gastrum, leading to inadequate conversion of pepsinogen into pepsin leading to poor conversion of macromolecules into intermediate to micromolecules
- 13 When we speak of regimen refers to different kinds of activities which are more or less than one's capacity; the following mechanisms may occur in the body.
 - There will be sequential depletion of carbohydrate, fats and protein in the body along with decrease in water and electrolytes
 - This will lead to the manifestation of metabolic acidosis (ketoacidosis and lactic acidosis)

women

⊗ Afflicted *Artava* by vitiated *Dosha*¹⁴

⊗ *Bija Dosha*¹⁵ – defect in the ovum or structural defect in *Garbhashaya* (uterus)

⊗ *Daiva*¹⁶ – idiopathic or supra human power

इत्येतैर्लक्षणैः प्रोक्ता विंशतिर्योनिजा गदाः॥३७॥

न शुक्रं धारयत्येभिर्दोषैर्योनिरुपद्रुता।

तस्माद्भर्त्र न गृह्णाति स्त्री गच्छत्यामयान् बहून्॥३८॥

गुल्माशःप्रदरादीश्च वाताद्यैश्चातिपीडनम्।

Ca.Ci. – 30/37,38

⊗ By exposure to above etiological factors, there will be manifestation of disease in the female reproductive system due to vitiated *Dosha*

⊗ *Shukra* is not taken up by abnormal female reproductive system

⊗ Pregnancy will not occur in the women who are having abnormal reproductive system.

यदा स्त्रिया दोषप्रकोपणोक्ताः न्यासेवमानाया दोषाः प्रकुपिताः शरीरमुपसर्पन्तः शोणितगर्भाशयावुपपद्यन्ते तदा ख्याकृतिभूयिष्ठा-मस्त्रियं वार्ता नाम जनयति, तां स्त्रीव्यापदमाचक्षते। Ca.Sha. – 4/30

⊗ When a pregnant lady uses aggravating factors, the *Dosha* get vitiated and in course of spreading reach the ovum and uterus, but does not affect them entirely.

⊗ She conceives and the foetus get damaged in maternally derived organs.

⊗ This child will be predominantly female shaped but she will be unable to conceive and in course of spreading of vitiated *Dosha*, these *Dosha* reach the ovum and uterus, but does not affect them entirely. The lady conceives and fetus gets damaged in materially derived organs. In this situation, child may be either female child with defects or male child with predominantly soft organs will be produced.

Types of Vandhya

As per Chakrapani

सत्र- जाऽपीति अवन्ध्याऽपि सती कथं चिरेण गर्भे विन्दति

3 types of Vandhyata are mentioned

⊗ *Vandhya* – absolute inability to conceive

⊗ *Sapraja* – in this condition, the lady is unable to conceive in her active reproductive age group after giving birth to one or more children

⊗ *Apraja* – in this type, the lady may conceive after receiving appropriate treatment

As per Harita

Harita Samhita 3rd *Sihana*: 47th chapter

6 types:

1. *Kakavandhya*: In the type of *Vandhyatva* where the lady is unable to have conception after one childbirth

2. *Anapatya*: In this type, the lady is unable to conceive at all

3. *Garbhasravi*: In this type, the lady may have repeated abortions and thus the lady will have unsuccessful pregnancies

4. *Mritavatsa*: In this type, the lady may have unsuccessful pregnancies due to intrauterine death or stillbirths

5. *Balakshaya*: In this type, the lady is not in a position to conceive due to *Dhatu Kshaya*, *Bala Kshaya*. This may indicate poor development of female reproductive system.

6. *Garbhakosha Bhanga*: In this type, the lady will have disturbances in fertility due to prolapse of uterus or injury to female reproductive system

Sadhyasadhya of Vandhyatva

Sadhyasadhya depends upon the duration of exposure of the woman with aetiological factor, virulence of aetiological factor and its impact on human body, physical stamina of the woman etc.

⊗ *Vandhyatva*¹⁷ in which the woman has congenital absence of uterus and *Artava* is *Asadhya* (incurable)

⊗ All types of *Vandhyata* mentioned in *Harita Samhita* are *Sadhya*¹⁸ (curable)

- In this instances, the improper regimen such as sitting in squatting position for longer time period or insertion of foreign body into the female genital tract etc is mainly related to either abdomen or lower abdomen. This will lead to the initiation of metabolic acidosis from the parts where cell injury is occurring.
- 14 *Artava* may become abnormal by either vitiation of single or dual or triple *Dosha* vitiation. Ayurveda says *Artava* as *Upadhatu* of *Rasa*. Affliction of *Rasa* by abnormal diet pattern may lead to affliction of *Artava* *Dhatu*. For example, if the indulges in excess consumption of *Katu* *Rasa* substances, that may lead to the abnormal increase of *Pitta* or *Vata* in the body or *Artava* too.
- If the lady indulges in *Katu* *Rasa* consumption along with regimen of sitting in squatting position for longer time likely to have affliction of *Artava*.
- If the lady indulges in *Katu*, *Amla* *Rasa* substances along with regimen of sitting for longer time, or inserting metallic instruments into the vagina etc may have severe affliction of *Artava*.
- 15 The term *Bija Dosha* refers to congenital defect observed in the *Garbhashaya* of the lady or structural defect of ovum. In both of the occasions, the lady will have inability to conceive
- 16 In this, the exact cause of *Vandhyatva* cannot be analysed even after elaborate case history taking.
- 17 In this, the woman will have structural anomalies related to female reproductive system. This kind of anomaly may be observed in either vagina or uterus or uterine tube or ovary. The anomaly related to pituitary gland (function regulated by *FSH*, *LH*) may also have an impact on functioning of female reproductive system. In these occasions, the prognosis may be poor.
- 18 In this, if there is functional derangements, that can be corrected by administering appropriate medications or modalities of treatment (purification or pacification therapy).

Key summary of the chapter

Chakra, Ca.Su. – 28/18,19

❖ क्लेव्यमिति ध्वजानुच्छ्रायः

- ❖ Klaibya is the condition where there will be erectile dysfunction, inability to perform sexual intercourse and the person will have orgasmic dysfunction.

- ❖ As per Charaka Samhita, 4 types of Klaibya are mentioned. They are Bijopaghataja, Dhvajabhangaja, Jarajanhya and Shukra Kshayajanya.

- ❖ As per Shabda Kalpa Druma, Vachaspathya, 14 types of Klaibya are mentioned. They are Nisarga Shanda (impotent by nature); Ananda (absence of Shukra); Paksha Shanda (impotent for one Paksha or 15 days); Guroh Abhishapajanya (manifests due to the curse of teachers or elders); Rogat (due to the presence of disease); Devakrodhajanya (due to idiopathic cause); Irshya Shanda (impotence due to jealousy); Asekya (Mukhayoni); this is manifested due to less amount of Shukra in the father; Vataretas (Vata dominant Shukra); Mukhe Bhaga (oral sex – cunnilingus); Vyakshipta; Mogha Bija; Shaleena – poor sexual intercourse; Anyapati – poor sexual intercourse

- ❖ As far as Sadhyasadyata of the disease is concerned, Dhvajabhangaja, Kshaya, Bijadoshaja, Klaibya due to unclean activities, Tridosha dominant Klaibya and Klaibya from generalised illness is considered to be incurable.

❖ वन्ध्यां नष्टातवां विद्याहि

Su.Ut. – 38/10; Ma.Ni. – 62/2

- ❖ Vandhya is the spectrum of the diseases, where the lady is will have absence of menstruation.

- ❖ Mithyachara (abnormal diet and regimen), Pradushta Artava (abnormal Artava), Bija Dosha (congenital defects of ovum or uterus) and Daiva (causes which are beyond suprahuman power) are the major causes of any of diseases related to woman.

- ❖ As per Chakrapani, 3 types of Vandhyatva are mentioned: Vandhya, Sapraja and Apraja; whereas Harita has mentioned 6 types of Vandhyatva: Kakavandhya, Anapatya, Garbhasravi, Mrtavatsa, Balakshaya and Garbhakosha Bhanga.

- ❖ Sadhyasadyata of Vandhyatva: Sadhyasadyata depends upon the duration of exposure of the woman with aetiological factor, virulence of aetiological factor and its impact on human body, physical stamina of the woman etc. Vandhyatva in which the woman has congenital absence of uterus and Artava is Asadya (incurable) and all types of Vandhyatva mentioned in Harita Samhita are Sadhya (curable).

MCQs

1. Sankhya Samprapti of Klaibya as per Charaka is

- a. 4; b. 7;
- c. 6; d. 15

Answer: (a)

2. Sankhya Samprapti of Klaibya as per Shabda Kalpa Druma is

- a. 4; b. 14;
- c. 6; d. 15

Answer: (b)

3. The term Paksha Shandha refers to impotence for a period of

- a. 10 days; b. 30 days;
- c. 15 days; d. 7 days

Answer: (c)

4. As per Vachaspathya, Sankhya Samprapti of Klaibya is

- a. 14; b. 4;
- c. 6; d. 7

Answer: (a)

5. The term detumescence refers to

- a. Erection; b. Ejaculation;
- c. Emission; d. Resolution

Answer: (d)

6. As per Sushruta, the term Vandhya refers to

- a. Kashtartava; b. Krichartava;
- c. Nashtartava; d. Anartava

Answer: (c)

7. As per Harita, the types of Vandhya are

- a. 3; b. 4;
- c. 6; d. 8

Answer: (c)

8. When a lady is unable to conceive after one child birth, even after repeated attempts is termed as

- a. Mritavatsa; b. Kakavandhya;
- c. Apraja; d. Anapatya

Answer: (b)

9. As per Chakrapani, the types of Vandhya are

- a. 3; b. 4;
- c. 6; d. 8

Answer: (a)

10. Kashyapa has mentioned Vandhyatva intypes of Vikara.

- a. Vataja; b. Pittaja;
- c. Kaphaja; d. Raktaja

Answer: (a)

Chapter resources

- ⊗ Charaka Samhita, Chikitsa Sthana – 30th chapter: Yonivyapat Chikitsa Adhyaya
- ⊗ Charaka Samhita, Sharira Sthana – 4th chapter: Mahati Garbhavakranti Adhyaya
- ⊗ Charaka Samita, Sharira Sthana – 2nd chapter: Atulya Gotriya Adhyaya
- ⊗ Sushruta Samhita, Uttara Tantra – 38th chapter: Yonivyapat Pratishedha Adhyaya
- ⊗ Harita Samhita, Tritiya Sthana: 47th chapter: Vandhya Upakrama Adhyaya
- ⊗ Golwalla's medicine for students by Aspi F Golwalla and Sharukh A Golwalla, edited by Milind Y Nadkar, 25th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, 2017
- ⊗ The Merck Manual of Diagnosis and Therapy by Robert S Porter and Justin L Kaplan, 19th edition, Merck Sharp & Dohme Corp, New Jersey, 2011
- ⊗ Chamberlain's symptoms and signs in clinical medicine by Colin Ogilvie and Christopher C Evans, 12th edition, Butterworth-Heinemann Publishers, 1997
- ⊗ Best & Taylor's physiological basis of medical practice by O P Tandon and Y Tripathi, 13th edition, Wolters Kluwer Health (India) Pvt. Ltd, Gurgaon, 2012
- ⊗ Textbook of Medical physiology by Arthur C Guyton and John E Hall, 11th edition, Saunders Elsevier publications, Philadelphia, 2006
