

Introduction

Diseases of the abdomen. Long standing *mandāgni* (diminished digestive power) and *ajīrṇa* (indigestion) cause generalized enlargement of the abdomen and this indisposition is identified as *Udara Roga*. Out of the eight types of *Udara roga* four are *Doṣaja* (generated by the vitiated humors) viz. *Vātodara*, *Pittodara*, *Kaphodara* and *Sannipātodara*, the fifth is due to the enlargement of spleen or liver i. e. *Plīhodara* and *Yakṛddālyudara*, the sixth is due to the intestinal obstruction i. e. *Baddha-Gudodara*, the seventh is due to the injury of the abdomen i. e. *Parisrāvyudara* and while the last of the *Udara roga* is due to the accumulation of fluid i. e. *Jalodara*.

हेतु (Hetu)

अत्युष्णालवणक्षारविदाह्यम्लगराशनात् ।
 मिथ्यासंस्पर्शनाद्रूक्षविरुद्धाशुचिभोजनात् ॥
 प्लीहाशोणग्रहणीदोषकर्शनात् कर्मविभ्रमात् ।
 क्लिष्टानामप्रतीकाराद्रोक्ष्याद्वेगविधारणात् ॥
 स्रोतसां दूषणादामात् संक्षोभादतिपूरणात् ।
 अशोवालशकृद्रोधादन्नस्फुटनभेदनात् ॥
 अतिसंचितदोषाणां पापं कर्म च कुर्वताम् ।
 उदराण्युपजायन्ते मन्दाग्नीनां विशेषतः ॥

C.S.Ci. 13/12-15

Etiological factors of *Udara roga* are as follows :- Excessive intake of hot, saline, alkaline, burning, sour and poisoned food; improper dietetic regimen after evacuative procedures, intake of rough, antagonistic and unclean food, emaciation due to splenomegaly, piles and *Grahaṇī roga*. Improper administration of evacuative therapy and neglecting the treatment of these disorders i.e piles, splenomegaly etc. roughness, suppression of natural urges and morbidity in channels. *Āmadoṣa*, intake of irritating foods and drinks, over saturation, obstruction due to piles, hairs, stool, perforation

and tearing of intestines, excessive accumulation of vitiated *Doṣās* and indulgence in sinful acts.

The places of eastern country are known as sweet, cold and heavy. These are first of all *Kumāravartani*, then *Kaṭivarṣa* in *Māgadha*, the *Mahārāṣṭra* and also *Rṣabhadvīpa*, *Paundravardhanaka* and also *Mrittika*, *Vardhamānaka*, *Karvāṭa*, *Mātaṅga*, *Tāmrālipta*, *Ciraka*, *Priyaṅgu*, *Kauśalya*, *Kaliṅga* and *Priṣṭapūraka*. The mortals are susceptible to – *Plīha* (Splenomegaly) and *Galagaṇḍa* (Goitre). (K.S.Khi. 25/7-11.1)

- All diseases developed due to heat of the body and psyche of the God and sages running due to fear of being killed in *Yajña* of *Dakṣa*. (K.S.K. 9/14)
- Due to swimming and floating, the *Plīha roga* manifests. (K.S.K. 9/15)

Complication of non-observance of phased diet after cleansing therapy leads to the manifestation of many complications like *Udara* (K.S.Su. 24/16-17)

पूर्वरूप (Pūrvarūpa)

क्षुणाशः स्वाद्वतिस्निग्धगुर्वन्नं पच्यते चिरात् ।
 भुक्तं विदह्यते सर्वं जीर्णाजीर्णं न वेत्ति च ॥
 सहते नातिसौहित्यमीषच्छोफश्च पादयोः ।
 शश्वद्वलक्षयोऽल्पेऽपि व्यायामे श्वासमृच्छति ॥
 वृद्धिः पुरीषनिचयो रूक्षोदावर्तहेतुका ।
 बस्तिसन्धौ रुगाध्मानं वर्धते पाठ्यतेऽपि च ॥
 आतन्यते च जठरमपि लघ्वल्पभोजनात् ।
 राजीजन्म वलीनाश इति लिङ्गं भविष्यताम् ॥

C.S.Ci. 13/16-19

Lack of appetite; delayed digestion of sweet, too unctuous and heavy food; burning of the entire food taken (with hyperacidity); absence of feeling of digestion or indigestion; intolerance to over eating; slight oedema on feet; continuous deterioration of strength; dyspnoea even on slight

physical exertion; abdominal enlargement; accumulation of faeces; pain in pelvic region due to roughness and upward movement of *Vāta*; increase of tympanitis; increasing, tearing and expansion of abdomen even on light and little food; appearance of streaks; disappearance of abdominal wrinkles; loss of strength, colour, complexion & desire for food; appearance of lines over abdomen, and also folds of abdomen; uncertain understanding of digestion and burning sensation during digestion.

उदररोग संप्राप्ति (Samprāpti of Udara Roga)

अग्निदोषान्मनुष्याणां रोगसङ्घाः पृथग्विधाः ।
मलवृद्ध्या प्रवर्तन्ते विशेषेणोदराणि तु ॥
मन्देऽग्नौ मलिनैर्भुक्तैरपाकादोषसंचयः ।
प्राणान्यपानान् संदूष्य मार्गान्दध्वाऽधरोत्तरान् ॥
त्वङ्मांसान्तरमागम्य कुक्षिमाध्मापयन् भृशम् ।
जनयत्युदरं तस्य हेतुं शृणु सलक्षणम् ॥

C.S.Ci. 13/9-11

सर्वमेवोदरं प्रायो दोषसङ्घातजं मातम् ॥ C.S.Ci. 13/95

All varieties of *Udara roga* are generally caused by the congregation of *Doṣās*. In human beings different disease groups particularly the abdominal diseases arise from the defect of *Agni* due to increase of *Malās*. If person indulges in foods and activities during weak digestion leads to improper digestion and gradually accumulation of *Doṣās*, which affecting *Prāṇa*, *Agni* and *Apāna*, and blocking upward and downward passages reaches the interspace between skin and muscle and blows up the abdomen.

रुद्ध्वा स्वेदाम्बुवाहीनि दोषाः स्रोतांसि संचिताः ।
प्राणान्यपानान् संदूष्य जनयत्युदरं नृणाम् ॥
C.S.Ci. 13/20

Accumulated *Doṣās* obstruct the *Svedavaha* & *Ambuvaha Srotas* and vitiate *Prāṇa*, *Agni* and *Apāna* leading to the manifestation of *Udara roga*.

Nidāna Sevana (Consumption of Etiological factors)

Aggravation of *Vātādi doṣās*

Disturbance of *Agni*

If person indulges in foods and activities during weak digestion leads to improper digestion and gradually accumulation of *Āma* and other *Doṣās*

Congregation of *Vātādi doṣās* and *Rasādi dhātus* in the *Annavaha Srotas*

Which affects the *Prāṇa*, *Agni* and *Apāna*

Leading to blockage of upward and downward passages

Favours the accumulation of *doṣās* in the interspace between skin and muscle in the *Udarapradeśa* (abdomen)

Distension of abdomen

Udara Roga

उदररोग संप्राप्ति घटक (Samprāpti Ghaṭaka of Udara Roga)

Components of *Samprāpti* are as follows-

<i>Doṣa</i>	: <i>Tridoṣaja</i> <i>Vāta</i> → <i>Prāṇa</i> , <i>Apāna</i> , <i>Samāna</i> <i>Pitta</i> → <i>Pācaka</i> <i>Kapha</i> → <i>Kledaka</i>
<i>Dūṣya</i>	: <i>Dhātu</i> → <i>Rasa</i> , <i>Rakta</i> , <i>Māmsa</i> <i>Upadhātu</i> → <i>Tvacā</i> , <i>Vasā</i> <i>Śārīrika Mala</i> → <i>Mūtra</i> , <i>Purīṣa</i> <i>Dhātu Mala</i> → <i>Sveda</i>
<i>Agni</i>	: <i>Jaṭharāgni</i> , <i>Dhātvaṅni</i>
<i>Agniduṣṭi</i>	: <i>Mandatā</i>
<i>Āma</i>	: <i>Āgnijanya</i>

Srotas	: Svedavaha, Ambuvaha, Rasavaha, Raktavaha, Māmsavaha, Annavaha,
Srotoduṣṭi	: Saṅga, Vimārgagamana
Udbhavasthāna	: Āmāsayottha, Koṣṭha
Adhiṣṭhāna	: Udara, Tvacā (Tvak Māmsantaram)
Vyaktasthāna	: Udara, Yakṛt, Plīhā
Rogamārga	: Abhyantara
Sancārasthāna	: Sirāḥ (Su. Ni 7/6), Rasāyani
Svabhāva	: Cirakāri
Prabhāva	: Vātodara, Pittodara, Kaphodara, Plīhodara, Sannipātodara & Udakodara, the subsequent ones are more and more difficult for treatment than the previous ones.

Roga bheda : 8 types

सामान्य लक्षण (Sāmānya Lakṣaṇa)

General Symptoms of abdominal diseases

कुक्षेराध्मानमाटोपः शोफः पादकरस्य च ।
मन्दोऽग्निः स्लक्ष्णगण्डत्वं काश्यं चोदरलक्षणम् ॥
C.S.Ci. 13/21

आध्मानं गमनेऽशक्तिर्दौर्बल्यं दुर्बलाग्निता ।
शोफः सदनमङ्गानां सङ्गो वातपुरीषयोः ।
दाहस्तृष्णा च सर्वेषु जठरेषु भवन्ति हि ॥
S.S. Ni. 7/24-25

Tympanitis and gurgling sound in abdomen; oedema on hands and feet; poor digestion; smooth cheek; emaciation; flatulence; inability to walk; debility; swelling & weakness of body parts; obstruction of flatus & stool; burning sensations and thirst.

Classification of Udara Roga

पृथग्दोषैः समस्तैश्च प्लीहबद्धक्षतोदकैः ।
संभवन्त्युदराण्यष्टौ तेषां लिङ्गं पृथक् शृणु ॥
C.S.Ci. 13/22

8 types

1. Vātaja Udara roga

2. Pittaja Udara roga
3. Kaphaja Udara roga
4. Sannipātaja Udara roga
5. Plīhodara roga
6. Baddhodara roga
7. Kṣatodara roga
8. Udakodara roga

Five types of Plīha Doṣa – Vātaja, Pittaja, Kaphaja, Sannipātaja and Raktaja. (C. Su. 19/3).

वातज उदर रोग हेतु एवं संप्राप्ति (Vātaja Udara Roga Hetu evam Samprāpti)

रूक्षाल्पभोजनायासवेगोदावर्तकशर्नैः ।
वायुः प्रकुपितः कुक्षिहृदस्तिगुदमार्गगः ॥
हत्वाऽग्निं कफमुद्धूय तेन रुद्धगतिस्ततः ।
आचिनोत्युदरं जन्तोस्त्वङ्मांसान्तरमाश्रितः ॥
C.S.Ci. 13/23-24

Etiological factors and pathogenesis of Vātaja Udara Roga are as follows : Vāta gets aggravated due to intake of rough food, less consumption of food, exertion, suppression of natural urges, Udāvarta and emaciation.

Aggravated Vāta reaches belly, cardiac region, urinary bladder and anus, suppresses the power of digestion & stimulates Kapha. This Kapha obstructs the movement of Vāta and thus enlarges the abdomen by residing in the interspace between skin & muscle.

वातज उदर रोग लक्षण (Vātaja Udara Roga Lakṣaṇa)

तस्य रूपाणि—कुक्षिपाणिपादवृषणश्वयथुः, उदरविपाटनम्, अनियतौ च वृद्धिहासौ, कुक्षिपार्श्वशूलोदावर्ताङ्गमर्दपर्व-भेदशुष्कासकाश्यदौर्बल्यारोचकाविपाकाः, अधोगुरुत्वं, वातवर्चोमूत्रसङ्ग, श्यावारुणत्वं च नखनयनवदनत्वङ्गमूत्र-वर्चसाम्, अपि चोदरं तन्वसितराजीसिरासंततम् आहंतमाध्मात-दृतिशब्दवद्भवति, वायुश्चोर्ध्वमधस्तिर्यक् च सशूलशब्दश्चरति, एतद्वातोदरमिति विद्यात् ॥ C.S.Ci. 13/25

Signs & symptoms of Vātaja Udara Roga are as follows : Swelling in the belly, hands, feet and scroatum; tearing of abdomen; increase & decrease of the swelling in the abdomen without any

apparent cause; colic pain in the belly & sides; *Udāvarta*; general malaise, pain in small joints; dry cough; emaciation; weakness; anorexia; indigestion; heaviness in the lower abdomen; non elimination of flatus, stool & urine; appearance of blackish or reddish tinge in nails, eyes, face, skin, urine & stool; appearance of thin & black net work of veins over the abdomen; on percussion, sounds like the beat of an inflated leather bag and movement of *Vāta* upwards, downwards & sideways alongwith colic pain & sound.

पित्तज उदर रोग हेतु एवं संप्राप्ति (*Pittaja Udara Roga Hetu evam Samprāpti*)

कटुम्ललवणात्युष्णतीक्ष्णान्यातपसेवनैः ।
विदाह्यशनाजीर्णैश्चाशु पित्तं समाचितम् ॥
प्राप्यानिलकफौ रुद्ध्वा मार्गन्मार्गमास्थितम् ।
निहन्यामाशये वह्निं जनयत्युदरं ततः ॥

C.S.Ci. 13/26-27

Etiological factors & pathogenesis of *Pittaja Udara Roga* are as follows : *Pitta* accumulates due to intake of pungent, sour, saline & very hot food items; exposure to intense fire & sun; *Vidāhi* food and intake of food before the digestion of previous meals.

Aggravated *Pitta* joins with *Vāta* & *Kapha* obstruct the passage and moving upwards it suppresses the *Agni* in the stomach and manifest *Pittaja Udara Roga*.

पित्तज उदर रोग लक्षण (*Pittaja Udararoga Lakṣaṇa*)

तस्य रूपाणि—दाहज्वरतृष्णामूर्च्छातीसारभ्रमाः, कटुकास्यत्वं, हरितहारिद्रत्वं नखनयनवदनत्वङ्मूत्रवर्चसाम्, अपि चोदरं नीलपीतहारिद्रहरिताम्रराजीसिरावनद्धं, दह्यते, दूयते, धूयते, ऊष्मायते, स्विद्यते, क्लिद्यते, मृदुस्पर्शं क्षिप्रपाकं च भवति; एतत् पित्तोदरमिति विद्यात्। C.S.Ci. 13/28

Signs & symptoms of *Pittaja Udara Roga* are as follows : Burning sensation, fever, thirst, fainting, diarrhoea, giddiness, pungent taste in the mouth, appearance of green & yellow tinge in nails, eyes, face, skin, urine & stool; prominence of blue, yellow, deep yellow, green or coppery streaks & veins on abdomen which has burning sensation,

pain, fuming, heating, sweating, moistening & is soft on palpation & prone to immediate inflammation.

कफज उदर रोग हेतु एवं संप्राप्ति (*Kaphaja Udara-roga Hetu evam Samprāpti*)

अव्यायामदिवास्वप्नस्याद्वृत्तिस्निग्धपिच्छलैः ।
दधिदुग्धौदकानूपमांसैश्चाप्यतिसेवितैः ॥
क्रुद्धेन श्लेष्मणा स्रोतःस्यावृतेष्यावृतोऽनिलः ।
तमेव पीडयन् कुर्यादुदरं बहिरन्त्रगः ॥

C.S.Ci. 13/29-30

Kapha accumulates due to lack of exercise, day sleep; intake of sweet, unctous and slimy food; curd; milk; meat of aquatic & marshy animals.

Aggravated *Kapha* obstruct the channels of circulation as a result of which *Vāta* having been blocked in its passage comes out of intestine & produces *Kaphaja Udara Roga*.

कफज उदर रोग लक्षण (*Kaphaja Udara Roga Lakṣaṇa*)

तस्य रूपाणि—गौरवारोचकाविपाकाङ्गमर्दाः, सुप्तिः, पाणिपादमुष्कुरुशोफः, उत्क्लेशनिद्राकासश्वासाः, शुक्लत्वं च नखनयनवदनत्वङ्मूत्रवर्चसाम्; अपि चोदरं शुक्लराजीसिरासंतं, गुरु, स्तिमितं, स्थिरं, कठिनं च भवति; एतच्छ्लेष्मोदरमिति विद्यात् ॥ C.S.Ci. 13/31

Signs & symptoms of *Kaphaja Udara Roga* are as follows:—Heaviness, anorexia, indigestion & malaise, numbness, appearance of swelling in hands, legs, scrotum and thighs, nausea, excessive sleep, cough, dyspnoea, whiteness of nails, eyes, face, skin, urine & stool, prominence of white streaks & veins all over the abdomen and abdomen becomes heavy, timid, immobile & hard.

सन्निपातज उदर रोग हेतु एवं संप्राप्ति (*Sannipātajā Udara Roga Hetu evam Samprāpti*)

दुर्बलानेरपथ्यामबिरोधिगुरुभोजनैः ।
स्त्रीदत्तैश्च रजोरोमविण्मूत्रास्थिनखादिभिः ॥
विवैश्च मन्दैर्वाताद्याः कुपिताः संचयं त्रयः ।
शनैः कोष्ठे प्रकुर्वन्तो जनयन्त्युदरं नृणाम् ॥

C.S.Ci. 13/32-33

Simultaneous accumulation of all the *Doṣās* due to intake of unwholesome, uncooked, mutually

contradictory & heavy food during weak power of digestion; when unwholesome ingredients like menstrual blood, hair, stool, urine, bone, nails etc. are administered by a woman and slow poisoning (*dūṣiṣa*). All the three *Doṣās* gets aggravated & accumulates gradually in the abdomen & manifest *Sannipātaja Udra Roga*.

सन्निपातज उदर रोग लक्षण (Sannipātaja Udra Roga Lakṣaṇa)

Signs & symptoms of *Sannipātaja Udra Roga* are as follows : Appearance of signs & symptoms of all the three *Doṣās*; morbidity of nails etc. with all the types of colours; appearance of network of veins over the abdomen having various colours and streaks in the abdomen.

सन्निपातज उदर (दूष्योदर) [Sannipātaja Udra (Dūṣyodara)]

स्त्रियोऽन्नपानं नखरोममूत्रविडात्तैर्वैर्युक्तमसाधुवृत्ताः ।
यस्यै प्रयच्छन्त्यरयो गरांश्च दुष्टाम्बुदूषीविषसेवनाद्वा ॥
तेनाशु रक्तं कुपिताश्च दोषाः कुर्वन्ति घोरं जठरं त्रिलिङ्गम् ।
तच्छीतवाताभ्रसमुद्भवेषु विशेषतः कुप्यति दह्यते च ॥
स चातुरो मूर्च्छति सम्प्रसक्तं पाण्डुः कृशः शुष्यति तृष्णया च ।
प्रकीर्तितं दूष्युदरं तु घोरं ॥
S. S.Ni. 7/11-14

Uncultured women serving food mixed with nails, hairs, urine, excreta, menstrual blood etc. or enemies administering artificial poisons or use of contaminated water, impoverished poisons etc. leading to aggravation of all the three *Doṣās* along with *Rakta* & manifest enlargement of *Udra* accompanied with symptoms of all the three *Doṣās*. This disease becomes excacerbated espescially during the time of cold breeze & cloudy sky, burning sensation, fainting, anaemia, emaciation & thirst. This condition is also called *Dūṣyodara* & it is dreadful.

प्लीहोदर एवं यकृद्दाल्युदर हेतु एवं सम्प्राप्ति (Plihodara evam Yakṛddālyudara Hetu evam Samprāpti)

रसप्रदोषजारोगाः वक्ष्यन्ते रक्तदोषजाः ।
कुष्ठवीसर्पपिडका रक्तपित्तमसृदगरः ॥
गुदमेढ्रास्यपाकश्च प्लीहा गुल्मोऽथ विद्रधिः ।
नीलिका कामला व्यङ्गः पिप्पलवस्तिलकालकाः ॥

C.S.Su. 28/11-12

अशितस्यातिसंक्षोभाद्यानयानातिचेष्टितैः ।

अतिव्यवायभाराध्वमनव्याधिकर्शनैः ॥

C.S.Ci. 13/36

It manifests due to affliction of *rakta*; excessive jerking due to travelling by vehicle; excessive movements; excessive sexual intercourse; excessive load carrying; excessive travelling on foot; excessive vomiting and debility caused by some diseases.

संप्राप्ति (Samprāpti)

वामपार्श्वश्रितः प्लीहा च्युतः स्थानात् प्रवर्धते ।

शोणितं वा रसादिभ्यो विवृद्धं तं विवर्धयेत् ॥

C.S.Ci. 13/36

तस्य प्लीहा कठिनोऽष्ठीलेवादौ वर्धमानः कच्छपसंस्थान उपलभ्यतेः स चोपेक्षितः क्रमेण कुक्षिं जठरमग्न्यधिष्ठानं च परिक्षिपन्नुदरमभिनिर्वर्तयति ॥ C.S.Ci. 13/37

Due to the above mentioned etiological factors the spleen located in the left side gets displaced from its normal place and thus become enlarged or the blood increased (accumulated) through *Rasa* etc. also enlarge it.

The spleen becomes hard like a small stony piece in the beginning gradually increases and become like a tortoise. If neglected, it gradually overlaps belly, abdomen and the seat of digestive fire.

लक्षण (Lakṣaṇa)

तस्य रूपाणिदौर्बल्यारोचकाविपाकवर्चोमूत्रग्रहतमःप्रवेश-
पिपासाङ्ग मर्दच्छर्दिमूर्च्छाङ्गसादकासश्वासमृदुज्वरानाहाग्नि-
नाशकाश्यास्यवैरस्यपर्वभेदकोष्ठवातशूलानि, अपि चोदरमरुणवर्णं
विवर्णं वा नीलहरितहारिद्रराजिमद्भवति; एवमेव यकृदपि
दक्षिणपार्श्वस्थं कुर्यात्, तुल्यहेतुलिङ्गौषधत्वात्तरस्य प्लीहजठर
एवावरोध इति; एतत् प्लीहोदरमिति विद्यात् ॥

C.S.Ci. 13/37-38

Debility, anorexia, indigestion, retention of stool and urine, unconsciousness, thirst, body-ache, vomiting, fainting, lassitude, cough, dyspnoea, mild fever, hardness in bowels, loss of fire, emaciation, tastelessness in mouth, tearing pain in smaller joints, gas formation, pain in belly, reddish or abnormal tinge or appearance of blue, green or yellow streaks on abdomen.

In the same way liver becomes enlarged on right side of the abdomen with above symptoms is known as *Yakṛddhā lyodara*.

Classification of *Plīhodara*

Vātaja Plīhodara – Upward movement of *Vayu*, pain and hardness in bowels.

Pittaja Plīhodara – Burning sensation, mental confusion, thirst and fever.

Kaphaja Plīhodara – Heaviness, anorexia and hardness.

Raktaja Plīhodara – Burning sensation, thirst, tastelessness, heaviness in the body and fainting (*Caraka Cakrapāṇi*).

बद्धगुदोदर हेतु एवं संप्राप्ति (*Baddhagudodara Hetu evam Samprāpti*)

पक्ष्मबालैः सहान्नेन भुक्तैर्बद्धायने गुदे ।
उदावर्तैस्तथाऽर्शोभिरन्त्रसमूच्छनेन वा ॥
अपानो मार्गसरोधाद्धत्वाऽग्निं कुपितोऽनिलः ।
वर्चःपित्तकफान् रुद्ध्वा जनयत्युदरं ततः ॥

C.S.Ci. 13/39-40

Vāta gets aggravated due to obstruction in anal passage caused by intake of eyelashes, hairs etc. with meals, *Udāvarta*, piles, *Āntrasammūrchana* (intussusception), obstruction to the passage of *Apānavāta*.

Aggravated *Apānavāta*, suppresses *Agni* & obstruct the movement of stool, *Pitta* & *Kapha* as a result of which *Baddhagudodara* manifest.

बद्धगुदोदर लक्षण (*Baddhagudodara Lakṣaṇa*)

तस्य रूपाणितृष्णादाहज्वरमुखतालुशोषोरुसादकासश्वास-
दौर्बल्यारोचकाविपाकवर्चोमूत्रसङ्गाध्मानच्छर्दिक्ष्वथुशिरो-
हन्नाभिगुदशूलानि, अपि चोदरं मूढवातं स्थिरमरुणं नीलराजि
सिरावनद्धराजिकं वा प्रायो नाभ्युपरि गोपुच्छवदभिनिर्वर्तत इति;
एतद्वद्गुदोदरमिति विद्यात् ॥ C.S.Ci. 13/41

Signs & symptoms of *Baddhagudodara* are as follows : Morbid thirst, burning sensation, fever, dryness of mouth & palate, prostration in the thighs, cough, dyspnoea, weakness, anorexia, indigestion, retention of stool & urine, abdominal distension, vomiting, sneezing, haedache, & colic pain in the regions of the heart, umbilicus and anus; absence

of peristaltic movement in the abdomen; abdomen becomes confounded by *Vāta*, stable, reddish & blue net work of veins and streaks and appearance of elongated swelling like the shape of the tail of the cow over the umbilical region.

छिद्रोदर हेतु एवं संप्राप्ति (*Chidrodera Hetu evam Samprāpti*)

शर्करातृणकाष्ठास्थिकण्टकैरन्नसंयुतैः ।
भिद्येतान्नं यदा भुक्तैर्जृम्भयाऽत्यशनेन वा ॥
पाकं गच्छेद्रसस्तेभ्यश्छिद्रेभ्यः प्रस्रवद्वहिः ।
पूरयन् गुदमन्त्रं च जनयत्युदरं ततः ॥

C.S.Ci. 13/42-43

Etiological factors & pathogenesis of *Chidrodera* are as follows : Perforation of intestines due to ingestion of gravels, grass, wooden or bony piece or thorn with food; yawning, over eating.

Wound of the intestine gets suppurated and discharges leading to accumulation of secretion in the rectum and intestines and produces *Chidrodera*.

छिद्रोदर लक्षण (*Chidrodera Lakṣaṇa*)

तस्य रूपाणि—तदधो नाभ्याः प्रायोरभिवर्धमानमुदकोदरं भवति, यथाबलं य दोषाणां रूपाणि दर्शयति, अति चातुरःसलोहितनील-
पीतपिच्छिलकुणपगन्ध्यामवर्च उपवेशते, हिक्काश्वासकास-
तृष्णाप्रमेहरोचकाविपाकदौर्बल्यपरीतश्च भवति, एतच्छिद्रोदरमिति विद्यात् ॥ C.S.Ci. 13/44

Signs & symptoms of *Chidrodera* are as follows : Abdomen gets distended below the umbilical region; it subsequently grows to cause *Udakodara*, exhibits the symptoms of *Doṣās* according to their dominancy; patient passes stool which is either red, blue, yellow, slimy or having the odour of a dead body, *Āma*, hiccup, dyspnoea, cough, thirst, polyuria, anorexia, indigestion and debility.

Chidrodera is termed as *Parisrāvyudara* or *Āgantuja Udara* by *Suśruta*.

उदकोदर हेतु एवं संप्राप्ति (*Udakodara Hetu evam Samprāpti*)

स्नेहपीतस्य मन्दाग्नेः क्षीणस्यातिकृशस्य वा अत्यम्बुपाना-
नष्टेऽग्नौ मारुतः क्लोमि संस्थितः ॥ स्रोतःसु रुद्धमार्गेषु

कफश्चोदकमूर्च्छितः । वर्धयेतां तदेवाप्यु स्वस्थानादुराय तौ ॥

C.S.Ci. 13/45-46

Agni becomes weak because of excessive intake of water after the administration of oleation therapy or by a person suffering from *Mandāgni* or by an individual who is cachectic or excessively emaciated. As a result of this, *Vāta* located in *Kloma* gets interrupted with *Kapha* and *Udaka Dhātu* increases the quantity of that water in the obstructed channels of circulation leading to manifestation of *Udakodara*.

उदकोदर लक्षण (Udakodara Lakṣaṇa)

तस्य रूपाणि अनन्नकाङ्क्षापिपासागुदस्रावशूलश्वास-
कासदौर्बल्यानि, अपि चोदरं नानावर्णराजिसिरासंततमुदक-
पूर्णदृतिक्षोभसंस्पर्शं भवति, एतदुदकोदरमिति विद्यात् ॥

C.S.Ci. 13/47

Signs & symptoms of Udakodara are as follows : Loss of appetite, morbid thirst, discharge from the anus, colic pain, dyspnoea, cough, general debility, appearance of network of veins having different colours over the abdomen and on palpation has fluctuation like leather bag filled with water. It is known as *Dakodara*.

उदकोदर साध्यासाध्यता (Udakodara Sādhyāsādhyaṭā)

तत्र अचिरोत्पन्नमनुपद्रवमनुदकप्राप्तमुदरं त्वरमाणश्चिकित्सेत्;
उपेक्षितानां ह्येषां दोषाः स्वस्थानादपवृत्ता परीपाकादद्रवीभूताः
सन्धीन् स्रोतांसि चोपक्लेदयन्ति, स्वेदश्च बाह्येषु स्रोतःसु
प्रतिहतगतिस्तिर्यग्गतिष्ठमानस्तदेवोदकमाप्याययतिः तत्र पिच्छोत्पत्तौ
मण्डलमुदरं गुरु स्तिमितमाकोठितमशब्दं मृदुस्पर्शमपगत-
राजीकमाक्रान्तं नाध्यामेवोपसर्पति । ततोऽनन्तरमुदकप्रादुर्भावः ।
तस्य रूपाणिकुक्षेरतिमात्रवृद्धिः सिरान्तर्धानगमनम्, उदकपूर्णदृति-
संक्षोभसंस्पर्शत्वं च ॥ C.S.Ci. 13/48

Prognosis of Udara Roga are as follows : Physician should treat the condition immediately before the appearance of any complications & before accumulation of liquid in the abdomen. If the treatment is neglected, then the vitiated *Doṣās* get displaced & become liquified as a result of *Paripāka*, cause stickiness in the joints & channels of circulation and divert sweat from the external channels as a result of which it moves sideways,

this zigzag moving sweat adds to the quantity of water already accumulated on the abdomen. The appearance of this sticky liquid makes the abdomen round, heavy and numb. The abdomen becomes dull in percussion & soft to touch. Thereafter, the net work of veins disappears. During this period, the umbilical region is primarily afflicted and from these the disease spreads in the remaining parts of the abdomen. Thereafter water starts accumulating in the abdomen leading to excessive enlargement of the sides of the abdomen, disappearance of the network of veins, on palpation physician feels as if the abdomen is a leather sack filled with water.

Udakodara has two stages. During the first stage, water accumulation does not takes place in the abdomen & it is called '*Ajātodaka*' stage. When the vitiated *Doṣās* get matured they become liquefied by nature. Because of the obstruction in the channels of circulation in the exterior of the body, the sweat becomes incapable of going out as it happens in normal conditions. If moves inwards as a result of which sticky material appears in the abdomen. According to some scholars, *picchā* is like the scum which comes out while boiling rice. It is because of the accumulation of this sticky liquid inside the muscle tissues, that the physician by palpation feels the abdomen like a leather sack filled with water (C.S.Ci 13/48, *Cakrapāṇi*)

अजातोदक उदर (Ajatodaka Udara)

अजातशोथमरुणं सशब्दं नातिभारिकम् ।
सदा गुडगुडायच्च सिराजालगवाक्षितम् ॥
नाभिं विष्टभ्य वायुस्तु वेगं कृत्वा प्रणश्यति ।
हृन्नाभिवङ्क्षणकटीगुदप्रत्येकशूलिनः ॥
कर्कशं सृजतो वातं नातिमन्दे च पावके ।
लालया विरसे चास्ये मूत्रेऽल्पे संहते विषि ॥
अजातोदकमित्येतैर्लिङ्गैर्विज्ञाय तत्त्वतः ।
उपाक्रमेद्भिषग्दोषबलकालविशेषवित् ॥

C.S.Ci. 13/55-58

Signs & symptoms of Ajatodaka Udara are as follows : Abdomen without swelling, reddish, resonant on percussion, not very heavy, always with gurgling sounds, full of veinous network, *Vāta* distending the navel & disappearing after impelling

the urge; pain in the heart, navel, groin, waist & anus; passing hard flatus, digestive fire not very mild, tastelessness in mouth due to salivation, scanty urine, hard stool. It should be taken as that devoid of fluid & should be treated by the physician knowing the variation of *Doṣa*, strength & time.

उपद्रव (Upadrava)

तदाऽऽतुरमुपद्रवाः स्पृशन्ति छर्द्यन्तीसारतमकतृष्णाश्वास-
कासहिक्कादौर्बल्यपार्श्वशूलारुचिस्वरभेदमूत्रसङ्गादयः; तथाविध
मचिकित्स्यं विद्यादिति ॥ C.S.Ci. 13/49

Complication of Udara Roga are as follows : Vomiting, diarrhoea, feeling of darkness, thirst, dyspnoea, cough, hiccup, debility, pain in sides, anorexia, hoarseness of voice, retention of urine etc. Such patient should be declared as incurable.

अन्ते सलिलभावं हि भजन्ते जठराणि तु ।
सर्वाण्येव परीपाकात्तदा तानि विवर्जयेत् ॥

S.S.Ni. 7/25

All varieties of *Udara Roga* attain the stage of accumulation of fluid at their end stage due to ripening; then they should be rejected for treatment.

शूनाक्षं कुटिलोपस्थमुपक्लिन्नुत्वचम् ।
बलशोणितमांसाग्निपरिक्षीणं च वर्जयेत् ॥
श्वयथुः सर्वमर्मोत्थः श्वासो हिक्काऽरुचिः सतृट् ।
मूर्च्छा च्छर्दि रतीसारो निहन्त्युदरिणं नरम् ॥
जन्मनैवोदरं सर्वं प्रायः कृच्छ्रतमं मतम् ।
बलिनस्तदजाताम्बु यत्नसाध्यं नवोत्थितम् ॥

C. Ci. 13/52-54

One should reject the patient having swollen eyes, crooked private parts, moistened thin skin, and loss of strength, blood, flesh and digestive power. Swelling in all the vital parts, dyspnoea, hiccup, anorexia, thirst, fainting, vomiting and diarrhoea lead to death of the patient. *Udara roga* as a whole is often the most difficult to be treated from the very start. However, it can be cured with effort if it is newly arisen, fluidless and patient is strong.

साध्यासाध्यता (Sādhyāsādhyatā)

अष्टावुदराणि पूर्वमुद्दिष्टानि । तेष्वाध्यं बद्धगुदं परिस्त्रावि च;
अवशिष्टानि कृच्छ्रसाध्यानि; सर्वाण्येव प्रत्याख्यायोपक्रमेत ।
तेष्वाद्यश्चतुर्वर्गो भेषजसाध्यः, उत्तरः शस्त्रसाध्यः, कालप्रकर्षात्
सर्वाण्येव शस्त्रसाध्यानि वर्जयितव्यानि वा ॥ S.S.Ci. 14/3

Out of eight varieties of *Udara Roga* *Baddhagudodara* and *Parisrāvi Udara* are incurable and remaining are curable with difficulty; all are to be treated after informing the prognosis.

The first four i.e. *Vātaja*, *Pittaja*, *Kaphaja*, *Sannipātaja* are treatable with medicinal therapies; the remaining are treatable with surgical therapies; by lapse of time, all varieties becomes treatable by surgery or should be rejected for treatment.

वातात्पित्तात्कफात् प्लीहः सन्निपातात्तथोदकात् ।
परं परं कृच्छ्रतरमुदरं भिषगादिशेत् ॥
पक्षादबद्धगुदं तूर्ध्वं सर्वं जातोदकं तथा ।
प्रायो भवत्यभावाय छिद्रान्नं चोदरं नृणाम् ॥

C. Ci. 13/50-51

Udara roga caused by *Vāta*, *Pitta* and *Kapha*, *Pliha*, *Sannipāta* and *Udaka* should be known as of increasing severity in progressive order. After fort night, *baddhagudodara* becomes incurable. *Udakodara* (in its *jātodaka* stage) and *Chidrodara* are incurable right from the beginning.

उपशय/पथ्य (Upaśaya/Pathya)

औषध (Auśadha)

Pañcakola Ghr̥ta, *Nāgara Ghr̥ta*, *Citraka Ghr̥ta*, *Yavādyā Ghr̥ta*, *Paṭolādyā Cūrṇa*, *Nārāyaṇa Cūrṇa*, *Hapuśādyā Cūrṇa*, *Nilinyādyā Cūrṇa*, *Snuhikṣīra Ghr̥tam*, *Ṣaṭpala Ghr̥ta*.

उदरी तु गुर्वभिष्यन्दिरूक्षविदाहिस्निग्धपिशितपरिषेकावगाहान्
परिहरेत्; शालिषष्टिकयवगोधूमनीवारान् नित्यमश्नीयात् ॥

S.S.Ci. 14/4

Udara Roga patients should avoid foods which are hard for digestion, creates moisture inside the tissues, causes dryness, produces burning sensation during digestion & fatty meat, taking bath & immersing in water. He should consume food prepared from *Śāli*, *Ṣaṣṭika*, *Yava*, *Godhūma* & *Nivāra* daily. All *Udara Roga*'s are caused by aggravated *Vāta* & by accumulation of *Malās* inside the body, experienced physicians praise the benefit of administering more of purgative therapy. (S.S.Ci. 14/9)

दोषैः कुक्षौ हि संपूर्णे वह्निर्मन्दत्तमुच्छति ॥
तस्माद्भोज्यानि भोज्यानि दीपनानि लघूनि च ।
रक्तशालीन् यवामुद्गाज्जङ्गलांश्च मृगद्विजान् ॥

पयोमूत्रासवारिष्टान्धुसीधुं तथा सुराम् ।
 यवागूमोदनं वाऽपि यूषैरद्याद्रसैरपि ॥
 मन्दाग्नौ स्नेहकटुभिः पञ्चमूलोपसाधितैः ।
 औदकानूपजं मांसं शाकं पिष्टकृतं तिलान् ॥
 व्यायामाध्वदिवास्वप्नं यानयानं च वर्जयेत् ।
 तथोष्णालवणाम्लानि विदाही निगुरुणि च ॥
 नाद्यादनानि जठरी तोयपानं च वर्जयेत् ।

C.S.Ci. 13/96-101

Udara is filled with vitiated *Doṣās*, the *Agni* gets diminished. Therefore, the patient should take such food which is light for digestion & which helps in the stimulation of digestive power. He should take red variety of *Śāli*, *Barley*, *Mudga*, meat of wild animals & birds, milk, cow's urine, *Āsava*, *Ariṣṭa*, honey, *Sidhu* & *Surā*. He may also consume *Yavāgu* & boiled rice prepared by boiling with decoction of *Pañcamūla* & added with slightly sour ingredients, unctuous substances, like ghee & oil & pungent drugs along with vegetable soup or meat soup.

He should avoid aquatic & marshy meat & vegetables, flour preparations, sesamum seeds, physical exercise, travelling on food, day sleep & travelling by fast moving vehicles. Besides, he should avoid hot, salted, sour, burning & heavy foods, cereals & strictly avoid taking water.

In *Udara Roga*, the abdomen gets completely afflicted with *Doṣas* as a result of which the power of digestion gets suppressed. Therefore, in such a condition, food ingredients, which stimulate the power of digestion and which are light for digestion, are given to the patient. The patient should take red variety of rice, barley, *Mudga*, meat of animals and birds inhabiting arid land, milk, cow's urine and *Āsava*, *Ariṣṭa*, *Madhu* as well as *Sidhu* types of alcoholic drink. (B.R. 40/2-3)

Diet and regimens for the patients of *Udara Roga*: Administration of the *Vamana* therapy, fasting, taking one year old pulse of *Kulattha*, old *Śāli* rice, barley, meat of the wild animals and birds, *Peya*, *Surā*, honey, liquor obtained from the plant *Madhuka* and *Sidhu*, butter-milk, garlic pearls, *Eraṇḍa* oil, ginger, the *Śālinca* leaves, *Paṭola*, *Kārvellaka*, *Punarnavā*, fruits of plant *Śigru*,

Haraḍa, betel leaves, smaller cardamom, *Yavakṣāra*, *Lauha Bhasma*, milk and urine of the goat. Cow and buffalo, easily digestible and bitter items. Similarly, placing and roping the medicated cloth over the abdomen, cauterization, and the like are useful for the patient. In the case of the *Plīhodara*, the blood letting could be done through cutting the front portion of the left arm. In cases of *Baddhodara*, *Jalodara* and *Kṣatodara*, the accumulated water, etc, could be removed out through cutting the portion below the naval. In cases of *Vātodara* the patient should be subjected to the smoke-therapy. This should be followed by the *Abhyañjana* therapy and finally by the *Anuvāsana* type of *Basti* therapy. Thus, in the cases of the *Udara* diseases, the regulation should be followed by considering the vitiated *Doṣa* in question. (B.R. 40/157-161)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Prohibitions of food and habits for the patients of *Udara Roga* : following measures are prohibited while suffering from problems of gastrointestinal tract-ointmenting, smoking, drinking water (in large quantity), blood letting, vomiting, riding, sleeping during day hours, taking hard exercises and the like. Similarly, following eatables should be avoided by the patient: eatables that are deeply fried into oils, meat of water born creatures and animals and birds of marshy region, leafy vegetables, sesame, hot and salty edibles, *Mudga* beans, incompatible meals, contaminated water, water of rivers originating in *Mahendrāchala* (probably the Himalayas) and the like. While suffering from constipation, *Svedana* therapy and taking meals that develop constipation should be avoided. The physician who is taking up the cases of problem of gastrointestinal tract should specially instruct the patient about these regulations. If he does not do so, he may lose his reputation. (B.R. 40/162-165)

The measures and products that have been considered as beneficial and harmful in the treatment of problems of gastrointestinal tract could be applied in the treatment of both spleen and liver problems. (B.R. 41/239).

Differential diagnosis of Doṣaja Udara

S.No.	Vātodara	Pittodara	Kaphodara	Sannipātodara
Etiology	Vāta gets aggravated due to intake of rough food, less consumption of food, exertion, suppression of natural urges, <i>Udāvarta</i> and emaciation	<i>Pitta</i> accumulates due to intake of pungent, sour, saline & very hot food items; exposure to intense fire & sun; <i>Vidahi</i> food and intake of food before the digestion of previous meals	<i>Kapha</i> accumulates due to lack of exercise, day sleep; intake of sweet, unctous and slimy food; curd; milk; meat of aquatic & marshy animals.	Simultaneous accumulation of all the <i>Doṣās</i> due to intake of unwholesome, uncooked, mutually contradictory & heavy food during weak power of digestion; when unwholesome ingredients like menstrual blood, hair, stool, urine, bone, nails etc. are administered by a woman and slow poisoning (<i>duṣiṣa</i>).
Clinical features	Swelling in the belly, hands, feet and scrotum, tearing of abdomen; increase & decrease of the swelling in the abdomen without any apparent cause; colic pain in the belly & sides	Burning sensation, fever, thirst, fainting, diarrhoea, giddiness, pungent taste in the mouth,	Heaviness, anorexia, indigestion & malaise, numbness, appearance of swelling in hands, legs, scrotum and thighs, nausea, excessive sleep, cough, dyspnoea,	Appearance of signs & symptoms of all the three <i>Doṣās</i>
	Appearance of blackish or reddish tinge in nails, eyes, face, skin, urine & stool	Appearance of green & yellow tinge in nails, eyes, face, skin, urine & stool	Appearance of whiteness of nails, eyes, face, skin, urine & stool	Morbidity of nails etc. with all the types of colours;
	Appearance of thin & black net work of veins over the abdomen	Appearance of blue, yellow, deep yellow, green or coppery streaks & veins on abdomen	Appearance of white streaks & veins all over the abdomen	Appearance of network of veins over the abdomen having various colours and streaks in the abdomen.
	On percussion, sounds like the beat of an inflated leather bag and movement of <i>Vāta</i> upwards, downwards & sideways alongwith colic pain & sound.	Suffers from burning sensation, pain, fuming, heating, sweating, moistening & is soft on palpation & prone to immediate inflammation	Abdomen becomes heavy, timid, immobile & hard.	This disease becomes exacerbated especially during the time of cold breeze & cloudy sky, burning sensation, fainting, anaemia, emaciation & thirst. This condition is also called <i>Dūṣyodara</i> & it is dreadful.
	Contemporary	Abdominal tuberculosis, Chronic colitis	Acute colitis	Abdominal malignancy
				Lead poison

MCQs

1. *Dushyodara* is
 - a. *Sannipata-Udara*
 - b. *Chidrodara*
 - c. *Baddhodara*
 - d. *Jalodara*
2. *Nabheruparigopuchaakriti* is seen in
 - a. *Pleehodara*
 - b. *Jalodara*
 - c. *Kshatodara*
 - d. *Baddhodara*
3. Which *srotas* is involved in *udararoga*
 - a. *Udakavaha*
 - b. *Swedavaha*
 - c. *Udaka & sweadavaha*
 - d. *Anna vaha*
4. Arrange the following in the ascending order of prognosis
 - a. *Vatodara*<*Pittodara*<*Kaphodara*<
Pleehodara<*Sannipatodara*<*Udakodara*
 - b. *Vatodara*<*Pittodara*<*Pleehodara*<
Kaphodara<*Sannipatodara*<*Udakodara*
 - c. *Vatodara*<*Pittodara*<*Kaphodara*<
Sannipatodara<*Pleehodara*<*Udakodara*
 - d. *Vatodara*<*Pittodara*<*Kaphodara*<
Udakodara<*Pleehodara*<*Sannipatodara*
5. *Shlaksanagandarwam* is the *lakshana* of
 - a. *Rajayakshma*
 - b. *Gulma*
 - c. *Arsas*
 - d. *Udara*
6. *Vayu* involved in the *Samprapti* of *Udara*
 - a. *Prana & agni*
 - b. *Apana & Samana*
 - c. *Vyana & Udana*
 - d. *Prana, Agni & Apana*
7. *Adhmatahadrithitsabdhavadbhavati* is the *lakshana* of
 - a. *Vatikaudara*
 - b. *Jalodara*
 - c. *Vatikavidhi*
 - d. Both a & c
8. *Garadushivisha* are considered as the *nidana* of
 - a. *Pleehodara*
 - b. *Sannipatodara*
 - c. *Badhodara*
 - d. *Kshatodara*
9. सोऽप्लीलेवातिकठिनः प्राक्ततः कूर्मपृष्ठवत् । are the features of
 - a. *Vatikaudara*
 - b. *Kaphodara*
 - c. *Pleehodara*
 - d. *Badhodara*
10. जन्मनै सर्वं प्रायः कृच्छ्रतमं मतम् । fill the blank
 - a. *Kamala*
 - b. *Udara*
 - c. *Pandu Roga*
 - d. *Grahani roga*
11. बलिनस्तदजाताम्ब यत्रसाध्यंनवोत्थितम् prognosis mentioned in context to
 - a. *Kamala*
 - b. *Udara*
 - c. *Pandu Roga*
 - d. *Grahani roga*

Answer

1. a	2. d	3. c
4. a	5. d	6. d
7. a	8. b	9. c
10. b	11. b	