

Agnimandya, Ajeerna, Anaha, Admana, Atopa

अग्निमान्द्य (Agnimāndhya)

Definition of Agnimāndhya

Dyspepsia (Agnimāndhya) is an indisposition in which food is not properly digested due to the impaired power of *Jaṭharāgni* (digestive juices).

प्राग्भिहितोऽग्निरन्नस्य पाचकः । स चतुर्विधो भवति-
दोषानभिपन्न एकः; विक्रियामापन्नस्त्रिविधो भवतिविषमो वातेन,
तीक्ष्णः पित्तेन, मन्दः श्लेष्मणा, चतुर्थः समः सर्वसाम्यादिति ।

S.S. Su 35/24

Pācakāgni is stated to be responsible for digestion and metabolism. It is of four kinds based on the involvement of *doṣās*.

- First variety is not associated with *doṣās* and it is called *samāgni* state and it is the physiological state of *Agni*. Remaining three varieties of *Agni* are the pathological ones and which are responsible for improper functions.
- Viṣamāgni* state due to *vāta*.
- Tikṣṇāgni* state due to *pitta*.
- Mandāgni* state due to *kapha*.

समग्नि (Samāgni)

Samāgni state of *Agni* is the condition in which *doṣās* are in equilibrium state and performs normal digestion and metabolism functions. C S Vi 1/25(4)

तत्र, यो यथाकालमुपयुक्तमन्नं सम्यक् पचति स समः समैर्दोषैः ।

S.S. Su 35/24

उद्गारशुद्धिरुत्साहो वेगोत्सर्गो यथोचितः ।

लघुता क्षुत्पिपासा च जीर्णाहारस्य लक्षणम् ॥

M.Ni 6/24 & C.S.Vi. 1/25(4)

It is characterized by :

- यथाकालमुपयुक्तमन्नं सम्यक् पचति - Digestion of food within stipulated period of time, if person consume normal quantity of food
- उद्गारशुद्धि - Belching which is free from morbidities
- उत्साह - Enthusiastic to do all activities

- वेगोत्सर्गो यथोचित - Proper elimination of natural urges without any difficulties
- लघुता - Feeling of lightness all over the body
- क्षुत्पिपासा - Timely hunger and thirst

विषमग्नि (Viṣamāgni)

Viṣamāgni is the state in which improper digestion and metabolism takes place due to irregular function of *agni*.

यः कदाचित् सम्यक् पचति, कदाचिदाध्मानशूलोदावर्तितिसार-
जठरगौरवान्त्रकूजनप्रवाहणानि कृत्वा स विषमः ।

S.S. Su 35/24

- कदाचित् सम्यक् पचति - Some times *agni* performs normal functions
- आध्मान - Flatulence
- Metue - Abdominal pain
- शूल - Upward movement of *vāta* inside the *koṣṭha*
- अतिसार - Diarrhoea
- जठरगौरव - Heaviness in abdomen
- आन्त्रकूजन - Intestinal gurgling
- प्रवाहणानि - Straining exercise for evacuation of stools.

तीक्ष्णाग्नि (Tikṣṇāgni)

Tikṣṇāgni is the state in which hyperfunctioning of digestion & metabolic activities observed.

यः प्रभूतमप्युपयुक्तमन्नमाशु पचति स तीक्ष्णः ।

S.S. Su 35/24

प्रभूतमप्युपयुक्तमन्नमाशु पचति - Quick digestion of food even after taking more quantity of food.

अत्याग्नि (Atyāgni)

स एवाभिवर्धमानोऽत्यग्निरित्याभाष्यते, स मुहुर्मुहुः प्रभूत-
मप्युपयुक्तमन्नमाशुतरं पचति, पाकान्ते च गलताल्वोष्ठ-
शोषदाहसंतापाञ्जनयति; । S.S. Su 35/24

1. एवाभिवर्धमानोऽत्यग्निरित्याभाष्यते - The *tikṣṇāgni* if increases greatly is called *atyāgni*.
2. स मुहुर्मुहुः प्रभूत-मप्युपयुक्तमत्रमाशुतरं पचति - Quicker digestion of food even after taking more quantity of food oftenly.
3. पाकान्ते च गलतात्वोष्ठशोषदाहसंतापाञ्जनयति - At the end of digestion it produces dryness, burning sensation and warmthness in the throat, palate and lips, .

नरे क्षीणकफे पित्तं कुपितं मारुतानुगम् ॥
स्वोष्मणा पावकस्थाने बलमग्नेः प्रयच्छति ।
तदा लब्धबलो देहे विरुक्षे सानिलोऽनलः ॥
परिभूय पचत्यन्नं तैक्ष्ण्यादाशु मुहुर्मुहुः ।
पक्त्वाऽन्नं स ततो धातूच्छोणितादीन् पचत्यपि ॥
ततो दौर्बल्यमातङ्कान्मृत्युं चोपनयेन्नरम् ।
भुक्तेऽन्ने लभते शान्तिं जीर्णमात्रे प्रताम्यति ॥
तृद्दासदाहमूर्च्छाद्या व्याधयोऽत्यग्निसंभवाः ।
तमत्यग्निं गुरुस्निग्धशीतैर्मधुरविज्जलैः ॥

C.S.Ci. 15/217-221

1. क्षीणकफे - Diminished state of *Kapha*
2. पित्तं कुपितं मारुतानुगम् स्वोष्मणा पावकस्थाने बलमग्नेः प्रयच्छति- *Pitta* along with *Vāta* strengthens the *Agni* in its own place i.e. *Grahaṇī* by its intrinsic heat.
3. तदा लब्धबलो देहे विरुक्षे सानिलोऽनलः । परिभूय पचत्यन्नं तैक्ष्ण्यादाशु मुहुर्मुहुः - *Agni* become intensely powerful and immediately digest the frequently consumed food.
4. पक्त्वाऽन्नं स ततो धातूच्छोणितादीन् पचत्यपि - After the digestion of food, it starts digesting the tissue elements like *Rakta* etc.
5. दौर्बल्य - Debility
6. आतङ्क - Suffers from many disorders
7. मृत्यु - Death
8. भुक्तेऽन्ने लभते शान्तिं जीर्णमात्रे प्रताम्यति - Feels comfort after taking food but soon become restless after it is digested.
9. The following conditions develop due to *Atyāgni*.
तृद् - Thirst
श्वास - Breathing
दाह - Burning sensation
मूर्च्छा - Fainting

Note- *Agni* is the heating attribute of *Pitta*.

Always there is close association exists between *Agni* and *Pitta* i.e. *Agni* is the substance which originates (*Janya*) and *Pitta* is the source of origin (*Janaka*). Due to this difference between the *Janaka* and the *Janya* the aggravated *Pitta* might even reduce the *Agni*. It is only is association with *Vāta*, *Pitta* becomes powerful and manifest *Atyāgni*.

मन्दग्नि (Mandāgni)

Mandāgni is the state in which digestion process become weak and takes long time to digest the less quantity of food.

यस्त्वल्पमप्युपयुक्तमुदरशिरोगौरवकासश्वासप्रसेकच्छर्दिगात्रसदनानि कृत्वा महता कालेन पचति, स मन्दः । S.S. Su 35/24

1. यस्त्वल्पमप्युपयुक्त महता कालेन पचति - Slower digestion of food even after taking less quantity of food.
2. उदरगौरव - Heaviness in abdomen
शिरोगौरव - Heaviness in head
कास - Cough
श्वास - Dyspnoea
प्रसेक - Excessive salivation
छर्दि - Vomiting
गात्रसदन - Weakness of the body

Validated Questionnaire for assessment of *Agni* developed by Dr.P.S.Byadgi and Dr.Neera Saini

Validated Questionnaire for assessment of *Samāgni*

S.	Items	Yes	No.
1.	Do you eat food timely and whether it gets digested within stipulated time		
2.	Whether eructations are pure/ free from bad odour		
3.	Do you feel enthusiasm to perform daily activities		
4.	Do you pass urine and stool regularly		
5.	Do you feel lightness in body		
6.	Do you get hunger normally and timely		
7.	Do you get thirst normally and timely		

Validated Questionnaire for assessment of Viṣamāgni

S.	Items	Yes	No
1.	Have you any complaints of sometimes digestive power works properly sometimes may not		
2.	Do you feel flatulence		
3.	Have you complaints of pain in abdomen		
4.	Have you complaint of upward movement of <i>Vāta</i> in <i>Koṣṭha</i>		
5.	Are you suffering from diarrhoea		
6.	Have you complaint of heaviness in abdomen		
7.	Do you feel gurgling noise in abdomen		
8.	Do you feel like straining during defecation		

Validated Questionnaire for assessment of Mandāgni

S.	Items	Yes	No
1.	Do you feel that comparatively you eat less amount of food		
2.	Do you feel that your digestion is weak		
3.	Do you feel that small amount of food also digests after long time		
4.	Do you have complaint of heaviness in abdomen		
5.	Do you have complaint of heaviness in head		
6.	Do you feel excessive gurgling noise in abdomen		
7.	Have you complaints of flatulence		
8.	Are you suffering from cough		
9.	Do you feel breathlessness		
10.	Have you complaints of excess salivation		

11.	Are you suffering from vomiting or nausea		
12.	Do you feel dryness of mouth		
13.	Do you feel excessive weakness		
14.	Have you complaints of constipation		

Validated Questionnaire for assessment of Tiṣāgni

S.	Items	Yes	No
1.	Do you feel that large quantity of food digests very quickly		

Validated Questionnaire for assessment of Atyāgni/ Bhaṣmākagni

S.	Items	Yes	No
1.	Do you feel that large quantity of food digests very quickly, feel hungry again and again		
2.	Do you feel dryness of throat, palate and lips		
3.	Do you feel burning sensation in throat, palate and lips		
4.	Do you feel complaint of increase warmthness in throat, palate and lips		

The maximum number of points possible is 7. A classification of definitive *Samīgni* requires a score of 4/7 or higher.

The maximum number of points possible is 8. A classification of definitive *Viṣamāgni* requires a score of 5/8 or higher.

The maximum number of point possible is 1. A classification of definitive *Tikṣṇāgni* requires a score of 1/1.

The maximum number of points possible is 14. A classification of definitive *Mandāgni* requires a score of 8/14.

The maximum number of points possible is 4. A classification of definitive *Atyāgni* requires a score of 3/4

Importance of Agni Vikṛti

विषमो वातजान् रोगांस्तीक्ष्णः पित्तनिमित्तजान् ।
करोत्यग्निस्तथा मन्दो विकारान् कफसंभवान् ॥

S.S. Su 35/25

- *Viṣamāgni* state gives rise to diseases due to *Vāta doṣa*.
- *Tīkṣṇāgni* state gives rise to diseases due to *Pitta doṣa*.
- *Mandāgni* state gives rise to diseases due to *Kaphadoṣa*.

उपशय/पथ्य (Upaśaya/pathya)

Useful diets in cases of Agnimāndhya

In cases of indigestion caused due to *Śleṣma*, one should first take the *Vamana* therapy. In cases of indigestion caused due to *Pitta*, one should first take the *Virecana* (purgation) therapy. In cases of indigestion caused due to *Vāta*, one should first take the *Svedana* (fomentation) therapy. In indigestion, different types of exercises and use of light meals are useful. Gruel of old rice of *Śāli* variety, soup of the *Mudga* pulse (kidney-beans), liquor, meats of deer, peacock, rabbit, *Lāvaka*, and the meat soups, small fishes, *Śālīnca* leaves, leaves of the shoots of bamboo branches, banana fruits, buttermilk, warm water, ginger, asafoetida, cooked leaves of *Vāstuka* (chénopodium) and *Cāṅgerī* (sorrel), radish, fruits of *Paṭola*, pomegranate, orange, *Āmalakī*, lemon, honey, butter, *Ghṛtam*, mustard oil, caraway seeds, black pepper, cooked leaves of fenugreek, ginger pieces, coriander seeds, curd, betel leaves, and *Kāravallaka* (bitter gourd) are also very useful. (B.R. 10/303-311)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Harmful measures for the patients of Agnimāndhya : Strong *Virecana* (purgation), taking cold water, Suppression of natural urges, waking up to late night-hours, blood-letting through leeches, taking *Śamī* variety of rice, eating before digestion of the previous food, taking irregular meals, drinking excess water, fish, blackberry, potato, milk and palm fruits are harmful for the patient of dyspepsia. One should also avoid

the incompatible food items and the items that are heavy to digest and cause constipation. (B.R. 10/312-315).

अजीर्ण (Ajīrṇa)

Introduction

Diminished *Jatharāgni* (digestive juices) produced by some physical factors like excessive intake of food and water, irregularities in diet and sleep, and mental factors such as the envy, fear, anger etc. leads to a state in which the patient is unable to digest even *Sātmya* (wholesome) and *Laghu* (light) meals taken in time and this indisposition is identified as *Ajīrṇa*.

पर्याय (Paryāya)

Apāka and *Avipāka* are the synonyms of *Ajīrṇa*.

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

Dyspepsia is defined as having one or more symptoms of epigastric pain, burning, postprandial fullness, or early satiation.

Indigestion is pain or discomfort after eating, during the digestion of food.

अजीर्ण-न जीर्णं नञ् समासः । अपाकः तत्पर्यायः ।

Śabdakalpdruma

Ajīrṇa is a negative compound word, which means indigestion. *Apāka* is the synonym of *Ajīrṇa*.

अजीर्णः-जठरानलमान्द्येन भुक्तन्नादरोके, रोगभेदः ।

Vācaspatyam

Indigestion/incomplete digestion of ingested food due to *Jathārānalamāndhya* (*Agnimāndhya*) is called *Ajīrṇa*.

न जीर्यति सुखेनान्नं विकारान् कुरुतेऽपि च ।

तदजीर्णमिति प्रादुरतन्मूला विविधा रुजः ॥

Si.Ni. 5/245

The indigestion of ingested food associated with various disorders & discomfort is known as *Ajīrṇa* and it is the root cause for *Vividhā Rujāḥ* (different kinds of diseases).

अनात्मवन्तः पशुवद्भज्यते येऽप्रमाणतः ।

रोगानीकस्य ते मूलमजीर्णं प्राप्नुवन्ति हि ॥

M.Ni. 6/14

The one who eats large quantity of food imprecisely like cattle will develop this disease *Ajirṇa* and it is the root cause for many other diseases.

अजीर्ण हेतु (Ajirṇa hetu)

अभोजनादजीर्णातिभोजनाद्विषमाशनात् ।
 असात्म्यगुरुशीतातिरुक्षसंदुष्टभोजनात् ॥
 विरेकवमनस्नेहविभ्रमादव्याधिकर्षणात् ।
 देशकालतुर्वैषम्याद्वेगानां च विधारणात् ॥
 दुष्यत्यग्निः । C.S.Ci. 15/42-44
 अत्यम्बुपानाद्विषमाशनाद्वा सन्धारणात् स्वप्नविपर्ययाच्च ।
 S.S.Su. 46/507

अनात्मवन्तः पशुवद्भुञ्जते येऽप्रमाणतः ।
 रोगनीकस्य ते मूलमजीर्णं प्राप्नुवन्ति हि ॥
 M.Ni. 6/14

Causative factors for the manifestation of Ajirṇa are as follows- Factors which vitiates Agni are responsible for *Ajirṇa roga* and the same was described are as follows- Excessive fasting; eating during indigestion; over eating and irregular eating; consumption of unwholesome, heavy, cold, excessively rough and contaminated food; improper administration of purgation, emesis and oleation therapies; emaciation due to disease; faulty adaptation in respect to place, time & season; suppression of natural urges; drinking more quantity of water. Improper sleep, one who eats large quantities of food recklessly like cattle and *Ajirṇa* is said to be root cause for many diseases.

ईर्ष्याभयक्रोधपरिक्षतेन लुब्धेन रुदैन्यनिपीडितेन ।
 प्रद्वेषयुक्तेन च सेव्यमानमन्नं न सम्यक् परिणाममेति ॥
 S.S.Su. 46/508

Food consumed by person afflicted with jealousy, fear, anger, miseries, grief, helplessness & hatredness does not digest the food properly.

अजीर्ण संप्राप्ति (Samprāpti of Ajirṇa)

कालेऽपि सात्म्यं लघु चापि भुक्तमन्नं न पाकं भजते नरस्य ॥
 S.S.Su. 46/500-501
 स दुष्टोऽन्नं न तत् पचति लघ्वपि ।
 अपच्यमानं शुक्तत्वं यात्यन्नं विषरुपताम् ॥
 C.S.Ci. 15/44

Due to above etiological factors Agni become greatly vitiated and manifest *Ajirṇa*. Patients of *Ajirṇa* does not digest the food even though consumed at the proper time, wholesome diet and easily digestible food substances. This undigested food becomes sour in taste and toxic.

Nidāna Sevana (Consumption of Etiological factors)

↓
 Aggravation of *Vātādi doṣās*

↓
 Diminution of *Jaṭharāgni*

↓
 Development of *Āma* inside the gastro intestinal tract

↓
 Localisation of *Vātādi doṣās* and *Rasādi dhātus* in the *Annavaha Srotas*

↓
 Undigested food becomes sour in taste and toxic

↓
Ajirṇa

अजीर्ण भेद (Ajirṇa Bheda)

आमं विदग्धं विष्टब्धं कफपित्तानिलैस्त्रिभिः ।
 अजीर्णं केचिदिच्छन्ति चतुर्थं रसशेषतः ॥
 S.S.Su. 46/499
 आमं विदग्धं विष्टब्धं कफपित्तानिलैस्त्रिभिः ।
 अजीर्णं केचिदिच्छन्ति चतुर्थं रसशेषतः ॥
 अजीर्णं पञ्चमं केचिन्निर्दोषं दिनपाकि च ।
 वदन्ति षष्ठं चाजीर्णं प्राकृतं प्रतिवासरम् ॥
 M.Ni. 6/5-6

It is of 6 types namely *Āmājirṇa*, *Vidagdh-ājirṇa*, *Viṣṭabdh-ājirṇa* are three varieties of *Ajirṇa* caused by *Kapha*, *Pitta* and *Vāta* respectively. Some says *Rasaśeṣājirṇa* is the fourth variety, fifth variety is *Dinapāki* and sixth variety is *Prākṛta*.

अजीर्ण लक्षण (Ajirṇa Lakṣaṇa)

तस्य लिङ्गमजीर्णस्य विष्टम्भः सदनं तथा ।
 शिरसो रुक् च मूर्च्छा च भ्रमः पृष्ठकटिग्रहः ॥
 जृम्भाऽङ्गमर्दस्तृष्णा च ज्वरश्छर्दिः प्रवाहणम् ।
 अरोचकोऽविपाकश्च, घोरमन्नविषं च तत् ॥
 C.S.Ci. 15/45-66

Common signs and symptoms of Ajirṇa are as follows : Abdominal distension, general malaise, headache, fainting, giddiness, stiffness in back & waist, yawning, bodyache, thirst, fever, vomiting, tenesmus, anorexia & indigestion. This is a serious condition known as *Annaviṣa*.

विशेष लक्षण (Viśeṣa Lakṣaṇa)

आमाजीर्ण (Āmājirṇa)

तत्रामे गुरुतोत्कलेदः शोथो गण्डाक्षिकूटगः ।
उद्गारश्च यथाभुक्तमविदग्धः प्रवर्तते ॥
M.Ni. 6/10

माधुर्यमन्नं गतमामसंज्ञं । S.S.Su. 46/509

Food which has attained sweetness is known as *Āmājirṇa*. It is characterised by heaviness in abdomen, nausea, swelling of the cheeks and eyes & belchings similar to those occurring just after meals.

विदग्धाजीर्ण (Vidagdhājirṇa)

विदग्धसंज्ञं गतमम्लभावम् । S.S.Su. 46/509
विदग्धे भ्रमतृणमूर्च्छाः पित्ताच्च विविधा रुजः ।
उद्गारश्च सधूमाम्लः स्वेदो दाहश्च जायते ॥
M.Ni. 6/11

Food which has attained sourness & slightly digested is known as *Vidagdhājirṇa* and it is characterised by giddiness, thirst, fainting, sour & hot belching, excessive perspiration, burning sensation inside and other symptoms of aggravated *Pitta*.

विष्टब्धाजीर्ण (Viṣṭabdhājirṇa)

भृशतोदशूलं विष्टब्धमानद्धविरुद्धवातम् ॥
S.S.Su. 46/509
विष्टब्धे शूलमाध्मानं विविधा वातवेदनाः ।
मलवाताप्रवृत्तिश्च स्तम्भो मोहोऽङ्गपीडनम् ॥
M.Ni. 6/12

Viṣṭabdhājirṇa is characterised by pricking pain, long stasis, tympanitis, abnormal movement of *Vāta*, obstruction to stool and flatus, delusion, general malaise and other symptoms of *Vāta Vṛddhi*.

रसशेषाजीर्ण (Rasaśeṣājirṇa)

उद्गारशुद्धावपि भुक्तकाङ्क्षा न जायते हृद्भुता च यस्य ।
रसावशेषेण तु सप्रसेकं चतुर्थमेतत् प्रवदन्त्यजीर्णम् ॥
S.S.Su. 46/503

रसशेषेऽन्नविद्वेषो हृदयाशुद्धिगौरवे । M.Ni. 6/13

Rasaśeṣājirṇa is characterised by disliking for meals, pure belchings, heaviness and turbidity in the heart, excessive salivation and heaviness.

दिनपाकि अजीर्ण (Dinapāki Ajirṇa)

अजीर्णं पञ्चमं केचिदित्यादि । निर्दोषम् आध्मानादिदुष्टे-
कारकम् । दिनपाकि चेत्यहोरात्रेणाहारः पच्यत इत्युत्सर्गः, यत्र तु
मात्रा कालासात्त्यादि दोषादपरदिने पच्यते तद्दिनपाकि ।
M.Ni. 6/5-6 (*Madhukoṣa*)

The fifth *Ajirṇa* is *Dinapāki* in which the digestion completes within one day and one night. This occurs due to overages of quantity and timings of food and waiting alone is required for such condition and hence it is not harmful.

प्राकृत अजीर्ण (Prākṛta Ajirṇa)

प्राकृतं प्रतिवासरमिति प्राकृतमवैकारिकं प्रतिवासरं प्रतिदिनं
क्रियमाणम् । अयमभिसन्धिः -अद्यैव भुक्तमन्नं किं जीर्णमजीर्णं
वा? न करोतीति पूर्वभ्यो भिन्नम् ।
M.Ni. 6/5-6 (*Madhukoṣa*)

Prākṛta ajirṇa prevails till the consumed food is completely digested. After the completion of digestion it manifest symptoms like hunger, thirst, defecation, etc. Clinical features of *Āma* like tympanyitis etc are not seen.

अजीर्ण उपद्रव (Ajirṇa Upadrava)

मूर्च्छा प्रलापो वमथुः प्रसेकः सदनं भ्रमः ।
उपद्रवा भवन्त्येते मरणं चाप्यजीर्णतः ॥
S.S.Su. 46/511

Complications of Ajirṇa are as follows :
Fainting, delirium, vomiting, excess salivation, debility giddiness and death.

Effect of Ajirṇa

संसृज्यमानं पित्तेन दाहं तृष्णां मुखामयान् ।
जनयत्यम्लपित्तं च पित्तजांश्चापरान् गदान् ॥

यक्ष्मपीनसमेहादीन् कफजान् कफसङ्गतम् ।
करोति वातसंसृष्टं वातजांश्च गदान् बहुन् ॥
मूत्ररोगांश्च मूत्रस्थं कुक्षिरोगान् शकृद्गतम् ।
रसादिभिश्च संसृष्टं कुर्यान्नरोगान् रसादिजान् ॥

C.S.Ci. 15/47-49

When *Ajīrna* combined with *Pitta* causes burning sensation, thirst and diseases of oral cavity. It also manifest *Āmlapitta* and such other *Pittaja Vikarās*.

When *Ajīrna* combined with *Kapha* causes *Rājayakṣmā*, *Pinasa*, *Prameha* and other diseases causes by *Kapha*.

When *Ajīrna* combined with *Vāta* leading to manifestation of various *Vātajā* diseases.

When *Ajīrna* afflicts urine, stool and *Dhātus* gives rise to urinary disorders, gastrointestinal diseases and diseases of *Dhātus* respectively.

उपशय/अनुपशय (Upaśaya/Anupaśaya)

दिवा विबुद्धे हृदये जाग्रतः पुण्डरीकवत् ।
अन्नमक्लिन्नधातुत्वादजीर्णेऽपि हितं निशि ॥
हृदि सम्मीलिते रात्रौ प्रसुप्तस्य विशेषतः ।
क्लिन्नविस्त्रस्तधातुत्वादजीर्णे न हितं दिवा ॥

S.S.Su. 46/530-531

During day time, the person is awake, his heart is open like the lotus flower and the tissues not soaked with more of moisture, consuming food at night is beneficial though the person is suffering from indigestion. But during night time, the heart being closed because of sleep, and the tissues having more moisture, consuming food at night is not beneficial for the *Ajīrna* patients. *Upaśaya* and *Anupaśaya* measures like that of *Grahaṇī Roga*.

आनाह (Ānāha)

Abdominal bloating occurs when the gastrointestinal (GI) tract is filled with air or gas.

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

आनाहः मूत्रपुरीषरोधरोगः तत्पर्यायः विबन्धः विष्टम्भः मलरोधनः । *Śabdakalpdruma*

आनाहो वातमूत्रपुरीषादि निरोधः । S.S.Su. 26/10 (*Dalhaṇa*)

Obstruction of urine and faeces or obstruction of flatus, urine, faeces etc. is known as *Ānāha*, *Vibandha*, *Viṣṭambha* and *Malarodhajana* are the synonyms of *Ānāha*.

आनाह उदरपूरणलक्षणः स च वातोत्कटदोषैर्जनितः ॥

Ādḍ.Śa.Prā. 7/49

The fullness of the abdomen due to aggravation of *Vāta* is called *Ānāha*.

The disease which produces the features of *Udarapūrana* (fullness of the abdomen) due to aggravation of *Vāta* is called *Ānāha*.

आनाहाध्मानभेदः ॥ Kā.Śa.Pra. 7/49

Ācārya Kāśirāma described that the disease *Ānāha* is a type of *Ādhmāna* (distension of abdomen).

आनाहो बद्धोदरताः । A.H.Ni. 6/146 (*Hemādri*)

आनाहो जङ्गराध्मानम् । A.H.Ni. 28/8 (*Aruṇḍatta*)

Obstruction in the abdomen or distension of abdomen is known as *Ānāha*.

आनाह्यते आध्मानयुक्तो भवति ।

S.S.Utt. 56/7-9 (*Dalhaṇa*)

Ācārya *Dalhaṇa* opines that the distension of abdomen due to flatus.

यस्य वातः प्रकुपितः कुक्षिमाश्रित्य तिष्ठति ।

नाधो व्रजति नाप्यूर्ध्वमानाहस्तस्य जायते ॥

C.S.Su. 18/32

The aggravated *Vāta* that gets localized in the abdomen does not move either upwards or downwards and leads to the disease *Ānāha*.

आमं शकृद्वा निचितं क्रमेण भूयो विबद्धं विगुणानिलेन ।
प्रवर्त्तमानं न यथास्वमेनं विकारमानाहमुदाहरन्ति ॥
तस्मिन् भवन्त्यामसमुद्धवे तु तृष्णाप्रतिश्यायशिरोविदाहाः ।
आमाशये शूलमथो गुरुत्वं हल्लास उद्गारविघातनञ्च ॥
स्तम्भः कटीपृष्ठपुरीषमूत्रे शूलोऽथ मूर्च्छा स शकृद्वमेच्च ।
श्वासश्च पक्वाशयजे भवन्ति लिङ्गानि चात्रालसकोद्धवानि ॥

S.S.Utt. 56/20-22

Gradual accumulation of *Āma* or stool inside the *Mahāsrotas* and it is obstructed from going out

by the excacerbated *Vāta* and is not expelled out through their respective channels is known as *Ānāha*.

If *Ānāha* manifests by *Āma* produces thirst, rhinitis, burning sensation in the head, pain & heaviness in stomach, nausea and obstruction to belchings.

If *Ānāha* caused by stool produces stiffness in waist & back, non elimination of stool & urine, pain in abdomen, fainting, faecal vomiting, dyspnoea and symptoms of *Alasaka*.

आटोप (Āṭopa)

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

आटोपः गुडगुडाशब्दः ॥ C.S.Ci. 14/21 (*Cakrapāṇi*)

आटोपः गुडगुडाशब्दविशेषो वातजन्य ॥
C.S.Ni. 8/6-7 (*Cakrapāṇi*)

Movement of *Vāta* with gurgling sound in the abdomen is known as *Āṭopa*.

आटोपः कुक्षौ शब्दवद्वातभ्रमणम् ।
C.S.In. 5/12-13 (*Cakrapāṇi*)

Movement of *Vāta* with gurgling or clicking noise in the abdomen is known as *Āṭopa*.

आटोप आध्मानम् । S.S.Ci. 8/8, S.S.Ni. 2/8 (*Dalhaṇa*)

आटोप उदरस्याध्मानं । S.S.Su. 46/474 (*Dalhaṇa*)

Distension of abdomen is termed as *Āṭopa*

आटोप उदरापुराः । S.S.Utt. 42/8 (*Dalhaṇa*)

Fullness of abdomen is *Āṭopa*

आटोपः सञ्चलनं, तेन सहवर्तते इति साटोपम् ।
S.S.Ni. 1/88 (*Gaya*)

आटोपश्चलचलमिति । M.Ni. 22/28 (*Madhu*)

Movement of *Vāta* with gurgling sound in the abdomen is known as *Āṭopa*.

आटोपः क्षोभः । A.H.Su. 28/8 (*Arundatta*)

आटोपः आध्मानं क्षोभमित्यन्ते ॥
S.S.Su. 15/15 (*Dalhaṇa*)

Distension of abdomen with irritation or trembling is known as *Āṭopa*.

आटोपः रुजापूर्वकक्षोभः । S.S.Ni. 9/20 (*Dalhaṇa*)

आटोपः सतोदो वातसंक्षोभः ॥ S.S.Su. 26/10 (*Dalhaṇa*)

Irritating pain in the abdomen is known as *Āṭopa*.

आटोपः सतोदो वातसंक्षोभः । S.S.Su. 26/10 (*Dalhaṇa*)

Movement of *Vāta* with pricking pain in the abdomen is known as *Āṭopa*.

आटोपो रुजापूर्वक उदरक्षोभः ।

S.S.Su. 21/32 (*Dalhaṇa*)

Āṭopa means abnormal movements of *Vāta* with pain.

आध्मान (Ādhmāna)

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

उदर वायोरतीव संचय अनिलपूरणम् । A.Śa.K.

Fullness of abdomen with *Vāta* due to accumulation of *Vāta* is known as *Ādhmāna*.

वायुना कुपितेन नाभेरधः सशुलमापूरः आध्मानः ।

A.Sa.Su. 5/8

Pain and filling up of *Vāta* below the umbilicus due to aggravation of *Vāta* is known as *Ādhmāna*.

अनिलश्च रुद्धमार्गतया आध्मान करोतीति ॥

C.S.Si. 7/22 (*Cakrapāṇi*)

Obstruction for the passage of *Vāta* causes *Ādhmāna*.

उदरस्याध्मानम् वायुना परिपूरणम् । A.Śa.K.

आध्मान वातेनोदरपूरणम् । A.H.Su. 11/13 (*Hemādri*)

Fullness of abdomen with *Vāta* is known as *Ādhmāna*.

साटोपमत्युग्ररुजमाध्मातमुदरं भृशम् ।

आध्मानमिति जानीयाद्घोरं वातनिरोधजम् ॥

विमुक्तपार्श्वहृदयं तदेवामाशयोत्थितम् ।

प्रत्याध्मानं विजानीयात् कफव्याकुलितानिलम् ॥

S.S.Ni. 1/88-89

Distension of abdomen associated with sound and severe pain is known as *Ādhmāna* and it manifest due to suppression of *Vāta*.

The same commences from *Āmāsaya* sparing the flanks and region of the heart is known as *Pratyādhmāna* and it manifest by association with *Vāta* & *Kapha*.

MCQs

1. *Udaraadmana* with *athyugrarija* is the feature of
 - a. *Anaha*
 - b. *Ashtila*
 - c. *Gulma*
 - d. *Udara*
2. *Gandaakshikootasotha* seen in
 - a. *Amaajeerna*
 - b. *Rasaseshaajeerna*
 - c. *Ajeernaupadrava*
 - d. *Alasaka*
3. Types of *Ajeerna* according to *Madava Nidan*
 - a. 3
 - b. 5
 - c. 6
 - d. 7
4. *Amajeerna* leads to
 - a. *Alasaka*
 - b. *Vishoochika*
 - c. *Vidagdhaajeerna*
 - d. *Vishtabdhaajeerna*
5. *Shakritvamana* is the *Asadyaakshana* of
 - a. *Anaha*
 - b. *Udavarta*
 - c. *Rakta pitta*
 - d. *Soola*
6. Types of *Anaha*
 - a. 4
 - b. 3
 - c. 2
 - d. 13
7. *Urdhwa-adhovatamargarodha* is seen in
 - a. *Ashteela, anaha*
 - b. *Pratyashteela*
 - c. *Anaha, Gulma*
 - d. *Adhmana, Gulma*
8. *Dinapaki-ajeerna* is
 - a. *Vatika*
 - b. *Kaphaja*
 - c. *Tridoshaja*
 - d. *Nirdosha*
9. *Prativasara* nature is seen in
 - a. *Vatajaajeerna*
 - b. *Kaphajaajeerna*
 - c. *Rasa seshaajeerna*
 - d. *Prakritaaajeerna*
10. The feature of *Rasa seshaajeerna* include all except
 - a. *Anna vidwesa*
 - b. *Hridayaasudhi*
 - c. *Gourava*
 - d. *Malavataapravrthi*
11. *Alasakalakshana* seen in
 - a. *Purishajaanaha*
 - b. *Amajaanaha*
 - c. *Adhmana*
 - d. *Atopa*

Answer

1.	a	2.	a	3.	c
4.	b	5.	a	6.	c
7.	a	8.	d	9.	d
10.	d	11.	a		