

Introduction of Jvara Roga Nidānam

Jvara born from anger of *Śambhu* produces severe harmful effects to the body like mitigation of strength, colour and digestive fire etc. It is considered as king of all diseases because it associates with many diseases. (S.S.Utt. 39/323-324)

Due to its pervading nature it affects all living creatures and difficult to tolerate, eventually leading to death of the patient.

Jvara manifests due to affliction of both *Śārīrika* and *Mānasika doṣās*. Living beings will not suffer from *Jvara* without involving these *Doṣās*. (C.S.Ci. 3/12)

Emaciation, feeling of darkness in front of eyes, sinful activities and death are the cardinal features of *Jvara* and it manifest due to his own actions leading to *Pañcatva* (death) (C.S.Ci. 3/13).

It originates from attachment (*Parigraha*) and also due to ferocious wrath of *Rudra* (C.S.Ci. 3/14)

Increased body temperature, anorexia, thirst, malaise, distress in cardiac region are the effects of *Jvara*. It is manifested in the form *Tamas* (entering into darkness) during the beginning of the birth and death. (C.S.Ci. 3/26-27).

It manifests due to wrath of *Maheśvara*. It kills all living beings. It produces great miseries for body, mind and sense organs. It greatly reduces intelligence, strength, complexion, joyfulness and enthusiasm. It induces exhaustion, exertion, unconsciousness and obstruction to food. It brings misery to the suffering individual, that's why it is called *Jvara*. It is a serious disease, having many complications and difficult for management. No other disease is powerful than *Jvara*. It is the reason

behind giving nomenclature as king of all diseases. In different animals it is named differently. All living beings are born with *Jvara* and die with it. It induces delusiveness and the events of their previous life. Ultimately it takes away the life of the individual (C.S.Ci. 3/35)

ज्वरप्रत्यात्मिकं लिङ्गं सन्तापो देहमानसः ।

ज्वरेणाविशता भूतं न हि किञ्चिन्न तप्यते ॥

(C.S.Ci. 3/31)

Cardinal signs and symptoms of *Jvara* are increased body temperature associated with mental unpleasure. It afflicts the body, mind and the sense organs.

No living being is spared by affliction of *Jvara*. That's why it is considered as most important disease and king of all diseases.

ज्वर स्वभाव (Jvara svabhāva)

शम्भुक्रोधोद्भवो घोरो बलवर्णाग्निसादकः ।

रोगराड् रोगसङ्घातो ज्वर इत्युपदिश्यते ॥

व्यापित्वात् सर्वसंस्पर्शात् कृच्छ्रत्वादन्तसम्भवात् ।

अन्तको ह्येष भूतानां ज्वर इत्युपदिश्यते ॥

(S.S. Utt. 39/323-324)

Fever manifest from the anger of Lord *Śambhu*, mitigator of strength, loss of complexion, loss of digestive fire, king of disease and group of many diseases. Because of its wide spreading, affecting all living beings, difficult to cure with the chance of causing death and it is the killer of all living beings.

Mythological theory in the development of Jvara

ज्वरमादौ प्रवक्ष्यामि स रोगानीकराद् स्मृतः ॥

रुद्रकोपाग्निसम्भूतः सर्वभूतप्रतापनः ।

तैस्तैर्नामभिरन्येषां सत्त्वानां परिकीर्त्यते ॥

जन्मादौ निधने चैव प्रायो विशति देहिनाम् ।

अतः सर्वविकाराणामयं राजा प्रकीर्तितः ॥
 ऋते देवमनुष्येभ्यो नान्यो विपहते तु तम् ।
 कर्मणा लभते यस्माद् देवत्वं मानुषादपि ॥
 पुनश्चैव च्युतः स्वर्गान्मानुष्यमनुवर्तते ।
 तस्मात्ते देवभावेन सहन्ते मानुषा ज्वरम् ।
 शेषाः सर्वे विपद्यन्ते तैर्यग्योना ज्वरार्दिताः ॥
 (S.Utt. 39/8-13)

तमुवाचेश्वरः क्रोधं ज्वरो लोके भविष्यति ।
 जन्मादौ निधने च त्वमपचारान्तरेषु च ॥
 (C.S.Ci. 3/25)

Jvara is the king of group of diseases. It is born from the wrathful fire of *Rudra* (*Vīrabhadra*), torments all living beings is known by different names in the species of living creatures. For example, elephants etc., get suffered from this disease which is called *Kūṭa*, *Pākala* etc.

It afflicts the people in the beginning of birth and at the time of death. It also afflicts the person who adopts erratic life style and food regimen. That's why it is called king of all diseases.

ज्वर रोग हेतु (Hetu of Jvara Roga)

Etiological factors for the development of *Jvarās* are described are as follows:-

मिथ्याऽतियुक्तैरपि च स्नेहाद्यैः कर्मभिरनुष्णम् ।
 विविधादभिघाताच्च रोगोत्थानात् प्रपाकतः ॥
 श्रमात्क्षयादजीर्णाच्च विषात् सात्त्व्यर्तुपर्ययात् ।
 ओषधीषुष्यगन्धाच्च शोकात्क्षत्रपीडया ॥
 अभिचाराभिशापाभ्यां मनोभूताभिज्ञाया ॥
 स्त्रीणामपप्रजातानां प्रजातानां तथाऽहितैः ।
 स्तन्यावतरणे चैवं ज्वरो दोषैः प्रवर्तते ॥
 (S.S.Utt. 39/19-22)

Improper and excess administration of *Snehādi Samśodhana Karma*, various kinds of injury, suffering from diseases, suppuration, exertion, depletion of body tissues, improper digestion of food, poisons, changes of habitat and natural characteristics of the seasons, inhalation of smell of plants and flowers, sorrow, bad effects of stars and planets, effect of witchcraft and wrath of gods etc.; seizure (*Āveśa*) of an individual by evil spirits, abnormal delivery in women, and during

production of breast milk in women. All above etiological factors brings disequilibrium state of *Doṣās*.

ज्वर रोग संप्राप्ति (Samprāpti of Jvara Roga)

दोषाः प्रकुपिताः स्येषु कालेषु स्वैः प्रकोपणैः ।
 व्याप्य देहमशेषेण ज्वरमापादयन्ति हि ॥
 दुष्टाः स्वहेतुभिर्दोषाः प्राप्यामाशयमूष्मणा ।
 सहिता रसमागत्य रसस्येदप्रवाहिणाम् ॥
 स्रोतसां मार्गमावृत्य मन्दीकृत्य हुताशनम् ।
 निरस्य बहिरूष्माणं पक्तिस्थानाच्च केवलम् ॥
 शरीरं समभिव्याप्य स्वकालेषु ज्वरागमम् ।
 जनयन्त्यथ वृद्धिं वा स्ववर्णञ्च त्वगादिषु ॥
 (S.S.Utt. 39/15-18)

Doṣās aggravates due to consumption of causative factors and during respective time spreads to entire body and produces *Jvara*. Aggravated *Doṣās* enters the *Āmāśaya* and combines with *Agni*, accompanying the *Rasa*, blocks the channels of *Rasa* and *Sveda*, impairs the functions of *Agni* and expels out the *Agni* from the site of digestion and spread to all over body and gives rise to *Jvara*. *Doṣās* exhibit its exacerbated symptoms and signs and brings abnormality in the skin, nail, eyes, tongue, urine and faeces.

ज्वर रोग संप्राप्ति घटक (Samprāpti ghaṭaka of Jvara Roga)

<i>Doṣa</i>	: <i>Pitta Pradhāna Tridoṣaja</i> .
	<i>Vāta</i> → <i>Vyāna</i>
	<i>Pitta</i> → <i>Pācaka</i>
	<i>Kapha</i> → <i>Kledaka</i>
<i>Dūṣya</i>	: <i>Dhātu</i> → <i>Rasa</i>
	<i>Upadhātu</i> → <i>Tvacā</i>
	<i>Śārīrikamala</i> → <i>Mūtra & Puriṣa</i>
	<i>Dhātumala</i> → <i>Kapha, Sveda, Pitta</i>
<i>Agni</i>	: <i>Jaṭharāgni, Dhātvāgni, Bhūtāgni</i>
<i>Agniduṣṭi</i>	: <i>Mandāgni</i>

<i>Āma</i>	: Agnijanya
<i>Srotas</i>	: Rasavaha, Svedavaha, Udakavaha
<i>Srotoduşfi</i>	: Saṅga
<i>Adhiṣṭhāna</i>	: Śarīra, Manas
<i>Sancārasthāna</i>	: Rasavāhinyah
<i>Udbhavasthāna</i>	: Āmāśayottha
<i>Vyaktasthāna</i>	: Tvacū
<i>Svabhāva</i>	: Āśukāri and Cirakāri
<i>Prabhāva</i>	: Ekadoṣaja, recent onset-curable

Disease persist for long, involvement of all the three Doṣās having all the symptoms followed by loss of Agni- Incurable.

Roga Mārga : Bāhya and Abhyantara

पूर्वरूप (Pūrvarupa)

Premonitory symptoms and signs of Jvara are as follows:-

श्रमोऽरतिर्विवर्णत्वं वैरस्यं नयनप्लवः ।
इच्छाद्वेषौ मुहुश्चापि शीतवातातपादिषु ॥
जृम्भाऽङ्गमर्दो गुरुता रोमहर्षोऽरुचिस्तमः ।
अप्रहर्षश्च शीतञ्च भवत्युत्पत्स्यति ज्वरे ॥
सामान्यतो (S.S.Utt. 39/25-27)

तस्येमानि पूर्वरूपाणि भवन्ति; तद्यथा मुखवैरस्यं, गुरुगात्रत्वम्, अनन्नाभिलाषः, चक्षुषोराकुलत्वम्, अश्रवागमनं, निद्राधिक्यम्, अरतिः, जृम्भा, विनामः, वेपथुः, श्रमभ्रमप्रलापजागरणरोमहर्षदन्तहर्षाः, शब्दशीतवातातपसहत्वासहत्वम्, अरोचकाविपाकौ, दौर्बल्यम्, अङ्गमर्दः, सदनम्, अल्पप्राणता, दीर्घसूत्रता, आलस्यम्, उचितस्य कर्मणो हानिः, प्रतीपता स्वकार्येषु, गुरुणां वाक्येष्वभ्यसूया, बालेभ्यः प्रद्वेषः, स्वधर्मेष्वचिन्ता, माल्यानुलेपनभोजन-परिक्लेशनं, मधुरेभ्यश्च भक्षेभ्यः प्रद्वेषः, अम्ललवणकटुक-प्रियता च, इति ज्वरस्य पूर्वरूपाणि भवन्ति प्राक्संतापात्; अपि चैनं संतापार्तमनुबध्नन्ति॥ (C.S.Ni. 1/33)

Fatigue, restlessness, discoloration, loss of taste in mouth, lachrymation, liking and disliking of sound, cold, wind and sun alternatively often; yawning, malaise, heaviness, horripilations, loss of taste, laziness, absence of pleasure, feeling of cold, loss of appetite, congestion in the eyes, excessive sleep, dislike for work, bending, tremors, giddiness,

delirium, awakening in the night, sensation in teeth, indigestion, lassitude, debility, diminished vitality, dilatory tendency, laziness, sluggishness in routine activities, aversion towards own activities, disregard to the instructions of elders, disliking for children, unmindful towards own duties, lack of interest for the use of garland, ointments and food; aversion towards sweet food, liking for sour, saline and pungent things.

Above symptoms continue to exist after the complete manifestations of Jvara.

विशेष पूर्वरूप (Viśeṣa pūrvarupa)

विशेषात्तु जृम्भाऽत्यर्थं समीरणात् ।
पित्तान्नयनयोर्दाहः, कफान्नान्नभिनन्दनम् ॥
सर्वलिङ्गसमवायः सर्वदोषप्रकोपजे ।
द्वयोर्द्वयोस्तु रूपेण संसृष्टं द्वन्द्वजं विदुः ॥
(S.S.Utt. 39/27-28)

If yawning is predominant feature, then it indicates forthcoming disease is Vātaja Jvara. If burning sensation is predominant clinical feature then it indicates prodromal symptoms of Pittaja Jvara.

Dislike for food is predominant symptom indicates premonitory symptom of Kaphaja Jvara. Mixed features are observed in combination of two and three Doṣās involvement.

ज्वरभेद (Jvarabheda)

दौषैः पृथक् समस्तैश्च द्वन्द्वैरागन्तुरेव च ।
अनेककारणोत्पन्नः स्मृतस्त्वष्टविधो ज्वरः ॥
(S.S.Utt. 39/14-15)

द्विविधो विधिभेदेन ज्वरः शारीरमानसः ।
पुनश्च द्विविधो दृष्टः सौम्यश्चाग्नेय एव वा ॥
अन्तर्वेगो बहिर्वेगो द्विविधः पुनरुच्यते ।
प्राकृतो वैकृतश्चैव साध्यश्चासाध्य एव च ॥
पुनः पञ्चविधो दृष्टो दोषकालबलाबलात् ।
संततः सततोऽन्येद्युस्तृतीयकचतुर्थकौ ॥
पुनराश्रयभेदेन धातूनां सप्तधा मतः ।
भिन्नः कारणभेदेन पुनरष्टविधो ज्वरः ॥
(C.S.Ci. 3/32-35)

Jvara is classified into different categories are as follows:

1. *Śārīraja* (Physical) and *Mānasika* (Mental)
2. *Saumya* (caused by Cold) and *Āgneya* (caused by Heat)
3. *Antarvega* (Internal) and *Bahirvega* (External)
4. *Prākṛta* (Natural) and *Vaikṛta* (Unnatural)
5. *Sādhya* (Curable) and *Asādhya* (Incurable)

It is classified into five types depending on strength and weakness of *Doṣās* and time.

- | | |
|-----------------------|---------------------|
| (a) <i>Santata</i> | (b) <i>Satata</i> |
| (c) <i>Anyeduṣka</i> | (d) <i>Tṛṭiyaka</i> |
| (e) <i>Caturthaka</i> | |

According to location in *Dhātus*, it is classified into varieties of *Dhātugata Jvara*.

- (a) *Rasadhātugata Jvara*
- (b) *Rakta dhātugata Jvara*
- (c) *Māmsa dhātugata Jvara*
- (d) *Medo dhātugata Jvara*
- (e) *Asthidhātugata Jvara*
- (f) *Majjādhātugata Jvara*
- (g) *Śukradhātugata Jvara*

Depending on causes it is classified into eight types.

- (a) *Vātaja Jvara*
- (b) *Pittaja Jvara*
- (c) *Kaphaja Jvara*
- (d) *Vāta-Pittaja Jvara*
- (e) *Vāta-Kaphaja Jvara*
- (f) *Pitta-Kaphaja Jvara*
- (g) *Vāta-Pitta-Kaphaja Jvara*
- (i) *Āgantuja Jvara*

शारीरज एवं मानसिक ज्वर (Śārīraja evam Mānasika Jvara)

शारीरो जायते पूर्वं देहे, मनसि मानसः ।
वैचित्त्यमरतिर्लानिर्मनसस्तापलक्षणम् ॥
इन्द्रियाणां च वैकृत्यं ज्ञेयं (देह) संतापलक्षणम् ।

(C.S.Ci. 3/36-37)

Śārīraja Jvara manifests in the body due to affliction of *Śārīrika Doṣās*. *Mānasika Jvara* arises in the body due to affliction of *Mānasika Doṣās*. *Tāpa* to the mind produces mental distraction,

restlessness and feeling of weakness. *Santāpa* to the sense organs manifest abnormality in the sense organs.

सौम्य एवं आग्नेय ज्वर (Saumya evam Āgneya Jvara)

वातपित्तात्मकः शीतमुष्णं वातकफात्मकः ॥
इच्छत्युभयमेतत् ज्वरो व्यामिश्रलक्षणः ।
योगवाहः परं वायुः संयोगादुभयार्थकृत् ॥
दाहकृत्तेजसा युक्तः, शीतकृत् सोमसंश्रयात् ।
(C.S.Ci. 3/37-39)

Patients of *Vātaja-Pittaja Jvara* crave for cold things; patients of *Vātaja-Kaphaja Jvara* desires for hot things; During amalgamation of *doṣās* mixed symptoms are manifested.

Due to synergistic actions of *Vāta*, it produces both types of effects, for example in combination with *Pitta* produces heat and in conjunction with *Kapha* produces cold.

अन्तर्वेग एवं बहिर्वेग ज्वर (Antarvega evam Bahirvega Jvara)

अन्तर्दाहोऽधिकस्तृष्णा प्रलापः श्वसनं भ्रमः ॥
सन्ध्यस्थिशूलमस्वेदो दोषवर्चोविनिग्रहः ।
अन्तर्वेगस्य लिङ्गानि ज्वरस्यैतानि लक्षयेत् ॥
संतापोऽभ्यधिको बाह्यस्तृष्णादीनां च मार्दवम् ।
बहिर्वेगस्य लिङ्गानि सुखसाध्यत्वमेव च ॥
(C.S.Ci. 3/39-41)

Antarvega Jvara is characterised by burning sensation inside the body, thirst, delirium, difficulty in breathing, giddiness, pain in joints and bones, absence of perspiration, non elimination of *Doṣās* and stool.

Bahirvegaja Jvara is characterised by excessive temperature in the exterior parts of the body and mildness of thirst etc. and it is curable.

प्राकृत ज्वर एवं वैकृत ज्वर (Prākṛta Jvara evam Vaikṛta Jvara)

कालप्रकृतिमुद्दिश्य निर्दिष्टः प्राकृतो ज्वरः ॥
प्रायेणानिलजो दुःखः कालेष्वन्येषु वैकृतः ।
हेतवो विविधास्तस्य निदाने संप्रदर्शिताः ॥
(C.S.Ci. 3/48-49)

प्राकृत ज्वर (Prākṛta Jvara)

The *Jvara* manifested in the *Vasantha* and *Śarad ṛtu* are called *Prākṛta Jvarās* and these are easily curable. During *Śarad ṛtu* *pitta* aggravates because of environment which supports its aggravation like hotness etc. Accumulated *Kapha* in the cold season gets aggravated in the *Vasanta*.

Accumulation of *Pitta* during rainy season due to sourness in *Vipāka* of water and drugs. *Pitta* gets excited during *Śarad* due to intense heat of sun and manifest *Pittaja Jvara* and *Kapha Doṣa* is the secondary associate. *Śarad ṛtu* included under *Viśarga Kāla* i.e. the period in which person becomes physically strong and patients may sustain the fasting without creating any problem as a result patients cures from disease.

Kapha gets accumulated during winter (*Hemanta*) because of the sweet *Vipāka* of water and drugs. It becomes excited during spring season (*Vasanta*) due to effect of strong rays of *Sun* leading to manifestation of *Kaphaja Jvara*. In this case, *Vāta* and *Kapha* are the secondary associates. It is manifested during *Ādāna Kāla*.

Management of *Prākṛta Jvara* i.e. *Pittaja* and *Kaphaja Jvara* can be done successfully after considering the strength and weakness of the *Doṣās* in the beginning, middle and end of the seasons. Depending upon the seasonal effects *Prākṛta Jvara* is manifested and it is curable except *Vātajā Jvara*. *Prākṛta Vātajā Jvara* is considered as difficult for management due to mutual contradiction in the line of treatment of *Jvara*.

वैकृत ज्वर (Vaikṛta Jvara)

Jvara manifest in seasons other than that responsible for vitiation of the concerned *Doṣa* is understood as *Vaikṛta Jvara*. For example *Kaphaja Jvara* during *Śarad ṛtu*, *Pittaja Jvara* during *Vasanta ṛtu* etc. and it is very difficult for management.

साध्य एवं असाध्य ज्वर (Sādhya evam Asādhya Jvara)

बलवत्तत्त्वदोषेषु ज्वरः साध्योऽनुपद्रवः ।
हेतुभिर्यद्बहुभिर्जातो बलिभिर्यद्बहुलक्षणः ॥

ज्वरः प्राणान्नकृद्यश्च शीघ्रमिन्द्रियनाशनः ।
सप्ताहाद्वा दशाहाद्वा द्वादशाहान्तस्थश्च ॥
सप्रलापध्रुवशवासनीश्वसो हन्यान्मृतो वाप्य ।
ज्वरः क्षीणाय शून्य गम्भीरो दीर्घरात्रिश्च ॥
असाध्यो बलवान् यश्च केशसीपन्तकृन्ध्वरः ।
(C.S.Cl. 3/50-53)

साध्य ज्वर (Sādhya Jvara)

Strong physical strength, little morbidity of *Doṣās* and free from complications is the characteristic feature indicates curable nature of *Jvara*.

असाध्य ज्वर (Asādhya Jvara)

The following factors indicates the incurability or bad prognosis of *Jvara* patients:—

- Manifestation of *Jvara* due to many etiological factors
- Complete appearance of signs and symptoms
- Quick destruction of sense organs.
- *Jvara* associated with delirium, giddiness, breathlessness kills the patient either on 7th day or 10th day or 12th day.
- Manifestation of *Jvara* in weak and edematous persons.
- *Jvara* which is deep seated (spreading to all *Dhātus*)
- Persistence of *Jvara* for several nights.
- Hairs of the head fall apart to produce a straight line.

विषमज्वर (Viṣamajvara)

विषमो विषमारम्भक्रियाकालोऽनुपद्रवान् ।
(A.H.Ni. 2/69)

Viṣamajvara is characterised by irregular onset, inconsistent symptoms and appear in irregular time; and it persists for longer duration.

विषमज्वर हेतु (Viṣamajvara Hetu)

Causative factors for the production of *Viṣamajvara* are as follows:—

कृशानां व्याधिमुक्तानां मिथ्याहारादिसेविनाम् ।
अल्पोऽपि दोषो दूष्यादेर्लब्ध्वाऽन्यतमतो बलम् ॥
सविषक्षो ज्वरं कुर्याद्विषमं क्षयवृद्धिभाक् ।

दोषः प्रवर्तते तेषां स्वे काले ज्वरयन् बली ॥
निवर्तते पुनश्चैव प्रत्यनीकबलावलः ।
(A.H.Ni. 2/64-65)

केचिद् भूताभिषङ्गोत्थं बुधते विषमज्वरम् ॥
(S.S.Utt. 39/68)

Emaciated persons, one who recently relieved from disease indulging in unsuitable dietetics and life style etc., even the mildly vitiated *Doṣās*, gain strength from the *Dūṣyās* (*Dhātu, Mala, Kāla*) and manifest *Viṣamajvara*. Some people say that it manifest due to invasion of *Bhūtās* (evil spirits) into the body.

Here symptoms exhibited are either increased or decreased in a particular period of time. Symptoms appear when the *Doṣās* are strong during their own respective time and disappears at the time when the *Doṣās* are made weak by the strength of the other factors like *dhātus, malās, habitat, season* etc.

क्षीणे दोषे ज्वरः सूक्ष्मो रसादिष्वेव लीयते ॥
लीनत्वात्कार्श्यवैवर्ण्यजाड्यादीनादधाति सः ।
(A.H.Ni. 2/66-67)

Doṣās which manifest *Viṣamajvara* become decreased, the *Jvara* becomes mild and lurks in the *Rasādi Dhātus* leading to emaciation, discolouration, lassitude etc.

आसन्नविवृतास्यत्वात्स्रोतसां रसवाहिनाम् ॥
आशु सर्वस्य वपुषो व्याप्तिर्दोषेण जायते ।
सन्ततः सततस्तेन विपरीतो विपर्ययात् ॥
(A.H.Ni. 2/67-68)

Being superficial and openness or clearance of the path of *Rasavaha srotas* leads to spreading of *Doṣās* throughout the body as a result continuous variety of *Santata Jvara* manifest without remissions. On the contrary remaining *Satata, Anyedhyuṣka, Trīyaka, Caturthaka* and *Caturthaka Viparyaya* characterised by intermittent *Jvara* having remissions at a particular period of time.

रात्र्यहोः षट्सु कालेषु कीर्तितेषु यथा पुरा ।
प्रसह्य विषमोऽभ्येति मानवं बहुधा ज्वरः ॥
स चापि विषमो देहं न कदाचिद् विमुञ्चति ।

रसानि-गीरव-कार्श्येभ्यः स यस्मान्न प्रमुच्यते ।
वेगे तु समतिक्रान्ते गतोऽयमिति लक्ष्यते ॥
धातुन्तरस्थो लीनत्वाच्च सौक्ष्म्यादुपलभ्यते ।
अल्पदोषेन्धनः क्षीणः क्षीणेन्धन इवानलः ॥
(S.S.Utt. 39/62-65)

Viṣamajvara manifest at the six periods of day and night i.e fore noon, midday, afternoon, evening, midnight and early morning by expressing powerful symptoms and troubles to the patients in many ways. It do not leave the patients completely and remains for longer period of time. It produces exhaustion, heaviness, emaciation; patient feels relieved after the pacification of bouts, but *Jvara* remains lurks inside the body i.e inside the *Dhātus* in a minute form like a spark of fire with little fuel.

दोषोऽल्पोऽहितसम्भूतो ज्वरोत्सृष्टस्य वा पुनः ।
धातुमन्यतमं प्राप्य करोति विषमज्वरम् ॥
(S.S.Utt. 39/66)

Mild aggravation of *Doṣās* by incompatible dietetics and behaviour produces *Viṣamajvara* after invading any one of the *Dhātus*.

Development of *Viṣamajvara* by involving *Dhātu*

Residing in *Rasadhātu* manifest *Santata Jvara*
Residing in *Raktadhātu* manifest *Satatajvara*
Residing in *Māmsadhātu* manifest *Trīyaka Jvara*

Residing in *Medadhātu* manifest *Anyeddyuṣka*
Residing in *Asthi dhātu* manifest *Trīyaka Jvara*
Residing in *Majjā dhātu* manifest *Caturthaka Jvara*

Residing in *Asthi-Majjā* manifest *Caturthaka Viparyaya Jvara*

सन्तत ज्वर (Santata Jvara)

स्रोतोभिर्विसृता दोषा गुरवो रसवाहिभिः ॥
सर्वदेहानुगाः स्तब्धा ज्वरं कुर्वन्ति सन्ततम् ।
दशाहं वा द्वादशाहं सप्ताहं वा सुदुःसहः ॥
स शीघ्रं शीघ्रकारित्वात् प्रशमं याति हन्ति वा ।
कालदूष्यप्रकृतिभिर्दोषस्तुल्यो हि सन्ततम् ॥
निष्प्रत्यनीकः कुरुते तस्मान्ज्ञेयः सुदुःसहः ।
यथा धातून्तथा मूत्रं पुरीषं चानिलादयः ॥
युगपच्चानुपद्यन्ते नियमात् सन्तते ज्वरे ।
स शुद्ध्या वाऽप्यशुद्ध्या वा रसादीनामशेषतः ॥

सप्ताहादिषु कालेषु प्रशमं याति हन्ति वा ।
 यदा तु नातिशुष्यन्ति न वा शुष्यन्ति सर्वशाः ॥
 द्वादशैते समुद्दिष्टाः सन्ततस्याश्रयास्तदा ।
 विसर्गं द्वादशे कृत्वा दिवसेऽव्यक्तलक्षणम् ॥
 दुर्लभोपशमः कालं दीर्घमप्यनुवर्तते ।
 इति बुद्ध्वा ज्वरं वैद्य उपक्रामेत् सन्ततम् ॥
 क्रियाक्रमविधौ युक्तः प्रायः प्रागपतर्पणैः ।
 (C.S.Ci. 3/53-61)

सप्ताहं वा दशाहं वा द्वादशाहमथापि वा ।
 सन्तत्या योऽविसर्गं स्यात्सन्ततः स निगद्यते ॥
 (S.S.Utt. 39/69)

The heavy *Doṣās* pervaded the entire body through *Rasavaha Srotas* wherever they get stagnated produces *Santata Jvara*. Being acute onset either it gets cured (if *Doṣapāka* happens) or kills the patient (if *Dhātupāka* manifest) on 7th, 10th or 12th days. It produces extremely unbearable difficult condition. *Doṣās* involved in the development of this disease is similar in respect of *Kāla* (time), *Dūṣya* (*Dhātu*, *Mala*), *Prakṛti* (constitution) and having no counteracting factor causes *Satata Jvara*, which is quite unbearable. In this disease simultaneously *Dhātus*, *Mūtra*, *Purīṣa*, *Vāta* are afflicted as a rule. If *Rasadhātu* is not purified then patient dies on 7th, 10th or 12th days. Death is certain if *Rasadhātu* is partially purified.

Santata type of *Jvara* gets lodged in the twelve entities i.e seven *Dhātus*, three *Doṣās*, two *Śārīrika malās* (*Mūtra* & *Purīṣa*). Symptoms persist for longer duration even after pacification of symptoms on 12th day and it is very difficult for the management. Considering all above factors into consideration physician should initiate the treatment. Various treatment modalities are to be planned, but generally these therapies must be preceded by *Apatarpana Cikitsā*.

Continuous *Jvara* persisting for 7, 10 or 12th day without remission is the cardinal feature of *Santata Jvara*.

सततक ज्वर (Satataka Jvara)

रक्तधात्वाश्रयः प्रायो दोषं सततकं ज्वरम् ॥
 सप्रत्यनीकः कुरुते कालवृद्धिक्षयात्मकम् ।

अहोरात्रे सततको द्वो कालायनुवर्तते ॥
 (C.S.Ci 3/61-62)

Satataka Jvara manifest if the *Doṣās* gets lodged in *Raktadhātu* and it can be counteracted. Depending on nature of time bouts *Jvara* rises and falls. *Jvara* rises twice in twenty four hours.

अन्येद्युष्क ज्वर (Anyedduṣka Jvara)

कालप्रकृतिदूष्याणां प्राप्यैवान्यतमाद्यलम् ।
 अन्येद्युष्कं ज्वरं दोषो रुद्ध्वा मेदोवहाः सिराः ॥
 सप्रत्यनीको जनयत्येककालमहर्निशि ।
 (C.S.Ci 3/63-64)

Anyedduṣka Jvara is caused by *Doṣa* which gets support of the strength either from time, constitution and *Dūṣyās* and produces obstruction in the *Medovaha Srotas*. It can be counteracted and *Jvara* rises once in 24 hours.

तृतीयक एवं चतुर्थक ज्वर (Tṛtīyaka evam Caturthaka Jvara)

दोषोऽस्थिमज्जगः कुर्यात्तृतीयकचतुर्थकौ ॥
 (C.S.Ci 3/64)
 तृतीयकस्तृतीयेऽह्नि चतुर्थेऽह्नि चतुर्थकः ॥
 (S.S.Utt 39/70)

If *Doṣās* lodge in *Asthi dhātu* and *Majjādhātu* causes *Tṛtīyaka* and *Caturthaka Jvara* respectively. *Tṛtīyaka Jvara* appears on the third day and *Caturthaka Jvara* appears on the fourth day.

Some people says that *Anyedduṣka Jvara* manifest if *Doṣās* gets lodged in *Raktadhātu*. *Tṛtīyaka Jvara* manifest if *Doṣās* gets lodged in *Māmsa dhātu*. When the *Doṣās* gets lodged in *Medodhātu* it manifest *Caturthaka Jvara*. (C.S.Ci. 3/65-66).

Seed remains dormant in the soil until it gets favourable time and germinates after getting favourable time. In the same way *Doṣās* remain dormant in the *Dhātus* and get vitiated in appropriate time. *Tṛtīyaka* and *Caturthaka Jvara* manifest when the *Doṣas* gain strength in appropriate time and when the power of inhibiting factors is subsided.

Aggravated *Doṣās* in the opportunate time manifest *Jvara* and lose their strength and get

located in their respective places. *Doṣās* again aggravated after getting favourable condition, as a result person will be afflicted with *Jvara*. (C.S.Ci. 3/68-70).

Sub classification of *Trīyaka Jvara*

कफपित्तात्रिकग्राही पृष्ठाद्वातकफात्मकः ।
वातपित्ताच्छिरोग्राही त्रिविधः स्यात्तृतीयकः ॥
(C.S.Ci 3/71)

Trīyaka Jvara is subclassified into 3 varieties.

1. If *Trīyaka Jvara* manifest due to aggravation of *Kapha* and *Pitta*, it is characterised by pain in lumbo-sacral region.
2. If *Trīyaka Jvara* manifest due to predominance of *Vāta* and *Kapha*, it afflicts the back.
3. If *Trīyaka Jvara* manifest due to aggravation of *Vāta* and *Pitta*, it afflicts the head.

Sub classification of *Caturthaka Jvara*

चतुर्थको दर्शयति प्रभावं द्विविधं ज्वरः ।
जङ्घाभ्यां श्लैष्मिकः पूर्वं शिरस्तोऽनिलसंभवः ॥
(C.S.Ci 3/72)

1. Symptoms commences from calf region due to predominant vitiation of *Kapha*.
2. Commencement of symptoms from head due to predominant vitiation of *Vāta*.

चतुर्थक विपर्यय (Caturthaka Viparyaya)

विषमज्वर एवान्यश्चतुर्थकविपर्ययः ।
त्रिविधो धातुरेकैको द्विधातुस्थः करोति यम् ॥
(C.S.Ci 3/73)

It manifest due to vitiation of all the three *Doṣās* and these *Doṣās* gets lodged in *Asthi* and *Majjā Dhātu*. Here *Jvara* remains for two days at a stretch followed by remission for one day. There after *Jvara*, again reappear and remain for two days.

प्रायशः सन्निपातेन दृष्टः पञ्चविधो ज्वरः ।
सन्निपाते तु यो भूयान् स दोषः परिकीर्तितः ॥
(C.S.Ci 3/74)

All varieties of *Viṣamajvara* manifest due to vitiation of all the three *Doṣās*. However the predominant *Doṣās* act as a causative factors.

ऋत्वहोरात्रदोषणां मनसश्च बलाबलात् ।
कालमर्थवशाच्चैव ज्वरस्तं तं प्रपद्यते ॥
(C.S.Ci 3/75)

Occurrence of *Jvara* at a particular time depends on strength or weakness of seasons, day and night, *Doṣa* and *Manas*; it is also due to past deeds.

धातुगत ज्वर (Dhātugata Jvara)

रसधातुगत ज्वर (Rasadhātugata Jvara)

गुरुत्वं दैन्यमुद्वेगः सदनं छर्द्यरोचकौ ।
रसस्थिते बहिस्तापः साङ्गमदौ विजृम्भणम् ॥
(C.S.Ci 3/76)

गुरुता हृदयोत्क्लेशः सदनं छर्द्यरोचकौ ।
रसस्थे तु ज्वरे लिङ्गं दैन्यं चास्योपजायते ॥
(S.S.Utt. 39/83)

Rasadhātugata Jvara is characterised by heaviness, miserable expression, agitation, general malaise, vomiting, anorexia, increased external temperature, bodyache, yawning and nausea.

रक्तधातुगत ज्वर (Raktadhātugata Jvara)

रक्तोष्णाः पिडकास्तृष्णा सरक्तं ष्ठीवनं मुहुः ।
दाहरागभ्रममदप्रलापा रक्तसंस्थिते ॥
(C.S.Ci. 3/77)

रक्तनिष्ठीवनं दाहः स्वेदश्छर्दनविभ्रमौ ।
प्रलापः पिडिका तृष्णा रक्तप्राप्ते ज्वरे नृणाम् ॥
(S.S.Utt. 39/84)

Raktadhātugata Jvara is characterised by reddish skin eruptions having burning sensation, thirst, frequent spitting of blood, burning sensation, discolouration, giddiness, intoxication, delirium, sweating and vomiting.

मांसधातुगत ज्वर (Māmsadhātugata Jvara)

अन्तर्दाहः सतृण्मोहः सग्लानिः सृष्टविट्कता ।
दौर्गन्ध्यं गात्रविक्षेपो ज्वरे मांसस्थिते भवेत् ॥
(C.S.Ci. 3/78)

पिण्डिकोद्वेष्टनं तृष्णा सृष्टमूत्रपुरीषता ।
ऊष्मान्तर्दाहविक्षेपो ग्लानिः स्यान्मांसगे ज्वरे ॥
(S.S.Utt. 39/85)

Māmsadhātugata Jvara is characterised by burning sensation internally, thirst, unconsciousness, fatigue, foul smell shaking movements of the body, twisting pain in the calves, more elimination of urine and stool.

मेदधातु ज्वर (Medadhātugata Jvara)

स्वेदस्तीव्र पिपासा च प्रलापो वम्यभीक्ष्णशः ।
स्वगन्धस्यासहत्वं च मेदःस्थे ग्लान्यरोचकौ ॥
(C.S.Ci. 3/79)

भृशं स्वेदस्तृषा मूर्च्छा प्रलापश्छदिरेव च ।
दौर्गन्ध्यारोचकौ ग्लानिर्मेदःस्थे चासहिष्णुता ॥
(S.S.Utt. 39/86)

Medadhātugata Jvara is characterised by profuse perspiration, thirst, delirium, frequent vomiting, intolerance to one's body smell, fatigue, anorexia, fainting and restlessness.

अस्थिधातुगत ज्वर (Asthidhātugata Jvara)

विरिकवमने चोभे सास्थिभेदं प्रकूजनम् ।
विक्षेपणं च गात्राणां श्वासश्चास्थिगते ज्वरे ॥
(C.S.Ci. 3/80)

भेदोऽऽस्थ्यां कुञ्चनं श्वासो विरेकश्छदिरेव च ।
विक्षेपणं च गात्राणामेतदस्थिगते ज्वरे ॥
(S.S.Utt. 39/87)

Asthidhātugata jvara is characterised by diarrhoea, vomiting, pain in bones, contractions of body parts, dyspnoea and movements of body parts (convulsions).

मज्जा धातुगत ज्वर (Majjādhātugata Jvara)

हिक्का श्वासस्तथा कासस्तमकसश्चातिदर्शनम् ।
मर्मच्छेदो बहिः शैत्यं दाहोऽन्तश्चैव मज्जगे ॥
(C.S.Ci. 3/81)

तमःप्रवेशनं हिक्का कासः शैत्यं वमिस्तथा ।
अन्तर्दाहो महाश्वासो मर्मच्छेदश्च मज्जगे ॥
(S.S.Utt. 39/88)

Majjādhātugata Jvara is characterised by hiccup, breathlessness, cough, feeling of darkness in front of the eyes, pain in vital organs, feeling cold externally and burning sensation internally and vomiting.

शुक्रधातुगत ज्वर (Śukradhātugata Jvara)

शुक्रस्थानगतः शुक्रमोक्षं कृत्वा विनाश्य च ।
प्राणं वाय्वग्निसोमैश्च सार्धं गच्छत्यसौ विभुः ॥
(C.S.Ci. 3/82)

मरणं प्राप्नुयात्तत्र शुक्रस्थानगते ज्वरे ।
शेफसः स्तब्धता मोक्षः शुक्रस्य तु विशेषतः ॥
(S.Su.Vtt. 39/89)

Śukradhātugata Jvara is characterised by excess liberation of *Śukra* and destruction of *Śukra* resulting in the extinction of life along with *Vāta*, *Agni* and *Soma*; stiffness in penis and lastly death ensues.

Prognosis of Dhātugata Jvara

रसरक्ताश्रितः साध्यो मेदोमांसगतश्च यः ।
अस्थिमज्जगतः कृच्छ्रः शुक्रस्थो नैव सिद्ध्यति ॥
(C.S.Ci. 3/83)

दग्ध्वेन्धनं यथा वह्निर्धातून् हत्वा यथा विषम् ।
कृतकृत्यो ब्रजेच्छान्तिं देहं हत्वा तथा ज्वरः ॥
(S.S.Utt. 39/90)

Rasadhātugata Jvara, *Raktadhātugata Jvara* are curable. *Māmsadhātugata Jvara*, *Medadhātugata Jvara*, *Asthi dhātugata Jvara* and *Majjādhātugata Jvara* are curable with difficulty. *Sukradhātugata Jvara* is incurable

Fire subsides after utilizing all the fuel and poison nullifies after destroying all *dhātus*, similarly *dhātugata Jvara* subsides after killing the individual.

Eight Varieties of Jvara

अथ खल्वष्टाभ्यः कारणेभ्यो ज्वरः संजायते मनुष्याणां;
तद्यथा-वातात्, पित्तात्, कफात्, वातपित्ताभ्यां, वातकफाभ्यां,
पित्तकफाभ्यां, वातपित्तकफेभ्यः, आगन्तोरष्टमात् कारणात् ॥
(C.S.Ni. 1/17)

Eight specific factors are responsible for the causation of *Jvara* are as follows:-

1. *Vātaja* 2. *Pittaja* 3. *Kaphaja* 4. *Vata-Pittaja*
5. *Vāta-Kaphaja* 6. *Kapha-Pittaja* 7. *Vāta-Pitta-Kaphaja* and 8. *Āgantuja*.

वातज ज्वर हेतु (Vātaja Jvara Hetu)

रूक्षलघुशीतवमनविरेचनास्थापनशिरोविरेचनातियोग-
व्यायामवेगसन्धारणानशनाभिघातव्यवायोद्वेगशोकशोणि-
तातिषेकजागरणविषमशरीरन्यासेभ्योऽतिसेवितेभ्यो वायुः
प्रकोपेमापद्यते ॥ (C.S.Ni. 1/19)

Vātaja Jvara manifest due to following etiological factors:- Excess consumption of rough, light & cold substances, excess administration of *Vamana*, *Virecana*, *Āsthāpana*, errhines, physical exercise in excess, suppression of natural urges.

fasting, trauma, sexual intercourse, anxiety, excessive letting, vigil during night, and uneven postures.

वातज्वर संप्राप्ति (Vātajvara Samprāpti)

स यदा प्रकुपितः प्रविश्यामाशयमूष्मणा सह मिश्रीभूया-
द्यमाहारपरिणामधातुं रसनामानमन्वेत्य रसस्वेदवहानि स्रोतांसि
पिधायग्निमुपहत्य पक्तिस्थानादूष्माणं बहिर्निरस्य केवलं
शरीरमनुप्रपद्यते, तदा ज्वरमभिनिर्वर्तयति॥

(C.S.Ni. 1/20)

Due to above etiological factors Vāta gets aggravated and enters the Āmāśaya and combines with Agni, accompanying the Rasa, which is the first product after transformation of food, blocks the channels of Rasa and Sveda and diminishes the functions of Agni and takes out the Agni from the site of digestion, and spreads to all over body resulting into increased body temperature.

वात ज्वर लक्षण (Vāta Jvara Lakṣaṇa)

तस्येमानि लिङ्गानि भवन्ति; तद्यथा-विषमारम्भविस-
र्गित्वम्, ऊष्मणो वैषम्यं, तीव्रतनुभावानवस्थानानि ज्वरस्य,
जरणान्ते दिवसान्ते निशान्ते घर्मान्ते वा ज्वरस्याभ्या-
गमनमभिवृद्धिर्वा, विशेषेण परुषारुणवर्णत्वं नखनयनवदन-
मूत्रपुरीषत्वचामत्यर्थक्लृप्तीभावश्च; अनेकविधोपमाश्चला-
चलाश्च वेदनास्तेषां तेषामङ्गावयवानां तद्यथा-पादयोः
सुप्तता, पिण्डकयोरुद्वेष्टनं, जानुनोः केवलानां च सन्धीनां
विश्लेषणम्, ऊर्वोः सादः, कटीपार्श्वपृष्ठस्कन्धबाह्वंसोरसां च
भग्नरुग्णमृदितमथितचटितावपाटितावनुन्नत्वमिव, हन्वोश्चा-
प्रसिद्धिः, स्वनश्च कर्णयोः शङ्खयोरिस्तोदः, कषायास्यता
आस्यवैरस्यं वा, मुखतालुकण्ठशोषः, पिपासा, हृदयग्रहः,
शुष्कच्छर्दिः, शुष्ककासः, क्ष्वथूद्गारविनिग्रहः, अन्नरसखेदः,
प्रसेकारोचकाविपाकाः, विषादजृम्भाविनाम- वेपथुश्रमभ्रम-
प्रलापप्रजागर रोमहर्षदन्तहर्षाः, उष्णाभिप्रायता, निदानोक्ता-
नामनुपशयो विपरीतोपशयश्चेति वातज्वरस्य लिङ्गानि
भवन्ति॥ (C.S.Ci. 3/21)

Characteristic features of Vāta Jvara are as follows:-

- Irregularity in onset and remission
- Irregular temperature
- Irregularity in acuteness and mildness of temperature
- Emergence or aggravations of Jvara at the end of digestion, day, night and summer

- Excessive coarseness and redness of nail, eyes, face, urine, stool and skin.
- Various types of localised or shifting pain in different body parts like numbness in feet and cramps in calf, laxity in knee joint or in all joints. Debility in thigh; breaking, bursting, pressing, churning, cracking, extracting, and twisting pain in waist, sides, back, shoulders, arms, scapular region and chest respectively. Loss of functions of jaw; tinnitus.
- Piercing pain in temple region.
- Astringent taste or loss of taste in mouth.
- Dryness of mouth, palate and throat.
- Thirst, stiffness in heart, dry vomiting, dry cough, suppression of sneezing and eructations.
- Aversion to food & taste, salivation, anorexia, indigestion, depression, yawning, blending, tremors, exhaustion, giddiness, delirium, sleeplessness, horripilations, sensation in teeth.
- Liking for hot substances.
- Aggravation of the disease if patient again indulges etiological factors.
- Symptoms subside if patient consumes such things which are opposite to etiological factors.

पित्तज्वर हेतु (Pittajvara Hetu)

उष्णाम्ललवणक्षारकटुकाजीर्णभोजनेभ्योऽतिसेवितेभ्यस्तथा
तीक्ष्णा- तपान्निसन्तापश्रमक्रोधविषमाहारेभ्यश्च पित्तं
प्रकोपमापद्यते ॥ (C.S.Ni. 1/22)

The following etiological factors are responsible for the development of Pitta Jvara:-

- Excessive consumption of hot, sour, saline, alkaline and pungent food.
- Consumption of meals during indigestion.
- Excess exposure to intense sun & fire.
- Exhaustion, anger, and irregularity in meals.


पित्तज्वर संप्राप्ति (Pittajvara Samprāpti)

तद्यथा प्रकुपितमामाशयादूष्माणमुपसृज्याद्यमाहारपरि-
णामधातुं रसनामानमन्वेत्य रसस्वेदवहानि स्रोतांसि पिधाय
द्रवत्वादग्निमुपहत्य पक्तिस्थानादूष्माणं बहिर्निरस्य प्रपीडयत्
केवलं शरीरमनुप्रपद्यते, तदा ज्वरमभिनिर्वर्तयति ॥

(C.S.Ni. 1/23)

Aggravated *Pitta* due to above etiological factors enters *Āmāśaya* and combines with *agni*, accompanying the *Rasa*, which is the first product after transformation of food, blocks the channels of *Rasa* & *Sveda* and impairs the functions of *Agni* due to its liquidity and takes out the *Agni* from the site of digestion and pervades to entire body leads to increased body temperature.

Nidān Sevana (Consumption of Etiological factors) and during respective time



पित्तज्वर लक्षण (Pittajvara Lakṣaṇa)

तस्येमानि लिङ्गानि भवन्ति; तद्यथा-युगपदेव केवले शरीरे ज्वरस्याभ्यागमनमभिवृद्धिर्वा भुक्तस्य विदाहकाले मध्यन्दिनेऽर्धरात्रे शरदि वा विशेषेण, कटुकास्यता, घ्राणमुखकण्ठौष्ठतालुपाकः, तृष्णा, मदो, भ्रमो, मूर्च्छा, पित्तच्छर्दनम्, अतीसारः, अन्नद्वेषः, सदनं, खेदः, रक्तकोठाभिनिर्वृत्तिः शरीरे, हरित हारिद्रत्वं नखनयनवदनमूत्रपुरीषत्वचाम्, अत्यर्थं मृष्मणस्तीव्रभावः, आतिमात्रं दाहः, शीताभिप्रायता, निदानोक्तानुपशयो विपरीतोपशयश्चेति पित्तज्वरलिङ्गानि भवन्ति॥ (C.S.Ni. 1/24)

Pittaja Jvara is characterised by following features:-

- Simultaneous onset or aggravation of *Jvara* especially during mid digestion of food, midday, mid night and autumn season.

- Pungent taste in mouth.
- Inflammation of nose, mouth, throat, lips, and palate.
- Thirst, intoxication, giddiness, fainting.
- Vomiting of bitter substances, diarrhoea, dislike for food, malaise, sorrow, delirium.
- Appearance of red patches in the body.
- Greenish or yellowish discolouration of nails, eyes, mouth, urine, stool and skin, hyperpyrexia, intense burning sensation and liking for cold substances.
- Symptoms aggravates if patient again indulges in the causative factors and subsides if person adopts opposite qualities to its etiological factors.

कफज्वर हेतु (Kaphajvara Hetu)

स्निग्धगुरुमधुरपिच्छिलशीताम्ललवणदिवास्वप्नहर्षाव्यायामेभ्योऽतिसेवितेभ्यः श्लेष्मा प्रकोपमापद्यते॥

(C.S.Ni. 1/25)

Kapha Jvara manifest due to following etiological factors : Excessive consumption of unctuous, heavy, sweet, slimy, cold, sour, saline food, day sleep, exhilaration and lack of physical exercise.

कफज्वर संप्राप्ति (Kaphajvara Samprāpti)

स यदा प्रकुपितः प्रविश्यामाशयमूष्मणा सह मिश्री-भूयाद्यमाहारपरिणामधातुं रसनामानमन्वेत्य रसस्वेदवहानि स्रोतांसि पिधायाग्निमुपहत्य पक्तिस्थानादूष्माणं बहिर्निरस्य प्रपीडयन् केवलं शरीरमनुप्रपद्यते, तदा ज्वरमभिनिर्वर्तयति॥


(C.S.Ni. 1/26)

Aggravated *Kapha* due to above etiological factors enters *Āmāśaya* and combines with *Agni*, accompanying the *Rasa*, which is the first product after transformation of food, blocks the channels of *Rasa* and *Sveda* and impairs the functions of *Agni* and takes out the *Agni* from the site of digestion and pervades the entire body resulting into increased body temperature. *Nidān Sevana* (Consumption of Etiological factors) and during respective time

↓

Aggravation of *Kapha doṣa*

↓



कफज्वर लक्षण (Kaphajvara Lakṣaṇa)

तस्येमानि लिङ्गानि भवन्ति; तद्यथा-युगपदेव केवले शरीरे ज्वरस्याभ्यागमनमभिवृद्धिर्वा भुक्तमात्रे पूर्वाह्ने पूर्वरात्रे वसन्तकाले वा विशेषेण, गुरुगात्रत्वम्, अनन्नाभिलाषः, श्लेष्मप्रसेकः, मुखमाधुर्यं हल्लासः, हृदयोपलेपः, स्तिमितत्वं, छर्दिः, मृद्वग्निता, निद्राधिक्यं, स्तम्भः, तन्द्रा, कासः, श्वासः, प्रतिश्यायः, शैत्यं, श्वैत्यं च नखनयनवदनमूत्रपुरीषत्वचाम्, अत्यर्थं च शीतेतपिडका भृशमङ्ग्रेभ्य उत्तिष्ठन्ति, उष्णाभिप्रायता, निदानोक्तानुपशयो विपरीतोपशयश्च इति (श्लेष्मज्वरलिङ्गानि भवन्ति) ॥ C.S.Ci. 1/27

Kapha Jvara is characterised by following features :

- Simultaneous onset or aggravation of *Jvara* especially immediately after meals, forenoon, early night and spring season.
- Heaviness, aversion to food, salivation, sweetness in mouth, nausea, *hṛdayopalepa*, timidity, vomiting, sluggish functions of digestive fire, excessive sleep, stiffness, drowsiness, cough, breathlessness and coryza, coldishness, whitish discolouration of nails, eyes, face, urine, stool and skin.
- Excessive appearance of urticarial rashes all over the body, liking for hot substances. Symptoms aggravates if patient further indulges in the causative factors.
- Symptoms pacifies after administration of

things which are having qualities opposite to its etiological factors.

द्वन्द्वज्वर एवं सन्निपातज ज्वर हेतु (Dvandva Jvara evam Sannipātaja Jvara Hetu)

विषमाशनादनशनादन्नपरिवर्तादृतुव्यापत्तेरसात्यगन्धो पघ्नाणाद्विषोपहतस्य चोदकस्योपयोगादग्रेभ्यो गिरीणां चोपश्लेषात् स्नेहस्येदवमनविरेचनास्थापनानुवासनशिरोविरेचनानामयथा-वत्प्रयोगात् मिथ्यासंसर्जनाद्वा स्त्रीणां च विषमप्रजननात् प्रजातानां च मिथ्योपचाराद् यथोक्तानां च हेतूनां मिश्रीभावाद्यथानिदानं द्वन्द्वानामन्यतमः सर्वे वा त्रयो दोषा युगपत् प्रकोपमापद्यन्ते, ते प्रकुपित्तास्तयैवानुपूर्व्या ज्वरमभिनिर्वर्तयन्ति ॥ C.S.Ni. 1/28

The following etiological factors manifest either *Dvandvaja Jvara* (involvement of two *Doṣās*) or *Sannipātaja Jvara* (involvement of three *Doṣās*).

- Irregularity in diet pattern, fasting, changes in food habit without following dietetic regimen, seasonal influences.
- Inhalation of substances which yields unpleasant smell, intake of poisonous water and poisonous substances and habitation near mountains.
- Improper administration of oleation therapy, sudation, emesis, purgation, ununctuous and unctuous enema and errhines.
- Improper adaptation of dietetics after biopurification of the body, abnormal labour and intake of unwholesome regimen after delivery.
- Simultaneous aggravation of either two *Doṣās* or three *Doṣās* leads to manifestation of either *Dvandvaja Jvara* or *Sannipātaja Jvara* respectively.

द्वन्द्वज्वर लक्षण (Dvandvaja Jvara Lakṣaṇa)

वात-पित्तज्वर (Vāta-Pittaja Jvara)

शिरोरुक् पर्वणां भेदो दाहो रोम्णां प्रहर्षणम् ।
 कण्ठास्यशोषो वमथुस्तृष्णा मूर्च्छा भ्रमोऽरुचिः ॥
 स्वप्नाशोऽतिवाग्जुम्भा वातपित्तज्वराकृतिः ।

C.S.Ci. 3/85-86

Characteristic features of Vāta-Pittaja Jvara are as follows : Headache, pain in joints, burning sensation, horripilation, dryness of throat and

mouth, vomiting, thirst, fainting, giddiness, anorexia, sleeplessness, delirium and yawning.

वात कफज ज्वर (Vāta-Kaphaja Jvara)

शीतको गौरवं तन्द्रा स्तैमित्यं पर्वणां च रुक् ॥
शिरोग्रहः प्रतिश्यायः कासः स्वेदाप्रवर्तनम् ।
सन्तापो मध्यवेगश्च वातश्लेष्मज्वराकृतिः ॥

C.S.Ci. 7/86-87

Characteristic feature of Vāta-Kaphaja Jvara are as follows : Feeling of coldness, heaviness, drowsiness, timidity, pain in joints, Śirograha, coryza, cough, absence of perspiration and mild increase in temperature.

श्लेष्मपित्त ज्वर (Śleṣmapitta Jvara)

मुहुर्दाहो मुहुः शीतं स्वेदः स्तम्भः मुहुर्मुहुः ।
मोहः कासोरुचिस्तृष्णा श्लेष्मपित्तप्रवर्तनम् ॥
लिप्तातिक्तास्यता तन्द्रा श्लेष्मपित्तज्वराकृतिः ।

C.S.Ci. 3/88

Śleṣma Pitta Jvara is characterised by frequent alternate feeling of burning sensation and coldishness, arrest of sweating, unconsciousness oftenly, cough, anorexia, thirst, discharge of *Śleṣma* (*Rasadhātu mala*) and *Pitta* (*Rakta dhātu mala*), adhesion and bitterness in oral cavity and drowsiness.

सन्निपात ज्वर (Sannipāta Jvara)

सन्निपातज्वरस्योर्ध्वं त्रयोदशविधस्य हि ।
प्राक्मूत्रितस्य वक्ष्यामि लक्षणं वै पृथक् पृथक् ॥
भ्रमः पिपासा दाहश्च गौरवं शिरसोऽतिरुक् ।
वातपित्तोल्बणे विद्याल्लिङ्गं मन्दकफे ज्वरे ॥
शैत्यं कासोरुचिस्तन्द्रापिपासादारुग्व्यथाः ।
वातश्लेष्मोल्बणे व्याधां लिङ्गं पित्तावरे विदुः ॥
छर्दिः शैत्यं मुहुर्दाहस्तृष्णा मोहोऽस्थिवेदना ।
मन्दवाते व्यवस्यन्ति लिङ्गं पित्तकफोल्बणे ॥
सन्ध्यस्थिशिरसः शूलं प्रलापो गौरवं भ्रमः ।
वातोल्बणे स्याद् द्व्यनुगे तृष्णा कण्ठास्यशुष्कता ॥
रक्तविण्मूत्रता दाहः स्वेदस्तृण्ड बलसंक्षयः ।
मूर्च्छा चेति त्रिदोषे स्याल्लिङ्गं पित्ते गरीयसि ॥
आलस्यारुचिहृल्लासदाहवप्यरतिभ्रमैः ।
कफोल्बणं सन्निपातं तन्द्राकासेन चादिशेत् ॥
प्रतिश्या छर्दिरालस्यं तन्द्राऽरुच्यग्निमार्दवम् ।
हीनवाते पित्तमध्ये लिङ्गं श्लेष्माधिके मतम् ॥

हारिद्रमूत्रनेत्रत्वं दाहस्तृष्णा भ्रमोऽरुचिः ।
हीनवाते मध्यकफे लिङ्गं पित्ताधिके मतम् ॥
शिरोरुच्येषथुः श्वासः प्रलापश्छर्दरोचकौ ।
हीनपित्ते मध्यकफे लिङ्गं स्यान्मारुताधिके ॥
शीतको गौरवं तन्द्रा प्रलापोऽस्थिशिरसोऽतिरुक् ।
हीनपित्ते वातमध्ये लिङ्गं श्लेष्माधिके विदुः ॥
श्वासः कासः प्रतिश्यायो मुखशोषोऽतिपाश्वरुक् ।
कफहीने पित्तमध्ये लिङ्गं वाताधिके मतम् ॥
वर्चोभेदोऽग्निदौर्बल्यं तृष्णा दाहोऽरुचिर्भ्रमः ।
कफहीने वातमध्ये लिङ्गं पित्ताधिके विदुः ॥
सन्निपातज्वरस्योर्ध्वमतो वक्ष्यामि लक्षणम् ।
क्षणे दाहः क्षणे शीतमस्थिसन्धिशिरोरुजा ॥
सास्त्रावे कलुषे रक्ते निभुग्ने चापि दर्शने ।
सस्वनौ सरुजौ कर्णौ कण्ठः शूकैरिवावृतः ॥
तन्द्रा मोहः प्रलापश्च कासः श्वासोऽरुचिर्भ्रमः ।
परिदग्धा खरस्पर्शा जिह्वा स्रस्ताङ्गता परम् ॥
छीवनं रक्तपित्तस्य कफेनोन्मिश्रितस्य च ।
शिरसो लोठनं तृष्णा निद्रानाशो हृदि व्यथा ॥
स्वेदमूत्रपुरीषाणां चिराद्दर्शनमल्पशः ।
कृशत्वं नातिगात्राणां प्रततं कण्ठकूजनम् ॥
कोठानां श्यावरक्तानां मण्डलानां च दर्शनम् ।
मूकत्वं स्रोतसां पाको गुरुत्वमुदरस्य च ॥
चिरात् पाकश्च दोषाणां सन्निपातज्वराकृतिः ।

C.S.Ci. 3/90-109

13 Varieties of *Sannipātaja Jvara* has been described based on the predominance of *Doṣās* are as follows:-

It is characterised by

1. वातपित्तोल्बण मन्द कफ ज्वर (*Vāta Pittolbana Manda Kapha Jvara*) : It is characterised by giddiness, thirst, burning sensation, heaviness and excessive headache.
2. वातश्लेष्मोल्बण मन्द पित्त ज्वर (*Vāta Śleṣmolbana Manda Pitta Jvara*) : It is characterised by coldness, cough, anorexia, drowsiness, thirst, burning sensation, pain and distress.
3. पित्तकफोल्बण मन्दवात ज्वर (*Pitta Kapholbana Manda Vāta Jvara*) : It is characterised by vomiting, burning sensation and coldishness alternatively, thirst, unconsciousness and pain in bones.
4. वातोल्बण मन्दपित्तकफ ज्वर (*Vātolbana Manda Pitta Kapha Jvara*) : It is characterised by pain

in joints, bone and head; delirium, heaviness, giddiness, thirst, dryness of throat and mouth.

5. पित्तोल्बण मन्दवात कफ ज्वर (*Pittolbana Manda Vāta Kapha Jvara*) : It is characterised by reddish discolouration of stool and urine, burning sensation, sweating, thirst, loss of strength and fainting.
6. कफोल्बण मन्द वात पित्त ज्वर (*Kapholbana Manda Vāta Pitta Jvara*) : It is characterised by laziness, anorexia, nausea, burning sensation, vomiting, restlessness, giddiness, drowsiness and cough.
7. श्लेष्मोल्बण मध्यपित्त मन्दवात ज्वर (*Śleṣmolbana Madhyapitta Manda Vāta Jvara*) : It is characterised by coryza, vomiting, laziness, drowsiness, anorexia, and loss of function of Agni.
8. पित्तोल्बण मध्य कफ मन्दवात ज्वर (*Pittolbana Madhya Kapha Manda Vāta Jvara*) : It is characterised by predominance of Pitta followed by moderate Kapha and mild Vāta, yellowishness of urine and eyes, burning sensation, thirst, giddiness and anorexia.
9. वातोल्बण मध्यकफ मन्दपित्त ज्वर (*Vātolbana Madhyakapha Mandapitta Jvara*) : It is characterised by predominance of Vāta followed by moderate Kapha and mild Pitta, headache, tremors, breathlessness, delirium, vomiting and anorexia.
10. कफोल्बण मध्यवात मन्द पित्त ज्वर (*Kapholbana Madhya Vāta Manda Pitta Jvara*) : It is characterised by predominant Kapha moderate Vāta and mild Pitta, coldishness, heaviness, drowsiness, delirium and excessive pain in bone and head.
11. वातोल्बण मध्यपित्त मन्द कफ ज्वर (*Vātolbana Madhya Pitta Manda Kapha Jvara*) : It is characterised by predominance of Vāta followed by moderate Pitta and mild Kapha, breathlessness, cough, coryza, dryness of mouth and excessive chest pain.
12. पित्तोल्बण मध्यवात मन्द कफ ज्वर (*Pittolbana Madhya Vāta Manda Kapha Jvara*) : It is characterised by predominance of Pitta

followed by moderate Vāta and mild Kapha, diarrhoea, sluggish digestion, thirst, burning sensation, anorexia and giddiness.

13. त्रिदोषोल्बण सन्निपात ज्वर (*Tridoṣālbana Sannipāta Jvara*) : It is characterised by predominance of all the three Doṣās. Alternate feeling of burning sensation and coldish sensation, pain in bones, joints and head; excessive lachrymation, cloudiness, redness and crookedness in eyes, tinnitus and pain in ears, discomfort in the throat as if it feels like sharp edged bristles, drowsiness, unconsciousness, delirium, cough, breathlessness, anorexia, giddiness, tongue becomes charred & roughened, laxity in all body parts, haemoptysis, movements of head from here and there, thirst, sleeplessness and pain in cardiac region, delayed and little elimination of sweat, urine and faeces; moderate emaciation, continuous rumbling sound in the throat, reddish and blackish skin eruptions, muteness, inflammation in Srotas, heaviness in abdomen and delayed metabolic transformation of Doṣās.

साध्यासाध्यता (Sādhyāsādhyatā)

दोषे विबद्धे नष्टेऽग्नौ सर्वसंपूर्णलक्षणः ।

सन्निपातज्वरोऽसाध्यः कृच्छ्रसाध्यस्त्वतोऽन्यथा ॥

C.S.Ci. 3/109-110

Sannipāta Jvara is incurable if there is non elimination of abnormal Doṣās, complete loss of digestion, appearance of all the signs and symptoms in entirety and full; otherwise it is difficult to cure.

आगन्तुज ज्वर (Āgantuja Jvara)

आगन्तुरष्टमो यस्तु स निर्दिष्टश्चतुर्विधः ।

अभिघाताभिषङ्गाभ्यामभिचारभिशापतः ॥

C.S.Ci. 3/111-112

Mainly four etiological factors are described for the manifestation of *Āgantuja Jvara* (*Jvara* due to external causes) are as follows :

- Abhighātaja – Injury
- Abiṣaṅgaja – Ill attachment
- Abhicāraja – Evil tantric rituals
- Abhiśāpaja – Curse.

अभिघातज ज्वर (Abhigātaja Jvara)

शस्त्रलोष्टकशाकाष्ठमुष्ट्यरतितलद्विजैः ॥
तद्विधैश्च हते गात्रे ज्वरः स्यादभिघातजः ।
तत्राभिघातजे वायुः प्रायो रक्तं प्रदूषयन् ॥
सव्यथाशोफवैवर्ण्यं करोति सरुजं ज्वरम् ।

C.S.Ci. 3/112-114

Abhigātaja Jvara manifest due to trauma of weapons, stone, hunter, wood stick, fist, slap or teeth or such other means.

Due to above etiological factors *Vāta* aggravates and vitiates blood resulting in the manifestation of *Jvara* associated with distress, swelling, discolouration and pain.

अभिषङ्गज ज्वर (Abhiṣaṅga Jvara)

कामशोकभयक्रोधैरभिषक्तस्य यो ज्वरः ॥
सोऽभिषङ्गाज्वरो ज्ञेयो यश्च भूताभिषङ्गजः ।
कामशोकभयाद्वायुः, क्रोधात् पित्ते, त्रयो मलाः ।
भूताभिषङ्गात् कुप्यन्ति भूतसामान्यलक्षणाः ।
भूताधिकारे व्याख्यातं तदष्टविधलक्षणम् ॥
विषवृक्षानिलस्पर्शात्तथाऽन्यैर्विषसंभवैः ।
अभिषक्तस्य चाप्याहुर्वर्मेकेऽभिषङ्गजम् ॥
चिकित्स्या विषघ्नैव स शमं लभते नरः ।

C.S.Ci. 3/114-118

Causative factors for the genesis of *Abhiṣaṅga Jvara* are passion, grief, fear, anger, affliction by *Bhūtās* (evil spirits). *Pitta* aggravates due to passion, grief and anger and evil spirit afflicts all the three *Doṣās* and manifest the symptomatology according to the parts involved. Eight varieties of *Bhūtās* like insanity caused by *Gods*, *Rṣis*, *Manes*, *Gandharva*, *Yakṣa*, *Demons*, *Brahma Rākṣasa* and *Piśāca* are described in detail (C.S.Ci. 9/20) along with symptomatology.

Some people consider contact with poisonous air of the toxic plants and such other toxins are responsible for the manifestation of *Abhiṣaṅga Jvara* and its gets subsided by the appropriate usage of antidotes of these poisons.

अभिचारज (Abhicāraja) and अभिशापज (Abhiśāpaja)

अभिचाराभिशापाभ्यां सिद्धानां यः प्रवर्तते ॥
सन्निपातज्वरो घोरः स विज्ञेयः सदुः सहः ।

सन्निपातज्वरस्योक्तं लिङ्गं यत्तस्य तत् स्मृतम् ॥
चित्तेन्द्रियशरीराणामर्तयोऽन्याश्च नैकशः ।
प्रयोगं त्वभिचारस्य दृष्ट्वा शापस्य चैव हि ॥
स्वयं श्रुत्वाऽनुमानेन लक्ष्यते प्रशमेन वा ।
वैविध्यादभिचारस्य शापस्य च तदात्मके वा ॥
यथाकर्मप्रयोगेण लक्षणं स्यात् पृथग्विधम् ।
ध्याननिःश्वासबहुलं लिङ्गं कामज्वरे स्मृतम् ॥

C.S.Ci. 3/118-124

Jvara caused by evil tantric rituals is called *Abhicāraja Jvara*. *Jvara* caused by cursing of the saints is called *Abhiśāpaja Jvara*. Both these conditions are caused by all the three *Doṣās* and manifest symptomatology of these two are like *Sannipātaja Jvara Lakṣaṇa* along with afflictions of mind, sense organs and body. Both these can be determined from either direct observation of the performance of evil tantric rituals or curse or hearing from others or inference or pacification of *Jvara* after conducting counteracting procedures. *Kāmaja Jvara* is characterised by concentration of mind & frequency in breathing. *Śokaja Jvara* is characterised by excessive cry. *Bhayaaja Jvara* is characterised by constant apprehension. *Krodhaja Jvara* is characterised by wrathfulness. *Bhūtaja Jvara* is characterised by observance of superhuman manifestations. *Viśaja Jvara* is characterised by fainting, unconsciousness, intoxication and *Glāni*. Some of these above *Jvara's* fever appear first and then the Signs & Symptoms of *Kāma* etc. are manifested & in some others it is vice versa.

अभिचाराभिशापाभ्यां मोहस्तृष्णा च जायते ॥

S.S.Utt. 39/79

Delusion and thirst are the main clinical features *Abhicāraja* & *Abhiśāpaja Jvara*.

विषकृत ज्वर (Viṣakṛta Jvara)

श्यावास्यता विषकृते दाहातीसारहृदग्रहाः ।
अभक्तरुक् पिपासा च तोदो मूर्च्छा बलक्षयः ॥

S.S.Utt. 39/76

Jvara due to *Viṣa* (poison) manifest bluish discolouration in the mouth, burning sensation, diarrhoea, catching pain in heart, dislike for food, thirst, pricking pain, fainting and loss of strength.

ओषधिगन्धज ज्वर (Oṣadhigandhaja Jvara)

ओषधिगन्धजे मूर्च्छा शिरोग् वमथुः क्षवः ॥
S.S.Utt. 39/77

It is characterised by fainting, headache, vomiting and sneezing.

कामज ज्वर (Kāmaja Jvara)

कामजे चित्तविभ्रंशस्तन्द्राऽऽलस्यमरोचकः ।
हृदये वेदना चास्य गात्रञ्च परिशुष्यति ॥
S.S.Utt. 39/78

Kāma Jvara is characterised by disorders of mind, stupor, lassitude, loss of appetite, pain in heart and emaciation of the body.

भयज ज्वर (Bhayaja Jvara)/शोकज ज्वर (Śokaja Jvara)/ कोपज ज्वर (Kopaja Jvara)

भयात् प्रलापः शोकाच्च भवेत् कोपाच्च वेपथुः ।
S.S.Utt. 39/79

Bhayaja Jvara & *Śokaja Jvara* is characterised by delirium. *Kopaja Jvara* is characterised by tremors.

भूताभिषङ्गज ज्वर (Bhūtābhiṣaṅgaja Jvara)

भूताभिषङ्गादुद्वेगहास्यकम्पनरोदनम् ॥ S.S.Utt. 39/79
Bhūtābhiṣaṅgaja Jvara is characterised by irritation, laughing, tremors and weeping.

Doṣa vitiation in Āgantuja Jvara

ते पूर्वं केवलाः पश्चान्निजैर्व्यामिश्रलक्षणाः ।
हेत्वौषधविशिष्टाश्च भवन्त्यागन्तवो ज्वराः ।
C.S.Ci. 3/128-129

Āgantuja Jvara are at first unstinted but later they get mixed up with the signs and symptoms of *Nija Jvara*. However, *Āgantuja Jvara* have their own independent etiological factors and therapeutics.

गम्भीर ज्वर (Gambhīra Jvara)

गम्भीरस्तु ज्वरो ज्ञेयो ह्यन्तर्दाहेन तृष्णया ।
आनद्धत्वेन चात्यर्थं श्वासकासोद्गमेन च ॥
S.S.Utt. 39/92-93

Gambhīra Jvara is characterised by burning sensation inside the body, thirst & flatulence, severe breathlessness and cough.

दाहशीतादि ज्वर (Dāhaśītādi Jvara)

त्वक्स्थौ श्लेष्मानिली शीतमादौ जनयतो ज्वरे ।
तयोः प्रशान्तयोः पित्तमन्ते दाहं करोति च ॥
करोत्यादौ तथा पित्तं त्वक्स्थं दाहमतीव च ।
प्रशान्ते कुरुतस्तस्मिंश्छीतमन्ते च तावपि ॥
द्वावेतौ दाहशीतादि ज्वरौ संसर्गजौ स्मृतौ ।
दाहपूर्वस्तयोः कष्टः कृच्छ्रसाध्यश्च स स्मृतः ॥
S.S.Utt. 39/59-61

Śītādi Jvara is characterised by *Jvara* commencing with cold due to aggravation of *Kapha* and *Vāta*. When *Pitta* gets aggravated followed by pacification of *Kapha* and *Vāta*, produces burning sensation at the end.

Dāhādi Jvara

When aggravated *Pitta* enters the skin it produces severe burning sensation initially followed by coldness after its pacification.

Dāhapūrva and *Śītapūrva Jvara* are produced by the combination of two *Doṣās*. *Dāha Pūrva Jvara* is very difficult to treat.

Special Kinds of Sannipāta Jvara**अभिन्यास/हतौजस ज्वर (Abhinyāsa/Hataujasa Jvara)**

विशेषञ्चात्र मे शृणु ॥

नात्युष्णाशीतोऽल्पसंज्ञो भ्रान्तप्रेक्षी हतस्वरः ।
खरजिह्वः शुष्ककण्ठः स्वेदविण्मूत्रवर्जितः ॥
सास्त्रो निर्भुग्नहृदयो भक्तद्वेषी हतप्रभः ।
श्वसन् निपतितः शेते प्रलापोपद्रवायुतः ॥
तमभिन्यासमित्याहुर्हतौजसमथापरे ।

S.S.Utt. 39/38-41

Abhinyāsa Jvara is characterised by neither very hot nor very cold, semiconsciousness, unsteady eyes, loss of voice, coarse tongue, dryness of throat, absence of sweat, faeces and urine; lachrymation, discomfort in chest, dislike for food, loss of complexion, breathlessness, falling from cot and lies on the floor and delirium. It is also called *Hataujasa Jvara*.

Prognosis of Sannipātaja Jvara

सन्निपातज्वरं कृच्छ्रमसाध्यमपरे विदुः ॥
निद्रोपेतमभिन्यासं क्षीणमेनं हतौजसम् ।

सन्यस्तगात्रं संन्यासं विद्यात्सर्वात्मके ज्वरे ॥
S.S.Utt. 39/41-42

Sannipātāja Jvara is very difficult for management; some people says it is incurable. Among *Sannipāta Jvarās*, *Abhinyāsa* should be understood when patient has more sleep; *Hataujasa* when there is loss of sleep and it is also called *Sannyāsa* when there is loss of consciousness.

ओजोनिरोधज ज्वर (Ojonirodhaja Jvara)

ओजो विस्त्रंसते यस्य पित्तानिलसमुच्छ्रयात् ।
स गात्रस्तम्भशीताभ्यां शयनेत्सुरचेतनः ॥
अपि जाग्रत्स्वपञ्च जन्तुस्तन्त्रालुश्च प्रलापवान् ।
संहृष्टरोमा स्वस्ताङ्गो मन्दसन्तापवेदनः ॥
ओजोनिरोधजं तस्य जानीयात् कुशलो भिषक् ॥
सप्तमे दिवसे प्राप्ते दशमे द्वादशेऽपि वा ।
पुनर्घोस्तरो भूत्वा प्रशमं याति हन्ति वा ॥
S.S.Utt. 39/43-45

Displacement of *Ojas* due to aggravated *Pitta* and *Vāta* manifest *Ojonirodhaja Jvara*. It is characterised by rigidity of the body, coldness, always desire to sleep, loss of consciousness, awoken from sleep oftenly followed by sleep, stupor, delirium, horripilations, debility of the body, mild increase in temperature, mild discomfort. It greatly enhances its peak on reaching the seventh, tenth or 12th day or pacifies or kills on those respective days.

तरुण ज्वर (Tarūṇa Jvara)

स्रोतसां संनिरुद्धत्वात् स्वेदं ना नाधिगच्छति ।
स्वस्थानात् प्रच्युते चाग्नौ प्रायशस्तरुणे ज्वरे ।
C.S.Ci. 3/132-133

It is characterised by absence of perspiration due to blockage of channels and displacement of *Agni* from its normal site.

आम ज्वर (Āma Jvara)

अरुचिश्चाविपाकश्च गुरुत्वमुदरस्य च ॥
हृदवस्याविशुद्धिश्च तन्द्रा चालस्यमेव च ।
ज्वरोऽविसर्गी बलवान् दोषाणामप्रवर्तनम् ॥
लालाप्रसेको हृल्लासः क्षुन्नाशो विरसं मुखम् ।
स्तब्धसुप्तगुरुत्वं च गात्राणां बहुमूत्रता ॥
न विड् जीर्णा न च ग्लानिर्ज्वरस्यामस्य लक्षणम् ।
C.S.Ci. 3/134-137

It is characterised by anorexia, indigestion, heaviness in abdomen, impurities in the heart, drowsiness, laziness, continuous and high fever, non elimination of *Doṣās*, salivation, nausea, loss of appetite, distaste in mouth, stiffness, numbness, heaviness, polyurea, improper formation of stool and absence of emaciation.

पच्यमान ज्वर (Pacyamāna Jvara)

ज्वरवेगोऽधिकस्तृष्णा प्रलापः श्वसनं ध्रुमः ।
मलप्रवृत्तिरुत्कलेशः पच्यमानस्य लक्षणम् ।
C.S.Ci. 3/136-137

Pacyamāna Jvara is characterised by high fever, thirst, delirium, breathlessness, giddiness and elimination of stool and *Kapha*.

निराम ज्वर (Nirāma Jvara)

क्षुत् क्षामता लघुत्वं च गात्राणां ज्वरमार्दवम् ।
दोषप्रवृत्तिरष्टाहो निरामज्वरलक्षणम् ।
C.S.Ci. 3/137-138

It is characterised by appearance of appetite, lightness of the body, reduction in body temperature, normal elimination of waste products, and duration of the disease is eight days.

पुनरावर्तक ज्वर (Punarāvartaka Jvara)

असंजातबलो यस्तु ज्वरमुक्तो निषेवते ।
वर्ज्यमेतन्नरस्तस्य पुनरावर्तते ज्वरः ॥
दुर्हतेषु च दोषेषु यस्य वा विनिवर्तते ।
स्वल्पेनाप्यपचारेण तस्य व्यावर्तते पुनः ॥
चिरकालपरिक्लिष्टं दुर्बलं हीनतेजसम् ।
अचिरेणैव कालेन स हन्ति पुनरागतः ॥
अथवाऽपि परीपाकं धातुष्वेव क्रमान्मलाः ।
यान्ति ज्वरमकुर्वन्तस्ते तथाऽप्यपकुर्वन्ते ॥
दीनतां श्वयथुं ग्लानिं पाण्डुतां नानकामताम् ।
कण्डूरुत्कोठपिडकाः कुर्वन्त्यग्निं च ते मृदुम् ॥
एवमन्येऽपि च गदा व्यावर्तन्ते पुनर्गताः ।
अनिर्घातेन दोषाणामल्पैरप्यहितैर्नृणाम् ॥
निवृत्तेऽपि ज्वरे तस्माद्यथावस्थं यथाबलम् ।
यथाप्राणं हरेद्दोषं प्रयोगैर्वा शमं नयेत् ॥
मृदुभिः शोधनैः शुद्धिर्यापना बस्तयो हिताः ।
हिताश्च लघवो यूषा जाड्ग्लामिषजा रसाः ॥
C.S.Ci. 3/333-340

Punarāvartaka Jvara manifest if person

consumes avoidable food and activities during convalescence stage. It may also relapse even with slight irregularity in management in case where *Jvara* comes down but *Doṣās* are not eliminated properly. *Jvara* is persisting for longer duration associated with severe debility and loss of essence leads to death. In some cases *Doṣās* undergo metabolic transformation in *Dhātus* leading to pacification of *Jvara* but it produces harmful effects to the body like uneasiness, swelling, fatigue, pallor, loss of desire to take food, itching, skin rashes, pupils and sluggishness of *Jatharāgni*.

In other diseases, where symptoms are pacified but *Doṣās* are not eliminated properly, disease may relapse if person adopts unwholesome regimen. That's why it is very much necessary to remove the *Doṣās* from the body either through elimination or pacification therapies according to stage and strength of *Doṣās*. For this purpose, bio-purification of body with mild medicaments, along with *Yāpana* basti, vegetable soup and meat soup of wild animals are advised.

प्रलेपक ज्वर (Pralepaka Jvara)

तथा प्रलेपको ज्ञेयः शोषिणां प्राणनाशनः ।
दुश्चिकित्स्यतमो मन्दः सुकष्टो धातुशोषकृद् ॥

S.S.Utt. 39/54

Pralepaka Jvara observed in cases of *Rājayakṣmā* and it kills them. It is very difficult for management associated with mildness and dryness of tissues.

विपर्यय ज्वर (Viparyaya Jvara)

कफस्थानेषु वा दोषस्तिष्ठन् द्वित्रिचतुर्षु वा ।
विपर्ययाख्यान् कुरुते विषमान् कृच्छ्रसाधनान् ॥

S.S.Utt. 39/55

Viparyaya Jvara manifest if *Doṣās* remain in the seats of *Kapha* characterised by intermittent fevers, appear once in three or four days and it is very difficult for management.

Signs & Symptoms before pacification of Jvara

धातून् प्रक्षोभयन् दोषो मोक्षकाले बलीयते ।
तेन व्याकुलचित्तस्तु म्रियमाण इवेहते ॥

S.S.Utt. 39/321

During pacification of *Jvara* *Doṣās* become powerful and make the disturbances in the *Dhātu* and become liquified. It produces suffering to the mind and patient feels as if he is going to die. Manifest symptoms like rumbling sound, vomiting, increased movements of limbs etc. (C.S.Ci 3/324-328)

ज्वर मोक्ष लक्षण (Jvara Mokṣa Lakṣaṇa)

लघुत्वं शिरसः स्येदो मुखमापाण्डु पाकि च ।
क्ष्वथुश्चात्रकाङ्क्षश्च ज्वरमुक्तस्य लक्षणम् ॥

S.S.Utt. 39/322

Relief from *Jvara* may be understood by observing following symptomatology:—Feeling of lightness in the head, sweating, free from pallor and stomatitis, sneezing and desire for food.

साध्यासाध्यता (Sādhyāsādhyatā)

बलवत्स्वल्पदोषेषु ज्वरः साध्योऽनुपद्रवः ।
सर्वथा विकृतिज्ञाने प्रागसाध्य उदाहृतः ॥

A.H.Ni. 2/53

Jvara is curable in persons who are strong, which has mild increase of *Doṣās*, not associated with secondary complications. It becomes incurable if all the symptoms appears.

Incurability of fever

हेतुभिर्बहुभिर्जातो बलिभिर्बहुलक्षणः ॥
ज्वरः प्राणान्तकृद्यश्च शीघ्रमिन्द्रियनाशनः ।
ज्वरः क्षीणस्य शूनस्य गम्भीरो दैर्घरात्रिकः ॥
असाध्यो बलवान् यश्च केशसीमन्तकृज्ज्वरः ।
गम्भीरस्तु ज्वरो ज्ञेयो ह्यन्तर्दाहेन तृष्णाया ॥
आनद्धत्वेन चात्यर्थं श्वासकासोदमेन च ।
आरम्भाद्विषमो यस्तु यश्च वा दैर्घरात्रिकः ॥
क्षीणस्य चातिरूक्षस्य गम्भीरो यस्य हन्ति तम् ।
विसंज्ञस्ताम्यते यस्तु शेते निपतितोऽपि वा ॥
शीतार्दितोऽन्तरुष्णश्च ज्वरेण म्रियते नरः ।
यो हृष्टरोमा रक्ताक्षो हृदि संघातशूलवान् ॥
वक्त्रेण चैवोच्छ्वसिति तं ज्वरो हन्ति मानवम् ।
हिक्काश्वासतृषायुक्तं मूढं विभ्रान्तलोचनम् ॥
सन्ततोच्छ्वासिनं क्षीणं नरं क्षपयति ज्वरः ।
हतप्रभेन्द्रियं क्षीणमरोचकनिपीडितम् ॥
गम्भीरतीक्ष्णवेगार्तं ज्वरितं परिवर्जयेत् ।

M.Ni. 2/66-73

- The fever caused by the excess indulgence of all the aetiological factors associated with appearance of all the signs and symptoms, loss of functions sensory organs and multi-organ failure leading to death of the patient.
- The fever that affects the weak individual associated with oedema, deep seated, high grade fever extended to night and hair-parting indicates incurable type of fever.

गम्भीर ज्वर (Gambhīra Jvara)

Gambhīra Jvara is characterised by burning sensation inside the body, thirst & obstruction to excreta, severe breathlessness and cough.

Incurable nature of jvara

- The fever which is irregular, persists all through the night, affects the weak strength individual associated with roughness and deep seated kills the patient.
- Complete loss of functions of sensory organs associated with frequent collapse and cold sensation outside the body and burning sensation inside the body such patients will die definitely.
- If one suffers from horripilation/goose skin, redness in the eyes associated with severe pain in the heart and breathing through the mouth such patients will destroy and die soon.
- Development of emaciation due to fever associated with hiccup, dyspnoea, thirst, confused, one who rolls the eyes or casts side glances, troubled breathing associated with shallow intense breathing and weakness such patients die soon.
- One who lost his bodily lusture and loss of functions of sensory organs associated with emaciation, distaste/anorexia, hyperpyrexia (deep seated and high grade fever) such patients should not be considered for the treatment and should be rejected. 66-73 (Su. u. 39)

Signs & Symptoms before pacification of Jvara

दाहः स्वेदो भ्रमस्तृष्णा कम्पविड्भिदसंज्ञता ।
कूजनं चास्यवैगन्ध्यमाकृतिर्ज्वरमोक्षणे ॥

M.Ni. 2/74

Signs & Symptoms before pacification of *Jvara* are burning sensation, sweating, giddiness, thirst, trembling, diarrhoea, loss of sensation, quavering/uttering of any inarticulate sound and foul-smelling of the body.

Signs and symptoms on relief of fever

स्वेदो लघुत्वं शिरसः कण्डूः पाको मुखस्य च ।
क्षव्युश्चात्रलिप्सा च ज्वरमुक्तस्य लक्षणम् ॥

(M.Ni. 2/75)

Relief from *Jvara* may be understood by observing following symptomatology:

Sweating, feeling of lightness in the head, itching, stomatitis, sneezing, white coloration and ulceration in mouth, sneezing and desire for intake of food indicates the relief of fever from the patient.

Prognosis of Jvara

प्रसक्तश्चाभिघातोत्यश्चेतनाप्रभवस्तु यः ॥ S.S. Utt. 39/62

- Persistence of *Jvara* for longer duration.
- *Jvara* produced by *Trauma* and that produced by disorders of mind are very difficult for management.

उपशय/पथ्य (Upaśaya/Pathya) (C.S.Ci. 3rd chapter) (S.S. Utt. 39th chapter)

- *Laṅghana*
- *Doṣa pācana* in case of *Taruṇa Jvara*
- *Ṣaḍaṅga Pānīya*
- *Vamana Karma*
- *Tarpana*
- *Soup of Mudga or meat of wild animals*
- *Sarpipāna, Paya (milk)*
- *Virecana, Niruha, Anuvāsana, Mūrdha Virecana.*
- *Abhyaṅga, Pradeha, Pariṣeka and Avagāhana*
- *Paṭola, Kulaka, Pāpacelika (Pāṭhā), Karkoṭaka, Kaṭhilla* vegetables are useful.
- *Gharmāmbu* (Luke warm water) and *Madhya* (Alcoholic drinks).

सर्वज्वरेषु सुलघु मात्रावद्भोजनं हितम् ।

S.S. Utt. 39/145

Jvara patients should eat light food in little quantity.

Kalyāṇaka ghṛta *Mahākalyāṇaka ghṛta*
Triphalādi ghṛta *Pañcagavya ghṛta*
Prahlādana Taila

अनुपशय/अपथ्य (Ampaśaya/Apathya) (CS.Ci. 3rd chapter) (S.S. Utt. 39th chapter)

गुर्वभिष्यन्धकाले च ज्वरी नाद्यात्कथञ्चन । न तु
 तस्याहितं भुक्तमायुषे वा सुखाय वा ॥

S.S.utt. 39/148-149

Jvara patients should not consume foods which are not easily digestible, which creates more moisture inside, apart from the usual times of taking meals. Such kinds of food is not beneficial to life or to induce happiness.

गुरुष्णास्निग्धमधुरान् कषायांश्च नवज्वरे ।
 आहारान् दोषपक्षार्थं प्रायशः परिवर्जयेत् ॥

C.S.Ci. 3/195-196

Navajvara patients should not take heavy, hot, unctuous, sweet and astringent foods to facilitate metabolic transformation of *Doṣās*.

नवज्वरे दिवास्वप्नस्नानाभ्यङ्गानमैशुनम् ।
 क्रोधप्रवातव्यायामान् कषायांश्च विवर्जयेत् ॥

C.S.Ci. 3/138-139

Patients of Navajvara should avoid sleep during day time, bath, massage, heavy food, sexual intercourse, anger, exposure to wind, exercise & *Kaṣāya*.

सज्वरो ज्वरमुक्तश्च विदाहीनि गुरुणि च ।
 असात्यान्यनपानानि विरुद्धानि च वर्जयेत् ॥
 व्यायमतिचेष्टाश्च स्नानमत्यष्टनानि च ।
 तथा ज्वरःश्रमं याति प्रष्टान्तो जायते न च ॥
 व्यायामं च व्यायमं च स्नानं चङ्क्रमणानि च ।
 ज्वरमुक्तो न सेवेत यावन् बलवान् भवेत् ॥

C.S.Ci. 3/330-332

The following foods and activities are not conducive to Jvara patients.

- Foods and drinks which induces burning sensation, heavy, unwholesome & mutual antagonistic.
- Activities like sexual intercourse, excessive exhaustion, bath in excess.

- Large amount of meal.

During convalescence one should not perform exercise, sexual intercourse, bath, brisk walk until he regains strength.

In the case of the *Vāta*-related fever, patient should consume pure *Ghṛta*. In *Pitta*-generated fever cases, one should go through *Virecana* (purgation) therapy. If the fever relates to *Kapha*, light vomiting is prescribed. In case two of the above causes are involved, treatment suggested in both the conditions is to be opted. For example, if the fever relates to both *Vāta* and *Pitta*, drinking of pure *Ghṛta* is to be followed by *Virecana* (purgation) as well. If all the three indispositions are manifested, all of the three kinds of treatment suggested here are to be carried through. (B.R. 5/3)

Intake of meals in initial stage of fever

In the early stage of fever, meal before noon is to be abstained from. Two meals a day is to be avoided. Eating during the evening hours and taking eatables heavy to digest are also to be abstained from. (B.R. 3/8)

Role of laṅgana in fever

The patient of fever should first of all fast. *Laṅgana* (fasting) is the best method to get cure of fever caused by reasons other than the following: tuberculosis, loss of vital fluids, caused by *Vāta*, fear, anger, sexual lust, grief and excessive labour. (B.R. 5/11)

Prohibiting laṅgana (fasting) :

However, the physical strength and condition of the patient must be kept in mind before he is subjected to *Laṅgana* (fasting). The fasting should not be taxing on his life itself. For, energy in body is the state of health. The fasting is opted only up to a degree when it does not harm the critical energy of the patient. (B.R. 5/14)

Patients unfit for laṅgana (fasting):

Laṅgana (fasting) is not to be opted by such patients who are young, old, pregnant, or otherwise weak in body and suffering from such disease as

giddiness, edema of mouth and those who may not bear the urge of thirst and hunger. (B.R. 5/15)

Characteristics of proper *laṅgana* (fasting):

Now the description of a successful *Laṅgana* (fasting) is described. If one passes the wind, urine and stool on right time and in proper quantity, if the body feels light, if the heart is not heavy by feeling, stomach is belching properly, if throat, mouth and tongue of the patient is free of cough and saliva and he feels cheerful, if there is proper sweating, if one feels thirst and hunger on time and if there is no pain in the mind and body of the patient, he should understand that his *Laṅgana* (fasting) has been properly carried through. (B.R. 5/16-17)

Helpful meals in cases of fever

If one is ailing by a fever caused by excessive labour, *Laṅgana* (fasting) or due to *Vāta*, one should take rice along with soup of mutton. In *Kapha* related fever, one should take rice along with *Yūṣa* prepared from *Mudga* lentil and water in 1:18 ratio. This *Yūṣa* should be treated with a little sugar and be given along with rice to the patients suffering through fever due to *Pitta*. (B.R. 5/35)

Use of red variety of rice and the like in fever

Older rice, particularly the *Śāli* and *Śaṣṭhī* (grown in sixty days) varieties are good for making *Yavāgū*, *odana* and *Lājā*. (*Lājā* is a preparation based on roasted grains of paddy). All these three preparations are capable to cure one from fever-related diseases. (B.R. 1/36)

Use of the *mudga* based *yūṣa* in fever

Those having fever should when feeling hungry consume *Yūṣa* cooked along with water in 18:1 ratio along with pulses like *Mudga*, lentil, gram, *Kulattha* and *Mukuṣṭha*. (B.R. 5/37)

Intake of vegetables in fever

The veg-preparation of the leaves of *Paṭola*, aubergine, *Kulaka*, *Kāravellaka*, *Karkoṭaka*, *Parpatakam*, *Gojivhā*, radish and *Guḍūcī* are good in fever related cases. (B.R. 5/38)

Useful meals in cases of fever

Person indisposed by fever must take at least in

small quantity meals as suggested above. If such patients take no meal, they can feel weakness and in extreme cases they can even die of this loss of strength. (B.R. 5/39)

If the patient develops a disinterest in taking prescribed medicines and meals due to repeated use of them or due to loss of taste, he should take help of other doses. He should prepare different things and try to assume that the prescribed meals are tasteful. This can help the patient regain interest in suggested eatable. (B.R. 5/40)

Dietary Regulations for the patients of *Sannipāta*

Trikaṇṭaka (i.e. *Gokṣura*, *Kaṇṭakārī*, *Durālabhā*) and *Gokṣura* are known as *Trikaṇṭakavācyā* herbs. Take all these three herbs along with *Vakṣayamāṇa* (sited ahead) *Pañcamṣṭika* herbs including *Yava*, *Badarī* (jujbe fruit), *Kulattha*, *Mudgaparṇī* and *Āmalakī*. Prepare decoction of these materials and obtain *Yavāgu* and *Peya* from it. Serve this preparation to the patient of *Sannipāta*. This recipe should be given repeatedly to the patient unless he feels better. One can also obtain *Yavāgu* from the decoction of *Trikaṇṭaka* and give it to patient. (B.R. 5/325)

The patient of *Viṣama jvara* should take liquor and meat of chicken, partridge and deer. (B.R. 5/386)

The wise and insightful physician should allow the patient of fever to take only the light meat of deer (venison) and *Lava*. Many physicians do not find it proper to allow such patients to take flesh of chicken, peacock, partridge, duck or the *Krauncha* bird. However, if after *Laṅgana* (fasting) the patient's *Vāta Doṣa* is restored physicians can prescribe small doses of chicken after considering proper timing. (B.R. 5/1280-1282)

Wholesome Foods and Conducts in middle stage of fever

Patient suffering from fever should use during his illness in middle stage following edible and dietary items: *Śāli* (old rice), brinjal, *Śobhāñjana*, *Kāravellaka*, *Vetrāgra*, fruits matured during *Āṣāḍha* month, *Paṭola*, *Karkoṭaka*, *Mūlaka* (radish), *Pūtikā*, *Upodikā*, *Mudga*, *Kulattha*, soup or *Yūṣa* of these vegetable and pulse etc, *Pāṭhā*, *Amṛtā*, *Vāstuka*.

Taṇḍulyaka, *jīvanī* (*Śāka* or cooked vegetable), *Kākamācī*, grapes, *Kapittha*, *Dāḍima*, *Vikankta* (matured fruits) and like compatible meals and drugs that are easily digestible and having light properties in digestion. (B.R. 5/1435-1437)

Wholesome Foods and Conducts in later stage of fever

Virecana, *Vamana*, collyrium, snuff or inhalation, medicated smoking, *Anuvāsana*, *Śirāvyadha*, *Samśamana*, ointmenting, massage, bath, cold treatment, meat of *Aina*, *Kuliṅga*, peacock, wood cutter, rabbit, partridge, chicken, *Krauncha*, *Kuraṅga*, *Prṣata*, *Cakora*, *Kapinjala*, duck and *Kālapuccha* – and the like animals and birds, milk and *Ghṛtam* of cow and goat, *haraḍa* fruit, water of hilly streams, castor oil, white sandal, moon rays or moonlight and embracement of beloved lady. (B.R. 5/1438-1441)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

During the early stage of fever, the following acts are to be avoided: sleeping in daytime, bathing, oil-massage, sexual intercourse, anger; facing the easterly wind, physical exercises and taking (any kind of) decoction. (B.R. 5/4)

Measures to be avoided at initial stage of fever

The measures which are prohibited for a patient in early stage of fever includes the following: flowing stream of cold water on head, application of *Kalka* of sandal and *Aguru*, bathing, application of therapies like *Virecana* (purgation), sleeping during the day time, intercourse with females, taking heavy exercises, drinking cold water or washing the hands and feet with it, getting agitated, sleeping in the direction facing cold easterly wind, sitting idle, moving a lot and taking meals that are difficult to digest. Similarly, patients should avoid bathing as it may lead to consumption, vomiting, insanity, fainting, giddiness, excessive thirst and anorexia. (B.R. 5/9-10)

Intake of hot and normal water during fever

In the fever caused due to disordered *Vāta*, *Kapha* and by a combination of the two one has the symptoms of excessive thirst. In such situation the patient should take lukewarm water in a small quantity. In cases of fever caused due to excessive intake of liquor and in

cases of fever caused due to abnormal *Pitta*, the patient should drink cold water treated through herbs of *Mustaparpaṭakāḍi* group of herbs. (B.R. 5/24)

Merits of Śrītaśīta water

Śrītaśīta water (warmed water that has been made to return to the atmospheric temperature) are capable to promote digestive power and to destroy fever. These waters clear the vital channels of the body by enlarging their mouths and provide strength to the body. It also develops taste of foods and causes the body to sweat properly. Therefore, the lukewarm and warm water are very helpful for health. (B.R. 5/25)

Intake of liquids while suffering from fever:

Take pepper and dried ginger and treat with them the above *Ṣaḍaṅga pānīya* water and boil them along with *Lājā* (parched paddy). This preparation should be taken as a drink by the patients of fever. This pacifies their hunger and also reduces the degree of fever. This preparation is easy to digest as well. If the patient of fever is feeling pain in head, in sides and in lower abdomen, he should drink water treated and decocted in above fashion using *Gokṣura* and *Kaṇṭhakāri* herbs along with *Lājā* (parched paddy). This preparation should be used as *Peya* as it promotes the urination and sweating. It is easy to digest and is capable to remove fever, pains of the sides and other parts of body. (B.R. 5/29-30)

Unwholesome Food and Conduct in early stage of fever:

Person afflicted with *Navajvara* (fever in primary stage) should restrict following eatables and conduct: *Snāna*, *Virecana*, sexual intercourse, physical exercise or exertion, massage, day sleep, milk, *Ghṛtam*, pulse, meat or flesh, buttermilk, liquors, sweet and heavy articles, liquids, cereals, open air and anger. (B.R. 5/1434)

Unwholesome Food and Conduct in general fever

Such items include the following: *Adhivāsana karma*, garland of red coloured flowers, wearing red cloth, suppression of vomiting, tooth-brushing by plant twig, unsuitable or unrelishing diet or food consumption, incompatible food and drinks, edible

or food articles causing burning sensation, food heavy in digestion, impure, infected and pathogenic water, *Kṣārāmla*, *Patrasāka*, uncomptiable and sprouted grains, *Naladambu* (water treated with *Uṣīra*), betel leaves, *Lakuca* and *Kalinda* fruits, *Odimsya* (specific variety of fish), leafy vegetable, paste of sesame seed, edible mushroom, *Piṣṭavikṛta* meals (e. g. deep fried nuggets) and *abhiṣyandi* edibles like yogurt etc. (B.R. 5/1442-1445).

MCQs

1. *Rakta-dhatvashraya Vishama Jwara* is
 - a. *Satata*
 - b. *Tritiyaka*
 - c. *Chaturthaka*
 - d. All the above
2. *Jwara* which is *dussadhyā* is
 - a. *Rasadhatugata Jwara*
 - b. *Paittika Jwara*
 - c. *Vaikruta Jwara*
 - d. *Manasika Jwara*
3. *Vatika Jwara Purvarupa* is
 - a. *Sheela-vaikrita*
 - b. *Jrimbha-atyārtha*
 - c. *Atinidra*
 - d. *Amla-preeti*
4. *Shwasa vireka Chardi-Vikshepanam Gatranam* are the features of
 - a. *Rakta-gata Jwara*
 - b. *Mamsa-gata Jwara*
 - c. *Medo-gata Jwara*
 - d. *Asthi-gata Jwara*
5. *Maha-shwasa* is seen in
 - a. *Rasa-gata Jwara*
 - b. *Majja-gata Jwara*
 - c. *Shukra-gata Jwara*
 - d. *Raktagata Jwara*
6. *Ojonirodhaja* is described under
 - a. *Jwara*
 - b. *Rajyakshma*
 - c. *Kshayaja Kasa*
 - d. *Kamala*
7. *Raktashteevanam dahah sweda chardan vibhram* are the features observed in
 - a. *Rakta-gata Jwara*
 - b. *Mamsa-gata Jwara*
 - c. *Medo-gata Jwara*
 - d. *Asthi-gata Jwara*
8. *Chittavibhramsha tandra* are features of
 - a. *Shaapaja Jwara*
 - b. *Abhishangaja Jwara*
 - c. *Bhayaja Jwara*
 - d. *Kamaja Jwara*
9. *Kama shoka bhaya krodhairabhisaktasya* are the causative factors mentioned under
 - a. *Abhicharaja*
 - b. *Abhighataja jwara*
 - c. *Abhishapaja*
 - d. *Abhishangaja Jwara*
10. *Adhika trushna, Pralapa, Bhrama* etc are features of
 - a. *Antarvegi Jwara*
 - b. *Dhatugata Jwara*
 - c. *Dhatuleena Lakshanaa*
 - d. *Jwara-mukta Lakshanaa*
11. नित्यं मन्दज्वरोरुक्षः शूनकस्तेन सीदति । स्तब्धाङ्गः श्लेष्मभूयिष्ठः
 - a. *Vatabalasaka jwara*
 - b. *Kaphapittaja jwara*
 - c. *Vata-Kapha jwara*
 - d. *Tridosha*
12. *Pralepaka Jwara* observed in
 - a. *Rajyakshma*
 - b. *Kshayaja kasa*
 - c. *Ojonirodhaja jwara*
 - d. *Gambhir jwara*
13. Commencement of symptoms from shiras due to predominant vitiation of—in *Chatur-thaka Jwara*
 - a. *Vata dosha*
 - b. *Kapha dosha*
 - c. *Pitta dosha*
 - d. *Rakta*
14. *Kaphapitta trikagrahi* features observed in
 - a. *Tritiyaka jwara*
 - b. *Chaturthaka jwara*
 - c. *Satata jwara*
 - d. *Santata jwara*
15. *Doshasthanasamsraya* in *Triteeyaka Jwara* observed in
 - a. *Asthi-Mamsa dhatu*
 - b. *Meda-Rakta dhatu*
 - c. *Shukra dhatu*
 - d. *Meda dhatu*
16. सप्ताहं वा दशाहं वा द्वादशाहमथापि वा are the features mentioned in context to
 - a. *Tritiyaka jwara*
 - b. *Chaturthaka jwara*
 - c. *Santata jwara*
 - d. *Satata jwara*

17. सप्तमे दिवसे प्राप्ते दशमे द्वादशेऽपि वा । पुनर्घोरतरो भूत्वा प्रशमं याति हन्ति वा ॥ features observed in
a. Ojonirodhaja jwara
b. Chaturthaka jwara
c. Santata jwara
d. Satata jwara
18. *Natyushma sheeto alpa samjno* is cardinal feature of
a. Abhinyasa Jwara b. Ojonirodhaja jwara
c. Sannipata Jwara d. Dahadi Jwara
19. *Hatujasa* is the synonym of
a. Abhinyasa jwara
b. Santata-Jwara
c. Satata jwara
d. Punaravartaka jwara
20. Nidropeta feature observed in
a. Santata-Jwara b. Satata jwara
c. Punaravartaka jwara
d. Abhinyasa Jwara
21. *Murccha shirorug vamathu kshava* are the features observed in
a) Abhinyasa jwara
b) Punaravartaka jwara
c) Oshadigandhaja jwara
d) Satata jwara
22. *Vepathu* is the characteristic feature observed in
a) Bhayaja jwara b) Shojkaja jwara
c) Kamaja jwara d) Kopaja jwara
23. *Agantuja Jwara* is classified into _____ category
a) 6 b) 4
c) 8 d) 5
24. If patient sees dreams as if he is having friendship with dogs indicates *Arista* in reference to which disease
a. Jwara b. Shosa
c. Unmada d. Apasmara
25. *Jaranante divasantenishante gharmante va jwarasyabhyagaman mabhivridhirva* features observed in
a. Vata Jwara
b. Pitta Jwara
c. Sannipatika Jwara
d. Vata-pittaja Jwara
26. *Parvabheda, Romaharsha, Jrimbha* are the *lakshana* of which type of Jwara
a. Vata-Kaphaja b. Vata-Pittaja
c. Pitta-Kaphaja d. Sannipathika
27. *Liptatikthasyatha* is the *lakshana* of
a. Vata-KaphajaJwara
b. Vata-PittajaJwara
c. Pitta-KaphajaJwara
d. Sannipathika Jwara
28. *Mahanidra diwa jagaranam nishi* features observed in
a. Sannipatika Jwara
b. Aganthu Jwara
c. Kapha-Pittaja Jwara
d. Vata-Kaphaja Jwara
29. *Pratyaham vardhate jwara* is seen in
a. Abhighataja b. Abhishangaja
c. Abhisapa d. Abhichara
30. ध्याननिः श्वासबहुलं लिङ्गमं features observed in
a. Shaapaja Jwara
b. Abhishangaja Jwara
c. Bhayaja Jwara
d. Kamaja Jwara

Answer

1. a	2. c	3. b	4. d	5. b
6. a	7. a	8. d	9. d	10. a
11. a	12. a	13. a	14. a	15. a
16. c	17. a	18. a	19. a	20. d
21. c	22. d	23. b	24. a	25. a
26. b	27. c	28. a	29. d	30. d