

मूत्राघात (Mūtrāghāta)

Introduction

Urinary disease (of which 12 or 13 kinds). Retention of urine in Mūtrāghāta patient is unable to pass the urine or passes a little urine with difficulty even though his bladder is full of urine. Anuria. Retention of urine.

मूत्राघात रोग भेद (Mūtrāghāta Roga Bheda)

वातकुण्डलिकाऽधीला वातबस्तिस्तथैव च ।
मूत्रातीतः सजङ्गरो मूत्रोत्सङ्गः क्षयस्तथा ॥
मूत्रग्रन्थिमूत्रशुक्रमुष्णवातस्तथैव च ।
मूत्रौकसादौ द्वौ चापि रोगा द्वादश कीर्त्तिताः ॥

S.S.Utt. 58/3-4

Twelve varieties of Mūtrāghāta described are as follows:-

i) Vātakuṇḍalikā, ii) Vātāṣṭhīlā, iii) Vātabasti, iv) Mūtrāṭīta, v) Mūtra Jaṭhara, vi) Mūtrotsaṅga, vii) Mūtrakṣaya, viii) Mūtragranthi, ix) Mūtraśukra, x) Uṣṇavāta, xi) Pittaja Mūtraukasāda and xii) Kaphaja Mūtraukasāda.

वातकुण्डलिका (Vātakuṇḍalikā)

रीक्ष्याद्वेगविघाताद्वा वायुरन्तरमाश्रितः ।
मूत्रं चरति सङ्गृह्य विगुणः कुण्डलीकृतः ॥
मृजेदत्यात्यमथवा सरुजस्कं शनैः शनैः ।
वातकुण्डलिकां तं तु व्याधिं विद्यात् सुदारुणम् ॥

S.S.Utt. 58/5-6

Indulgence in dry foods, suppression of natural urges etc. causing aggravation of Vāta inside the urinary bladder, begins to move inside the urinary bladder along with urine in a circular manner and manifest Vātakuṇḍalikā. Patient passes urine oftenly, in small quantity associated with pain is known as Vātakuṇḍalikā which is dreadful.

वाताशीला (Vātāṣṭhīlā)

शकुन्मार्गस्य बस्तेश्च वायुरन्तरमाश्रितः ।

अशीलावद् घनं ग्रन्थिं करोत्यचलमुन्नतम् ॥
विण्मूत्रानिलसङ्गश्च तत्राध्मानश्च जायते ।
वेदना च परा बस्तौ वाताशीलेति तां विदुः ॥

S.S.Utt. 58/7-8

Aggravated Vāta gets localised inside the passage of faeces & urinary bladder produces a hard tumour like cobbler's stone, which is immovable & bulged up causing obstruction to faeces, urine & flatus, flatulence, severe pain in the urinary bladder are the characteristic features of Vātāṣṭhīlā.

वातबस्ति (Vātabasti)

वेगं विधारयेद्यस्तु मूत्रस्याकुशलो नरः ।
निरुणद्धि मुखं तस्य बस्तेर्बस्तिगतोऽनिलः ॥
मूत्रसङ्गो भवेत्तेन बस्तिकुक्षिनिपीडितः ।
वातबस्तिः स विज्ञेयो व्याधिः कृच्छ्रप्रसाधनः ॥

S.S.Utt. 58/9-10

Suppression of natural urges by a person causes aggravation of Vāta in the urinary bladder and blocks the mouth of the bladder leading to retention of urine, pain in the bladder & abdomen are the characteristic features of Vātabasti which is difficult to treat.

मूत्रातीत (Mūtrāṭīta)

वेगं सन्धार्य मूत्रस्य यो भूयः स्रष्टुमिच्छति ।
तस्य नाभ्येति यदि वा कथञ्चित्सम्प्रवर्त्तते ॥
प्रवाहतो मन्दरुजमल्पमल्पं पुनः पुनः ।
मूत्रातीतन्तु तं विद्यान्मूत्रवेगविघातजम् ॥

S.S.Utt. 58/11-12

One who has suppressed the urge of micturition for a long time and then desires to urinate it, then the urine does not come out or comes out in little quantity after straining associated with mild pain. Patient passes little quantity of urine oftenly. These are the characteristic features of Mūtrāṭīta produced by suppression of urge of urination.

मूत्रजठर (Mūtrajathara)

मूत्रस्य विहते वेगे तदुदावर्तहेतुना ।
 अपानः कुपितो वायुरुदरं पूरयेद् भृशम् ॥
 नाभेरधस्तादाधानं जनयेत्तीव्रवेदनम् ।
 तं मूत्रजठरं विद्यादधःस्रोतोनिरोधनम् ॥

S.S.Utt. 58/13-14

Due to suppression of urge of micturition, *Apānavāta* become aggravated and moves in upward direction, accumulates in the abdomen, causing distension below the umbilicus, severe pain and obstruction to lower channels are the characteristic features of *Mūtrajathara*.

मूत्रोत्सङ्ग (Mūtrotsaṅga)

बस्तौ वाऽप्यथवा नाले मणौ वा यस्य देहिनः ।
 मूत्रं प्रवृत्तं सज्जेत सरक्तं वा प्रवाहतः ॥
 स्रवेच्छनैरल्पमल्पं सरुजं वाऽथ नीरुजम् ।
 विगुणानिलजो व्याधिः समूत्रोत्सङ्गसंज्ञितः ॥

S.S.Utt. 58/15-16

Patient suffers from obstruction to the flow of urine either in the bladder, urethra or glans penis. Patient passes urine mixed with blood after straining, slowly, little in quantity, with or without pain are the characteristic features of *Mūtrasaṅga* & it manifest due to aggravated *Vāta*.

मूत्रक्षय (Mūtrakṣaya)

रूक्षस्य क्लान्तदेहस्य बस्तिस्थौ पित्तमारुतौ ।
 सदाहवेदनं कृच्छं कुर्यातां मूत्रसङ्क्षयम् ॥

S.S.Utt. 58/17

One who is habituated to dry foods & physical fatigue causing aggravation of *Pitta* & *Vāta* in the urinary bladder and manifest burning sensation & pain in the urinary bladder associated with difficulty in micturition are the characteristic features of *Mūtrakṣaya*.

मूत्रग्रन्थि (Mūtragranthi)

अभ्यन्तरे बस्तिमुखे वृत्तोऽल्पः स्थिर एव च ।
 वेदनावानति सदा मूत्रमार्गनिरोधनः ॥
 जायते सहसा यस्य ग्रन्थिरश्मरिलक्षणः ।
 स मूत्रग्रन्थिरित्येवमुच्यते वेदनाऽऽदिभिः ॥

S.S.Utt. 58/18-19

It is characterised by development of small, round & immovable tumour inside the urinary bladder associated with severe pain, obstruction to urinary passage and other features of *Aśmarī*.

मूत्रशुक्र (Mūtra Śukra)

प्रत्युपस्थितमूत्रस्तु मैथुनं योऽभिनन्दति ।
 तस्य मूत्रयुतं रेतः सहसा सम्प्रवर्तते ॥
 पुरस्ताद्वाऽपि मूत्रस्य पश्चाद्वाऽपि कदाचन ।
 भस्मोदकप्रतीकाशं मूत्रशुक्रं तदुच्यते ॥

S.S.Utt. 58/20-21

One who performs sexual intercourse during the urge of urination, the semen mixed with urine comes out either before or after micturition and urine appears like solution of ash are the characteristic features of *Mūtraśukra*.

उष्णवात (Uṣṇavāta)

व्यायामाध्वातपैः पित्तं बस्तिं प्राप्यानिलावृतम् ।
 बस्तिं मेढ्रं गुदञ्चैव प्रदहन् स्रावयेदधः ॥
 मूत्रं हारिद्रमथवा सरक्तं रक्तमेव वा ।
 कृच्छ्रात् प्रवर्तते जन्तोरुष्णवातं वदन्ति तम् ॥

S.S.Utt. 58/22-23

Excessive physical exercise, walking long distances & exposure to sun causes aggravation of *Pitta* and *Vāta* inside the urinary bladder and manifest burning sensation in the bladder, penis & rectum; urine becomes yellow, mixed with blood or only blood and comes out with difficulty are the characteristic feature of *Uṣṇavāta*.

पित्तज मूत्रौकसाद (Pittaja Mūtraukasāda)

विशदं पीतकं मूत्रं सदाहं बहलं तथा ।
 शुष्कं भवति यच्चापि रोचनाचूर्णसन्निभम् ॥
 मूत्रौकसादं तं विद्याद्रोगं पित्तकृतं बुधः ।
 पिच्छिलं संहतं श्वेतं तथा कृच्छ्रप्रवर्तनम् ॥

S.S.Utt. 58/24-25

Patient passes urine which is non-slimy, yellow, thick and dry associated with burning sensation. Urine resemble like powder of oxgall (yellow) in colour are the characteristic features of *Pittaja Mūtraukasāda*.

कफज मूत्रौकसाद (Kaphaja Mūtraukasāda)

शुष्कं भवति यच्चापि शङ्खचूर्णप्रपाण्डुरम् ।

मूत्रौकसादं तं विद्यादामयं द्वादशं कफात् ॥

S.S.Utt. 58/26

Patient passes urine which is dry, thick, whitish & eliminates with difficulty. Urine appears like powder of conch or too white are the characteristic features of *Kaphaja Mūtraukasāda*.

विड् विधात (Vid Vighāta)

रूक्षदुर्बलयोर्वातादुदावर्त

शकृद्यथा ॥

मूत्रस्रोतोऽनुपर्येति संसृष्टं शकृता तदा ।
मूत्रं विदुत्तुल्यगन्धं स्याद्विड्विधातं तमादिशेत् ॥

A.H.Ni. 9/33-34

Vāta moves upwards in those individuals who is suffering from roughness & debilitation causing faecal matter into the channels of urine produces difficulty in micturition & urine assumes the smell of faeces are the characteristic features of *Vid Vighāta*.

Defferentiate Mūtrakṛcchra and Mūtrāghāta

S.No.	Mūtrakṛcchra	Mūtrāghāta
1	<i>Mūtrakṛcchra</i> is a condition develops due to inflammation, hormonal, Psychogenic conditions, trauma, Malformations, neoplasms and infections and it may be termed as Dysuria,	<i>Mūtrāghāta</i> is a condition develops due to obstruction in the Urinary Tract of vivid origin like Neurogenic disturbances of the urinary bladder & Urinary outflow obstruction
2	<i>Mūtrakṛcchra</i> classified into eight kinds namely: 1. <i>Vātaja Mūtrakṛcchra</i> 2. <i>Pittaja Mūtrakṛcchra</i> 3. <i>Kaphaja Mūtrakṛcchra</i> 4. <i>Sannipātaja Mūtrakṛcchra</i> 5. <i>Aśmarīja Mūtrakṛcchra</i> 6. <i>Śarkarāja Mūtrakṛcchra</i> 7. <i>Śukraja Mūtrakṛcchra</i> 8. <i>Kṣataja. Mūtrakṛcchra</i>	Thirteen varieties of <i>Mūtrāghāta</i> described are as follows:- 1. <i>Vātakuṇḍalikā</i> 2. <i>Vātāṣṭhīlā</i> , 3. <i>Vātabasti</i> 4. <i>Mūtrāṭita</i> , 5. <i>Mūtra Jaṭhara</i> 6. <i>Mūtrotsaṅga</i> , 7. <i>Mūtrakṣaya</i> , 8. <i>Mūtragranthi</i> , 9. <i>Mūtrasūkra</i> , 10. <i>Uṣṇavāta</i> , 11. <i>Mūtrasāda</i> and 12. <i>Viḍvighāta</i> 13. <i>Vastikuṇḍala</i>

उपशय/पथ्य (Upaśaya/Pathya)

Ksaudrārdha Sarpi, Balādiḡṛta, Mahābalādi Ghṛta.

The following measures are very helpful in treating the indisposition of *Mūtrāghāta*:- Massaging through oil, intake of oily materials, *Basti* (enema) and *Virecana* (purgation) therapy, sweating, *Uttara Basti* and water sports. Also helpful is intake of old red variety of rice, meat of the birds and animals belonging to the deserts, liquor, buttermilk, milk, curd, cooked *Urada* pulse,

old fruits of *Kūṣmāṇḍa* and *Paṭola*, ginger and *Tintiḍikā*, pulp of the stone of palm fruit, *Haraḍa*, unripe coconut fruits, betel nuts, head (top portion) of the date, coconut and palm trees. (B.R. 30/50-52)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

The following measures are harmful in treating the indisposition of *Mūtrāghāta* : incompatible meals, excess exercise, continuing in the cold, intercourse, Suppression of the natural urges, taking the fruit *Karīra* and vomiting. (B.R. 30/53)

MCQs

1. *Asmaritulyaruk* is seen in
 - a. *Mutrajatara*
 - b. *Mutragranti*
 - c. *Mutrakundalika*
 - d. *Mutrakshaya*
2. *Dosha* predominance of *Mutraksaya*
 - a. *Tridoshaja*
 - b. *Vatakapahaja*
 - c. *Pitta maruta*
 - d. *Kaphapaithika*
3. *Dustara* & *Dustaratara* are the types of
 - a. *Vatabasti*
 - b. *Mutraatitha*
 - c. *Mutrasukra*
 - d. *Mutrakshaya*
4. Which among the following is not mentioned by *Susruta*
 - a. *Mutraatitha*
 - b. *Mutrasukra*
 - c. *Mutrakshaya*
 - d. *Vid vighata*
5. *MandaPravritti* of urine is seen in
 - a. *Mutra-Atita*
 - b. *Mutra-Jathara*
 - c. *Mutroukasada*
 - d. *Ushnavata*
6. *Basti Adhmana* and severe pain is seen in
 - a. *Mutra-Atita*
 - b. *Mutra-Jathara*
 - c. *Mutrou Kasaada*
 - d. *Ushnavata*
7. *Mutra* resembling *Rocana-Curna* is seen in
 - a. *Mutra-Atita*
 - b. *Mutra-Jadhara*
 - c. *Mutou Kasaada*
 - d. *Ushnavata*
8. *Vyayama* and *Adhvagamana* cause
 - a. *Mutra-Atita*
 - b. *Mutra-Jathara*
 - c. *Mutou Kasaada*
 - d. *Ushnavata*
9. *Bhasmodakapratheekasamutram* is the feature of
 - a. *Ushnavata*
 - b. *Mutrasukra*
 - c. *Mutrasada*
 - d. *MutrAGRAnthi*
10. *Bindumbindumsravatyapi*, *sastravishopama* are the features of
 - a. *Mutraatitha*
 - b. *Mutrasukra*
 - c. *Mutrakshaya*
 - d. *Vasthikundala*
11. *Srujedalpampamathava* *sarujaskam shanai* are features of
 - a. *Mutraatitha*
 - b. *Mutrasukra*
 - c. *Mutrakshaya*
 - d. *Vatakundalika*

Answer

1.	b	2.	c	3.	a
4.	d	5.	a	6.	b
7.	c	8.	d	9.	b
10.	d	11.	d		