

## Introduction

If a patient of *pāṇḍu roga* indulge in catables and habits which promote *pitta*, his blood and muscle tissues get vitiated and this situation generate the disease (known as *kāmalā*).

Deep yellow colouration of the eyes, skin, nails and feces; yellow feces and urine, skin colour resembling that of frog (greenish, brown, or brownish yellow), weakness of sense organs, burning sensation, indigestion, weakness, debility, anorexia are the features of *kāmalā* (jaundice). It involves both the *koṣṭha* (alimentary tract) and also the *śākhā* (*rakta* etc.) and other *dhātus* (tissues). (CS. Ci. 16. 34-36).

If a patient of *pāṇḍu* resorts to *pitta*-aggravating regimens in excess, his blood and muscle tissue get afflicted by *pitta* to produce diseases. His eyes becomes excessively yellow and there will be yellowness of the skin, nails and the face. The stool and the urine of the patient becomes either red or yellow in colour or like the colour of a frog (pale white). His sense organs get afflicted. He gets burning sensation, indigestion, weakness, prostration, anorexia and emaciation. This condition caused by excessive aggravation of *pitta* is called *kāmalā* (jaundice). It is located either in *koṣṭha* (alimentary tract) or *śākhā* (tissues in the periphery) or both in *koṣṭha* and *śākhā*. *Bad-prognostic signs of Jaundice*. The patient of jaundice having red eyes and face, blood in vomiting, stool and urine, appearance of darkness before eyes, burning sensation, anorexia, thirst, *ānāha* (wind formation associated with constipation), drowsiness, delusion and loss of the power of digestion and unconsciousness succumbs to death immediately. Ban. *kāmlā*, Guj. *kāmḍo*, Hin. *pīliā*, Kan. *kāmāle*, *arisinmandige*, Mal. *manjppittam*, Mar. *kāvil*, *kāmiṇ*, Ori. *haldīā kāmīlā* Pan. *pīliā*, Tam. *kanmalai*, *hanjlnoyā*, Telg. *pasirikalu*, *kāmerlū*.

सकामलापानकिपाण्डुरोगः कुम्भाह्वयो लाघरकोऽलसाख्यः ।  
विभाष्यते लक्षणमस्य कृत्स्नं निबोध वक्ष्याम्यनुपूर्वशस्तत् ॥

S.S.Utt. 44/6

Disease *Pāṇḍu roga* is called by various names like *Kāmalā*, *Pānaki*, *Pāṇḍuroga*, *Kumbhakāmalā*, *Lāgharaka* and *Alasa*.

## कामला निदान (Nidāna of Kāmalā)

यो ह्यामयान्ते सहसाऽन्नमम्लमद्यादपथ्यानि च तस्य पित्तम् ।  
करोति पाण्डुं वदनं विशेषात् पूर्वैरितौ तन्निबलक्षयौ च ॥

S.S.Utt. 44/10

पाण्डुरोगी तु योज्यर्थं पित्तलानि निजेवते ।

C.S.Ci. 16/34

भवेत्पित्तोल्बणस्यासौ पाण्डुरोगादृतेऽपि च ॥

A.H.Ni. 13/17

Consumption of *Pitta* aggravating etiological factors like sour foods, alcohol and unhealthy foods & activities just after recovery from *Pāṇḍu roga*.

If *Pāṇḍurogi* consumes excess *Pitta* aggravating factors. One who consumes *Pitta* aggravating factors in excess.

## कामला संप्राप्ति (Samprāpti of Kāmalā)

तस्य पित्तमसृष्टमांसं दग्ध्वा रोगाय कल्पते ॥

C.S.Ci. 16/34

Aggravated *Pitta* burns the *Rakta* & *Māmsa* and manifest *Kāmalā*.

## Pathogenesis of Paratantra Kāmalā

Nidān Sevana (Consumption of Etiological factors)

↓  
Aggravation of Pittādi doṣās

↓  
Diminution of Agni

↓  
Development of Āma inside the gastro intestinal tract



↓  
Aggravated *Pitta* expelled from *Hṛdaya* Via ten blood vessels, by powerful *Vāta* circulates all over the body (afflicts *dhātus* mainly *Raktadhātu*) and it is also responsible for the less production of *Poṣaka* (nutrient portion) from the *Rasadhātu* as a result depletion of *Rakta* takes place

↓  
It reaches the space between *Tvak* and *Māmsa*

↓  
Brings laxity and heaviness in the *Kapha*, *Vāta*, *Rakta*, *Tvak* and *Māmsa*

↓  
leading to abnormal complexion like pale yellow, deep yellow and greenish colouration.

↓  
deficiency of *Rakta*, *Meda*, *Nihsāra* (loss of essence) associated with improper functioning of sense organs and discolouration.

↓  
*Pāṇḍu roga*

↓  
*Paratantra Kāmalā*

### Pathogenesis of *Swatantra Kāmalā*

*Nidān Sevana* (Consumption of Etiological factors)

↓  
Aggravation of *Pittādi doṣās*

↓  
Diminution of *Agni*

↓  
Development of *Āma* inside the gastro intestinal tract

↓  
Aggravated *Pitta* expelled from *Hṛdaya* Via ten blood vessels, by powerful *Vāta* circulates all over the body (afflicts *dhātus* mainly *Raktadhātu*) and it is also responsible for the less production of *Poṣaka* (nutrient portion) from the *Rasadhātu* as a result depletion of *Rakta* takes place

↓  
It reaches the space between *Tvak* and *Māmsa*

↓  
Aggravated *Pitta* burns the *Rakta* & *Māmsa*

↓  
leading to abnormal complexion like pale yellow, deep yellow and greenish colouration.

↓  
*Svatantra Kāmalā*

### कामला संप्राप्ति घटक (Samprāpti Ghaṭaka of *Kāmalā*)

*Doṣa* : *Pitta Pradhāna Tridoṣaja*

*Vāta* → *Samāna*, *Vyāna*

*Pitta* → *Pācaka*, *Ālacaka*, *Bhrājaka*

*Kapha* → *Kledaka*

*Dūṣya* : *Dhātu* → *Rasa*, *Rakta*, *Māmsa*, *Meda*; later all the *Dhātus* (*Nihsāra*)

*Updhātu* →

*Śārīrika Mala* → *Mūtra*, *Purīṣa*

*Dhātu Mala* → *Kapha*, *Pitta*

*Agni* : *Jaṭharāgni*, *Dhātvāgni*

*Agniduṣṭi* : *Mandāgni*

*Āma* : *Āgnijanya*

*Srotas* : *Rasavaha*, *Raktavaha*, *Annavaha*

*Sroto duṣṭi* : *Saṅga*, *Vimārgagamana*

*Udbhavasthāna* : *Āmāsayottha*, *Koṣṭha*, *Mahāsrotas*

*Sancārasthāna* : *Koṣṭha*

*Vyaktasthāna* : *Tvak*, *Nakha*, *Netra*, *Ānana*, *Koṣṭha*, *Śākhā*

*Svabhāva* : *Cirakāri*

*Prabhāva* : *Mentioned under prognosis*

*Roga bheda* : 2 types

1. कोष्ठाश्रय (*Koṣṭhāśraya*)

2. शाखाश्रय (*Śākhāśraya*)

### Classification of *Kāmalā*

कामला बहुपित्तैषा कोष्ठशाखाश्रया मता ॥

C.S.Ci. 16/36

It is classified into two types : *Śākhāśraya Kāmalā* may manifest without *Pāṇḍu roga*, if person consumes *Pitta* aggravating factors but in this type of *Kāmalā*, *pitta* is less aggravated. That's why sour and pungent things are prescribed for the



treatment of *Śākhāśraya Kāmalā* patients to bring the *Doṣās* from *Śākhā* to the *Koṣṭha*. However, *Koṣṭhāśraya Kāmalā* manifest due to excess aggravation of *Pitta* (*Bahu pitta*).

According to *Hārīta*, *Pāṇḍu roga* is classified into eight varieties namely *Vātaja*, *Pittaja*, *Kaphaja*, *Sannipātaja*, *Mṛd-bhakṣaṇaja*, *Śākhāśrita Kāmalā*, *Koṣṭhāśrita Kāmalā* and *Halimaka*.

#### शाखाश्रय कामला/वातकफ प्रधान (Śākhāśraya Kāmalā/Vāta Kapha Pradhāna)

तिलपिष्टनिभं यस्तु वर्चः सृजति कामली ॥  
श्लेष्मणा रुद्धमार्गं तत् पित्तं कफहरैर्जयेत् ।  
रुक्षशीतगुरुस्वादुव्यायामैर्वेगनिग्रहैः ॥  
कफसंमूर्च्छितो वायुः स्थानात् पित्तं क्षिपेद्वली ।  
हारिद्रनेत्रमूत्रत्वक् श्वेतवर्चास्तदा नरः ॥  
भवेत् साटोपविष्टम्भो गुरुणा हृदयेन च ।  
दौर्बल्याल्पाग्निपार्श्वार्तिहिवकाश्वासारुचिज्वरैः ॥  
क्रमेणाल्पेऽनुसज्येत पित्ते शाखासमाश्रिते ।

C.S.Ci. 16/124-128

Due to excessive consumption of rough, cold, heavy, sweet products, excessive exercise and suppression of natural urges leads to aggravation of both *Vāta* and *Kapha*. *Vāta* amalgamates with *Kapha* and expels the *Pitta* from its own site and manifest symptoms like yellowish discolouration of eyes, urine, and skin associated with whitish stools, gurgling sound in abdomen, constipation and heaviness in cardiac region. Patient passes stools having the colour of *Sesamum-paste* due to obstruction for the flow of *Pitta* to the *Koṣṭha* by *Kapha*.

Majority of the *Pitta* gets located in the *Śākhā* and there is reduction in the proportion *Pitta* in the *Koṣṭha* leads to weakness, *Agnimāndya*, pain on both sides of the chest, hiccup, dyspnoea, anorexia and fever.

That's why *Kapha* alleviating therapies are prescribed to pacify *Kapha* and simultaneously aggravating *Pitta*. Aggravation of *Pitta* is essential to bring back the *Pitta* from the *Śākhā* to the *Koṣṭha*.

#### कोष्ठाश्रय कामला/पित्त प्रधान (Koṣṭhāśraya Kāmalā/Pitta Pradhāna)

हारिद्रनेत्रः स भृशं हारिद्रत्वङ्नखाननः ।  
रक्तपीतशकृन्मूत्रो भेकवर्णो हतेन्द्रियः ॥  
दाहाविपाकदीर्घल्यसदनारुचिकर्षितः ।  
कामला बहुपित्तैषा कोष्ठशाखाश्रया मता ॥

C.S.Ci. 16/35-36

*Koṣṭhāśraya Kāmalā* manifest due to excess aggravation of *Pitta* and it is characterised by deep yellowish discolouration of eyes, skin, nails and oral cavity; reddish-yellowish discolouration of stool and urine; appearance of whole body resembles like frog; impaired sensory functions associated with burning sensation, indigestion, debility, malaise and anorexia.

#### कुम्भ कामला (Kumbha Kāmalā)

कालान्तरात् खरीभूता कृच्छ्रा स्यात् कुम्भकामला ।  
कृष्णपीतशकृन्मूत्रो भृशं शूनश्च मानवः ॥  
सरक्ताक्षिमुखच्छर्दिविण्मूत्रो यश्च ताम्यति ।  
दाहारुचितृषानाहतन्द्रामोहसमन्वितः ॥  
नष्टाग्निसंज्ञः क्षिप्रं हि कामलावान् विपद्यते ।

C.S.Ci. 16/37-39

भेदस्तु तस्याः खलु कुम्भसाहः शोफो महास्तत्र च पर्वभेदः ॥

S.S.Utt. 44/12

Improper treatment or delay in the management of *Kāmalā* leads to chronicity of the disease and it becomes difficult to cure because of its deep seated nature, are the characteristic feature of *Kumbha Kāmalā*.

#### Signs and Symptoms

Blackish and yellowish discolouration of urine and stool; oedema all over the body; reddishness in eyes, oral cavity, vomiting materials, stools and urine; fainting; burning sensation, anorexia, thirst, hardness in bowels, drowsiness, confusion, sudden loss of power of agni and consciousness and pain in joints.

It is the advanced stage of *Koṣṭhāśraya Kāmalā*.



हलीमक कामला/वातपित्त प्रधान (Halimaka Kāmalā/  
Vāta-Pitta Pradhāna)

तं वातपित्ताद्धरिपीतनीलं हलीमकं नाम वदन्ति तज्ज्ञाः ॥  
S.S.Utt. 44/14

यदा तु पाण्डोर्वर्णः स्याद्धरितश्यावपीतकः ॥  
बलोत्साहक्षयस्तन्द्रा मन्दाग्नित्वं मृदुज्वरः ।  
स्त्रीष्वहर्षोऽङ्गमर्दश्च श्वासस्तृष्णाऽरुचिर्भ्रमः ॥  
हलीमकं तदा तस्य विद्यादनिलपित्ततः ।  
C.S.Ci. 16/132-134

हरितश्यावपीतत्वं पाण्डुरोगे यदा भवेत् ॥  
वातपित्ताद् भ्रमस्तृष्णा स्त्रीष्वहर्षो मृदुज्वरः ।  
तन्द्राबलानलभ्रंशो लोढरं तं हलीमकम् ॥  
अलसं चेति शंसन्ति- A.H.Ni. 13/19-20

Halimaka is the advanced stage of Kāmalā and manifest due to aggravation of Vāta and Pitta. It is characterised by greenish, blackish or yellowish discolouration associated with loss of strength and energy, drowsiness, *mandāgni*, mild fever, lack of interest towards women, malaise, dyspnoea, thirst, anorexia and giddiness. It is also known as *Loḍhara* and *Alasa*.

लाघरक एवं अलसाख्य (Lāgharaka evam Alasākya)

ज्वराङ्गमर्दभ्रमसादतन्द्राक्षयान्वितो लाघरकोऽलसाख्यः ॥  
S.S.Utt. 44/12

These are the advanced stage of Kāmalā associated with fever, body aches, giddiness, debility, stupor and *Dhātukṣaya*.

पानकि (Pānakī)

सन्तापो भिन्नवर्चस्त्वं बहिरन्तश्च पीतता ।  
पाण्डुता नेत्रयोः स्य पानकीलक्षणं भवेत् ॥  
M.Ni. 8/24

It is the advanced stage of Kāmalā associated with fever, diarrhoea, yellowish discolouration internally and externally and whitish discolouration in the eyes.

उपद्रव (Upadrava)

उपद्रवास्तेष्वरुचिः पिपासा छर्दिज्वरो मूर्धरुजाऽग्निसादः ।  
शोफस्तथा कण्ठगतोऽबलत्वं मूर्च्छा क्लमो हृद्यवपीडनञ्च ॥  
S.S.Utt. 44/13

Complications of *Pāṇḍu* and *Kāmalā* are anorexia, thirst, vomiting, fever, headache, weakness of digestive fire, swelling of the throat, debility, fainting, exhaustion and discomfort in cardiac region.

उपशय/पथ्य (Upaśaya/Pathya)

कोष्ठाश्रय कामला (Koṣṭhāśraya Kāmalā)

Like *Pāṇḍuroga*

शाखाश्रय कामला (Śākhāśraya Kāmalā)

बर्हितित्तिरिदक्षाणां रुक्षाम्लैः कटुकै रसैः ॥  
शुष्कमूलककौलत्थैर्युषैश्चान्नानि भोजयेत् ।  
मातुलुङ्गरसं क्षौद्रपिप्पलीमरिचान्वितम् ॥  
सनागरं पिबेत् पित्तं तथाऽस्यैति स्वमाशयम् ।  
C.S.Ci. 16/128-130

Patients of *Śākhāśraya Kāmalā* should consume food with the soup of the meat of peacock, partridge and cock, intake of ununctious, sour and pungent substances; vegetable soup prepared from dry radish and *Kulattha*; juice of *Mātuluṅga*, mixed with honey, *Pippali*, *Marica* and *Suṇṭhi*. The above substances will help to bring the *Pitta* to its normal place.

Halimaka (C.S.Ci. 16/134-137)

- Recipe prepared from buffalo milk by adding the juice of *Guḍūcī* and milk.
- After oleation, *Trivṛt* mixed with *Āmalaki* juice should be given to induce purgation. *Drakṣāvalehya*, *Dhātryāvalehya*.

Different varieties of *Yāpana basti*, *Kṣīra basti* and *Anuvāsana basti*.

अनुपशय/अपथ्य (Anupaśaya/Apathya)

*Koṣṭhāśraya Kāmalā* Patients should not take *Pitta* aggravating factors. *Śākhāśraya Kāmalā* patients should not consume *Pitta* alleviating factors until the stool of the patient acquires the colour of *Pitta*. All the causative factors.

MCQs

1. Dosha predominance Haleemaka
  - a. Kapha-Pitta
  - b. Tridoshaja
  - c. Vata-Pitta
  - d. Paittika



2. *Kaphasammur chitovayuhu Sthanatpittam-ksipedbalee*-such pathogenetic events described in context to  
 a. *Shakhashraya kamala*  
 b. *Kumbha kamala*  
 c. *Shvasaroga*  
 d. *Vatarakta*
3. Prognosis of *Kumbha kamala*  
 a. *Sadhya* b. *Krichram*  
 c. *Yapya* d. *Asadhya*
4. *Streeshuaharshomridujwara* is seen in  
 a. *Kaphajapandu* b. *Kumbha kamala*  
 c. *Haleemaka* d. *Kamala*
5. भेकाभोदुर्बलेन्द्रिय is the feature of  
 a. *Kamala* b. *Pandu*  
 c. *Sopha* d. *Haleemaka*
6. Which among the following is not the feature of *Haleemaka*  
 a. *Streeshuaharsham* b. *Balautsahakshaya*  
 c. *Mridujwara* d. *Bhinnavit*
7. *Panaki* disease is mentioned by  
 a. *Charaka* b. *Bhavaprakasa*  
 c. *Madavanidana* d. *Susruta*
8. सन्तापोभिन्नवर्चस्त्वंवहिरन्ताशपीतता पाण्डुतानेत्रयोरेष्य \_\_\_\_\_  
 a. *Kamala* b. *Panaki*  
 c. *Haleemaka*  
 d. *Mrtbhakshanajanyapandu*
9. कालान्तराखरीभूताकृच्छ्राभ्यात् \_\_\_\_\_  
 a. *Haleemaka*  
 b. *Mrtbhakshanajanyapandu*  
 c. *Kumbha kamala*  
 d. *Panaki*
10. Which among the following is not the *asadyalakshana* of *Kamala*  
 a. *Krishna peetasakrit and mutra*  
 b. *Raktachardhi*  
 c. *Nashtasamjna*  
 d. *Bhinnavarchas*

## Answer

|     |   |    |   |    |   |
|-----|---|----|---|----|---|
| 1.  | c | 2. | a | 3. | b |
| 4.  | c | 5. | a | 6. | d |
| 7.  | c | 8. | b | 9. | c |
| 10. | d |    |   |    |   |