

Introduction

Grahaṇi Doṣa refer to diseases located in *Grahaṇi*. This specific term refers to 4 types of *Grahaṇi roga*. This also includes *Agnimāndhya*, *Ajīrṇa* etc, these diseases manifest due to vitiation of *Grahaṇi*. The term *Grahaṇi* as a disease entity specifically used for the ailment *Grahaṇīgada*, which manifest due to malfunctioning of *Grahaṇi*. (C.S.Ci. 15/38-41 (*Cakrapāṇi*))

Other ailments, like *Agnimāndhya* having only their location are not implied by the term *Grahaṇīgada*. In *Atisāra*, undigested food particles are released but it is not called *Grahaṇi Doṣa* because of difference in its pathogenesis & line of treatment.

Pittadharakalā situated between *Pakvāsaya* & *Āmāsaya* is known as *Grahaṇi*, strength of *Grahaṇi* is *Agni* and *Agni* resides in the *Grahaṇi*; that's why when *Agni* is vitiated, *Grahaṇi* also become vitiated (S.S.Utt. 40/169-170).

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

ग्रहणीरोगमिति ग्रहण्या रोगो ग्रहणीरोगः ॥
M.Ni. 4/3 (*Madhu*)

The disease manifest in the *Grahaṇi* is known as *Grahaṇīroga*.

ग्रहणीमाश्रितोऽग्निदोषो ग्रहणी दोषः ॥
C.S.Ci. 15/1-2 (*Cakrapāṇi*)

The morbidity of *Agni* located in the *Grahaṇi* is called *Grahaṇi doṣa*.

अग्न्यधिष्ठानमन्नस्य ग्रहणाद्ग्रहणी मता ।
C.S.Ci. 15/56

अग्न्यधिष्ठानमन्नस्य ग्रहणाद्ग्रहणी मता इति ॥
Ādd.Śa.Prā. 7/8

Grahaṇi is a dwelling place of bio-digestive fire & receives the food is termed as *Grahaṇi*.

अधस्तु पक्वमामं वा प्रवृत्तं ग्रहणीगदः ।

C.S.Ci. 15/51-52

A slightly digested and undigested food substances move downwards is known as *Grahaṇīgada*.

ग्रहणी रोग निदान (Grahani Roga Nidāna)

दुष्यति ग्रहणी जन्तोरग्निसादनहेतुभिः ॥
अतिसारे निवृत्तेऽपि मन्दाग्नेरहिताशिनः ।
भूयः सन्दूषितो वह्निर्ग्रहणीमभिदूषयेत् ॥
S.S.Utt. 40/166-167

अतिसारेषु यो नातियत्नवान् ग्रहणीगदः ।
तस्य स्यादग्निविध्वंसकरैरन्यस्य सेवितैः ॥
A.H.Ni. 8/15-16

Diseases of *Grahaṇi* manifest due to disordered functions of *Agni*. After the cure of *Atisāra* or who is suffering from mild digestive fire, if they consume unwholesome dietetic regimen leading to further vitiation of *Agni* along with *Grahaṇi*.

ग्रहणी रोग भेद (Grahani Roga Bheda)

Classification of Grahani Roga

एकशः सर्वशश्चैव दोषैरत्यर्थमुच्छिन्नवतैः ।
सा दुष्टा बहुशो भुक्तमाममेव विमुञ्चति ॥
S.S.Utt. 40/171

वातात् पित्तात् कफाच्च स्यात्तद्रोगस्त्रिभ्य एव च ।
हेतुं लिङ्गं चिकित्सां च शृणु तस्य पृथक् पृथक् ॥
C.S.Ci. 15/58

There are four varieties of *Grahaṇi roga* namely *Vātaja*, *Pittaja*, *Kaphaja* & *Sannipātaja* are described.

The word '*Grahaṇi Doṣa*' includes the following diseases C.S.Ci. 15/71, C.S.Ci. 15/38-41 (*Cakrapāṇi*)

- Grahaṇi roga* or *Grahaṇi gada*
- Agnimāndhya*
- Ajīrṇa*
- Mandāgni*
- Tikṣṇāgni*
- Viṣamāgni* etc.

पूर्वरूप (Pūrvārūpa)

पूर्वरूपं तु तस्येदं तृष्णाऽऽलस्यं बलक्षयः ।
विदाहोऽन्नस्य पाकश्च चिरात् कायस्य गौरवम् ॥
C.S.Ci. 15/55

तस्योत्पत्तौ विदाहोऽन्ने सदनालस्यतृद्वलमाः ।
बलक्षयोऽरुचिः कासः कर्णक्ष्वेदोऽन्त्रकूजनम् ॥
S.S.Utt. 40/173

Premonitory signs & symptoms of *Grahaṇī roga* are as follows- Thirst, laziness, diminution of strength, burning sensation during digestion of food, delayed digestion, heaviness in body, general malaise, exhaustion, anorexia, cough, ringing inside the ears and gurgling noise in the abdomen.

ग्रहणी रोग संप्राप्ति (Samprāpti of Grahaṇī Roga)

सा दुष्टा बहुशो भुक्तमाममेव विमुञ्चति ॥ पक्वं वा ॥
S.S.Utt. 40/171-172

दुर्बलो विदहत्यन्नं तद्यात्यूर्ध्वमधोऽपि वा ॥
अधस्तु पक्वमामं वा प्रवृत्तं ग्रहणीगदः ।
उच्यते सर्वमेवान्न प्रायो ह्यस्य विदहते ॥
C.S.Ci. 15/51-52

दुर्बलाग्निबला दुष्टा त्वाममेव विमुञ्चति ॥
C.S.Ci. 15/57

Due to etiological factors both *Agni* and *Grahaṇī* becomes disturbed leading to development of *Grahaṇī roga*.

Impaired *Agni* burns the food incompletely which goes either upward or downwards when it moves downwards either in ripe or unripe condition is known as *Grahaṇī gada*. Such patients suffers from sour eructation, burning sensation, thirst along with difficulty in digestion.

Nidāna Sevana (Consumption of Etiological factors)

↓
Aggravation of *Vātādi doṣās*

↓
Disturbance of *Agni* and *Grahaṇī*

↓
Development of *Āma* inside the gastro intestinal tract

↓
Localisation of *Vātādi doṣās* and *Rasādi dhātus*

in the *Annavaha Srotas*

↓
Leading to incomplete digestion of food

↓
Which goes either upward or downwards

↓
When it moves downwards either in ripe or unripe condition

↓
Grahaṇī gada.

(Patients suffers from sour eructation, burning sensation, thirst along with difficulty in digestion)

ग्रहणी रोग संप्राप्ति घटक (Samprāpti Ghaṭaka of Grahaṇī Roga)

Doṣa : *Pitta Pradhāna Tridoṣaja*

Vāta → *Samāna*

Pitta → *Pācaka*

Kapha → *Kledaka*

Dūṣya : *Dhātu* → *Rasa*

Upadhātu →

Śārīrika mala → *Mūtra, Puriṣa*

Dhātu mala → *Kapha, Pitta*

Agni : *Jaṭharāgni*

Agniduṣṭi : *Mandāgni*

Āma : *Āgnijanya*

Srotas : *Annavaha*

Srotoduṣṭi : *Sanḡa & Vimārgagamana, Atipravṛtti*

Adhiṣṭhāna : *Grahaṇī*

Udbhavasthāna : *Grahaṇī*

Vyaktasthāna : *Grahaṇī*

Sancārasthāna : *Mahā Srotas, Annavaha Srotas*

Svabhāva : *Cirakāri*

Prabhāva : *Mahāroga, Sudustura (difficult to treat)*

Roga Mārga : *Abhyantara*

Roga bheda : *Vātaja, Pittaja, Kaphaja & Sannipātaja*

सामान्य लक्षण (Sāmānya Lakṣaṇa)

अतिसृष्टं विबद्धं वा द्रवं तदुपदिश्यते ।

तृष्णारोचकवैरस्यप्रसेकतमकान्वितः ॥

शूनपादकरः सास्थिपर्वरुक् छर्दनं ज्वरः ।
लोहामगन्धिस्तित्काम्ल उद्गारश्चास्य जायते ॥

C.S.Ci. 15/53-54

अथ जाते भवेज्जन्तुः शूनपादकरः कृशः ।
पर्वरुग्लौत्यतृच्छर्दिज्वरारोचकदाहवान् ॥
उद्विरेच्छुक्तित्काम्ललोहधूमामगन्धिकम् ।
प्रसेकमुखवैरस्यतमकारुचिपीडितः ॥

S.S.Utt. 40/174-175

General signs and symptoms of Grahani
roga are as follows : Patient passes frequent watery stools or constipated associated with thirst, anorexia, distaste in mouth, excessive salivation, and feeling of darkness. Besides, oedema on feet and hands, pain in bones & joints, vomiting, fever, eructations have metallic or *Āma* or smoke smell; sour, bitter, & vinegar eructations; emaciation, greediness, burning sensation inside and breathlessness.

वातज ग्रहणी रोग हेतु, संप्राप्ति एवं लक्षण (Vātaja Grahani Roga Hetu, Samprāpti Evam Lakṣaṇa)

कटुतिक्तकषायातिरुक्षशीतलभोजनैः ।
प्रमितानशनात्यध्ववेगनिग्रहमैशुनैः ॥
करोति कुपितो मन्दमग्निं संछाद्य मारुतः ।
तस्यान्नं पच्यते दुःखं शुक्तपाकं खराङ्गता ॥
कण्ठास्यशोषः क्षुत्तृष्णा तिमिरं कर्णयोः स्वनः ।
पाश्चोरुवङ्क्षणग्रीवारुजोऽभीक्ष्णं विसूचिका ॥
हृत्पीडा काश्यदौर्वल्यं वैरस्यं परिकर्तिका ।
गृद्धिः सर्वरसानां च मनसः सदनं तथा ॥
जीर्णे जीर्यति चाध्मानं भुक्ते स्वास्थ्यमुपैति च ।
स वातगुल्महृद्रोगप्लीहाशङ्की च मानवः ॥
चिराददुःखं द्रवं शुष्कं तन्वामं शब्दफेनवत् ।
पुनः पुनः सृजेद्वर्चः कासश्चासार्दितोऽनिलात् ॥

C.S.Ci. 15/59-64

Vātaja Grahani Roga manifest due to following etiological factors- Excessive consumption of pungent, bitter, astringent, excessively unctuous & cold food substances, less intake of food, fasting too much, travelling on foot, suppression of natural urges and excessive sexual intercourse.

संप्राप्ति (Samprāpti)

Due to etiological factors *Vāta* gets aggravated

and surrounds *Agni* as a result *Agni* becomes sluggish and manifest *Vātaja Grahani*.

लक्षण (Lakṣaṇa)

Food digested with difficulty, hyperacidity, roughness in body, dryness of throat & mouth, hunger, thirst, blurred vision, tinnitus, frequent pain in sides of chest, thighs, pelvic region and neck, *Visūcikā*, pain in cardiac region, emaciation, weakness, distaste in mouth, cutting pain in abdomen, desire to take all taste food items, lassitude, flatulence after & during the process of digestion, temporary relief after taking food, patient suspects as if he is suffering from *Vātagulma*, *Hṛdroga* or *Plīhā roga*. Patient passes stool frequently with difficulty, which is liquid mixed with hard stool, thin, *Āma* associated with sound & froathyness. Patient also suffers from cough & dyspnoea.

पित्तज ग्रहणी रोग हेतु एवं संप्राप्ति (Pittaja Grahani roga hetu evam Samprāpti)

कट्वजीर्णविदाह्यम्लक्षाराद्यैः पित्तमुल्बणम् ।
अग्निमाप्लावयद्भन्ति जलं तप्तमिवानलम् ॥

C.S.Ci. 15/65

Pittaja grahani roga manifest if patient adopts following etiological factors : Intake of pungent, uncooked food; eating during indigestion, food substances which induce burning, sour, alkaline food etc. Due to etiological factors *Pitta* gets aggravated and extinguishes *Agni*, like hot water causes extinction of physical fire.

पित्तज ग्रहणी रोग लक्षण (Pittaja Grahani roga Lakṣaṇa)

सोऽजीर्णं नीलपीताभं पीताभः सार्यते द्रवम् ।
पूत्यम्लोद्गारहृत्कण्ठदाहारुचितृडर्दितः ॥

C.S.Ci. 15/66

Patient passes stool, which is watery, undigested, either bluish-yellow or yellow in colour, foetid and sour eructations, burning sensation in the cardiac region & throat, anorexia & thirst.

कफज ग्रहणी रोग हेतु, संप्राप्ति एवं लक्षण (Kaphaja Grahani Roga Hetu, Samprāpti Evam Lakṣaṇa)

गुर्वतिस्निग्धशीतादिभोजनादतिभोजनात् ।
 भुक्तमात्रस्य च स्वप्नाद्धन्त्यग्निं कुपितः कफः ॥
 तस्यान्नं पच्यते दुःखं हल्लासच्छर्द्दरोचकाः ।
 आस्योपदेहमाधुर्यकासघ्नीवनपीनसाः ॥
 हृदयं मन्यते स्त्यानमुदरं स्तिमितं गुरु ।
 दुष्टो मधुर उदगारः सदनं स्त्रीष्वहर्षणम् ॥
 भिन्नामश्लेष्मसंसृष्टगुरुवर्चःप्रवर्तनम् ।
 अकृशस्यापि दौर्बल्यमालस्यं च कफात्मके ॥

C.S.Ci. 15/67-70

Kaphaja Grahani Roga manifest by following etiological factors : Excess consumption of food, which is heavy, too unctuous, cold etc; over eating and sleeping immediately after meals.

संप्राप्ति (Samprāpti)

Due to etiological factors *Kapha* gets aggravated and extinguishes *Agni* & manifest *Kaphaja Grahani Roga*.

लक्षण (Lakṣaṇa)

Digestion of food with difficulty, nausea, vomiting, anorexia, sliminess and sweetishness in mouth, cough, spitting sputum, rhinitis, feeling of sluggishness in cardiac region, patient feels his abdomen is still & heavy, sweetish eructations having foul smell, general debility, lack of desire towards women, patient passes stool which is split into pieces, mixed with *Āma* & *Mucus* and heavy; without emaciation patient feels weak & lassitude.

सन्निपातज ग्रहणी रोग हेतु, संप्राप्ति एवं लक्षण (Sannipātaja Grahani Roga hetu, Samprāpti Evam Lakṣaṇa)

पृथग्वातादिनिर्दिष्टहेतुलिङ्गसमागमे ।
 त्रिदोषं निर्दिशेत्तेषां भेषजं शृण्वतः परम् ॥

C.S.Ci. 15/72

If person adopts such etiological factors, which is capable of aggravating all the three *Doṣās* simultaneously leading to suppression of *Agni* and manifest signs & symptoms of all the *Doṣās* is known as *Sannipātaja Grahani Roga*.

संग्रहग्रहणी एवं घटीयन्त्र ग्रहणी (Sangraha grahani evam ghati yantra grahani)

अन्नकूजनमालस्यं दौर्बल्यं सदनं तथा ।
 द्रवं शीतं घनं स्निग्धं सकटीवेदनं शकृत ॥
 आमं बहु सपैच्छिल्यं सशब्दं मन्दवेदनम् ।
 पक्षान्मासाद्ग्राहाद्वा नित्यं वाऽप्यथ मुञ्चति ॥
 दिवा प्रकोपो भवति रात्रौ शान्तिं ब्रजेच्च या ।
 दुर्विज्ञेया दुश्शिकित्या चिरकालानुबन्धिना ॥
 सा भवेदामवातेन संग्रहग्रहणी मता ।
 स्वपतः पार्श्वयोः शूलं गलज्जलघटीध्वनिः ।
 तं वदन्ति घटीयन्त्रमसाध्यं ग्रहणीगदम् ॥

M.Ni. 4

Sangraha grahani is caused by Āma and vāta and it manifest signs and symptoms are as follows : Intestinal gurgling; lassitude; debility; general malaise; passes stool which is liquid, cold, solid, unctuous, associated with pain in low back; patient voids stool with excessive *Āma*, sliminess, sound associated with mild pain. This diseases repeats once in 15 days, 30 days, 10 days or once in a day. Disease aggravates during day time and pacifies in night time. It is very difficult for diagnosis & management. Patient suffers from this entity for longer period of time.

Ghatiyantra grahani is characterised by excessive sleeping, pain in sides of chest, and produces the sound like that of water pouring out of pot while defecating and it is incurable.

Prognosis of Grahani roga

दोषं सामं निरामं च विद्यादत्रातिसारवत् ॥
 लिङ्गैरसाध्यो ग्रहणीविकारो यैस्तैरतीसारगदो न सिध्येत् ।
 वृद्धस्य नूनं ग्रहणीविकारो हत्वा तनुं नैव निवर्तते च ॥
 बालके ग्रहणी साध्या यूनि कृच्छ्रा समीरिता ।
 वृद्धे त्वसाध्या विज्ञेया मतं धन्वन्तरेरिदम् ॥

M.Ni. 4/18-20

The digested and undigested state of this disease are to be known like *Atisāra*. Prognosis is like that of *Atisāra*. If an old person is afflicted by *Grahaniroga*, it will not leave him even after death. *Grahani roga* in children is curable, it is difficult for management in young and it is incurable in the old, according to *Dhanvantari*.

Differentiate between Grahani Doṣa & Grahaniḡada/ Grahani Roga

S.No.	Grahani Doṣa	Grahaniḡada/ Grahani Roga
1	Grahani Doṣa refers to group of diseases originated due to vitiation of Grahani.	It is one variety of Grahani Doṣa
2	The word 'Grahani Doṣa' includes the following diseases C.S.Cl. 15/71, C.S.Cl. 15/38-41 (Cakrapāṇi) A) Grahani roga or Grahani ḡada B) Agnimāndhya C) Ajirṇa D) Mandāgni E) Tikṣṇāgni F) Viṣamāgni etc.	There are four varieties of Grahani roga namely Vātaja, Pittaja, Kaphaja & Sannipātaja are described

Differential diagnosis of Atisāra and Grahani Roga and Pravāhikā

S.No.	Atisāra	Pravāhikā	Grahani Roga/Grahani ḡada
Doṣa	Vāta & āpadhātus Apa dhātus अपान्यातुःकायद्रवः श्लेष्मपित्त- रसादिकः। अन्ये तु कफदुष्टं रसं स्वेदं चापान्यातुशब्देनाहुः। S.S.Utt. 40/138 Dalhaṇa	Vāta & Balāsa (Kapha) एतेनैतदुक्तं भवति-यत्र रोगे वातप्रेरितं कफं पुरुषः प्रेरयति, तां प्रवाहिकां कफं प्रवाहमाणस्य प्रेरमाणस्य तज्ज्ञाः प्रवद- न्तीति सख्यन्धः S.S.Utt. 40/138 Dalhaṇa	Vāta and agni plays a vital role
Etiology	Krimidoṣa is mentioned as etiology	Krimidoṣa is not mentioned under etiology	Agniduṣṭi etiological factors mainly responsible for the development of this disease
Etiology	Psychological factors like Śoka, Bhaya as a etiological factors	Such factors are not mentioned	Psychological factors like Śoka, Bhaya as a etiological factors
Etiology	Independently develop as a disease due to exposure to etiological factors	Independently develop as a disease due to exposure to etiological factors	It may manifest independently or after Atisāra due to consumption of agni vitiating etiological factors
Classification	According to Suśruta Atisāra is classified into six types i.e. 1. Vātaja, 2. Pittaja, 3. Kaphaja, 4. sannipātaja, 5. Śokaja & 6. Āmaja; Some people says it is classified into various types but Kāśirāja says it is not right, because it has many different stages of the Doṣās and appear at various times during the	1. Vātaja, 2. Pittaja, 3. Kaphaja and 4. Raktaja Pravāhikā are described along with their symptomatology & these may be considered as classification of Pravāhikā.	There are four varieties of Grahani roga namely Vātaja, Pittaja, Kaphaja & Sannipātaja are mentioned

	course of the disease. <i>According to Caraka Atisāra</i> is classified into five types i.e. 1. Vātaja, 2. Pittaja, 3. Kaphaja, 4. Sannipātaja & 5. Āgantuja (Bhayaja & Śokaja).		
Class- ification	It is classified briefly into two types i.e. <i>Sāma</i> & <i>Nirāma</i> and <i>Sāṣṛk</i> mixed with blood & <i>Nirāṣṛk</i> not mixed with blood. A.H.Ni.8/13-14	Such classification is not mentioned	Such classification is not mentioned
Class- ification	These six varieties of <i>Atisāra</i> are subdivided into thirty more varieties depending on the predominance of one or the other <i>Doṣa</i> . If six varieties are combined with them, their numbers becomes thirty six and are manifested along with their complications. C.S.Si.8/21	Such classification is not mentioned	Such classification is not mentioned
Pūrva rupa	Premonitory signs & symptoms of <i>Atisāra</i> are pricking type of pain in heart, umbilicus, rectum, lower abdomen and flanks; general malaise; non elimination of flatus, constipation, distension of abdomen and indigestion.	Premonitory signs & symptoms of <i>Pravāhikā</i> are not mentioned	Premonitory signs & symptoms of <i>Grahaṇī roga</i> are thirst, laziness, diminution of strength, burning sensation during digestion of food, delayed digestion, heaviness in body, general malaise, exhaustion, anorexia, cough, ringing inside the ears and gurgling noise in the abdomen.
Clinic- al fea- ture	No oedema on feet and hands, No history of vomiting, fever, eructation's (metallic or <i>Āma</i> or smoke smell); no history of sour, bitter, & vinegar eructation's No history of emaciation,	No oedema on feet and hands, No history of vomiting, fever, eructation's (metallic or <i>Āma</i> or smoke smell); no history of sour, bitter, & vinegar eructation's No history of emaciation,	Patient passes frequent watery stools or constipated associated with thirst, anorexia, oedema on feet and hands, pain in bones & joints, vomiting, fever, eructations have metallic or <i>Āma</i> or smoke smell; sour, bitter, & vinegar eructations; emaciation, greediness, burning sensation inside and breathlessness are observed
Nature	Acute onset	Acute onset	Chronic
Nivṛ- ti la- kṣaṇa	<i>Atisāra nivṛtti lakṣaṇa</i> are mentioned <i>Sannipātaja Atisāra</i> is very difficult to treat and	<i>Pravāhikā nivṛtti lakṣaṇa</i> are mentioned No such descriptions available	<i>Grahaṇī roga nivṛtti lakṣaṇa</i> are mentioned <i>Grahaṇī roga</i> in children is curable, it is difficult for

	incurable in young & old persons		management in young and it is incurable in the old, according to <i>Dhanvantari</i> .
Contemporary	It may be correlated to Diarrhea	Based on the above clinical features it may be correlated to inflammatory bowel disease (IBD) & it is a group of inflammatory conditions of the colon and small intestine, Shigellosis also known as Bacillary Dysentery & Amebiasis	<i>Grahaṇī roga</i> may be compared to irritable bowel syndrome & Celiac disease, also known as celiac sprue or gluten-sensitive enteropathy, acid peptic disorders & Gastroesophageal reflux disease (GERD)

Differentiate Doṣaja Grahaṇī Roga

S.No	Vātaja	Pittaja	Kaphaja	Sannipātaja
Etiology	Excessive consumption of pungent, bitter, astringent, excessively unctuous & cold food substances, less intake of food, fasting too much, travelling on foot, suppression of natural urges and excessive sexual intercourse.	Intake of pungent, uncooked food; eating during indigestion, food substances which induce burning, sour, alkaline food etc. Due to etiological factors <i>Pitta</i> gets aggravated and extinguishes <i>Agni</i> , like hot water causes extinction of physical fire.	Excess consumption of food, which is heavy, too unctuous, cold etc; over eating and sleeping immediately after meals.	If person adopts such etiological factors, which is capable of aggravating all the three <i>Doṣās</i> simultaneously leading to suppression of <i>Agni</i> and manifest <i>Sannipātaja</i>
Clinical feature	Patient passes stool frequently with difficulty, which is liquid mixed with hard stool, thin, <i>Āma</i> associated with sound & froathiness	Patient passes stool, which is watery, undigested, either bluish-yellow or yellow in colour, foetid and sour eructations, burning sensation in the cardiac region & throat, anorexia & thirst	patient passes stool which is split into pieces, mixed with <i>Āma</i> & <i>Mucus</i> and heavy	patient passes stool which is mixture of features of all the three <i>doṣās</i>
Nature of pain	Pain in cardiac region	Burning sensation in the cardiac region & throat	Feeling of sluggishness in cardiac region,	Pain, burning and feeling of sluggishness in cardiac region
Eructations	Hyperacidity and Acid reflux	Foetid and sour eructations	Sweetish eructation's having foul smell	Acid reflux, foetid and sour eructation & sweetish eructation's having foul smell
Contemporary	Based on above clinical features <i>Vātaja Grahaṇī</i> may be correlated with Celiac disease/celiac	Based on above clinical features <i>Pittaja Grahaṇī</i> may be correlated with acid	Based on the above clinical features <i>Kaphaja Grahaṇī</i> may be correlated with	Based on above clinical features <i>Sannipātaja Grahaṇīroga</i> may be

sprue or guten sensitive enteropathy, tropical sprue, Irritable Bowel Syndrome (IBS), PEM (protein energy malnutrition) etc.	peptic disorders.	Gastroesophageal reflux disease (GERD), Malabsorption syndrome.	correlated with IBS-M (Mixed diarrhoea and constipation), IBS- U (unclassified).
--	-------------------	---	--

उपशय/पथ्य (Upaśaya/Pathya)

Auśadha- *Daśamūlādyā ghṛta*, *Tryūṣaṇādyā ghṛta*, *Pañcamūlādyā ghṛta* and *Cūrṇa*, *Citrakādyā guṭikā*, *Pippalādyā Cūrṇa*, *Maricyādi Cūrṇa*, *Takrāriṣṭa*, *Tiktaka ghṛta*, *Nāgarādyā Cūrṇa*, *Bhūnimbādyā Cūrṇa*, *Kirātādyā Cūrṇa*, *Madhūkāsava*, *Durālabhāsava*, *Mūlāsava*, *Pinḍāsava*, *Madhvāriṣṭa*, *Pippalyādi Cūrṇa*, *Kṣāra Ghṛta*, *Bhallātakādyā Kṣāra*, *Durālabhādyā Kṣāra*, *Bhūnimbādikṣāra*, *Haridrādyā Kṣāra*, *Kṣāra guṭikā*, *Tālisapatrādi Cūrṇa*, *Pañcamūlādi Ghṛta*.

Anna- C.S.Ci. 15/115-117

Soup of *Pañcakola* or the soup of *Mūlaka* prepared by adding *Marica* and ghee or oil, or spiced meat soup of wild animals added with ghee and sour pomegranate & butter, meat soup of carnivorous animals mixed with appetisers are recommended as diet. Buttermilk, sour gruel, wine & *Ariṣṭa* should be taken as post meal drink.

Use of buttermilk (butter milk) with salt is very effective in checking psoriasis. The buttermilk is very useful in adjusting the three orders of body including *Vāta*, *Pitta* and *Kapha*. It is light and thus helpful in promoting digestion. It is *Madhura* in *Vipāka* and thus it does not vitiate the *Pitta Doṣa*. It is sour, astringent, hot by nature and thus it controls the *Kapha* contents as well. The fresh buttermilk is smooth and it does not produce burning sensation as well. (B.R. 8/3-4)

The following measures are considered to be beneficial for patients of *Grahāṇī*

Sleeping, vomiting, *Lañghana* (fasting), taking in meals old *Śālī* rice, old *Ṣaṣṭhi* rice, liquid obtained from the cooked rice, pulse soup of *Masūra* (lentil), *Ādhya* (pigeon peas) and *Mudga* (kidney beans) pulses, curd of cow's milk containing no butter, butter obtained from goat's milk or curd, *Ghṛtam* of goat's milk, cow's milk,

curd, sesame oil, liquor, honey, *Kamalakanda*, *Maulśrī*, both types of pomegranate, fresh fruits of *Kaseru*, fruit and flowers of banana, pulp of fresh *Bilva* fruits, *Śrīngāṭāka*, *Cāngerī*, *Vijayā*, *Kapittha*, bark of *Kuṭaja*, cumin seeds, buttermilk, leaves of *Kancā*, *Nisāna*, *Jāṭiphala*, *Jambū*, coriander, *Tinduka*, *Mahānimba*, *Mañjiṣṭhā*, *Pelava*, meat of carnivorous birds, meat soup of rabbit, *Eṇa* and *Tittira* (partridge) and all types of small fish, *Khuddiśa* (one type of fish which flies for a short period), *Madhuralikā* (type of fish), *Khalīś* (type of fish), all types of sour liquids. One can also heat up the patient around the areas two fingers up and two fingers down of belly and also at the roots of backbone. It also helps the patient of *Grahāṇī*. (B.R. 8/622-625)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

The following are considered to be harmful in cases of *Grahāṇī*: blood letting, roaming during night, drinking excessive water, bathing, intercourse, stopping flow of excretions, nasal therapy, application of collyrium, *Svedana* therapy, smoking, heavy work, uncomptiable food, sun bathing or enjoying fire heat, taking food items prepared from wheat, white beans, peas, *Urada* (pulse soup), barley, ginger, *Catraka* (mushroom), *Rājamāṣa*, *Upodikā*, *Vāstuka*, *Kākamācī*, ash gourd or *Kāṣīphala*, *Tumbī*, ripe drum stick, potato, *Arui*, and other tubers, betel leaves, sugarcane, berry, mango, snake cucumber (*Karkaṭī*), betel nut, garlic, *Kāñji*, *Sauvira* (barley and wheat's *Kāñji*), *Tuṣodaka* (*Kāñji* of yava along with its peels), milk, jaggery, buttermilk, coconut fruit or water, *Punarnavā*, fruit of *Kaṇṭakārī*, bamboo shoots, all types of leafy cuisine, contaminated water, cow's urine, *Kastūrī*, *Yavakṣāra*, all types of laxative liquids, *Drākṣā* and like sour eatables, salt, taking heavy to digest meals, all types of pudding and *Puri*. (B.R. 8/617-621)

MCQs

1. *Bhuktāmamam eva vimunchati, muhurbadha-mmuhurdravam* is the feature of
 - a. *Grahani*
 - b. *Atisara*
 - c. *Chardhi*
 - d. *Pravahika*
2. In *Samgrahagrahani*, *malapravrthi* occurs in
 - a. *Paksha, Masa, 10 days or daily*
 - b. 6 months
 - c. 8 months
 - d. Years
3. *Diva prakopobhavatiratrousanti* is the feature of
 - a. *Vatajagrahani*
 - b. *Tridoshagrahani*
 - c. *Samgrahagrahani*
 - d. *Ghatiyantragrahani*
4. Prognosis of *Ghatiyantragrahani*
 - a. *Dussaha*
 - b. *Asadya*
 - c. *Yapya*
 - d. *Krichrasadya*
5. *Parswasoola* while sleeping is the feature of
 - a. *Samgrahagrahani*
 - b. *Ghatiyantragrahani*
 - c. *Vatajagrahani*
 - d. *Tridoshagrahani*
6. *Kara padaswayathu* is seen in
 - a. *Grahanipurvaroopo*
 - b. *Grahaniupadrava*
 - c. *Kaphajagrahani*
 - d. *Grahaniroopa*
7. *Streeshuaharshanam* is the feature of
 - a. *Kaphajaatisara*
 - b. *Vatajaatisara*
 - c. *Vatajagrahani*
 - d. *Kaphajagrahani*
8. *Akrisayaapidourbalyam* is the feature of
 - a. *Kaphaja grahani*
 - b. *Kaphaja atisara*
 - c. *Shokaja atisara*
 - d. *Vataja grahani*
9. *Jeernejeeryati cha aadhmanambhukteswa-sthyam* is the feature of
 - a. *Vatajagrahani*
 - b. *Parinamasula*
 - c. *Annadravasula*
 - d. *Teekshnagni*
10. Types of *Grahanigada*
 - a. 3
 - b. 4
 - c. 5
 - d. 6
11. *Vatahridrogagulmaarsapleehapandut-vasankina* is the feature of
 - a. *Vata Grahani*
 - b. *Arsas*
 - c. Both a & b
 - d. *Udavarta*

Answer

1.	a	2.	a	3.	c
4.	b	5.	b	6.	d
7.	d	8.	a	9.	a
10.	b	11.	a		