

सन्धिगत वात (Sandhigata Vāta)

Vata aggravating etiological factors

रुक्षशीताल्पलघ्वन्नव्यायामातिप्रजागरैः	।
विषमादुपचाराच्च	दोषासृक्स्त्रवणादति ॥
लङ्घनप्लवनात्यध्वव्यायामातिविचेष्टितैः	।
धातूनां	संक्षयाच्चिन्ताशोकरोगातिकर्षणात् ॥
दुःखशय्यासनात्	क्रोधाद्दिवास्वप्नाद्भयादपि ।
वेगसंधारणादामादभिघातादभोजनात्	॥
मर्माघाताद्गजोष्ट्राश्चशीघ्रयानापतंसनात्	।

C.S.Ci. 28/15-18

Vāta gets aggravated by adopting following *Nidānas* such as- excessive consumption of ununctious, cold, scanty, & light food; excessive sexual intercourse; excess vigilance; improper therapeutic procedures; administration of therapies which causes excessive elimination of *Doṣas* and *Rakta*, excess fasting; excessive movements such as leaping, jumping, warfaring and physical exercise; depletion of *Dhātus*; excessive emaciation due to worry, grief and affliction of disease; sleeping over uneven beds & sitting in odd postures; anger; day sleep, fear and suppression of natural urges; *Āma doṣa*; trauma; abstinence from food; injuries to vital body parts; falling down from elephants, horses and other fast moving vehicles.

तत्र बलवद्विग्रहातिव्यायामव्यवायाध्ययनप्रपतनप्रधावन-
प्रपीडनाभिधातलङ्घनप्लवनतरणरात्रिजागरणभारहरणगजतुरङ्ग-
रथपदाति चर्याकटुकपायतिक्तरूक्षलघुशीतवीर्यशुष्कशाकवल्लू-
रवरकोदालककोरदूषश्यामाकनीवारमुद्गमसूराढकीहरेणुकलायनिष्पा-
वानशनविषमाशनाध्यशनवातमूत्रपुरीषशुक्रच्छर्दिक्षवथूद्धारवाष्पवेग-
विघातादिभिर्विशेषैर्वायुः प्रकोपमापद्यते ॥ S.S.Su.21/19

Suśruta has described the etiological factors which are responsible for vitiation of *Vāta doṣa* such as fighting with stronger person, excessive exercise, sexual intercourse, excessive study, falling down, excessive running, excessive pressurizing by feet, trauma, light diet, excessive

swimming, excessive hopping, night awakening, suppression natural urges etc.

Vāta gets aggravated by two different causes viz-

1. *Mārgāvaraṇajanya*: by the occlusion of channels, it is also called as *upstambhit* and
2. *Dhātuksayajanya*: by the depletion of *dhātus*, it is also called as *nir-upastambhit*

वायोर्धातुक्षयात् कोपो मार्गस्यावरणेन च (वा) ।

C.S.Ci. 28/59

Treatment of these two types are nearly opposite in nature. Therefore, understanding of these two types are important at the time of management.

Clinical presentation

वातपूर्णद्वतिस्पर्शः शोथः सन्धिगतेऽनिले ।

प्रसारणाकुञ्चनयोः प्रवृत्तिश्च सवेदना ॥

C.S.Ci. 28/37

Excessively aggravated *Vāta* inside joints causes swelling in the joints, appears as a leather bag inflated with air on palpation and pain during extension & flexion of the joints.

हन्ति सन्धिगतः सन्धीञ्जूलशोफौ करोति च ।

S.S.Ni 1/28

Excessively aggravated *Vāta* inside joints causes the destruction of functions of joints and gives rise to pain & swelling in the joints.

हन्ति सन्धिगतः सन्धीन् शूलाटापौ करोति च ।

M.Ni. 22/21

Excessively aggravated *Vāta* in the joints causes destruction of the actions of joints and manifest pain & crepitation in the joints.

Pathological components

Doṣa - *Vāta pradhāna*

Dūṣya - *Rasa, Asthi, Snāyu, Kaṇḍrā, Sirā*

Adhiṣṭhāna - Sandhipradeśa

Srotas - Rasa, Asthi and Majjāvaha
srotas

Types of Srotoduṣṭi - Saṅga

Nature of disease - Chronic

Treatment - Difficult to be cure

Classification of Sandhigata Vāta

ये वातव्याधयः सन्धीनाश्रयन्ति शनैः शनैः ।
सद्यो वा शूलशोफाभ्यां सन्धिवात हि ते मताः ॥
रसवातो रक्तवातो विषवातस्तथापरः ।
जीर्णवातो जरावातः पञ्च स्युस्तद्विदा इहा ॥

Si.Ni. 8/513-514

Due to consumption of etiological factors Vāta gets infuriated and progressively trouble the Sandhi (joints) and produces the Sandhi Śūla (pain in the joints) and Sandhi śopha (swelling of the joints).

Sandhivāta is classified into five types namely Rasavāta, Raktavāta, Viṣavāta, Jirṇavāta and Jarāvāta.

Rasavāta: Rasavāta is characterised by Ruja (pain) and Śopha (swelling) in Sākhā, Trika, Kaṭi, Prṣṭha, Grīva sandhīs, Sarvagātrapīḍa (pain all over the body) accompanied with Avipāka (indigestion), Aruci (anorexia/loss of appetite) and Alpajvara vijvaroathavā (mild fever or no fever). It is also known as Āmavāta.

Raktavāta: Raktavāta is characterised by Rugdāharāgayukta śoṭha (swelling associated with pain, burning sensation and redness), Sandhau ya śighrasaṅcara (migratory pain moves quickly from one joint to another) and Caranāṅguṣṭhamūlāḍau (especially affects the root of the big toe)

Viṣavāta: Viṣavāta is characterised by Ruja (pain) and Śopha (swelling) in Jānvaṁsak-
aṭiprṣṭhāḍau (knee, shoulder, waist, back etc.) due to Phiraṅga and Pūyamehādi viṣa

Jirṇavāta: Progressive Sandhivāta affects Nānāsandhisamāśraya (many joints) and Nīścalīkurute sandhīn (makes them immovable), it is known as Jirṇavāta & it is chronic condition.

Jarāvāta: Jarāvāta is an Asthi vikṛti (bone disorder) mainly affecting the Prṣṭhavaṁśā (back and shoulder) and causes Kubjatā (state of being humpbacked) due to Jarāvastha (old age).

कटी ग्रह (Kaṭi Graha)

वायुः कट्याश्रितः शुद्धः सामो वा जनयेद्भुजम् ।
कटिग्रहः स विज्ञेयः पंगुःसक्थि द्वयश्रितः ।

Gadanigraha"

- The exacerbated vata reaches the lower back region and takes shelter there and produces Kaṭigraha.
- Vāta doṣa either alone or in association with āma produce symptoms and signs
- It is characterised by pain and restricted movement in the low back region.
- Patients find it difficult to move limbs, walk, and bend.

Exposure to etiological factors



Exacerbation of vāta doṣa



Reaches low back region



Localisation of morbid factors causing doṣa-
dūṣya amalgamation



In certain cases doṣa amalgamate with āma



Kaṭi Graha

सम्प्राप्ति घटक (Samprāpṭhi gaṭaka)

Doṣa	Vāta, Vāta Kapha
Dūṣya	Asthi, Kaṇḍara, Snāyu
Udbhava Sthāna	Pakvāśaya
Srotas	Māmsavaha, Asthivaha Srotoduṣṭi Sanga
Agni	Jaṭarāgni, Dhātvagni
Ama	Jaṭarāgni & Dhātvagni- mandya Janya Āma
Rogamārga	Madhyamā
Vyaktasthāna	Kaṭi

मन्यास्तम्भ-Manyāstambha

Etio-pathogenesis: Sleeping during day time, improper posture and improper way of sitting, standing & gazing upwards leads to aggravation of *Vāta* and enveloped by *Kapha* produces *Manyāstambha*.

दिवास्वन्यासनस्थानविवृतोर्ध्वनिरीक्षणैः ।
मन्यास्तम्भं प्रकुरुते स एव श्लेष्मणाऽऽवृतः ॥

S.S.Ni 1/67

Clinical features

Following features are commonly pointed out by the patient.

1. Stretching in the sternocleidomastoid muscles.
2. Stiffness of above muscles and rest of the other muscles
3. Severe pain in the neck region.

वातकण्टक (Vāta Kaṇṭaka)

रुक् पादे विषमन्यस्ते श्रमाद्वा जायते यदा ।
वातेन गुल्फमाश्रित्य तमाहुर्वातकण्टकम् ॥

A.H.Ni. 15/53

न्यस्ते तु विषमं पादे रुजः कुर्यात् समीरणः ।
वातकण्टक इत्येष विज्ञेयः खुडुकाश्रितः ॥

S.S.Ni 1/79

While walking when the foot is placed unevenly on the ground, *Vāta doṣa* is vitiated and develops sprains at the ankle joint/joints of feet, which is associated with severe pain and swelling. This is also known as *khudḍavāta* or *pādakaṇṭaka*

अवबाहु एवं अंशशोष (Avabāhuka and Ansaśoṣa)

Clinical features

Aggravated *Vāta* in shoulder region dries up its binding elements and constrict the *Sirās* of the shoulder region is known as *Avabāhuka*.

असंदेशस्थितो वायुः शोषयित्वाऽसबन्धनम् ।
शिराश्चाकुञ्च्य तत्रस्थो जनयत्यवबाहुकम् ॥

S.S.Ni 1/82

Aggravated *vāta*, dries up the binding ligament, tendons and muscles in the shoulder region may lead to develop *Ansaśoṣa*.