

Introduction

- Vomiting, also known medically as "emesis" and colloquially as throwing up, retching, heaving, hurling, puking, tossing, or being sick, is the forcible voluntary or involuntary emptying of stomach contents through the mouth or, less often, the nose.
- Nausea is an uneasiness of the stomach that often comes before vomiting. Vomiting is the forcible voluntary or involuntary emptying ("throwing up") of stomach contents through the mouth.

निरुक्ति एवं परिभाषा (Nirukti and Paribhāṣā)

छर्दिः छर्दयत्यनेनेति । वमिरोगाः । *Śabdakalpdruma*

The forcible voluntary or involuntary emptying known as *Chardi* or *Vamirogāḥ*

छर्दिमनविशेषः । वेगैः कृत्वा आननं छादयतीति छर्दिः ।
Ādd.Śa.Prā. 7/28

The throwing up, retching, heaving, hurling, puking, tossing, or being sick, is the forcible voluntary or involuntary emptying of stomach contents through the mouth is known as *Chardi*

ऊर्ध्वातिदोषप्रवृत्तिरूपा छर्दिरुच्यते ।

C.S.Ci. 20/1 (Cakarpāṇi)

The elimination of aggravated *doṣas* through upward orifice i.e. mouth is called *Chardi*.

छादयन्नाननं वेगैरर्दयन्नङ्गभञ्जनैः ।

निरुच्यते छर्दिरिति दोषो वक्त्राद्विनिश्चरन् ॥

S.S.Utt. 49/6

Forceful discharge of stomach contents with tearing pain in the body is known as *Chardi*.

छर्दि निदान (Chardi Nidāna)

अतिद्रवैरतिस्निग्धैरहृद्यैर्लवणैरति ।

अकाले चातिमात्रैश्च तथाऽसात्त्यैश्च भोजनैः ॥

श्रमात् क्षयात्तथोद्वेगादजीर्णात् कृमिदोषतः ।

नाय्यांश्चापन्नसत्त्वायास्तथाऽतिद्रुतमश्नतः ॥

अत्यन्तामपरीतस्य छर्देर्वै सम्भवो ध्रुवम् ।

बीभत्सैर्हेतुभिश्चान्यैर्द्रुतमुत्क्लेशितो

बलात् ॥

S.S.Utt. 49/3-5

Causative factors of Chardi are as follows :

One who consumes food which are excessive liquid, excess unctuousness, unpleasant, excessive salt, meals during improper time, excessive quantity of food intake, unwholesome, exertion, depletion of tissues, mental emotions, indigestion, worm infestations, pregnant women, consuming food very quickly, too much accumulation of *Āma*, horrifying causes and sudden bouts of emotions.

छर्दि रोग संप्राप्ति (Samprāpti of Chardi Roga)

दोषानुदीर्यन्

वृद्धानुदानो

व्यानसङ्गतः ।

ऊर्ध्वमागच्छति

भृशं

विरुद्धाहारसेवनात् ॥

S.S.Utt. 49/7

Due to above etiological factors *Vāta* especially *Udāna* & *Vyāna* gets aggravated and makes upward movement of *Doṣās* resulting into the expulsion of *Doṣās* from mouth.

Nidāna Sevana (Consumption of Etiological factors)



Aggravation of *Vāta* especially *Udāna* & *Vyāna* along with *Pitta* and *Kapha*



Development of *Āma* inside the gastro intestinal tract



Localisation of *Vātādi doṣās* and *Rasādi dhātus* in the *Annavaha Srotas*



Upward movement and Expulsion of *Doṣās* from mouth



Leading to destruction of *Svara* (Voice)



Chardi

छर्दि रोग संप्राप्ति घटक (Samprāpti Ghaṭaka of Chardi Roga)

Doṣa : *Vāta* (*Udāna* & *Vyāna*) *Pradhāna*

Trdoṣaja
Kapha → *Kledaka*
Pitta → *Pācaka*
Vāta → *Udāna, Vyāna, Samāna*
Manas → *Dviṣṭārtha Samyogaja*
Chardi

Duṣya : *Dhātu* → *Rasa*
 : *Upadhātu* →
Śārīraja Mala → *Puriṣa*
Dhātu Mala → *Kapha, Pitta*

Agni : *Jaṭharāgni, Dhātvāgni*
Agniduṣṭi : *Mandāgni, Viṣamāgni*
Āma : *Āgnijanya*
Srotas : *Annavaha*
Srotoduṣṭi : *Vimārgagamana & Saṅga*
Sancārasthāna : *Koṣṭha*
Adhiṣṭhāna : *Āmāśaya*
Udbhavasthāna : *Āmaśayottha, Koṣṭha (C.Su 11/41)*

Svabhāva : *Āśukāri*
Prabhāva : Without complications-curable
 with complications-not curable
Rogamārga : *Abhyantara*

पूर्वरूप (Pūrvarūpa)

प्रसेको हृदयोत्क्लेशो भक्तस्यानभिनन्दनम् ।
 पूर्वरूपं मतं छद्वा यथास्वं च विभावयेत् ॥
S.S.Utt. 49/8

ताषां हृदुत्क्लेशकफप्रसेकौ द्वेषोऽशने चैव हि पूर्वरूपम् ॥
C.S.Ci. 20/6

Premonitory signs & symptoms of Chardi are as follows : Excessive salivation, nausea with uneasy feeling in the cardiac region, dislike for food and the same features may seen in next stage also.

छर्दि भेद (Chardi bheda)

Classification

दोषैः पृथक् त्रिप्रभवा चतुर्थी द्विष्टार्थयोगादपि पञ्चमी स्यात् ।
C.S.Ci. 20/6

Chardi is classified into five types namely *Vātaja, Pittaja, Kaphaja, Sannipātaja, Dviṣṭārtha Yogaja Chardi*.

Suśruta included *Krimiṣa Chardi*.

विशेष लक्षण (Viśeṣa Lakṣaṇa)

वातज छर्दि निदान (Vātaja Chardi Nidāna)

व्यायामतीक्ष्णौषधशोकरोगभयोपवासाद्यतिकर्षितस्य ।

C.S.Ci. 20/7

Causative factors of Vātaja Chardi are as follows : If person become emaciated due to excessive physical exercise, penetrating drugs, grief, chronic illness, fear and fasting.

वातज छर्दि संप्राप्ति (Vātaja Chardi Samprāpti)

वायुर्महास्रोतसि संप्रवृद्ध उत्क्लेश्य दोषांस्तत ऊर्ध्वमस्यन् ॥
 आमाशयोत्क्लेशकृतां च मर्म प्रपीडयंश्छर्दिमुदीरयेत् ।

C.S.Ci. 20/7-8

Due to above etiological factors *Vāta* gets aggravated in *Mahāsrotas*, incite the local *Doṣās* and throw them upwards and thus cause vomiting due to gastric irritation also producing discomfort after afflicting vital organs and manifest *Vātaja Chardi*.

वातज छर्दि लक्षण (Vātaja Chardi Lakṣaṇa)

हृत्पाश्वर्षपीडामुखशोषमूर्धनाभ्यर्तिकासस्वरभेदतोदैः ॥
 उद्गारशब्दप्रबलं सफेनं विच्छिन्नकृष्णं तनुकं कषायम् ।
 कृच्छ्रेण चाल्पं महता च वेगेनार्तोऽनिलाच्छर्दयतीह दुःखम् ॥
C.S.Ci. 20/8-9

प्रच्छर्दयेत् फेनिलमल्पमल्पं शूलार्दितोऽभ्यर्दितपाश्वर्षपृष्ठः ।
 श्रान्तः सघोषं बहुशः कषायं जीर्णेऽधिकं साऽनिलजा वमिस्तु ॥
S.S.Utt. 49/9

Vātaja Chardi is characterised by pain in heart and sides of chest, dryness of the mouth, pain in the head & umbilical region, cough, hoarseness of voice, pricking pain; patients vomits with great sound of eructations, which is frothy, scattered, blackish, thin & astringent in taste; patient vomits with severe impulse with difficulty only small amount associated with great distress and vomiting is more after digestion of food.

पित्तज छर्दि निदान (Pittaja Chardi Nidāna)

अजीर्णकट्वम्लविदाहशीतैः.....

C.S.Ci. 20/10

Causative factors of Pittaja Chardi are as follows:- Intake of food during indigestion, consumption of pungent, sour, *Vidāhi* and cold substances in excess.

पित्तज छर्दि संप्राप्ति (Pittaja Chardi Samprāpti)

आमाशये पित्तमुदीर्णवेगम् । रसायनीभिर्विसृतं प्रपीड्य
मर्मोर्ध्वभागम् वमिं करोति ॥ C.S.Ci. 20/10

Due to etiological factors, *Pitta* situated in *Āmāśaya* gets aggravated and circulates through *Rasāyani* and afflicts the vital organs situated in the upper portion of the body and manifest *Pittaja Chardi*.

पित्तज छर्दि लक्षण (Pittaja Chardi Lakṣaṇa)

मूर्च्छापिपासामुखशोषमूर्धतात्वक्षिसंतापतमोभ्रमार्तः ।
पीतं भृशोष्णं हरितं सत्तिकं धूमं च पित्तेन वमेत् सदाहम् ॥
C.S.Ci. 20/11

योऽम्लं भृशं वा कटुतिक्तवक्त्रः पीतं सरक्तं हरितं वमेद्वा ।
सदाहचोषज्वरवक्त्रशोषो मूर्च्छाऽन्वितः पित्तनिमित्तजा सा ॥
S.S.Utt. 49/10

Pittaja Chardi is characterised by fainting, thirst, dryness of mouth, burning sensation in the head, palates & eyes, feeling of darkness, giddiness, patient vomits yellow, excessively hot, green, mild red, bitter and smoky material associated with burning sensation, vomited material is very sour, mouth has pungent & bitter tastes, sucking pain & fever.

कफज छर्दि निदान (Kaphaja Chardi Nidāna)

स्निग्धातिगुर्वामविदाहिभोज्यैः स्वप्नादिभिश्चैव ।
C.S.Ci. 20/12

Causative factors of Kaphaja Chardi are as follows : Excessive intake of unctuous, heavy, uncooked, burning food, excessive sleep or sleep during day time.

कफज छर्दि संप्राप्ति (Kaphaja Chardi Samprāpti)

कफोऽतिवृद्धः । उरः शिरो मर्म रसायनीश्च सर्वाः समावृत्य
वमिं करोति ॥ C.S.Ci. 20/12

Due to etiological factors *Kapha* gets aggravated and afflicts chest, head, vital organs and *Rasāyanis* to cause *Kaphaja Chardi*.

कफज छर्दि लक्षण (Kaphaja Chardi Lakṣaṇa)

तन्द्रास्यमाधुर्यकफप्रसेकसंतोषनिद्रारुचिगौरवार्ताः ।
स्निग्धं घनं स्वादु कफाद्विशुद्धं सलोमहर्षोऽल्परुजं वमेत्तु ॥
C.S.Ci. 20/13

यो हृष्टरोमा मधुरं प्रभूतं शुक्लं हिमं सान्द्रकफानुविद्धम् ।

अभक्तरुग्गौरवसादयुक्तो वमेद्वमी सा कफकोपजा स्यात् ॥
S.S.Utt. 49/11

Kaphaja Chardi is characterised by drowsiness, sweetishness in mouth, excessive salivations, contentment, sleep, anorexia, heaviness; vomits unctuous, thick, sweet, large quantity, white in colour mixed with thick *Kapha*, cold, free from any undesirable smell; horripitation, pain in empty stomach, debility and slight discomfort.

सन्निपातज छर्दि निदान (Sannipātaja Chardi Nidāna)

समश्नतः सर्वरसान् प्रसक्तमामप्रदोषतुर्विपर्ययैश्च ।
C.S.Ci. 20/14

Causative factors of Sannipātaja Chardi are as follows : Habitual consumption of wholesome & unwholesome together, having all the six tastes, due to *Āma Doṣās* seasonal perversations.

सन्निपातज छर्दि संप्राप्ति (Sannipātaja Chardi Samprāpti)

सर्वे प्रकोपं युगपत् प्रपन्नाश्छर्दि त्रिदोषां जनयन्ति दोषाः ॥
(C.S.Ci. 20/14)

Due to etiological factors all the three *Doṣās* vitiated simultaneously to cause *Sannipātaja Chardi*.

सन्निपातज छर्दि लक्षण (Sannipātaja Chardi Lakṣaṇa)

शूलाविपाकारुचिदाहतृष्णाश्वासप्रमोहप्रबलाप्रसक्तं ।
छर्दिस्त्रिदोषाल्लवणाम्लनीलसान्द्रोष्णरक्तं वमतां नृणां स्यात् ॥
C.S.Ci. 20/15

Sannipātaja Chardi is characterised by colic pain, indigestion, anorexia, burning sensation, thirst, dyspnoea, and fainting which are of serious nature and persistent. Patient vomits saline, sour, blue, viscous, hot & red.

छर्दि उपद्रव (Chardi Upadrava)

Complication of Chardi are as follows:-

विट्स्वेदमूत्राम्बुवहानि वायुः स्रोतांसि संरुध्य यदोर्ध्वमेति ।
उत्सन्नदोषस्य समाचितं तं दोषं समुद्भूय नरस्य कोष्ठात् ॥
विण्मूत्रयोस्तत् समवर्णगन्धं तृट्श्वासहिक्कार्तियुतं प्रसक्तम् ॥
प्रच्छर्दयेददुष्टमिहातिवेगात्तयाऽर्दितश्चाशु विनाशमेति ॥
C.S.Ci. 20/16-17

Excessively excacerbated *Vāta* obstruct the

channels carrying faeces, sweat, urine and water, moves upwards & expels accumulated *doṣās* out of gastrointestinal tract in the person having excited *doṣās*; vomiting material having the colour & smell of the urine & stool, thirst, dyspnoea, hiccup, foetid and bouts of vomiting with great force. These patients die immediately.

द्विष्टार्थ योगज छर्दि (Dviṣṭārtha Yogaja Chardi)

द्विष्टप्रतीपाशुचिपूत्यमेध्यबीभत्सगन्धाशनदर्शनैश्च ।
यच्छर्दयेत्तप्तमना मनोघ्नैर्द्विष्टार्थसंयोगभवा मता सा ॥

C.S.Ci. 20/18

Smelling, eating and seeing despicable, antagonistic, unclean, putrid, unholy, and gruesome ingredients and objects, afflicts the mind and manifest *Dviṣṭārtha Yogaja Chardi*.

कृमिज छर्दि (Kṛmija Chardi)

शूलहल्लासबहुला कृमिजा च विशेषतः ।
कृमिहृद्रोगतुल्येन लक्षणेन च लक्षिता ॥

S.Utt. 49/14

If *Chardi* manifest due to *Krimi* is known as *Kṛmija Chardi* and it is characterised by pain in abdomen & nausea and other symptoms of *Kṛmija Hrdroga* are observed.

साध्या साध्यता (Sādhyā Sādhyātā)

क्षीणस्य या छर्दिरतिप्रवृद्धा सोपद्रवा शोणितपूययुक्ता ।
सचन्द्रिकां तां प्रवदन्त्यसाध्या साध्यां चिकित्सेदनुपद्रवां च ॥

C.S.Ci. 20/19

Prognosis of Chardi- Excessive vomiting in emaciated person, which is too severely complicated and associated with blood & pus and moon like lustre is indicative of the incurable nature of disease. Vomiting which is free from complications is curable.

उपशय/पथ्य (Upaśaya/Pathya)

Auśadha → *Pippalyādi kalka*, *Kapitthādiyoga*, *Candanādi Yoga*.

Anna → Foods which are light, well dried, wholesome and *Jvaraghna* decoctions may be used.

Vihāra → Patient should be made to hear pleasing talks, consoled & encouraged,

mythological stories, friends & amorous movements, pleasing smell from earth, flower, vinegar & sour fruits.

Since all the different types of vomiting are caused by the affliction of *Āmāśaya* (stomach including small intestines), it is necessary in the first instance, to administer *Lañghana* (fasting) therapy to the patient. *Lañghana* should not be advised for *Vātaja chardi* patients. Patient suffering from vomiting may also be given *Samsōdhana* (elimination) therapies for the elimination of *Kapha* and *Pitta*. (B.R. 19/1)

The *Pathya* in the case of vomiting includes *Harītakī* (chebulic *Harāḍa*), pomegranate, lemon, *Jātīphala* (nutmeg), *Netrabālā*, fresh leaves of *Neem*, *Vāsaka* leaves, jaggery, *Śatā*, *Nāgakeśara*, *Rāgā*, *Khaḍā*, *Kambalikā*, wine, *Vetāgra*, coriander, coconut, *Āmalakī*, mango, grapes, berry and ripe catechu, etc. The patient should also sprinkle cold water on his face; he should anoint his body with *Kalka* of *Kastūrī* and sandalwood, powder of flowers and other scented materials. Moving around in moonlight is also helpful for the patient of *Chardi*. Administration of the *Dāhakarma* (cauterization) slightly over the naval is also helpful in such cases. The non-veg items useful in the case include the flesh of rabbit, peacock, partridge, wood-cutter and the like. (B.R. 19/29-34)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

The avoidable (*Apathyas*) in case of *Chardi*: One should avoid in indisposition of *Chardi*, the following: *Nasya* (medication through nose), *Basti* (enema therapy), *Sveda* (sweating), blood-letting, brushing tooth through twigs, liquid meals, beholding disgusting scenes, fear, emotional intensity. And warm, very oily, incompatible, displeasing food items, *Śimbi*, *Bimbi*, bitter gourd, flowers of the *Madhuka* tree and like vegetables, roots of *Citraka* herb, smaller cardamom, mustard and *Devadālī*, etc. are to be avoided in the indisposition. Exercising, holding an umbrella and applying *Añjana*, these are also harmful to the patients. (B.R. 19/35-36).

MCQs

1. Which among the following is not the *asadhyalakshana* of Chardhi
 - a. Shonitayukta Chardi
 - b. Katutiktavaktra
 - c. Sachandrika
 - d. Puyayukta Chardi
2. Raktavamana seen in
 - a. Paithikachardhi
 - b. Agantuachardhi
 - c. Tridoshajachardhi
 - d. Kaphajachardhi
3. Krimijachardhi is having the features similar to
 - a. Krimijasiroroga
 - b. Krimijahridroga
 - c. Agantuachardhi
 - d. Tridoshajachardhi
4. Number of Chardhiupadrava as per Madavanidana
 - a. 7
 - b. 8
 - c. 9
 - d. 5
5. Dosha responsible for Chardi is
 - a. Prana-Udana
 - b. Udana-Vyana
 - c. Prana-Kapha
 - d. Apana-Prana
6. Praseka hridayotklesha is
 - a. Purvarupa of Trishna
 - b. Purvarupa of Chardhi
 - c. Rupa of Kaphajatrishna
 - d. Rupa of Kaphajahridroga
7. Which among the following not the *upadrava* of Chardhi
 - a. Asyamdhurya
 - b. Trit
 - c. Shwasha
 - d. Hikka
8. Shonithapuyayuktha chardhi observed in
 - a. Agantuja chardhi lakshana
 - b. Krimija chardhi lakshana
 - c. Asadyalakshana of Chardhi
 - d. Tridoshaja chardhi lakshana
9. Bhaktasyanabhinandan and dwesho ashane is the feature of
 - a. Asadyalakshana of Chardhi
 - b. Agantuja chardhi lakshana
 - c. Purvarupa of Chardhi
 - d. Krimijachardhilakshana
10. Daha choshajwara & vaktrashosha are the features observed in
 - a. Agantuja chardhi lakshana
 - b. Krimija chardhi lakshana
 - c. Pittaja chardhi lakshana
 - d. Vataja chardhi lakshana
11. Tandra asyamadhurya kapha prasekha santosha observed in
 - a. Agantuja chardhi lakshana
 - b. Kaphaja chardhi lakshana
 - c. Pittaja chardhi lakshana
 - d. Vataja chardhi lakshana

Answer

1.	b	2.	c	3.	b
4.	b	5.	b	6.	b
7.	a	8.	c	9.	c
10.	c	11.	b		