

Introduction

Bleeding disorders. It is an indisposition in which bleeding occurs from the upper channels like nose, mouth etc. or from lower channels like anus, urinary passage, female genital organ etc. Bleeding from the upper channels like nose, mouth etc. or from lower channels like anus, urinary passage, female genital organ, etc. or petechial haemorrhage, aesthania, cough, dyspnoea, fever, loss of appetite, indigestion, vomiting, thirst, burning sensation, nervousness, frequent motions, pallor and perspiration are the main signs and symptoms of *Raktapitta*. Overexposure to the sun, excessive physical exercise, grief, travelling long distances on foot and sexual intercourse, as also excessive use of sharp, hot, alkaline, saltish, acidic and pungent substances all these factors vitiate the *pitta*. The vitiated *pitta* in turn provoke *rakta* and causes it to flow out of the body through upper and lower orifices.

The upper orifices in the context include the nostrils, eyes, ears and mouth while the urethra, vagina, rectum are the lower passages. In the disease *raktapitta* the blood comes out from these passages and if the ailment has attained severe conditions, blood might come out of the hair follicles of the skin also. By excessive exposure to sun, excessive indulgence in exercise, excessive grief, excessive walk, excessive indulgence in sex and excessive intake of sharp, hot, alkaline, saline, sour and pungent food, *pitta* gets vitiated (*vidagdha*), and by its own attributes vitiates blood. As a result of this, bleeding takes place through upward tracts, viz. nose, eyes, ears and mouth or downward tracts, viz. urethra, vagina and anus or through both tracts including hair-roots. Prostration, desire for cold Haemoptysis, smoky feeling in throat, vomiting and breath having smell of iron, these are the premonitory signs and symptoms of *rakta pitta*.

In *ślaiṣmika* type of *rakta pitta* the blood becomes thick (more density) pale yellow, unctuous and slimy. The blood in *vātika* type of *rakta pitta* is grayish black or reddish in colour, foamy thin and unctuous. In *paittika* type of *rakta pitta*, the blood looks like the flower of *Pāṭala* or black or like the urine of the cow on greasy-black or house shut or collyrium. In *sannipātika* type of *rakta pitta*, signs of all the three types, viz. *vātika*, *paittika* and *ślaiṣmika* appears in the blood. *Rakta pitta* having upward direction gets mixed up with *kapha*, the one having downward direction gets mixed up with *vāyu* and the variety of *rakta pitta* moving in both the directions i. e. upwards and downwards gets mixed up with both *kapha* and *vāyu*.

The *rakta pitta* of upward direction is curable, of downward direction is palliable and of both the upward and downward directions is incurable. By the habitual intake of unwholesome food, the polluted *rasa* vitiates *pitta* and moves either upwards from the stomach or downwards from the colon. When *rasa* in both the stomach and colon is vitiated, bleeding takes place from both the directions. Weakness, dyspnoea, cough, fever, vomiting, feeling of intoxication, pallor, burning sensation, fainting, serious type of burning sensation after food, loss of patience, pain like that of heart disease, morbid thirst, diarrhoea, headache, spitting of purified material, disliking for food and indigestion-these are the complications of *rakta pitta*. If the blood is like the water in which meat is washed, if it looks as if boiled, if it appears like mud, water, fat, pus, lymph, pieces of liver or fruit of *jambū*, if it is black or blue in colour if it smells extremely foul like a dead body and if it looks like a rainbow, then the patient of *rakta pitta* is incurable. If to a patient of *rakta pitta*, the sky appears red like blood, if he frequently vomits blood, if his eyes become blood-red and if his eructations are mixed with blood then such a patient

undoubtedly succumbs to death. If there is a great excacerbation of *doṣās* and the patient is not suffering from loss of strength, muscles & digestive fire, then fasting therapy may be advised.

Ban. *raktpitā*, Guj. *raktpitā*, Hin. *raktpitā*, Kan. *rakthāriyavudū*, Mal. *rkth & pitām*, Mar. *raktpitā*, Ori. *raktpitā*, Tam. *pulnggilrthth akāśivū*.

संसर्गाल्लोहितप्रदूषणात्लोहितगन्धवर्णानुविधानाच्च पित्तं लोहित- पित्तमित्याचक्षत ॥ C.S.Ni. 2/5

संयोगाद्दूषणात्तु सामान्यादगन्धवर्णयोः ।
रक्तस्य पित्तमाख्यातं रक्तपित्तं मनीषिभिः ॥
C.S.Ci. 4/9

Pitta is called *Raktapitta* because of its nature to amalgamate with *rakta* and later it acquires the smell and colour.

रक्तपित्त हेतु (Rakta-Pitta Hetu)

यदा जन्तुर्यवकोद्दालककोरदूषप्रायाण्यन्नानि भुङ्क्ते, भृशोष्णतीक्ष्णमपि चान्यदन्नजातं निष्पावमाषकुलत्थसूपक्षारोपसंहितं, दधिदधिमण्डोदश्वित्कट्वराम्लकाज्जिकोपसेकं वा, वाराहमाहिषाविकमात्स्यगव्यपिशितं, पिण्याकपिण्डालुशुष्कशाकोपहितं, मूलकसर्षपलशुनकरज्जशिगुमधुशिगु (खड्यूष); भूस्तृणसुमुखसुरसकुठेरकगण्डीरकालमालकपर्णासक्षवकफणिन्जकोपदंश, सुरासौवीरतुषोदकमैरेयमेदकमधूलकशुक्लकुवलवदराम्लप्रायानुपानं वा, पिष्टान्नोत्तरभूयिष्ठम्; उष्णाभितप्तो वाऽतिमात्रमतिवेलं वाऽऽमं पयः पिबति, पयसा समश्नाति रोहिणीकं, काणकपोतं वा सर्षपतैलक्षारसिद्धं, कुलत्थपिण्याकजाम्बवल्कचपक्कैः शौक्तिकैर्वा सह क्षीरं पिबत्युष्णाभितप्तः । C.S.Ni. 2/4

Causative factors for the manifestation of Rakta-Pitta are described below : Excess consumption of *Yavaka*, *Uddālaka*, *Koradūṣa*, intake of hot and irritating foods added with *Niṣpāva*, *Māṣa*, *Kulattha*, *Kṣāra*, or with curd, curd water, butter milk, sour butter milk or sour gruel. Excess intake of meat of Pig, Buffalow, Sheep, Fish and Cow, Oil cake, *Pinḍālu* and dried fat herbs or dry vegetables. Salad or pickles comprising of Radish, Mustard, Garlic, *Karañja*, *Śigru*, *Madhu śigru*, *Khaḍayaṣa*, *Bhūstrṇa*, *Sumukha*, *Surasa*, *Kuṭheraka*, *Gaṇḍīra*, *Kāla mālaka*, *Parṇāsa*, *Kṣavaka*, *Phañijjhaka* or followed by *Surā*, *Sauvīra*, *Tuṣodaka*, *Mairey medaka*, *Madhūlaka*, *Sukta*, Sour preparations of *Kuvala* and *Badara*;

intake of excess pastries after food; frequent or excess intake of milk after exposure to heat; intake of milk with *Rohinika* vegetable; *Kanakapota* (a type of pigeon) boiled with mustard oil or alkalies; consumption of milk with *Kulattha*, Oil cake, fruits of *Jambu* and *Lakuca*.

क्रोधशोकभयायासविरुद्धात्रातपान्नन् । कट्वम्ललवण-
क्षारतीक्ष्णोष्णातिविदाहिनः ॥ नित्यमभ्यसते ॥

S.S.Utt. 45/3-4

Excessive indulgence in anger, sorrow, fear, exertion, incompatible foods, excessive exposure to sunlight and fire; excess intake of pungent, sour, salt, alkaline, penetrating, hot, and food substances which induce burning sensation during digestion.

रक्तपित्तप्रकोपस्तु खलु पुरा दक्षयज्ञोद्धवंसे रुद्रकोपामपग्नि प्राणिनां परिगतशीरप्राणानामभवज्ज्वरमनु ॥ C.S.Ni. 2/10

During early times Lord *Rudra* was born to destruct *Dakṣās* sacrifice by the anger of Lord *Śiva*. After destructing sacrifice, *Rudra* came to earth and suffering the living beings in the form of *Jvara* and *Rakta-Pitta*.

रक्तपित्त संप्राप्ति (Samprāpti of Rakta-Pitta)

तस्यैवमाचरतः पित्तं प्रकोपमापद्यते, लोहितं च स्वप्रमाणमतिवर्तते। तस्मिन् प्रमाणातिवृत्ते पित्तं प्रकुपितं शरीरमनुसर्पद्यदेवयकृत्स्लीहप्रभावानां लोहितवहानां च स्रोतसां लोहिताभिष्यन्दगुरूणि मुखान्यासाद्य प्रतिरुन्धयात् तदेव लोहितं दूषयति । C.S.Ni. 2/4

दुष्टो रसः पित्तं प्रकोपयेत् । विदग्धं स्वगुणैः पित्तं विदहत्याशु शोणितम् ॥ ततः प्रवर्तते रक्तमूर्ध्वं चाधो द्विधाऽपि वा ॥

S.S.Utt. 45/4-5

तैर्हेतुभिः समुत्क्रिष्टं पित्तं रक्तं प्रपद्यते ।
तद्योनित्वात् प्रपन्नं च वर्धते तत् प्रदूषयत् ॥
तस्योष्मणा द्रवो धातुर्धातोर्धातोः प्रसिच्यते ।
स्विद्यतस्तेन संवृद्धिं भूयस्तदधिगच्छति ॥

C.S.Ci. 4/7-8

Due to consumption of etiological factors mentioned above *Pitta* gets aggravated and *Rakta* exceeds its normal quantity. Due to excess increase in the quantity of *Rakta* leads to opening of *Lohitavaha Srotas* which originate from spleen and liver. *Pitta* takes origin from *Rakta*. Excacerbated *Pitta* enters *Śonitavaha Srotas* and obstruct them resulting in vitiation of *Rakta*. *Pitta* after

amalgamating with *Rakta* gets further aggravated. Liquid fraction of *Pitta* pervades one *Dhātu* after other. Due to the effect of heat of *Pitta* excessive liquid exudate from all the *Dhātus*. These liquids after mixing with *Pitta* leads to excessive aggravation or increase in quantity of *Pitta* as a result of which *Rakta* (*pitta*) comes out of the body through either upper or lower orifices or both together. It is caused by the vitiation of *Rakta* by *Pitta*.

Nidān Sevana (Consumption of Etiological factors)

↓
Aggravation of *Pittādi doṣās*

↓
Diminution of *Agni*

↓
Development of *Āma* inside the gastro intestinal tract

↓
Aggravation of *Pitta* and *Rakta* exceeds its normal quantity

↓
Opening of *Lohitavaha Srotas* due to excessive *Rakta*

↓
Excacerbated *Pitta* enters *Śonitavaha Srotas* and amalgamate with *Rakta* gets further aggravated

↓
Liquid fraction of *Pitta* pervades one *Dhātu* after other

↓
Due to the effect of heat of *Pitta* excessive liquid exudate from all the *Dhātus*

↓
These liquids after mixing with *Pitta* leads to excessive aggravation or increase in quantity of *Pitta*

↓
As a result of which *Rakta* (*pitta*) comes out of the body through either upper or lower orifices or both together.

↓
Rakta-Pitta.

(It is caused by the vitiation of *Rakta* by *Pitta*)

रक्तपित्त संप्राप्ति घटक (Samprāpti Ghaṭaka of Rakta-Pitta)

Doṣa	: <i>Pitta Pradhāna Tridoṣaja</i> <i>Vāta</i> → <i>Samāna, Apāna, Vyāna</i> <i>Pitta</i> → <i>Pācaka</i> <i>Kapha</i> → <i>Kledaka</i>
Dūṣya	<i>Dhātu</i> → <i>Rakta, Rasa, Māmsa</i> <i>Updhātu</i> → <i>Sirā</i> <i>Śārīrika Mala</i> → <i>Mūtra, Puriṣa</i> <i>Dhātu Mala</i> → <i>Pitta, Kapha</i>
Agni	: <i>Jāṭharāgni, Dhātuvāgni, Bhūtāgni</i>
Agniduṣṭi	: <i>Mandāgni</i>
Āma	: <i>Agnijanya</i>
Srotas	: <i>Raktavaha, Rasavaha, Annavaha</i>
Srotoduṣṭi	: <i>Saṅga, Vimārgagamana</i>
Adhiṣṭhāna	: <i>Yakṛt & Plīhā</i>
Udbhavasthāna	: <i>Āmāśaya, Raktavaha Srotomūla</i>
Roga Mārga	: <i>Bāhya & Abhyantara</i>
Vyaktasthāna	: <i>Ūrdhva & Adhogata bāhya srotas, (Nāsa, Karṇa, Meḍhra, Yoni, guda, Romakupa)</i>
Rogabheda	: 3 types <i>Ūrdhvaga, Adhoga, Ubhaya</i>
Sancārasthāna	: <i>Rasavāhinyah, Raktavāhinyah</i>
Svabhāva	: <i>Aśukāri, Chirakāri</i>
Prabhāva	: General Prognosis rule

Location of *Raktapitta*

प्लीहानं च यकष्टच्चैव तदधिष्ठाय वर्तते ।

स्रोतांसि रक्तवाहिनि तन्मूलानिहि देहिनाम् ॥

C.S.Ci. 4/10

Disease *Raktapitta* located in spleen and liver, and from there it goes upwards and downwards. Liver and spleen are the root for the *Raktavaha Srotas*.

पूर्वरूप (Pūrvarūpa)

तस्येमानि पूर्वरूपाणि भवन्ति; तद्यथा-अनन्नाभिलाषः, भुक्तस्य विदाहः, शुक्ताम्लगन्धरस उद्वारः, छर्देरभोक्षणागमनं, छर्दितस्य बीभत्सता, स्वरभेदो, गात्राणां सदनं, परिदाहः, मुखाद्भूमागम इव लोहलोहितमत्स्यामगन्धित्वमिव चास्यस्य, रक्तहरितहारिद्रत्वमङ्गावयशकृन्मूत्रस्वेदलालासि-ङ्गणकास्यकर्णमलपिडकोलिकापिडकानाम्, अङ्गवेदना, लोहितनीलपीतश्यावानामर्चिष्मतां च रूपाणां स्वप्ने दर्शनमभोक्षणादिति (लोहितपित्तपूर्वरूपाणि भवन्ति) ॥ C.S.Ni. 2/6

सदनं शीतकामित्वं कण्ठधूमायनं वमिः ।
लोहगन्धिश्च निःश्वासो भवत्यस्मिन् भविष्यति ॥

S.S.Utt. 45/8

Premonitory signs and symptoms of the disease *Raktapitta* are as follows : Lack of desire to take food, burning sensation in *Mahāsrotas* due to improper digestion, eructations having sour taste and smell like vinegar, frequent urge for vomiting, foul smell from vomited material, hoarseness of voice, general malaise, burning sensation all over the body, patients feels as if smoke is emitting from oral cavity, smell like iron metal, fish and raw flesh from mouth; red, green and yellow discolouration in different body parts, stool, urine, sweat, saliva and excreta from nose, mouth, ear and eyes; appearance of pimples; bodyache; visualizes red, blue, yellow, and brown colour objects and dazzling objects in dreams, desire for cold things; patients feels as if fumes are coming out from throat; expiratory smell like iron metal.

रूप (Rupa)

Signs and symptoms as per the involvement of pathways and their prognosis :

मार्गौ पुनरस्य द्वौ-ऊर्ध्वं, चाधश्च। तद्वह्नुश्लेष्मणि शरीरे श्लेष्मसंसर्गादूर्ध्वं प्रतिपद्यमानं कर्णनासिकानेत्रास्थेभ्यः प्रच्यवते, बहुवाते तु शरीरे वातसंसर्गादधः प्रतिपद्यमानं मूत्रपूरीषमार्गाभ्यां प्रच्यवते, बहुश्लेष्मवात तु शरीरे श्लेष्मवातसंसर्गाद्वावपि मार्गौ प्रतिपद्यते, तौ मार्गौ प्रतिपद्यमानं सर्वेभ्य एव यथोक्तेभ्यः खेभ्यः प्रच्यवते शरीरस्य॥

तत्र यदूर्ध्वभागं तत् साध्यं, विरेचनोपक्रमणीयत्वाद्वह्नुषध त्वाच्च; यदधोभागं तद्याप्यं, वमनोपक्रमणीयत्वादल्पौषधत्वाच्च; यदुभयभागं तदसाध्यं, वमनविरेचनायोगित्वादनौषधवाच्चेति॥

C.S.Ni. 2/8-9

Disease *Raktapitta* takes its root either upwards or downwards.

ऊर्ध्वग रक्तपित्त (Ūrdvaga Raktapitta)

In case of *Ūrdvaga Raktapitta*, *Kapha Doṣa* dominates and patients expels the blood from ear, nose, eyes, and mouth.

It is curable because of its amenability to purgation therapy and also lot of drugs are available to treat this condition.

अधोग रक्तपित्त (Adhoga Raktapitta)

It manifests due to predominance of *Vāta* and patients expel the blood from lower tracks i.e urethra and anus.

It is manageable because of its amenability to emetic therapy and availability of drugs are limited.

उभय रक्तपित्त/द्वावपि मार्ग (Ubhaya Raktapitta/ Dvāvapi Mārga)

It results due to predominance of *Vāta* and *Kapha* and patient expels the blood from both upper and lower tracks.

It is incurable because it is neither amenable to purgation nor to emetic therapy and non availability of suitable drugs.

विशेष लक्षण (Viśeṣa Lakṣaṇa)

सान्द्रं सपाण्डु सस्नेहं पिच्छिलं च कफान्वितम् ।
श्यावारुणं सफेनं च तनु रूक्षं च वातिकम् ॥

C.S.Ci. 4/11

बाह्यासृग्लक्षणैस्तस्य सङ्ख्यादोषोच्छ्रितीविदुः ॥

S.S.Utt. 45/8

तत्र, फेनिलमरुणं कृष्णं परुषंतनु शीघ्रगमस्कन्दि च वातेन दुष्टम् । नीलं पीतं हरितं, श्यावं विस्त्रमनिष्टं पिपीलिकामक्षिकाणामस्कन्दि च पित्तदुष्टम् । गैरिकोदकप्रतीकाशं स्निग्धं शीतलं बहलं पिच्छिलं चिरस्त्रावि मांसपेशीप्रभं च श्लेष्मदुष्टम् । सर्वलक्षणसंयुक्तं काञ्जिकाभं विशेषतो दुर्गन्धि च सन्निपातदुष्टं, पित्तवद्रक्तेनातिकृष्णं च द्विदोषलिङ्गं संसृष्टम् । S.S.Su. 14/21

वातदुष्टि रक्त लक्षण/वातज रक्तपित्त (Vātaduṣṭi Rakta Lakṣaṇa/ Vātaja Raktapitta Lakṣaṇa)

Symptoms of vitiated *Rakta* due to *Vāta* are as follows : Blood becomes froathy, blackish, reddish, thin, ununctous, nonslimy, flowing quickly and not clotting.

पित्तदुष्टि रक्त लक्षण/पित्तज रक्तपित्त लक्षण (Pittaduṣṭi Rakta Lakṣaṇa/Pittaja Rakta Pitta Lakṣaṇa)

Symptoms of vitiated *Rakta* due to *Pitta* are as follows : Blood becomes ochre like (pink red), black, appear like cow's urine, shining black, smoky (house-shoot), black collyrium, bluish yellow, green or black, unpleasant smell; flies and ants are not attracted and doesn't clot.

कफदुष्टि रक्त लक्षण/कफज रक्तपित्त लक्षण (Kapha-duṣṭi Rakta Lakṣaṇa/Kaphaja Raktapitta Lakṣaṇa)

Symptoms of vitiated *Rakta* due to *Kapha* are as follows : Blood becomes dense, pale yellow, unctuous, slimy, appear like red ochre (*Gairika*), cold, thick, flowing slowly and resemble like muscle tissue.

द्विदोषलिङ्ग लक्षण (Dvidoṣa Liṅga Lakṣaṇa) Or द्वन्द्वज रक्तपित्त लक्षण (Dvandvaja Raktapitta Lakṣaṇa)

Symptoms of vitiated blood due to two *Doṣa* involvement are as follows:- Features of any two *Doṣās* will be observed.

त्रिदोषज दुष्टि रक्त लक्षण (Tridoṣaja Duṣṭi Rakta Lakṣaṇa) Or सन्निपातज रक्तपित्त (Sannipātaja Raktapitta)

Symptoms of vitiated blood due to all the three *Doṣās* are as follows : Symptoms of all the three *Doṣās* resemble like rice gruel and having bad smell.

उपद्रव (Upadrava)

दौर्बल्यश्वासकासज्वरवमथुमदास्तन्त्रितादाहमूर्च्छा भुक्ते चात्रे विदाहस्त्वधृतिरपि सदा हृद्यतुल्या च पीडा ।

तृष्णा कण्ठस्य भेदः शिरसि च दहनं पूतिनिष्ठीवनञ्च द्वेषो भक्तेऽविपाको विरतिरपि रते रक्तपित्तोपसर्गाः ॥

S.S.Utt. 45/10

उपद्रवास्तु खलु दौर्बल्यारोचकाविपाकश्वासकास-ज्वरातीसारशोफशोषपाण्डुरोगाः स्वरभेदश्च ॥ C.S.Ni. 2/7

Complications of *Raktapitta* are as follows : Debility, dyspnoea, cough, fever, vomiting, toxemia, stupor, burning sensation, fainting, burning sensation after taking food, anxiety, constant pain in cardiac region, thirst, abnormal voice, severe pain in head, bad smell from sputum, aversion to food, indigestion, lack of sexual desire, fever, diarrhoea, oedema, consumption and anaemia.

साध्यासाध्यता (Sādhyāsādhyatā)

एकदोषानुगं साध्यं द्विदोषं याप्यमुच्यते ॥
यत्रिदोषमसाध्यं तन्मन्दाग्नेरतिवेगवत् ।

व्याधिभिः क्षीणदेहस्य युद्धस्यानश्नतश्च यत् ॥

C.S.Ci. 4/13-14

Raktapitta is curable if it associates with single *Doṣa*, it is palliable if it associates with two *Doṣās*; it is incurable if it associates with all the three *Doṣās*. Patients of *Raktipitta* becomes incurable if patients suffers from *Mandāgni*, having an episode of acute attacks, emaciation, old and one who is not able to eat.

यदा तु सर्वच्छिद्रेभ्यो रोमकूपेभ्य एव च ।

वर्तते तामसङ्ख्येयां गतिं तस्याहुरान्तिकीम् ॥

यच्चोभयाभ्यां मार्गाभ्यामतिमात्रं प्रवर्तते ।

तुल्यं कुणपगन्धेन रक्तं कृष्णमतीव च ॥

संसृष्टं कफवाताभ्यां कण्ठे सज्जति चापि यत् ।

यच्चाप्युपद्रवैः सर्वैर्यथोक्तैः समभिद्रुतम् ॥

हारिद्रनीलहरितताम्रैर्वर्णैरुपद्रुतम् ।

क्षीणस्य कासमानस्य यच्च तच्च न सिध्यति ॥

यदिद्विदोषानुगं यद्वा शान्तं प्रकुप्यति ।

मार्गान्मार्गं चरेद्यद्वा याप्यं पित्तमसृक् च तत् ॥

C.S.Ci. 4/17-21

If blood moves through all the holes in the roots of hairs which are innumerable and this indicates death.

Disease becomes incurable in the following conditions : Excess bleeding from either of the tracts; smell becomes like dead body; colour changed to extremely black; association with both *Vāta* and *Kapha*; if blood gets obstructed in the throat; presence of all the *Upadrava*; colour of blood changed to deep yellow, blue, green or coppery associated with emaciation and coughing.

Rakta pitta becomes manageable in the following conditions

Association of two *Doṣās* & two tracks; recurrent episodes of attacks and shifts from one passage to another.

एकमार्गं बलवतो नातिवेगं नवोत्थितम् ।

रक्तपित्तं सुखे काले साध्यं स्यान्निरुपद्रवम् ॥

(C.S.Ci. 4/22)

Rakta Pitta is curable in the following patients

- Only one track is involved;
- Physically strong; mild attacks; recent onset; favourable environment for management and patient is free from complications.

अरिष्ठ लक्षण (Ariṣṭha Lakṣaṇa)

मांसप्रक्षालनाभं क्वथितमिव च यत् कर्दमाभोनिभं वा मेदःपूयास्त्रकल्पं यद्वदिव यदि वा पक्वजम्बूफलाभम् । यत् कृष्णं यच्च नीलं भृशमतिकृष्णं यत्र चोक्ता विकारास्तद्वर्ज्यं रक्तपित्तं सुरपतिधनुषा यच्च तुल्यं विधाति ॥ S.S.Utt. 45/11

Expelled blood resembles like mutton wash, decoction or muddy water; it may mixed with fat or pus and resemble like liver or ripened Jambu phala; blood is either black or blue and emits cadaveric smell; shines like the rainbow and associated with complications should be rejected for treatment.

उपशय/पथ्य (Upaśaya/Pathya) C.S.Ci. 4th Chapter

अन्न (Anna) S.S.Utt. 45th Chapter

Laṅgana, Śāli, Śaṣṭika, Nivāra, Kora dūṣa, Mudga, Masūra, Caṇaka, Paṭola, Nimba, Plakṣa, Kirātatikta, Kaṭhillaka.

औषध (Auśadha)

Virecana, Vāsāghṛta, Śatāvaryādi ghṛta etc.

The following items of food are useful in cases of *Raktapitta*: old rice, barley, *Mudga* (phaseolus bean), lentil, gram, pigeon pea and kidney bean, raw sugar, honey, sugarcane, *Ghṛtam*, banana, jackfruit, almond, *Paṭola*, shoot of willow, *Kirātatikta*, stem of *Kamala*, leaves of *Neem*, pomegranate, coconut, wood, apple and raisin, The patient can take meat of a number of animals and birds including rabbit, deers, pigeon, swans, ducks, partridge, wood-cutter and others. Moreover, *Virecana*, massage, plaster of the sandalwood paste on the body and bathing, etc. are good for the patients. (B.R. 13/167-176)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Following is the list which should be avoided by a person suffering from *Rakta Pitta* disorders: wrestling (or similar physical exercises), walking,

roaming under direct sun, doing evil deeds, depression, disturbing the flow of excretions, instability (getting up frequently), horse and elephant riding, blood letting, *Svedana Karma*, smoking, sex, anger, *Kulattha*, jaggery, brinjal, sesame, *Urada*, mustard, yogurt, water from well, betel, water treated with *Uśīra*. The prescription of avoidable also includes, *Āmla*, salty and bitter juices, seeds of *Kulattha* (dolichos bean) and sesame, legumes, leaf of mustard, brinjal and garlic pearls, *Sema*, consumption of incombustible, *Kaṭu*, *Āmla* and citrus products, consumption of salty products and products which produces burning sensation. (B.R. 13/177-179).

MCQs

1. *Charditasya bibhatsata* is the feature of
 - a. *Raktapitta Purvarupa*
 - b. *Raktapittarupa*
 - c. *Raktapitta Asadyalakshana*
 - d. *Raktapitta upadrava*
2. According to *Charaka*, which one of the statements about the prognosis of *Raktapitta* is correct
 - a. It is curable in individuals who are physically weak with moderate attacks and chronic onset with favorable environment for management associated with complications
 - b. It is curable in individuals who are physically weak with severe attacks and recent onset with no favorable environment for management associated with complications
 - c. It is curable in individuals who are physically strong with mild attacks and recent onset with favorable environment for management associated with free from complications
 - d. It is curable in individuals who are physically strong with mild attacks and recent onset with favorable environment for management associated with complications
3. Number of *Raktapitta Upadrava* as per *Madavanidana*

a. 7	b. 8
c. 12	d. 18

4. Which among the following is not the Asadyalakshana of Raktapitta
 a. Mamsaparakshalanabham
 b. Pakwajambhuphalabham
 c. Gomutrasannibha
 d. Brisamatikunapa
5. Prognosis of Adhoga Raktapitta
 a. Sadyam b. Krichrasadya
 c. Yasya d. Asadhya
6. Dhoomako-amlaka is
 a. Purvarupa of Raktapitta
 b. Pitta kasa lakshana
 c. Upadrava of Kasa
 d. Both a & b
7. Bhukteghoravidaha is the Upadrava of
 a. Raktapitta b. Pandu
 c. Chardhi d. Ajeerna

Answer

1. a	2. c	3. d
4. c	5. c	6. d
7. a		