

Introduction

A skin disease. Acute spreading suppurations. *Visarpa* is an indisposition characterised by a rapidly spreading inflammation of the skin; The main signs and symptoms of *visarpa* include rapid spreadings of inflammation of skin with a throbbing or prickly or stabbing pain, lassitude, horripilation, appearance of deep pink-coloured and waxy patches on the skin with itching. Wax (probably as removing that disease).

भगवन्! दारुणं रोगमाशीविषविषोपमम् ।
विसर्पन्तं शरीरेषु देहिनामुपलक्ष्ये ॥
सहसैव नरास्तेन परीताः शीघ्रकारिणा ।
विनश्यन्त्यनुपक्रान्तास्तत्र नः संशयो महान् ॥

C.S.Ci. 21/6-7

Visarpa is serious disorder afflicting like cobra venom spreading various parts of the body very quickly. Negligence or delay in treatment succumbs to death.

विविधं सर्पति यतो विसर्पस्तेन स स्मृतः ।
परिसर्पोऽथवा नाम्ना सर्वतः परिसर्पणात् ॥

C.S.Ci. 21/11

Lesion spreads either upwards or downwards or sideways or in all the directions is the characteristic feature of *Visarpa*. It is called *Parisarpa* because it spreads all over the body.

विविधं सर्पति यतो विसर्पस्तेन स स्मृतः ।
परिसर्पोऽथवा नाम्ना सर्वतः परिसर्पणात् ॥

C.S.Ci. 21/11

कुर्वन्ति विस्तृतमनुन्नतमाशु शोफं तं सर्वतो विसरणाच्च विसर्पमाहुः ॥ S.S.Ni. 10/3

Visarpa is characterised by quick manifestation of swelling, having their own special features, spreading to all parts of body, lesion is wide and doesn't develop swelling. It is called *Visarpa*, because it spreads to all the parts of the body.

विसर्प हेतु (Visarpa Hetu)

लवणाम्लकटूष्णानां रसानामतिसेवनात् ।
दध्यम्लमस्तुशुक्तानां सुरासौवीरकस्य च ॥
व्यामन्नबहुमद्योष्णरागषाडयसेवनात् ।
शाकानां हरितानां च सेवनाच्च विदाहिनाम् ॥
कूर्चिकानां किलाटानां सेवनान्मन्दकस्य च ।
दध्नः शाण्डाकिपूर्वाणामासुतानां च सेवनात् ॥
तिलमाषकुलत्थानां तैलानां पैष्टिकस्य च ।
ग्राम्यानूपौदकानां च मांसानां लशुनस्य च ॥
प्रक्लिन्नानामसात्प्यानां विरुद्धानां च सेवनात् ।
अत्यादानाद्दिवास्वप्नादजीर्णाध्यशनात् क्षतात् ॥
क्षतबन्धप्रपतनाद्धर्मकर्मातिसेवनात् ।
विषवातारग्नदोषाच्च विसर्पाणां समुद्भवः ॥

C.S.Ci. 21/16-21

- Excessive consumption of salt, sour, pungent and hot substances.
- Increased intake of sour curd, curdwater, vinegar, alcoholic beverages, sour drink, fermented wine (alcohol); condiments & pickles having hot substances.
- Regular intake of excess greeny vegetables, salads, soup preparations made up of hot substances, inspissated milk, cheese, immature curd, fermented preparations like *Śaṇḍāki* (a type of sour gruel), Sesamum, Black gram, horse gram, oily preparations (junk foods) and flour preparations (pastries).
- Consumption of meat of animals which are residing in domestic, marshy and aquatic regions. Regular intake of garlic, decomposed food, unsuitable and mutually contradictory food substances.
- Excess intake of food, eating during indigestion and frequently eating habits
- Indulging in day sleep, suffering from traumatic injuries. Falling of bandages from wounds. Excessive exposure to hot sun, physical exertion, poisonous air, strong breeze and fire.

देहे शीघ्रं विसर्पन्ति तेऽन्तरन्तास्थिता बहिः ।
 बहिःस्था द्वितये द्विस्थाः विद्यात्तन्त्रान्तराश्रयम् ॥
 मर्मोपतापात्सम्मोहादयनानां विघट्टनात् ।
 तृष्णातियोगाद्वेगानां विषमं च प्रवर्तनात् ॥

A.H.Ni. 13/45-46

Etiological factors for bāhya (external) and Abhyantara (Internal) Visarpa : Vāgbhaṭa mentioned two kinds of etiology i.e one for internal variety second one for external variety. Internal variety of *Visarpa* manifest due to afflictions of vital organs, unconsciousness, trauma to the sensory organs, excessive thirst, improper initiation of urges of body, sudden loss of strength & digestive fire. External variety of *Visarpa* is manifest due to the factors which are opposite to the causation of internal variety of *Visarpa*.

विसर्प संप्राप्ति (Samprāpti of Visarpa)

एतैर्निदानैर्व्यामिश्रैः कुपिता मारुतादयः ।
 दूष्यान् संदूष्य रक्तादीन् विसर्पन्त्यहिताशिनाम् ॥

C.S.Ci. 21/22

त्वङ्मांसशोणितगताः कुपितास्तु दोषाः सर्वाङ्गसारिणमिहास्थित-
 मात्मलिङ्गम् । कुर्वन्ति विस्तृतमनुन्नतमाशु शोफं तं सर्वतो विसरणाच्च
 विसर्पमाहुः ॥ S.S.Ni. 10/3

One who indulges in unwholesome diet along with other etiological factors mentioned above leading to aggravation of all the *Vātādi* three *Doṣās*, which inturn vitiates *Rakta*, *Lasikā*, *Tvak* and *Māmsa* and manifest *Visarpa*.

It is characterised by quick manifestation of non bulging skin eruptions having their own special features, spreads to all parts of body with wider lesions.

तत्र दोषा यथायथम् । प्रकोपणैः प्रकुपिता विशेषेण विदाहिभिः ॥
 देहे शीघ्रं विसर्पन्ति तेऽन्तरन्तास्थिता बहिः । बहिःस्था द्वितये द्विस्थाः
 विद्यात्तन्त्रान्तराश्रयम् ॥ A.H.Ni 13/44-45

Excacerbation of *Doṣās* by their respective causative factors especially *Pitta* aggravating factors like *Vidāhi* etc. leads to quick spreading of *Doṣās* to internal path and external path.

Doṣa-dūṣya Sammurchanā takes place either in *Bāhya* or *Abhyantara* path leading to

development of respective *Bāhya* & *Abhyantara* *Visarpa*.

रक्तं लसीका त्वङ्मांसं दूष्यं दोषास्त्रयो मलाः ।
 विसर्पाणां समुत्पत्तौ विज्ञेयाः सप्त धातवः ॥

C.Ci. 21/15

Seven components namely *Vāta*, *Pitta*, *Kapha*, *Rakta*, *Lasikā*, *Māmsa* and *Tvak* are mainly responsible for the manifestation of *Visarpa*.

Nidān Sevana (Consumption of
 Etiological factors)

↓
 Aggravation of *Pitta*, *Śleṣma* and *Vāta*

↓
 Diminution of *Agni*

↓
 Development of *Āma* inside the gastro
 intestinal tract

↓
 Excacerbation of *Doṣās* by their respective causative factors especially *Pitta* aggravating factors like *Vidāhi* etc. leads to quick spreading of *Doṣās* to internal path and external path.

↓
 Vitiates *Rakta*, *Lasikā*, *Māmsa* and *Tvak*

↓
Doṣa-dūṣya Sammurchanā takes place either in
Bāhya or *Abhyantara* path leading to

↓
Bāhya Visarpa. or *Abhyantara Visarpa*.

(It is characterised by quick manifestation of non bulging skin eruptions having their own special features, spreads to all parts of body with wider lesions)

विसर्प संप्राप्ति घटक (Samprāpti Ghaṭaka of Visarpa)

Doṣa : तत्र विसर्पस्य पित्तप्रबलं सप्र द्रव्यं ।

S.S.Ni. 5/3 (Nyāya Candrika)

Pitta Pradhāna Tridoṣaja

Vāta → *Vyāna*

Pitta → *Pācaka*, *Bhrājaka*

Kapha → *Kledaka*

Dūṣya : *Dhātu* → Initially : *Tvak* (*Rasa*),
Rakta, *Māmsa* and *Lasikā*

Upadhātu → *Sirā*, *Snāyu*, *Tvak*

Sārīra Mala → *Mūtra & Puriṣa*
Dhātu Mala → *Sveda, Nakha.*

- Agni** : *Jaṭharāgni, Dhātvaṅni*
Agniduṣṭi : *Mandāgni*
Āma : *Āgnijanya*
Srotas : *Rasavaha, Raktavaha, Māmsavaha,*
Srotoduṣṭi : *Sanḡa*
Adhiṣṭhāna : *Abhyantara and Bāhya Roga Mārga*
Sancārasthāna : *Tvak & other Dhātus*
Vyaktasthāna : *Tvacā*
Udbhavasthāna : *Āmāśayottha, Śākhā-Tvak*
Svabhāva : *Āśukāri, Cirakāri*
Prabhāva : *Eka Doṣaja Curable Agni Visarpa, Kardama Visarpa, Granthi Visarpa, Sannipātaja Visarpa are incurable.*
Roga Bheda : *7 Varieties*
Roga Mārga : *Abhyanta, Bāhya & Madhyama*
अधिष्ठान (Adhiṣṭhāna)

बहिःश्रितः श्रितश्चान्तस्तथा चोभयसंश्रितः ।
 विसर्पो बलमेतेषां ज्ञेयं गुरु यथोत्तरम् ॥
 C.S.Ci. 21/23

Place of manifestation of *Visarpa* is external, internal and both. It is difficult to cure in their progressive order.

अन्तःस्थित विसर्प लक्षण (Antaḥsthita Visarpa Lakṣaṇa)

मर्मोपघातात् संमोहादयनानां विघट्टनात् ।
 तृष्णातियोगाद्देहानां विषमाणां प्रवर्तनात् ॥
 विद्याद्विसर्पमन्तर्जमाशु चग्निबलक्षयात् ।
 अतो विपर्ययाद्वाह्यमन्यैर्विद्यात् स्वलक्षणैः ॥
 C.S.Ci. 21/26-27

Internal variety of *Visarpa* is characterised by afflictions of *Marma* (vital organs), unconsciousness, obstruction in channels, severe thirst, irregularity in the release of urges and sudden

diminution of internal digestive fire.

विसर्प भेद (Visarpa Bheda)

स च सप्तविधो दोषैर्विज्ञेयः सप्तधातुकः ।
 पृथक् त्रयस्त्रिभिश्चैको विसर्पो द्वन्द्वजास्त्रयः ॥
 वातिकः पित्तिकश्चैव कफजः सान्निपातिकः ।
 चत्वार एते वीसर्पा वक्ष्यन्ते द्वन्द्वजास्त्रयः ॥
 आग्नेयो वातपित्ताभ्यां ग्रन्थ्याभ्याः कफवातजः ।
 यस्तु कर्दमको घोरःस पित्तकफसंभवः ॥
 C.S.Ci. 21/12-14

Visarpa is classified into seven subtypes namely 1. *Vātaja*, 2. *Pittaja*, 3. *Kaphaja*, 4. *Sannipātika*, 5. *Āgneya* (*Vāta-Pittaja*), 6. *Granthi* (*Kapha-Vātaja*) and 7. *Kardamaka* (*Pitta-Kaphaja*).

वातज विसर्प हेतु एवं लक्षण (Vātaja Visarpa Hetu evam Lakṣaṇa)

रूक्षोष्णैः केवलो वायुः पूरणैर्वा समावृतः ।
 प्रदुष्टो दूषयन् दूष्यान् विसर्पति यथाबलम् ॥
 तस्य रूपाणि भ्रमदवयुपिपासानिस्तोदशूलाङ्गमर्दोद्वेष्ट-
 नकम्प- ज्वरतमककासास्थिसंधिभेदविश्लेषणवेपनारोचका-
 विपाकाश्चक्षुषोराकुलत्वमस्त्रागमनं पिपीलिकासंचार इव
 चाङ्गेषु यस्मिंश्चावकाशे विसर्पो विसर्पति सोऽवकाशः
 श्यावारुणाभासः श्वयथुमान् निस्तोदभेदशूलायामसंकोचहर्ष-
 स्फुरणैरतिमात्रं प्रपीड्यते, अनुपक्रान्तश्चोपचीयते शीघ्रभेदैः
 स्फोटकैस्त- नुभिररुणाभैः श्यावैर्वा तनुविशदारुणाल्पास्त्रावैः,
 विबद्धवातमूत्रपुरीषश्च भवति, निदानोक्तानि चास्य नोपशेरते
 विपरीतानि चोपशेरत इति वातविसर्पः ॥
 C.S.Ci. 21/29-30

Vātaja Visarpa manifest by following etiological factors.

Excess consumption of ununctuous and hot substances and occlusion by vitiated *Pitta-Kapha* due to over nourishment and vitiates *Dūṣyās* and manifest *Vātaja Visarpa* and it spreads to entire body depending on the nature of severity. Hot substances are specially mentioned for the manifestation of *Vātaja Visarpa* along with ununctuous substances, it indicates that there is role of *Pitta* even in *Vātaja* type of *Visarpa*.

Symptomatology

It is characterised by giddiness, burning sensation in eyes, thirst, pricking pain, colic pain,

malaise, cramps, tremors, fever, feeling of darkness in front of eyes, cough, breaking pain in bones and joints and their dislocation, shivering, anorexia, indigestion, congestion of eyes, lachrymation, and there is a feeling as if ants are crawling over the body.

The part where the disease spreads becomes greyish, blackish, reddish. Patient suffer from intense pain which is either pricking, breaking, colic, expansion, contraction, tingling sensation (horripilation) and throbbing sensation.

Due to negligency or delay in treatment produces various kinds of afflictions i.e quick bursting, cracking, erupted lesions are small in size, having blackish or reddish discolouration with thin, transparent pink and scanty discharge.

Patients suffers from retention of flatus, urine and stool. Symptoms aggravate after exposure to etiological factors and alleviates after adoption of etiology opposite to causative ones.

पित्तज विसर्प हेतु एवं लक्षण (Pittaja Visarpa Hetu evam Lakṣaṇa)

पित्तमुष्णोपचारेण विदाह्यम्लाशनैश्चितम् । दूष्यान् संदूष्य ध मनीः पूरयन् वै विसर्पति ॥

तस्य रूपाणि ज्वरस्तृष्णा मूर्च्छा मोहश्छर्दिरोचकोऽङ्गभेदः स्वेदोऽतिमात्रमन्तर्दाहः प्रलापः शिरोरुक् चक्षुषोराकुलत्वम-स्वप्नमरतिभ्रमः शीतवातवारितर्षोऽतिमात्रं हरितहारिद्रनेत्रमूत्र-वर्चस्त्वं हरित हरिद्ररूपदर्शनं च, यस्मिंश्चावकाशे विसर्पोऽनुसर्पति सोऽवकाशस्ताग्रहरितहारिद्रनील- कृष्णरक्तानां वर्णानामन्यतमं पुष्यति, सोत्सेधैश्चातिमात्रं दाहसंभेदनपरीतैः स्फोटकैरुपचीयते तुल्यवर्णास्त्रावैरचिरपाकैश्च, निदानोक्तानि चास्य नोपशेरते विपरीतानि चोपशेरत इति पित्तविसर्पः ॥

C.S.Ci. 21/31-32

Etiology : Pittaja Visarpa manifest due to consumption of hot substances, like Vidāhi and Āmla etc. leading to excacerbation of Pitta, which in turn vitiates Dhātus, vitiated dhātus spreads the disease to entire body.

Symptoms : It is characterised by fever, thirst, fainting, unconsciousness, vomiting, anorexia, breaking pain in limbs, excessive sweating and burning sensation inside the body, delirium, headache, congestion in the eyes, sleeplessness,

dislike for everything or restlessness, giddiness, intense desire for cold wind and water.

Eyes, urine and stool becomes deep green and yellowish discolouration and objects appear either green or yellow.

Affected area where the disease located develops coppery, green, yellow, blue, black and red coloured raised skin eruptions having intense burning sensation and breaking pain, suppurating quickly and discharges exudates of similar colour like that of eruptions. Symptoms excacerbates after consumption of factors which aggravates Pitta and alleviation of symptoms takes place after consumption of factors which are opposite to the cause of the disease.

कफज विसर्प हेतु एवं लक्षण (Kaphaja Visarpa Hetu evam Lakṣaṇa)

स्वाद्वल्लवणस्निग्धगुर्वन्नस्वप्नसंचितः ।

कफः संदूषयन् दूष्यान् कृच्छ्रमङ्गे विसर्पति ॥

C.Ci. 21/33

तस्य रूपाणि शीतकः शीतज्वरो गौरवं निद्रा तन्द्राऽरोचको मधुरास्यत्वमास्योपलेपो निष्ठीविका छर्दिरालस्यं स्तैमित्यमग्निनाशो दौर्बल्यं च, यस्मिंश्चावकाशे विसर्पोऽनुसर्पति सोऽवकाशः श्वयथुमान् पाण्डुरान्तिरक्तः स्नेहसुप्तिस्तम्भगौरवैरन्वितोऽल्पवेदनः कृच्छ्रपा-कैश्चिरकारिभिर्बहुलत्वगुपलेपैः स्फोटैः श्वेतपाण्डुभिरनुबध्यते, प्रभिन्नस्तु श्वेतं पिच्छिलं तन्तुमद्भनमनुबद्धं स्निग्धमास्त्रावं स्रवति, ऊर्ध्वं च गुरुभिः स्थिरैर्जालावततैः स्निग्धैर्बहुलत्वगुपले-पैर्द्रौण्येनोबध्यतेऽनुषङ्गी च भवति, श्वेतनखनयनवदनत्वङ्मूत्रवर्चस्त्वं निदानोक्तानि चास्य नोपशेरते विपरीतानि चोपशेरत इति श्लेष्मविसर्पः ॥ (C.S.Ci. 21/34)

Etiology for Kaphaja Visarpa : Kaphaja excacerbates due to consumption of ingredients which are sweet, sour, salt, unctuous, heavy and sleeping during day time and such other causative factors which aggravates Kapha, which in turn vitiates Dūṣyās and manifest Kaphaja Visarpa, which spreads slowly.

Symptoms : It is characterised by feeling of cold, fever with chills, heaviness, excessive sleep, drowsiness, anorexia, sweet taste in mouth, sweetishness and adherence of sticky material in oral cavity, splitting of saliva, vomiting, lassitude, timidity, diminution of digestive fire and strength.

The part in which disease spreads becomes

oedematous, pale-yellow, slightly reddish and unctuous associated with numbness, stiffness, heaviness and mild pain.

Suppuration of the skin eruption is slow, chronic and they appear in large number; the skin over these pustules gets covered with white or pale yellow coloured sticky material.

When pustules burst they discharge white, slimy, thready, viscous, knotty and unctuous materials. As the disease advances the area is covered with wounds which are heavy (deep seated), stable, surrounded by capillary network, unctuous and covered with copious smear over skin appear and re-appear. Wounds remain for longer period of time.

Whitishness of nails, eyes, face, skin, urine, and stool.

The etiological factors are non conducive to *Kaphaja Visarpa* and opposite to etiology are conducive to *Kaphaja Visarpa* patient.

अग्नि विसर्प हेतु एवं लक्षण (Agni Visarpa Hetu evam Lakṣaṇa)

वातपित्तं प्रकुपितमतिमात्रं स्वहेतुभिः ।
परस्परं लब्धबलं दहद्गात्रं विसर्पति ॥

तदुपतापादातुरः सर्वशरीरमङ्गारैरिवाकीर्यमाणं मन्यते, छर्द्यतीसारमूर्च्छादाहमोहज्वर तमकारोचकास्थिसंधिभेदतृष्णा-विपाकाङ्गभेदादिभिश्चाभिभूयते, यं यं चावकाशं विसर्पेऽनुसर्पति सोऽवकाशः शान्ताङ्गारप्रकाशोऽतिरक्तो वा भवति, अग्निदग्धप्रकारैश्च स्फोटैरुपचीयते, स शीघ्रगत्वादाश्वेवमर्मानुसारी भवति, मर्मणि चोपतप्ते पवनोऽतिबलो भिनत्त्यङ्गान्यतिमात्रं प्रमोहयति संज्ञां, हिक्काश्वासौ जनयति नाशयति निद्रां, स नष्टनिद्रः प्रमूढसंज्ञो व्यथितचेतानक्वचनसुखमुपलभते, अरतिपरीतस्थानादासनाच्छय्यां क्रान्तुमिच्छति, क्लिष्टभूयिष्ठश्चाशु निद्रां भजति, दुर्बलो दुःखप्रबोधश्च भवति तमेवंविधमग्निविसर्पपरीतमचिकित्स्यं विद्यात् ॥

C.S.Ci. 21/35-36

Etiology : Simultaneous aggravation of *Vāta* and *Pitta* by their respective causative factors, gain strength from each other and spread all over the body and produces severe burning sensation is called *Visarpa*.

Symptoms : It is characterised by burning

sensation all over the body and patient feels as if his body is sprinkled with flaming charcoals associated with vomiting, diarrhoea, fainting, burning sensation, unconsciousness, fever, feeling as if entering into darkness, anorexia, pain in the bones and joints, morbid thirst, indigestion, breaking pain all over the body etc.

The part where disease manifested appears like extinguished charcoal or excessive redness and it is surrounded by skin eruptions, which resemble like those caused by burns. Due to acute spreading nature it afflicts vital organs badly as a result *Vāta* gets aggravated excessively and produce breaking pain in the limbs, unconsciousness, hiccup, breathlessness, insomnia, mental confusion due to sleeplessness leads miserable life and doesn't find comfort anywhere. Due to discomfort in any of the positions, he changes his place & seat oftenly and always desires to go to bed. Being afflicted with miseries, he gets sleep quickly and the weak one is aroused with difficulty. It is incurable.

कर्दम विसर्प हेतु एवं लक्षण (Kardama Visarpa Hetu evam Lakṣaṇa)

कफपित्तं प्रकुपितं बलवत् स्वेन हेतुना ।
विसर्पत्येकदेशे तु प्रक्लेदयति देहिनम् ॥

तद्विकाराः शीतज्वरः शिरोगुरुत्वं दाहः स्तैमित्यमङ्गारवसदनं निद्रा तन्त्रा मोहोऽन्नद्वेषः प्रलापोऽग्निनाशो दौर्बल्यमस्थिभेदो मूर्च्छा पिपासा स्रोतसां प्रलेपो जाड्यमिन्द्रियाणां प्रायोपवेशनमङ्गविक्षेपोऽङ्गमर्दोऽरतिरौत्सुक्यं चोपजायते, प्रायश्चामाशये विसर्पत्यलसक एकदेशग्राही च, यस्मिंश्चावकाशे विसर्पो विसर्पति सोऽवकाशो रक्तपीतपाण्डुपिडकावकीर्ण इव मेचकाभः कालो मलिनः स्निग्धो बहूष्मा गुरुः स्तिमितवेदनः श्वयथुमान् गम्भीरपाको निरास्त्रावः शीघ्रक्लेदः स्विन्नक्लिन्नपूतिमांसत्वक् क्रमेणात्परुक् परामृष्टोऽवदीर्यते कर्दम इवावपीडितोऽन्तरं प्रयच्छत्युपक्लिन्नपूतिमांसत्यागी सिरास्नायुसंदर्शी कुणपगन्धी च भवति संज्ञास्मृतिहन्ता च; तं कर्दमविसर्पपरीतमचिकित्स्यं विद्यात् ॥ C.S.Ci. 21/37-38

Etiology : Simultaneous aggravation of *Kapha* & *Pitta* by their respective etiological factors, spread to localised parts and brings moistening in the affected parts.

Symptoms : It is characterised by cold, fever, heaviness in head, burning sensation, timidity, debility in body parts, sleep, drowsiness,

unconsciousness, dislike for food, delirium, diminution of loss of digestive fire, debility, breaking pain in bones, fainting, thirst, adhesion of sticky material inside the *Srotas*, inability to perform normal functions by sensory organs, constant feeling for voiding stool, stretching of extremities, general malaise, restlessness and anxiety. It spreads to *Āmāśaya* in a slow manner and gets localised there.

The part where disease manifested appears like either red, yellow and pale yellow colour associated with muddy, black, dirty and unctuous. It induces warmth, heaviness, mild pain which is continuous, swelling and deep seated suppuration. Skin eruptions are free from exudations but manifest quick moistening, sweating, sloughing of muscles and skin; the pain over the affected lesion is less and it appears gradually; after rubbing skin eruption bursts, and when pressed, sticky and putrified muscle tissue comes out; after removing dirt and slough, blood vessels & ligaments become visible and cadaverous smell emits from the affected parts. Patient become unconscious and loses memory. It is incurable

ग्रन्थि विसर्प हेतु एवं लक्षण (Granthi Visarpa Hetu evam Lakṣaṇa)

स्थिरगुरुकठिनमधुरशीतस्निग्धान्नपानाभिष्यन्दिसेविनामव्यायामा-
दिसेविनामप्रतिकर्मशीलानां श्लेष्मा वायुश्च प्रकोपमापद्यते, तावुभौ
दुष्टप्रवृद्धावतिबलौ प्रदूष्य दूष्यान् विसर्पाय कल्पेते; तत्र वायुः श्लेष्मणा
विवद्धमार्गस्तमेव श्लेष्माणमनेकधाभिन्दन् क्रमेण ग्रन्थिमालां
कृच्छ्रपाकसाध्यां कफाशये संजनयति, उत्सन्नरक्तस्य वा प्रदूष्य रक्तं
सिरास्नायुमांसत्वगाश्रितं ग्रन्थीनां मालां कुरुते तीव्ररुजानां
स्थूलानामणूनां वा दीर्घवृत्तरक्तानां, तदुपतापाज्ज्वरातिसारकास-
हिककाश्वासशोषप्रमोहवैवर्ण्यारोचकाविपाकप्रसेकच्छर्दि-
मूर्च्छाङ्गभङ्गनिद्रातिसदनाद्याः प्रादुर्भवन्त्युपद्रवाः; स एतैरुपद्रुतः
सर्वकर्मणां विषयमतिपतितो विवर्जनीयो भवतीति ग्रन्थिविसर्पः ॥

C.S.Ci. 21/39

Etiology : Simultaneous aggravation of *Kapha* & *Vāta* by their respective etiological factors, vitiate *Dūṣyās* and manifest *Granthi Viśarpa*.

Consumption of food and drinks which are solid, heavy, hard, sweet, cold, unctuous and

channel blocking substances. Lack of physical activity and not undergoing biopurificatory procedures at regular interval.

Due to above etiological factors *Kapha* aggravates and accumulates in excess in the channel of circulation as a result *Vāta* gets obstruction for its normal movement leading to its aggravation. Aggravated *Vāta* disintegrates *Kapha* into several parts gradually giving rise to a series of *Granthis* in the seats of *Kapha*. These *Granthis* hardly suppurate and difficult for management.

Symptoms : If person adopts *Rakta* provocative measures along with *Vāta* & *Kapha* aggravating factors leading to vitiation of *Rakta* along with *Vāta* & *Kapha* giving rise to a series of glands in blood vessels, ligaments, muscles and skin. These glands are exceedingly painful, either big or small or elongated or round having reddish discolouration.

Patient also suffers from fever, diarrhoea, cough, hiccup, dyspnoea, consumption, unconsciousness, deranged complexion, anorexia, indigestion, salivation, vomiting, fainting, breaking of body parts, sleep, restlessness, malaise etc. Such patients transcend all the therapeutic procedures. That's why treatment to these kinds of patients must be rejected.

सन्निपातिक विसर्प (Sannipātika Visarpa)

सर्वायतनसमुत्थं सर्वलिङ्गव्यापिनं सर्वधात्वनुसारिणमाशुकारिणं
महात्ययिकमिति सन्निपातविसर्पमचिकित्स्यं विद्यात् ॥

C.S.Ci. 21/41

Simultaneous aggravation of *Vāta*, *Pitta* and *Kapha* by their respective etiological factors leads to presentation of symptoms of all the *Doṣās* and spreads quickly to all body parts & manifest severe serious diastrous condition and becomes incurable.

क्षतज विसर्प (Kṣataja Visarpa)

सद्यः क्षतव्रणमुपेत्य नरस्य पित्तं रक्तञ्च दोषबहुलस्य करोति
शोफम् । श्यावं सलोहितमतिज्वरदाहपाकस्फोटैः कुलत्थसदृशैरसितैश्च
कीर्णम् ॥ S.S.Ni. 10/7

बाह्यहेतोः क्षतात्कुब्धः सरक्तं पित्तमीरयन् ॥

विसर्पं मारुतः कुर्यात् कुलत्थसदृशश्चितम् ।
स्फोटैः शोफज्वररुजादाहाढ्यं श्यावलोहितम् ॥

A.H. Ni. 13/65-66

Vāta aggravates by external causative factors like trauma leading to exacerbation of *Rakta* and *Pitta* produces *Kṣataja Visarpa*. It is characterized by swelling, which is either bluish or slightly reddish and surrounded by black eruptions resembling horsegam associated with bleeding, fever, burning sensation, and pus formation.

उपद्रव (Upadrava)

Complications of Visarpa are as follows:-

पृथग्दोषैस्त्रयः साध्या द्वन्द्वजाश्चानुपद्रवाः ।
असाध्यौ क्षतसर्वोत्थौ सर्वे चाक्रान्तमर्मकाः ॥
शीर्णस्नायुसिरामांसाः प्रक्लिन्नाः शवगन्धयः ।

A.H.Ni. 13/67-68

Involvement of all the three *Doṣās*; disease spreading to vital organs; loss of tendons, veins and muscles and these are highly moist and cadaveric smell emits from these areas.

साध्यासाध्यता (Sādhyāsādhyatā)

सिध्यन्ति वातकफपित्तकृता विसर्पाः सर्वात्मकः क्षतकृतश्च न सिद्धिमेति । तैलानिलावपि च दर्शितपूर्वलिङ्गौ सर्वे च मर्मसु भवन्ति हि कृच्छ्रसाध्याः ॥ S.S.Ni. 10/8

तत्र वातपित्तश्लेष्मनिमित्ता विसर्पास्त्रयः साध्या भवन्ति; अग्निकर्माख्यौ पुनरनुपसृष्टे मर्मणि अनुपगते वा सिरास्नायुमांसक्लेदे साधारणक्रियाभिरुभावेवाभ्यस्यमानौ प्रशान्तिमापद्येयाताम्, अनादरोपक्रान्तः पुनस्तयोरन्यतरो हन्याद्देहमाश्वेषाशीविषवत्; तथा गन्धिविसर्पमजातोपद्रवमारभेत चिकित्सितुम् उपद्रवोपद्रुतं त्वेनं परिहरेत्; सन्निपातजं तु सर्वधात्वनुसारित्वादाशुकारित्वा-द्विरुद्धोपक्रमत्वाच्चासाध्यं विद्यात् ॥ C.S.Ci. 21/42

Visarpa manifested by single *Doṣa* either *Vāta* or *Pitta* or *Kapha* predominance is said to be curable. *Sannipātaja* and *Kṣataja Visarpa* are incurable. *Pitta-Vātaja Visarpa* (*Āgneya Visarpa*) with complete symptomatology indicates incurability of the disease.

All kinds of *Visarpa* become difficult to cure if vital organs are involved.

Agni Visarpa and *Kardama Visarpa* can be

managed by the constant use of general therapeutic measures, provided vital organs are spared and there is no softening of the vessels, ligaments and muscle tissue.

Delayed or improper treatment employed to *Agni Visarpa* and *Kardama Visarpa* leads to death of a person like snake poison.

Granthi Visarpa without complications can be curable and with complications it is said to be incurable.

Sannipātaja Visarpa is incurable because it spreads to all vital organs and tissues and spreads quickly and line of treatment is antagonistic.

उपशय/पथ्य (Upaśaya/Pathya)

Vamana Karma, Mustādi Kvātha, Sārivādi Kvātha, Kiratiktādi Kvātha, Rakta Mokṣaṇa.

Ghṛta : *Mahātiktaka Ghṛta, Trāyamāṇa Ghṛta, Gauryādi Ghṛta.*

Bāhya lepa : *Udumbarādi pradeha, Nyag-rodādyā lepa, Kālīyādi pralepa, Śādvalādi pradeha, Sārivādhyā pralepa, Naladādyā pralepa, Balādyā lepa, Prapūṇḍarīkādyā pralepa, Triphalādi pradeha, Khadirādyā lepana.*

Recipes for cleaning wounds

Paṭolādi kvātha, Paṭolādi ghṛta

पथ्य (Pathya)

अन्नपानानि वक्ष्यामि विसर्पाणां निवृत्तये ।
लङ्घितेभ्यो हितो मन्थो रुक्षः सक्षौद्रशर्करः ॥
मधुरः किञ्चिदम्लो वा दाडिमामलकान्वितः ।
सपरुषकमृद्वीकः सखर्जूरः शृताम्बुना ॥
तर्पणैर्यवशालीनां सस्नेहा चावलेहिका ।
जीर्णे पुराणशालीनां यूषैर्भुञ्जीत भोजनम् ॥
मुद्गान्मसूरांश्चणकान् यूषार्थमुपकल्पयेत् ।
अनम्लान् दाडिमाम्लान् वा पटोलामलकैः सह ॥
जाङ्गलानां च मांसानां रसांस्तस्योपकल्पयेत् ।
रुक्षान् परुषकद्राक्षादाडिमामलकान्वितान् ॥
रक्ताः श्वेता महाह्वाश्च शालयः षष्टिकैः सह ।
भोजनार्थं प्रशस्यन्ते पुराणाः सुपरिस्तुताः ॥
यवगोधूमशालीनां सात्त्यान्येव प्रदापयेत् ।

येषां नात्युचितः शालिर्नरा ये च कफाधिकाः ॥

C.S.Ci. 21/108-114

Food and drinks useful for curing *visarpa* are described below:

- Fasting is the beginning treatment for all varieties of *Visarpa*.
- Thereafter, he should be given *mantha* (roasted flour of cereals added with water in profuse quantity). It should be free from any unctuous material, but honey and sugar should be added. To make this drink sweet and sour, it should be added with *dāḍima*, *āmalaka*, *parūṣaka*, *mṛdvikā* and *kharjūra*. The above mentioned flour of roasted cereals and other ingredients should be mixed with boiled water.
- The roasted flour of barley and *śāli* rice may be added with ghee, and it should be consumed in the form of linctus.
- After the above mentioned recipe is digested, the patient should be given boiled old rice along with vegetable soup. *Mudga*, *masūra* and *caṇaka* should be used for the preparation of this vegetable soup. To these pulses, *paṭola* and *āmalaka* may also be added for the preparation of the soup. This soup may not be made sour. But if the patient desires to take sour soup then add *dāḍima*.
- Red, white and *mahāhva* types of *śāli* rice and *śaṣṭika* type of rice, which are old and which are boiled with the residual water completely removed, should be given to the patient as food.
- Depending upon the eating habit (wholesomeness), the patient may be given either barley or wheat or *śāli* type of rice to eat. If *śāli* rice is not suitable and if *kapha* is aggravated in excess, then barley and wheat should be used as food. C.S.Ci 21.108-114.

Wholesome dietetics for patient of *Visarpa* are as follows:- *Laṅgana* (fasting), *Mantha* (churned drink) should be from unctuous material added with honey & sugar.

Mantha prepared with *Dāḍima*, *Āmalaka*, *Parūṣaka*, *Mṛdvikā* and *Kharjūra*. Patient should

drink boiled water which is mixed with flour of roasted cereals and *Dāḍima*, *Āmalaka*, *Parūṣaka*, *Mṛdvikā* & *Kharjūra*.

Avalehika (paste like rice preparation) added with little fat (ghee) should be taken with *Mantha* prepared out of *Bārley* and *Śāli*. After the digestion of earlier recipe patient should take old *Śāli* rice with soups prepared out of *Mudga*, *Masūra*, *Caṇaka*. *Paṭola* and *Āmalaka* may also be added to the above soup but it should not be sour in taste. If patient desires sour taste soup, then the soup can be made by adding sour *Dāḍima*.

Meat soup prepared out of wild animals without fat and added with *Parūṣaka*, *Drākṣā*, *Dāḍima* and *Āmalaka*.

Red, white and *Mahāśāli* types of rice and *Śaṣṭika* type of rice, which are old. After removing residual water from boiled rice, then it should be given to patient for eating.

Considering one's own food habit the patient may be given either barely or wheat or *Śāli* type of rice for eating in case of *Kapha* predominant condition. *Śāli* type of rice is not wholesome, then barley & wheat should be used as food.

The following measures and materials are considered to be good, if taken in proper way and in right dosage for patients of *Visarpa*: *Virecana*, *Vamana*, *Lepa*, *Laṅgana* (fasting), *Rakta Mokṣana*, old barley, wheat, *Kanguni*, *Śaṣṭhi* and *Śāli* types of paddy, *Mudga*, *Masūra*, grams (*Caṇaka*), *Tura*, meat soup of wild animals and birds, butter, *Ghṛtam*, raisins, *Drākṣā*, *Kāravellaka*, *Vetāgra*, leaves of *Paṭola*, *Āmalakī*, *Khadira*, *Nāgakeśara*, *Lākṣa*, *Śirīṣa*, camphor, sandalwood, sesame seeds, *sugandhabālā*, *mustā* and pungent edibles. All the above are beneficial in curing *Visarpa* disorder. (B.R. 57/27-30)

The patients should not get excited and angry, they can be served with blood purifying materials, bitter eatables, the eatables that do not contain hot properties and the like liquids. All these materials should be used in treating a patient of *Visarpa*. (B.R. 57/31-32)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

विदाहीन्यन्नपानानि विरुद्धं स्वपनं दिवा ।

क्रोधव्यायामसूर्याग्निप्रवातांश्च विवर्जयेत् ॥

C.S.Ci. 21/115

The following food substances are unwholesome to *Visarpa* patients.

- Foods and drinks, which induces sour eructations, burning sensation, thirst and difficulty in digestion.
- Mutually antagonistic foods and drinks
- Sleeping during day time, anger, physical exercise. Excessive exposure to sun, fire & wind.

The following measures and edibles are strictly prohibited for the patients of *Visarpa*: exercising, sleeping during day time, intercourse, sitting or roaming in easterly winds or winds from any side, anger, grief, holding the urge to vomit, having jealous feeling on success of others, leafy vegetables, *Viruddhāśana*, curd, *Kurcika*, *Sauvīra* (*Kānji*), *Āsava-Arīṣṭa*, *Kilāṭa*, heavy to digest eatables and liquids, garlic, *Kulattha*, *Urada*, sesame, meat other than those of the wild animals, *Svedana* therapy, *Vidāhī Dravya*, salt, bitter and sour edibles, liquor and exposure to the bright sunlight. (B.R. 57/33-34).

Differential diagnosis of *Visarpa*

S.No.	Vātaja	Pittaja	Kaphaja	Sannipātika
<i>Etiology</i>	Excess consumption of ununctuous and hot substances and occlusion by vitiated <i>Pitta-Kapha</i> due to over nourishment and vitiates <i>Dūṣyās</i> and manifest <i>Vātaja Visarpa</i> and it spreads to entire body depending on the nature of severity. Hot substances are specially mentioned for the manifestation of <i>Vātaja Visarpa</i> along with ununctuous substances, it indicates that there is role of <i>Pitta</i> even in <i>Vātaja</i> type of <i>Visarpa</i> .	<i>Pittaja Visarpa</i> manifest due to consumption of hot substances, like <i>Vidāhi</i> and <i>Āmla</i> etc. leading to excacerbation of <i>Pitta</i> , which in turn vitiates <i>Dhātus</i> , vitiated <i>dhātus</i> spreads the disease to entire body.	<i>Kaphaja</i> excacerbates due to consumption of ingredients which are sweet, sour, salt, unctuous, heavy and sleeping during day time and such other causative factors which aggravates <i>Kapha</i> ,	Simultaneous aggravation of <i>Vāta</i> , <i>Pitta</i> and <i>Kapha</i> by their respective etiological factors leads to presentation of symptoms of all the <i>Doṣās</i> and spreads quickly to all body parts & manifest severe serious diastrous condition and becomes incurable.
<i>Clinical presentation</i>	It is characterised by giddiness, burning sensation in eyes, thirst, pricking pain, colic pain, malaise, cramps, tremors, fever, feeling of darkness in front of eyes, cough, breaking pain in bones and joints and their dislocation,	It is characterised by fever, thirst, fainting, unconsciousness, vomiting, anorexia, breaking pain in limbs, excessive sweating and burning sensation inside the body, delirium, headache, congestion in the	It is characterised by feeling of cold, fever with chills, heaviness, excessive sleep, drowsiness, anorexia, sweet taste in mouth, sweetishness and adherence of sticky material in oral cavity, splitting of	

	shivering, anorexia, indigestion, congestion of eyes, lachrymation, and there is a feeling as if ants are crawling over the body.	eyes, sleeplessness, dislike for everything or restlessness, giddiness, intense desire for cold wind and water.	saliva, vomiting, lassitude, timidity, diminution of digestive fire and strength.	
<i>Clinical presentation</i>	The part where the disease spreads becomes greyish, blackish, reddish. Patient suffer from intense pain which is either pricking, breaking, colic, expansion, contraction, tingling sensation (horripilation) and throbbing sensation. Due to negligence or delay in treatment produces various kinds of afflictions i.e quick bursting, cracking, erupted lesions are small in size, having blackish or reddish discoloration with thin, transparent pink and scanty discharge.	Affected area where the disease located develops coppery, green, yellow, blue, black and red coloured raised skin eruptions having intense burning sensation and breaking pain, suppurating quickly and discharges exudates of similar colour like that of eruptions	The part in which disease spreads becomes oedematous, pale-yellow, slightly reddish and unctuous associated with numbness, stiffness, heaviness and mild pain. Suppuration of the skin eruption is slow, chronic and they appear in large number; the skin over these pustules gets covered with white or pale yellow coloured sticky material. When pustules burst they discharge white, slimy, thready, viscous, knotty and unctuous materials. As the disease advances the area is covered with wounds which are heavy (deep seated), stable, surrounded by capillary network, unctuous and covered with copious smear over skin appear and re-appear. Wounds remain for longer period of time.	
<i>Clinical presentations</i>	Patients suffer from retention of flatus, urine and stool	Eyes, urine and stool becomes deep green and yellowish discoloration and objects appear either green or yellow.	Whitishness of nails, eyes, face, skin, urine, and stool.	
<i>Aggravating and relieving factors</i>	Symptoms aggravate after exposure to etiological factors and alleviates after adoption of etiology opposite to	Symptoms exacerbates after consumption of factors which aggravates <i>Pitta</i> and alleviation of sympt-	The etiological factors are non conducive to <i>Kaphaja Visarpa</i> and opposite to etiology are conducive to	

	causative ones.	oms takes place after consumption of factors which are opposite to the cause of the disease.	<i>Kaphaja Visarpa</i> patient.	
<i>Prognosis</i> <i>Curable</i>	<i>Curable</i>	<i>Curable</i>	<i>Incurable</i>	

Differential diagnosis of Āgneya, Granthi and Kardamaka

S.No.	Āgneya	Kardamaka	Granthi
<i>Doṣa</i>	(Vāta-Pittaja),	(Pitta-Kaphaja)	(Kapha-Vātaja)
<i>Clinical presentations</i>	It is characterised by burning sensation all over the body and patient feels as if his body is sprinkled with flaming charcoals associated with vomiting, diarrhoea, fainting, burning sensation, unconsciousness, fever, feeling as if entering into darkness, anorexia, pain in the bones and joints, morbid thirst, indigestion, breaking pain all over the body etc.	It is characterised by cold, fever, heaviness in head, burning sensation, timidity, debility in body parts, sleep, drowsiness, unconsciousness, dislike for food, delirium, diminution of loss of digestive fire, debility, breaking pain in bones, fainting, thirst, adhesion of sticky material inside the <i>Srotas</i> , inability to perform normal functions by sensory organs, constant feeling for voiding stool, stretching of extremities, general malaise, restlessness and anxiety. It spreads to <i>Āmāśaya</i> in a slow manner and gets localised there.	If person adopts <i>Rakta</i> provocative measures along with <i>Vāta & Kapha</i> aggravating factors leading to vitiation of <i>Rakta</i> along with <i>Vāta & Kapha</i> giving rise to a series of glands in blood vessels, ligaments, muscles and skin. These glands are exceedingly painful, either big or small or elongated or round having reddish discolouration.
<i>Clinical presentations</i>	The part where disease manifested appears like extinguished charcoal or excessive redness and it is surrounded by skin eruptions, which resemble like those caused by burns	The part where disease manifested appears like either red, yellow and pale yellow colour associated with muddy, black, dirty and unctuous. It induces warmth, heaviness, mild pain which is continuous, swelling and deep seated suppuration.	Patient also suffers from fever, diarrhoea, cough, hiccup, dyspnoea, consumption, unconsciousness, deranged complexion, anorexia, indigestion, salivation, vomiting, fainting, breaking of body parts, sleep, restlessness, malaise etc.
<i>Prognosis</i>	<i>Agni Visarpa</i> and <i>Kardama Visarpa</i> can be managed by the constant use of general therapeutic measures, provided vital organs are spared and there is no softening of the vessels, ligaments and muscle tissue. Delayed or improper treatment employed to <i>Agni Visarpa</i> and <i>Kardama Visarpa</i> leads to death of a person like snake poison.		<i>Granthi Visarpa</i> without complications can be curable and with complications it is said to be incurable

MCQs

1. *Kunapa Gandhi* is the feature of which *Visarpa*
 - a. *Kardama*
 - b. *Agni*
 - c. *Kshataja*
 - d. *Grandhi*
2. Number of types of *Visarpa* as per *Charaka*
 - a. 5
 - b. 6
 - c. 8
 - d. 7
3. Match the predominance of *dosha* in various types of *Visarpa*

Types of <i>Visarpa</i>	<i>Dosha</i> Predominance
1. <i>Granthi Visarpa</i>	A. <i>Rakta & Pittaja</i>
2. <i>Kardamaka Visarpa</i>	B. <i>Kapha & Vataja</i>
3. <i>Agni Visarpa</i>	C. <i>Kapha & Pittaja</i>
4. <i>Kshataja Visarpa</i>	D. <i>Vata & Pittaja</i>

Choose the correct option

 - a. 1 2 3 4 A B C D
 - b. 1 2 3 4 B C D A
 - c. 1 2 3 4 D C B A
 - d. 1 2 3 4 A D B C
4. If abnormal *Pitta* enters *Raktadhatu* manifest which diseases?
 - a. *Vishpota*
 - b. *Masoorika*
 - c. *Visarpa*
 - d. *Panduroga*
5. *Kulathasadrisyasphota* is seen in
 - a. *Granthi Visarpa*
 - b. *Kardamaka Visarpa*
 - c. *Agni Visarpa*
 - d. *Kshataja Visarpa*
6. *Kurvanti Vistrutamanunnatmashu* is about
 - a. *Kushta*
 - b. *Prameha*
 - c. *Visarpa*
 - d. *Vidradi*
7. Which *visarpa* is known as *marmanusari*
 - a. *Kardama*
 - b. *Agni*
 - c. *Kshataja*
 - d. *Tridoshaja*
8. *Dosha* predominance of *Kshatajavisarpa*
 - a. *Rakta & Pittaja*
 - b. *Rakta, Vata & Pittaja*
 - c. *Rakta & Vata*
 - d. *Pittaja*
9. गम्भीरपाकः is the feature of
 - a. *Kardama*
 - b. *Agni*
 - c. *Kshataja*
 - d. *Grandhi*
10. दुष्प्रबोधोऽश्रुतेन्द्रिं is the feature
 - a. *Kardama*
 - b. *Agni*
 - c. *Kshataja*
 - d. *Tridoshaja*

Answer

1. a	2. d	3. b
4. c	5. d	6. c
7. b	8. b	9. a
10. b		