

Krimi Roga

Prof. Parameswarappa S. Byadgi and Dr. Arunima P.S.

Introduction

*Kṛmi*s or worms are of two varieties, namely, the *bāhya* (external) and *ābhyantara* (internal). They are further classified into four types as per their respective origin: 1. born out of external impurities, 2. generated by *kapha*, 3. generated by *Rakta* (blood) and 4. generated by faecal matter. These worms are 20 in number. The external ones are born out of impurities.

Persons taking regularly such food items that are raw, sweet and sour, large amount of water and watery beverages and the person who take incompatible eatables, jaggery; those who avoid physical exercise and those who sleep during day hours fall victims of *kṛmi roga*. A worm, insect; 'a spider'; a silk-worm; a shield-louse; an ant; lac (red dye caused by insects); an ant; lac (red dye caused by insects); Name of river (Used by *Mahābhārata* in this sense 6. 9. 17).

कृमि रोग हेतु एवं संप्राप्ति (*Kṛmi Roga Hetu evam Samprāpti*)

अजीर्णाध्यशनासात्प्यविरुद्धमलिनाशनैः ।
 अव्यायामदिवास्वप्नगुर्वतिस्निग्धशीतलैः ॥
 माषपिष्टान्नविदलविसशालूकसेरुकैः ।
 पर्णशाकसुराशुक्तदधिक्षीरगुडेक्षुभिः ॥
 पललानूपपिशितपिण्याकपृथुकादिभिः ।
 स्वाद्वप्लद्रवपानैश्च श्लेष्मा पित्तञ्च कुप्यति ।
 कृमिम् बहुविधाकारान् करोति विविधाश्रयान् ॥

S.S. Utt. 54/3-6

Etiological factors and pathogenesis of *Kṛmi Roga* are as follows : Consumption of food which are uncooked, more in quantity, unaccustomed, incompatible and contaminated; not indulging in any physical exercises, sleeping during day time; food which is heavy, unctous and cold; those prepared from *Māsa*, cornflour, pulses, *Bisa*, *Śālūka* and *Kaseruka* & leafy vegetables; drinking *Surā*, *Śukta*, *Dadhi* & *Ksīra*; eating foods prepared from

jaggery & sugarcane juice, consuming paste of *Tila*, meat of animals of marshy lands, *Pīnyāka* (paste of sesame added with jaggery), *Pr̥thuka* (paddy dried & flattened), drinking beverages which are sweet & sour leading to aggravation of *Kapha* & *Pitta* and manifest *Kṛmi* of different shapes having different location.

Nidāna Sevana (Consumption of Etiological factors)

↓
 Aggravation of *Kapha* & *Pitta*

↓
 Diminution of *Agni*

↓
 Development of *Āma* inside the gastro intestinal tract

↓
 Favours the genesis of *Kṛmi* of different shapes having different location.

↓
Kṛmi

कृमि रोग संप्राप्ति घटक (*Samprāpti Ghaṭaka of Kṛmi Roga*)

Doṣa : *Tridoṣaja* (*Kaphapradhāna*)

Dūṣya : *Dhātu* → *Rasa*, *Rakta*, *Māmsa*, *Meda*, *Asthi*, *Majjā*

Upadhātu → *Sirā*, *Tvacā*, *Snāyu*

Śārīrika Mala → *Puriṣa*, *Mūtra*

Dhātu Mala → *Kapha*, *Keśa*, *Loma*, *Nakha*

Agni : *Jaṭharāgni*, *Dhātavāgni*, *Bhūtāgni*

Agniduṣṭi : *Mandāgni*

Āma : *Āgnijanya*

Srotas : *Puriṣavaha*, *Annavaha*, *Raktavaha*, *Māmsavaha*, *Svedavaha*

Srotoduṣṭi : *San̐ga*, *Vimārgagamana*

Udbhavasthāna : *Āmāśayottha* & *Pakvāśayottha*

Adhiṣṭhāna	: Āmapakvāśaya, Dhamani, Tvacā (Abhyantara Kṛmi); Tvacā (Bāhya Kṛmi)
Sancārasthāna	: Annavaḥ Srotoavayava, Dhamani, Tvacā
Vyaktasthāna	: Guda, Tvacā, Mukha
Rogamārga	: Abhyantara, Bāhya
Svabhāva	: Āśukāri & Āśukāri
Prabhāva	: Raktaja Kṛmi (Keśāda, Lomāda)-incurable Newly manifested-curable
Roga bheda	: Bāhya & Abhyantara

कृमिभेद (Kṛmi Bheda)

विंशतेः कृमिजातीनां त्रिविधः सम्भवः स्मृतः ।
पुरीषकफरक्तानि तासां वक्ष्यामि विस्तरम् ॥
S.S.Utt. 54/7

अथास्मै प्रोवाच भगवानात्रेयः—इह खल्वग्निवेश !
विंशतिविधाः क्रिमयः पूर्वमुद्दिष्टा नानाविधेन प्रविभागेनान्यत्र
सहजेभ्यः; ते पुनः प्रकृतिभिर्विभज्यमानाश्चतुर्विधा भवन्ति;
तद्यथा—पुरीषजाः, श्लेष्मजा, शोणितजा, मलजाश्चेति ॥

C.S.Vi. 7/9

There are twenty varieties of Kṛmi are described excluding the normal ones which are already mentioned. Based on their source, they are again classified into four groups namely *Purīṣaja*, *Śleṣmaja*, *Śoṇitaja* and *Malaja*.

कृमिरोग सामान्य लक्षण (Kṛmi Roga Sāmānya Lakṣaṇa)

ज्वरो विवर्णता शूलं हृद्रोगः सदनं भ्रमः ।
भक्तद्वेषोऽतिसारश्च सञ्जातकृमिलक्षणम् ॥
S.S.Utt. 54/18-19

General signs & symptoms of Kṛmiroga are as follows : Fever, discolouration of the body, pain in the abdomen, heart disease, general malaise, giddiness, aversion to food and diarrhoea.

मलज कृमि (Malaja Kṛmi)

तत्र मलो बाह्यश्चाभ्यन्तरश्च । तत्र बाह्यमलजातान् मलजान् संचक्ष्महे । तेषां समुत्थानं सृजावर्जनं; स्थानं—केशश्मश्रुलोम-पक्ष्मवासांसि; संस्थानम्—अणवस्तिलाकृतयो बहुपादाश्च; वर्णः—कृष्णः, शुक्लश्च; नामानि—यूकाः, पिपीलिकाश्च; प्रभावः—कण्डूजननं, कोठपिडकाभिनिर्वर्तनं च; चिकित्सितं तु खल्वेषा-

मपकर्षणं, मलोपघातः, मलकराणां च भावानामनुपसेवनमिति ॥
C.S.Vi. 7/10

Two varieties of excreta described namely external as well as internal. External varieties of Kṛmi are described under *Malaja Kṛmi*.

Etiology	: Avoidance of cleanliness.
Habitat	: Hairs, beards, mustaches, small hairs, eyelashes & clothing.
Form	: Minute, sesamum shaped & multipede.
Colour	: Black & white
Name	: Yūkā, Pipīlikā
Clinical features	: Itching, urticarial patches and pimples.
Treatment	: Comprises of extraction, removal of excreta and avoidance of factors which produce the excreta.

रक्तज कृमि (Raktaja Kṛmi)

शोणितजानां तु खलु कुष्ठैः समानं समुत्थानं; स्थानं—रक्तवाहिन्यो धमन्यः; संस्थानम्—अणवो वृत्ताश्चापादाश्च, सूक्ष्मत्वाच्चैके भवन्त्यदृश्याः; वर्णः—ताम्रः; नामानि—केशादा, लोमादा, लोमद्वीपाः, सौरसा, औडुम्बरा, जन्तुमातरश्चेति; प्रभावः—केशश्मश्रुनखलोमपक्ष्मापध्वंसः, व्रणगतानां च हर्ष-कण्डूतोदसंसर्पणानि, अतिवृद्धानां च त्वक्सिरास्नायुमांसतरुणास्थिभक्ष-णमिति; चिकित्सितमप्येषां कुष्ठैः समानं, तदुत्तरकालमुपदेक्ष्यामः ॥

C.S.Vi. 7/11

केशरोमनखादाश्च दन्तादाः किक्किशास्तथा ।
कुष्ठजाः सपरीसर्पा ज्ञेयाः शोणितसम्भवाः ॥
ते सरक्ताश्च कृष्णाश्च स्निग्धाश्च पृथक्स्तथा ।
रक्ताधिष्ठानजान् प्रायोविकारान् जनयन्ति ते ॥
S.S.Utt. 54/15-16

विरुद्धाजीर्णशाकाद्यैः शोणितोत्था भवन्ति हि ॥
S.S.Utt. 54/18

Etiology	: Similar to that of <i>Kuṣṭha</i> . Ingestion of incompatible foods, uncooked vegetables.
Habitat	: Raktavāhi Dhamani
Form	: Minute, round, having no pedicle, some of them are invisible, unctous and thick in size.
Colour	: Coppery, red or black
Names	: Keśāda, Lomāda, Lomadvīpa,

Saurasā, Audumbarā and Jantum-ātara (Caraka). Kesāda, Romāda, Nakhāda, Dantāda, Kikkisa, Kuṣṭhaja & Parīsarpa (Suśruta).

Clinical

features : Falling of hairs, beard, mustaches, nails, small hairs, eyelashes.

Hyperaesthesia, itching, pain & creeping sensation in the ulcerated area when excessive grown, they eat away skin, vessels, ligaments, muscle tissue and cartilages and manifest diseases affecting the seats of blood.

Treatment : Like *Kuṣṭha*.

श्लेष्मज कृमि (Śleṣmaja Kṛmi)

मांसमाषगुडक्षीरदधितैलैः

कफोद्धवाः ॥

S.S.Utt. 54/17

श्लेष्मजाः क्षीरगुडतिलमत्स्यानूपमांसपिष्टान्नपरमान्नकुसुम्भ-स्नेहाजीर्णपूतिक्लित्संकीर्णविरुद्धासात्म्यभोजनसमुत्थानाः; तेषामामाशयः स्थानं, ते प्रवर्धमानास्तूर्ध्वमधो वा विसर्पन्त्युभयतो वा; संस्थानवर्णविशेषास्तु—श्वेताः पृथुब्रध्नसंस्थानाः केचित्, केचिद्वृत्तपरिणाहा गण्डूपदाकृतयः श्वेतास्ताम्रावभासाश्च, केचिदणवो दीर्घास्तन्वाकृतयः श्वेताः; तेषां त्रिविधानां श्लेष्मनिमित्तानां क्रिमीणां नामानि—अन्त्रादाः, उदरादाः, हृदयचराः, चुरवः, दर्भपुष्पाः, सौगन्धिकाः, महागुदाश्चेति; प्रभावोहृल्लासः, आस्यसंस्त्रवणम्, अरोचकाविपाकौ, ज्वरः, मूर्च्छा, जृम्भा, क्ष्वयुः, आनाहः, अङ्गमर्दः, छर्दिः काश्यं, पारुष्यं, चेति ॥

C.S.Vi. 7/12

दर्भपुष्पा महापुष्पाः प्रलूनाश्चिपिटास्तथा ।

पिपीलिका दारुणाश्च कफकोपसमुद्धवाः ॥

रोमशा रोममूर्द्धानः सपुच्छाः श्यावमण्डलाः ।

रूढधान्याङ्कुराकाराः शुक्लास्ते तनवस्तथा ॥

मज्जादा नेत्रलेढारस्तालुश्रोत्रभुजस्तथा ।

शिरोहृद्रोगवमथुप्रतिश्यायकराश्च ते ॥

S.S.Utt. 54/12-14

Etiology : Consumption of food consisting of milk, jaggery, sesamum, fish, meat of marshy animals, flour preparations, rice cooked in milk, oil of *Kusumbha*; food which is uncooked, putrified, stale, infected, antagonistic

and unsuitable items, ingestion of meat, *Māsa*, curd & oil.

Habitat : *Āmāśaya*, when excessively grown, they move upwards, or to both the sides.

Form and

colour : Some are broad tape like and white in colour. Some are round like earthworms, white & coppery colour. Some are minute, long and thread like and white in colour. These have hairs on the head and body, blue patches on their body, have tail, resemble sprouted grain in shape, white & thin.

Names : *Antrāda, Udarāda, Hṛdayacara, Curu, Darbhapuṣpa, Saugandhika, Mahāguda (Caraka) Darbhapuṣpa, Mahāpuṣpa, Pralūna, Cipiṭa, Pipīlikā and Dāruṇa (Suśruta)*

Clinical

features : Nausea, salivation, anorexia, indigestion, fever, fainting, yawning, sneezing, constipation, malaise, vomiting, emaciation & dryness of the body. These consume bonemarrow, affect the eyes, palate, ears & shoulders. Diseases of head, heart, *pratiśyāya* etc.

पुरीषज कृमि (Purīṣaja Kṛmi)

पुरीषजास्तुल्यसमुत्थानाः श्लेष्मजैः; तेषां स्थानं पक्वाशयः, ते प्रवर्धमानास्तूर्ध्वो विसर्पन्ति, यस्य पुनरामाशयाभिमुखाः स्युर्यदन्तरं तदन्तरं तस्योद्वारनिःश्वासाः पुरीषगन्धिनः स्युः; संस्थानवर्णविशेषास्तुसूक्ष्मवृत्तपरिणाहाः श्वेता दीर्घा ऊर्णाशु-संकाशाः केचित्, केचित् पुनः स्थूलवृत्तपरिणाहाः श्यावनील-हरितपीताः; तेषां नामानि ककेरुकाः, मकेरुकाः, लेलिहाः; सशूलकाः, सौमुरादाश्चेति; प्रभावः—पुरीषभेदः, काश्यं, पारुष्यं, लोमहर्षाभिनिर्वर्तनं च, त एव चास्य गुदमुखं परितुदन्तः कण्डू-चोपजनयन्तो गुदमुखं पर्यासते, त एव जातहर्षागुदनिष्क्रमणमतिवेलं कुर्वन्ति; इत्येय श्लेष्मजानां पुरीषजानां च क्रिमीणां समुत्थानादिविशेषः ॥ C.S.Vi. 7/13

माषपिष्टान्नविदलपर्णशकैः

पुरीषजाः ।

S.S.Utt. 54/16

अजवा विजवाः किप्याश्चिप्या गण्डूपदास्तथा ।
 चुरवो द्विमुखाश्चैव ज्ञेयाः सप्त पुरीषजाः ॥
 श्वेताः सूक्ष्मास्तुदन्त्येते गुदं प्रतिसरन्ति च ।
 तेषामेवापरे पुच्छैः पृथक् भवन्ति हि ॥
 शूलाग्निमान्द्यपाण्डुत्वविष्टम्भबलसङ्ख्याः ।
 प्रसेकारुचिह्नद्रोगविद्भेदास्तु पुरीषजैः ॥
 रक्ता गण्डूपदा दीर्घा गुदकण्डूनिपातिनः ।
 शूलाटोपशकृद् भेदपक्तिनाशकराश्च ते ॥

S.S.Utt. 54/8-11

Etiology : All the etiological factors mentioned under *Śleṣmaja Kṛmi*. Intake of foods prepared from *Māṣa*, *Piṣṭāṇna*, pulses & leafy vegetables.

Habitat : *Pakvāsaya*, when developed they move downwards; when they move towards *Āmāsaya*, then the eructation and breath of the patient produce fecal odour.

Form &

Colour : Some are minute, cylindrical, white, long, like wool fibers; some are gross, cylindrical, blackish, blue, green and yellow. These are white in colour, small, irritate the anal region, come out of the anus, among these some are big in their tails portion.

Names : *Kakeruka*, *Makeruka*, *Leliḥā*, *Saśūlakā* and *Sausurāda* (*Caraka*) *Ajava*, *Vijava*, *Kipyā*, *Cipyā*, *Gaṇḍūpada*, *Curava* and *Dvimukha* (*Suśruta*)

Clinical

features : Diarrhoea, emaciation, dryness, horripilation, when they reach anus, they produce piercing pain & itching in anal region; when they excited they frequently come out of the anus, pain in the abdomen, dyspepsia, anaemia, constipation, loss of strength, nausea, loss of taste, heart disease. *Gaṇḍūpada Krimi* are red in colour and long, produces itching of the anus, abdominal pain, gurgling sound in the abdomen, diarrhoea & loss of digestive power.

साध्यसाध्यता (Sādhyāsādhyatā)

दृश्यास्त्रयोदशाद्यास्तु कृमीणां परिकीर्तिताः ।
 केशादाद्यास्त्वदृश्यास्ते द्वावाद्यौ परिवर्जयेत् ॥

S.S.Utt. 54/19-20

Thirteen varieties i.e. *Puriṣaja* & *Kaphaja* are visible seven varieties of *Keśāda* etc. are invisible.

Keśāda & *Romāda* should be rejected for treatment.

उपशय/पथ्य (Upaśaya/Pathya)

सुरसादिन्तु सर्वेषु सर्वथैवोपयोजयेत् ॥
 प्रव्यक्तितक्तकटुकं भोजनञ्च हितं भवेत् ।
 कुलत्थक्षारसंसृष्टं क्षारपानश्च पूजितम् ॥
 क्षीराणि मांसानि घृतानि चैव दधीनि शाकानि च पर्णवन्ति ।
 समासतोऽप्लान्मधुरान् हिमांश्च कृमीन् जिघांसुः परिवर्जयेत् ॥

S. S. Utt. 54/38-40

Surasādi gaṇa drugs of all forms are beneficial for the management of all varieties of *Kṛmi*.

Food which are predominant in bitter and pungent taste will be beneficial. Drinking *Yavakṣāra* mixed with ash of *Kulattha* is highly claimed as beneficial.

The person desirous of getting rid off *Kṛmi* should avoid use of milk, meat, ghee, curd, leafy vegetables, those which are sour, sweet and cold substances.

Application of *Āsthāpana Basti*, *Virecana*, *Śirovirecana*, smoke treatment, bitter, sour and hot eatables that controls *Kapha* contents, massage that revitalises the body, *Utsādana*, rice of red *Śālī* variety, leaves of *Paṭola*, leaves of the shoots of bamboo, garlic pearls and leaves of *Vāstuka*, all these forms a very useful diet. (B.R. 11/83)

Vegetable leaves of *Citraka*, *Arka* plant, mustard plant, vegetable of unripe banana fruits, bitter vegetables, vegetable leaves of *Nāḍīca*, meat of mouse, vegetable leaves of *Vāyaviḍaṅgam* and *Neem* are useful diets for those indisposed due to worm infestation. (B.R. 11/84)

Haraḍa, oils of sesame and mustard, *Sauvīra*, *Śukta*, *Tuṣodaka*, honey, ripe palm fruits, purified *Bhallātaka*, cow's urine, betel leaves, liquor and *Kastūrī* are very useful. (B.R. 11/85)

Urine of she-camel, *Ghr̥ta* and milk, asafoetida fried in *Ghr̥ta*, *Yavakṣāra*, *Ajamodā*, *Khadira*, *Indrayava*, juice of *Jambūra* lemon, vegetable leaves of *Kāravellaka*, caraway seeds, *Agara*, *Śimśapa* and its abstracts are also beneficial. (B.R. 11/86)

The intake of sour, bitter and pungent juices are beneficial for the patients suffering from worm diseases. One should take daily the catables that have sour, bitter and pungent taste and the meals that control *Kapha*. The stomachiac and tasteful meals are also suggested. (B.R. 11/87)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

Avoidable meals in cases of *Krimi*: One should avoid meals and medicines that cause vomiting. However, one should not hold the vomiting if appearing on its own. Incompatible meals like fish and milk taken together should be avoided. Like wise one should not sleep in daytime, excessive intake of liquid *Kalka* based meals are also forbidden. Pulse beans of *Urada*, curd, spinach, meat, milk of animals other than camel and sweet items are also prohibited. (B.R. 11/89)

MCQs

1. *Churava Krimi* is
 - a. *Raktaja*
 - b. *Kaphaja*
 - c. *Purishaja*
 - d. *Bahya*
2. *Kakeruka Krimi* is
 - a. *Raktaja*
 - b. *Kaphaja*
 - c. *Purishaja*
 - d. *Bahya*
3. *Krimi* is mentioned as a *Samkramikaroga* by which Acharya
 - a. *Caraka*
 - b. *Susruta*
 - c. *Bhavaprakasa*
 - d. *Yogaratanakara*

4. Number of types of *Krimi* as per *Susruta* in the order of *Purishaja*, *Raktaja* and *Kaphaja Krimi*
 - a. 5,6,7
 - b. 6,7,6
 - c. 6,7,7
 - d. 7,7,6
5. Which *Krimi* is invisible
 - a. *Raktaja*
 - b. *Kaphaja*
 - c. *Purishaja*
 - d. *Bahya*
6. Types of *Krimi* as per *Sharangadhara*
 - a. 2
 - b. 3
 - c. 21
 - d. 20
7. '*Virudhabhojana*' is the *Nidana* of
 - a. *Raktaja*
 - b. *Kaphaja*
 - c. *Purishaja*
 - d. *Bahya*
8. According to *Sushruta*, *Pandutva* is caused by
 - a. *Raktaja*
 - b. *Kaphaja*
 - c. *Purishaja*
 - d. *Bahya*
9. *Asraya* of *Purishaja Krimi* as per *Susruta*
 - a. *Amasaya*
 - b. *Pakwasaya*
 - c. *Koshta*
 - d. *Guda*
10. *Tilapramana* is the feature of which type of *Krimi*
 - a. *Bahya*
 - b. *Raktaja*
 - c. *Kaphaja*
 - d. *Pureeshaja*
11. Which of the following is not considered as the feature of *Raktajakrimi*
 - a. *Bahupada*
 - b. *Apada*
 - c. *Adarshana*
 - d. *Raktavahisirothanam*

Answer

1.	b	2.	c	3.	b
4.	d	5.	a	6.	c
7.	a	8.	c	9.	a
10.	a	11.	a		