

राजयक्ष्मा (Rājayakṣmā)

Introduction

Rājayakṣmā is caused by the simultaneous vitiation of all the three *doṣās* as a result of the following factors :

1. Suppression of the manifested natural urges
2. Reduction in the quantity of tissue elements as a result of waste of semen by excessive sex indulgence or because of fasting or poor nourishment.
3. Performance of activities much in excess of one's strength.
4. Irregularity in the intake of food or intake of unbalanced food.

The patient becomes emaciated because of the reduction in the quantity of tissue elements because of the obstruction to the channels of circulation of *rasa* (plasma or chyle) by all the three *doṣās* in aggravated condition dominated by *kapha*. Reduction of tissue elements also takes place as a consequence of excessive ejaculation of semen by sex indulgence.

निरुक्ति एवं परिभाषा (Nirūkti and Paribhāṣā)

- The meaning of *Rājayakṣmā* is a group of signs and symptoms that occur together and characterize a particular abnormality or condition.
- The word *Rājayakṣmā* indicates a set of symptoms or conditions that occur together and suggest the presence of a certain disease or an increased chance of developing the disease.

यदा कष्टतमत्वात्तदा राजेव यक्ष्मा राजयक्ष्मेति ।

राज्ञो यक्ष्मा राजयक्ष्मा इति ॥

C.S.Ni. 6/12 (Cakarpāṇi)

राजा च यक्ष्मा च राजयक्ष्मा ततो मतः ।

यक्ष्माणां राजा राजयक्ष्मा इत्युक्तम् ॥

M.Ni. 10/1 (Madhu)

यक्ष्मा रोगो रोगाणां राजा अतो राजयक्ष्मेति ॥

S.S.Utt. 41/4-5 (Dalhaṇa)

The term *Rājayakṣmā* is comprises of two words *Rāja* and *Yakṣmā*. The word '*Rāja*' means '*Diptau*' which means the person who rules and the word '*Yakṣmā*' means '*Raga*' which means disease. Hence *Rājayakṣmā* means King among diseases (*Rājeva yakṣmā*) or King's (Moon-the King of *Nakṣatras* and *Dvijā*) disease which is most dreadful.

राज्ञश्चन्द्रस्य क्षयकार का यक्ष्मा राजा चासौ यक्ष्मा चेति वा ।

Śabdakalpdruma

यस्मात् स राज्ञः प्रागासीद्राजयक्ष्मा ततो मतः ॥

C.S.Ci. 8/11 (Cakarpāṇi)

राज्ञश्चन्द्रमसो यस्मादभूदेष क्लामयः ।

तस्मात्तं राजयक्ष्मेति केचिदाहुः पुनर्जनाः ॥

Su.Utt. 41/5

यक्ष्माणां राजा राजयक्ष्मा यद्वा चन्द्रमासो जातत्वात् राजयक्ष्मेति ॥ Sha.S. 7/22-23

Yakṣmā first distressed the King *Candra* (Moon- King of planets), hence the learned scholars call it *Rājayakṣmā*.

यक्ष्म शब्देन च राजयक्ष्मवदने करोगयुक्तत्वं विकाराणां दर्शयति ॥ Cakra.Ci.Ni. 1/5

The word *Yakṣmā* indicates *syndrome*, like *Rājayakṣmā*

राजयक्ष्मा रोगसमूहानां C.Sa. 25/40

Rājayakṣmā is an aggregates or collection or group of diseases.

अनेकरोगानुगतो बहुरोगपुरोगमः ।

राजयक्ष्मा क्षयः शोषो रोगराडिति च स्मृतः ॥

A.H.Ni 5/1

राजयक्ष्मा क्षयः शोषो रोगराडिति च स्मृतः ॥

S.K.D

Rajayakṣmā follows many diseases and many diseases arise from it. *Kṣaya*, *Śoṣa* and *Rogarāt* are the synonyms of the disease *Rājayakṣmā*.

रसः स्रोतः सु रुद्धेषु स्वस्थानस्थो विदहते ।
स ऊर्ध्वं कासवेगेन बहुरूपः प्रवर्तते ॥
जायन्ते व्याधयश्चातः षडेकादाश वा पुनः ।
येषां सङ्घातयोगेन राजयक्षमेति कथ्यते ॥

C.Ci.8/43-44

Due to obstruction in the *Rasavāhi srotas*, the *Rasa dhātu* gets accumulated in its own place increases and then comes out with force of coughing from upper orifices in various forms. It is a recognizable complex of symptoms and physical findings which indicate a specific condition *Rājayakṣmā*.

Rājayakṣmā is a collection of recognizable clinical presentations of *Trirūpa*, *Sadrūpa* or *Ekādaśarūpa* or abnormalities that tend to occur together and are associated with a specific disease.

Mythological Origin of Rājayakṣmā

दिवौकसां कथयतामृषिभिर्वै श्रुता कथा ।
कामव्यसनसंयुक्ता पौराणी शशिनं प्रति ॥
रोहिण्यामतिसक्तस्य शरीरं नानुरक्षतः ।
आजगामाल्पतामिन्दोर्देहः स्नेहपरिक्षयात् ॥
दुहितृणामसंभोगाच्छेषाणां च प्रजापतेः ।
क्रोधो निःश्वासरूपेण मूर्तिमान् निःसृतो मुखात् ॥
प्रजापतेर्हि दुहितृष्टाविंशतिमं शुमान् ।
भार्यार्थं प्रतिजग्राह न च सर्वास्ववर्तत ॥
गुरुणा तमवध्यातं भार्यास्वसमवर्तिनम् ।
रजःपरीतमबलं यक्ष्मा शशिनमाविशत् ॥
सोऽभिभूतोऽतिगुरुणा गुरुक्रोधेन निष्प्रभः ।
देवदेवर्षिसहितो जगाम शरणं गुरुम् ॥
अथ चन्द्रमसः शुद्धां मतिं बुद्ध्वा प्रजापतिः ।
प्रसादं कृतवान् सोमस्ततोऽश्विभ्यां चिकित्सितः ॥
स विमुक्तग्रहश्चन्द्रो विरराज विशेषतः ।
ओजसा वर्धितोऽश्विभ्यां शुद्धं सत्त्वमवाप च ॥
क्रोधो यक्ष्मा ज्वरो रोग एकार्थो दुःखसंज्ञकः ।
यस्मात् स राज्ञः प्रागासीद्राजयक्ष्मा ततो मत्तः ॥
स यक्ष्मा हुङ्क्वोऽश्विभ्यां मानुषं लोकमागतः ।
लब्ध्वा चतुर्विधं हेतुं समाविशति मानवान् ॥

C.S.Ci. 8/3-12

Mythological story in relation to the development of *Rājayakṣmā* was narrated by the gods to the sages i.e. passionate indulgence of sex by *Candra* is said to be the prime factor for the manifestation of disease. King *Candra* exceedingly attached to *Rohiṇi* was reduced to loss of unctuousness and his carelessness towards health causes the development of *Rājayakṣmā*. Further, due to non-enjoyment with the rest of daughters of *Dakṣaprajāpati* became furious and his anger came out of his mouth in embodiment through expiration.

King *Candra* married 28 daughters of *Dakṣaprajāpati* but unable to satisfy all except *Rohiṇi*. Due to his discriminatory nature, filled up with *Rajas* and debility leading to genesis of *Rājayakṣmā*. Being subdued by the excessive anger of *Dakṣa*, the king *Candra* was depleted of his complexion. Lusterless *Candra* went to the refuge of the great accompanied by gods & godly sages. Being satisfied by about the good intentions of the moon, *Dakṣa* was pleased & as such he was treated by *Aśvins*, as a result king *Candra* vitality was enhanced & became free from disease and attained complexion and purity of mind.

Krodha, *Yakṣmā*, *Jvara* and *Roga* are all synonymous and denote *Dukha*. It afflicted first king *Candra*, hence termed as *Rājayakṣmā*. Later this disease afflicts human beings after being ousted by *Aśvins* having four etiological factors.

हेतु (Hetu)

इह खलु चत्वारि शोषस्यायतनानि भवन्ति; तद्यथासाहसं संधारणं क्षयो विषमाशनमिति । C.S.Ni. 6/3

क्षयाद्वेगप्रतीघातादाघाताद्विषमाशनात् । जायते कुपितैर्दोषैर्व्याप्तदेहस्य देहिनः ॥ S.S.Utt. 41/9

There are four etiological factors namely over exertion, suppression of natural urges, wasting and irregular dieting.

Sāhasa (over exertion) as etiological factor

तत्र साहसं शोषस्यायतनमिति यदुक्तं तदनुव्याख्यास्यामः यदा पुरुषो दुर्बलो हि सन् बलवता सह विगृह्णाति, अतिमहता वा धनुषा व्यायच्छति, जल्पति वाऽप्यतिमात्रम्, अतिमात्रं वा भारमुद्वहति वा अप्सु वा प्लवते चातिदूरम्, उत्सादनपदाघातने

वाऽतिप्रगाढमासेवते, अतिप्रकृष्टं वाऽध्वानं द्रुतमभिपतति, अभिहन्यते वा, अन्यद्वा किञ्चिदेवंविधं विषममतिमात्रं वा व्यायामजातमारभते, तस्यातिमात्रेण कर्मणोरः क्षण्यते । तस्योरः क्षतमुपप्लवते वायुः । स तत्रावस्थितः श्लेष्माणमुरःस्थमुपसंगृह्य पित्तं च दूषयन् विहरत्यूर्ध्वमधस्तिर्यक् च । तस्य योऽशः शरीरसन्धीनाविशति तेनास्य जृम्भाऽङ्गमर्दो ज्वरश्चोपजायते, यस्त्वामाशयमभ्युपैति तेन रोगा भवन्ति उरस्या अरोचकश्च, यः कण्ठमभिप्रपद्यते कण्ठस्तेनोद्वंस्यते स्वरश्चावसीदति, यः प्राणवहानि स्रोतांस्यन्वेति तेन श्वासः प्रतिश्यायश्च जायते, यः शिरस्यवतिष्ठते शिरस्तेनोपहन्यते; ततः क्षणनाच्चैवोरसो विषमगतित्वाच्च वायोः कण्ठस्य चोद्वंसनात् कासः सततमस्य संजायते, स कासप्रसङ्गादुरसि क्षते शोणितं धीवति, शोणितागमनाच्चास्य दौर्बल्यमुपजायते; एवमेते साहसप्रभवाः साहसिकमुपद्रवाः स्पृशन्ति । ततः स उपशोषणैरेतैरुपद्रवैरुपद्रुतः शनैः शनैरुपशुष्यति । तस्मात् पुरुषो मतिमान् बलमात्मनः समीक्ष्य तदनुरूपाणि कर्माण्यारभेत कर्तुं; बलसमाधानं हि शरीरं, शरीरमूलश्च पुरुष इति ॥

C.S.Ni. 6/4

When a weak person fights with a stronger person, or performs exercises with big bow or speaks too much or carries over weight, or swims for longer distances, or subjected to forceful anointing therapy or application of pressure by feet or runs fast to over long distance or subjects himself to assault or practices such other irregular regimens and physical exercise in excess as a result his chest becomes wounded. The wounded chest gets saturated with *Vāta*, and brings abnormality in both *Pitta* and *Kapha* and spreads upwards, downwards and sideways. After entering the joints causes yawning, malaise and fever. After entering the *Āmāśaya* produces diseases of chest and anorexia. After entering the throat produces irritation of the throat and hoarseness of voice. After entering *Prāṇavaha.Srotas* causes dyspnoea and coryza. After entering the head produces distress in head. Thereafter, due to injury to chest patient constantly suffers from coughing due to irregular movement of *Vāta* and irritation of the throat. Frequent coughing leads to haemoptysis and weakness. These are the complications develops due to over excretion of an individual. Patients gradually develops cachexia day by day. That's why one has to perform various activities with due

regard to his own strength because the body is dependent on strength & individual by the body.

Sandhāraṇa as etiological factor

संधारणं शोषस्यायतनमिति यदुक्तं तदनुव्याख्यास्यामः यदा पुरुषो राजसमीपे भर्तुः समीपे वा गुरोर्वा पादमूले द्यूतसभमन्यं वा सतां समाजं स्त्रीमध्यं वा समनुप्रविश्य यानैर्वाऽप्युच्चावचैरभियान् भयात् प्रासङ्गादधीमत्त्वाद्भुगित्वाद्वा निरुणद्ध्यागतान् वातमूत्रपुरीषवेगान् तदा तस्य संधारणाद्वायुः प्रकोपमापद्यते, स प्रकुपितः पित्तश्लेष्माणौ समुदीर्योर्ध्वमधस्तिर्यक् च विहरति; ततश्चांशविशेषेण पूर्ववच्छरीरावयवविशेषं प्रविश्य शूलमुपजनयति, भिनत्ति पुरीषमुच्छोषयति वा, पार्श्वे चातिरुजति, अंसाववमृद्वाति, कण्ठमुरश्चावधमति, शिरश्चोपहन्ति, कासं श्वासं ज्वरं स्वरभेदं प्रतिश्यायं चोपजनयति; ततः स उपशोषणैरेतैरुपद्रवैरुपद्रुतः शनैः शनैरुपशुष्यति । तस्मात् पुरुषो मतिमानात्मनः शारीरेष्वेव योगक्षेमक्रेषु प्रयतेत विशेषेण; शरीरं ह्यस्य मूलं, शरीरमूलश्च पुरुषो भवति । C.S.Ni. 6/6

Due to suppression of impelled urges of flatus, urine and stool because of attending the king or the master or at the feet of the preceptor or while gambling or attending meetings of noble men or in the midst of women, or while travelling on uneven vehicle due to fear, environment, disgust leads to aggravation of *Vāta*. This exacerbated *Vāta* brings abnormality in *Pitta* and *Kapha* moves downwards, upwards & sideways. Vitiated *Vāta* spreads to different body parts and manifest symptoms like abdominal pain, diarrhoea or hardness of stools, excessive pain in the sides of the chest, shoulder; irritation in chest & throat, headache, cough, dyspnoea, fever, hoarseness of voice & coryza. These complications develops in *Sandhāraṇajanya Rājayakṣmā* patients and makes the person cachexic day by day. Wise person should adopt the strategy not to suppress the impelled urges in view to maintain good health.

Kṣaya as etiological factor (Anuloma kṣaya ja hetu)

क्षयः शोषस्यायतनमिति यदुक्तं तदनुव्याख्यास्यामः यदा पुरुषोऽतिमात्रं शोकचिन्तापरिगतहृदयो भवति, ईर्ष्योत्कण्ठा-भयक्रोधादिभिर्वा समाविश्यते, कृशो वा सन् रूक्षान्नपानसेवी भवति, दुर्बलप्रकृतिरनाहारोऽल्पाहारो वा भवति, तदा तस्य

हृदयस्थायी रसः क्षयमुपैति; स तस्योपक्षयाच्छोषं प्राप्नोति, अप्रतीकाराच्चानुबध्यते यक्ष्मणा यथापदेक्ष्यमाणरूपेण ।

C.S.Ni. 6/7

- Excessive grief and worry afflicts heart
- Excessive envy, anxiety, fear, anger etc. leads to affliction in the heart.
- Excess consumption of rough food & drinks by emaciated persons.
- Less intake of food or excessive fasting by persons who are weak by nature.

All above etiological factors leads to diminution of *Rasa* which leads to manifestation of *Śoṣa roga*. Delay in management causes the genesis of *Rājayakṣmā*.

Kṣaya as etiological factor (Pratiloma kṣayaja hetu)

यदा वा पुरुषोऽतिहर्षादितिप्रसक्तभावः स्त्रीष्वति-प्रसङ्गमारभते, तस्यातिमात्रप्रसङ्गाद्रेतः क्षयमेति । क्षयमपि चोपगच्छति रेतसि यदि मनः स्त्रीभ्यो नैवास्य निवर्तते, तस्य चातिप्रणीतसङ्कल्पस्य मैथुनमाप-द्यमानस्य न शुक्रं प्रवर्ततेऽतिमात्रोपक्षीणरेतस्त्वात्, तथाऽस्य वायुर्व्यायच्छमानशरीरस्यैव धमनीरनुप्राविश्य शोणितवाहिनीस्ताभ्यः शोणितं प्रच्यावयति, तच्छुक्रक्षयादस्य पुनः शुक्रमार्गेण शोणितं प्रवर्तते वातानुसृतलिङ्गम् । अथास्य शुक्रक्षयाच्छोणित-प्रवर्तनाच्चसन्ध्यः शिथिलीभवन्ति, रौक्ष्यमुपजायते, भूयः शरीरं दौर्बल्यमाविशति, वायुः प्रकोपमापद्यते; स प्रकुपितो वशिकं शरीरमनुसर्पन्नुदीर्य श्लेष्मपित्ते परिशोषयति मांसशोणिते, प्रच्यावयति श्लेष्मपित्ते, संरुजति पार्श्वे, अवमृद्रात्यंसौ, कण्ठमुद्ध्वंसति, शिरः श्लेष्माणमुपत्क्लेश्य प्रतिपूरयति श्लेष्मणा, सन्धींश्च प्रपीडयन् करोत्यङ्गमर्द-मरोचकाविपाकौ च, पित्तश्लेष्मोत्क्लेशात् प्रतिलोमगत्वाच्च वायुर्ज्वरं कासं श्वासं स्वरभेदं प्रतिशयायं चोपजनयति; स कासप्रसङ्गादुरसि क्षते शोणितं ष्ठीवति, शोणितगमनाच्चास्य दौर्बल्यमुपजायते, ततः स उपशोषणैरेतैरुपद्रवैरुपद्रुतः शनैः शनैरुपशुष्यति । तस्मात् पुरुषो मतिमानात्मनः शरीरमनुर-क्षञ्छुक्रमनुरक्षेत् । परा ह्येषा फलनिर्वृत्तिराहारस्येति ॥

C.S.Ni. 6/8

If person indulges excessive sexual intercourse due to excess passion & attachment leading to diminution of *Śukra*. If person doesn't care for his health at this level and further indulges in sexual intercourse, his semen will not be ejaculated

because *Śukra* is already in diminished state, so due to excessive sexual act *Vāta* enters the blood vessels and causes blood discharge from seminal passage due to loss of *Śukra*. Aggravated *Vāta* manifests looseness in joints, roughness, weakness and exacerbation of *Vāta*. Vitiating *Vāta* spreading the entire body from where semen is exhausted and aggravating *Kapha* & *Pitta*, dries up the *Māmsa* and *Rakta*, eliminate *Kapha* & *Pitta*, causes pain in the sides of the chest and shoulders, irritation in throat, aggravate the *Kapha* in head; general malaise, anorexia, indigestion after afflicting the joints; due to vitiation of *Pitta* & *Kapha*, *Vāta* takes opposite course and manifest fever, cough, breathlessness, hoarseness of voice and coryza. Excess coughing leads to haemoptysis and injury in the chest. Patient becomes weak due to loss of blood & other complications leading to cachexia day by day. That's why wise men should preserve his semen to protect his body because it is the final outcome of the foods and drinks.

Viṣamāśana as etiological factor

विषमाशनं शोषस्यायतनमिति यदुक्तं, तदनुव्याख्यास्यामः यदा पुरुषः पानाशनभक्षयलेहोपयोगान् प्रकृतिकरणसंयोगराशि-देशकालोपयोगसंस्थोपशयविषमानासेवते, तदा तस्य तेभ्यो वातपित्तश्लेष्माणो वैषम्यमापद्यन्ते; ते विषमाः शरीरमनुसृत्य यदा स्रोतसामयनमुखानि प्रतिवार्यावतिष्ठन्ते तदा जन्तुर्यद्यदाहार-जातमाहरति तत्तदस्य मूत्रपुरीषमेवोपजायते भूयिष्ठं नान्यस्तथा शरीरधातुः; स पुरीषोपष्टम्भा-द्वर्तयति, तस्माच्छुष्यतो विशेषेण पुरीषमनुरक्ष्यं तथाऽन्येषामतिकृशदुर्बलानां; तस्यानाप्यायमानस्य विषमाशनोपचिता दोषाः पृथक् पृथगुपद्रवैर्युञ्जन्तो भूयः शरीरमुपशोषयन्ति; तत्र वातः शूलमङ्गमर्दं कण्ठोद्ध्वंसनं पार्श्वसंरुजनमंसावर्दं स्वरभेदं प्रतिशयायं चोपजनयति; पित्तं ज्वरमतीसारमन्तर्दाहं च; श्लेष्मा तु प्रतिशयायं शिरसो गुरुत्वमरोचकं कासं च, स कासप्रसङ्गादुरसि क्षते शोणितं निष्ठीवति, शोणितगमनाच्चास्य दौर्बल्यमुपजायते । एवमेते विषमाशनो-पचितास्त्रयो दोषा राजयक्ष्माणमभिनिर्वर्तयन्ति । स तैरुपशोषणैरुप-द्रवैरुपद्रुतः शनैः शनैः शुष्यति । तस्मात् पुरुषो मतिमान् प्रकृतिकरणसंयोगराशिदेशकालोपयोगसंस्थोपशयादविषम-माहारमाहरेत् ॥ C.S.Ni. 6/10

If person adopts unhealthy dietetic pattern leads to manifestation of *Rājayakṣmā*. Consumption of

drinks, eatables, chewables and lickable without paying proper attention in terms of nature, preparation, combination, quantity, locality, time, dietetic rules, suitability, his *Tridoṣa* get imbalanced. Imbalanced *Doṣās* spreads all over the body and when they get localized obstructing the opening of channels, then whatever food is consumed is mostly transformed into urine & faeces with less formation of *Dhātus*. Life of the person is sustained by retention of stool, that's why stool should be protected particularly in case of the individual suffering from consumption, excess emaciation and weakness. Accumulated *Doṣās* due to irregular dieting manifest various complications and lead to further depletion. *Vāta* causes various kinds of pain, general malaise, irritation in throat; pain in sides, grinding pain in shoulder, hoarseness of voice, rhinitis; *Pitta* produces fear, diarrhoea & burning sensation inside the body and *Kapha* produces coryza, heaviness in head, anorexia and cough. Excess coughing leads to chest injury & haemoptysis.

As a result persons become weak. Above complications lead to cachexia day by day due to drying up of all the *Dhātus*. Therefore, wise person should take food which is not unwholesome in terms of nature, preparation, combination, quantity, place, time, dietetic rules and wholesomeness.

राजयक्ष्मा निदान संप्राप्ति (Nidāna & Samprāpti of Rājayakṣmā)

कफप्रधानैर्दोषैर्हि रुद्धेषु रसवर्त्तसु ।
अतिव्यवायिनो वाऽपि क्षीणे रेतस्यनन्तरम् ॥
क्षीयन्ते धातवः सर्वे ततः शुष्यति मानवः ॥
S.S.Utt. 41/9-10

तैरुदीर्णोऽनिलः पित्तं कफं चोदीर्य सर्वतः ।
शरीरसन्धीनाविश्य तान् सिराश्च प्रपीडयन् ॥
मुखानि स्रोतसां रुद्ध्वा तथैवातिविवृत्य वा ।
सर्पन्तूध्वमधस्तिर्यग्यथास्वं जनयेद् गदान् ॥
A.H.Ni. 5/5-6

Disease *Rājayakṣmā* manifests due to obstruction in *Rasavaha Srotas* due to *Kapha*; or in person who indulge too much in copulation as a result all the *Dhātus* gets depleted due to depletion

of *Śukra* resulting in drying up of the body and manifest *Rājayakṣmā*.

Aggravated *Vāta* produces increase of both *Pitta* and *Kapha* spreads to all the joints of the body & to the *Sirās* ramify upwards, downwards, & sideways, either obstructing or greatly dilating channels resulting in the manifestation of *Rājayakṣmā*.

रूपं त्वस्य यथोद्देशं निर्देक्ष्यामि सभेषजम् ॥
यथास्वेनोष्मणा पाकं शरीरा यान्ति धातवः ।
स्रोतसा च यथास्वेन धातुः पुष्यति धातुतः ॥
स्रोतसां संनिरोधाच्च रक्तादीनां च संक्षयात् ।
धातूष्मणां चापचयाद्राजयक्ष्मा प्रवर्तते ॥
तस्मिन् काले पचत्यग्निर्यदन्नं कोष्ठसंश्रितम् ।
मलीभवति तत् प्रायः कल्पते किञ्चिदोजसे ॥
तस्मात् पुरीषं संरक्ष्यं विशेषाद्राजयक्ष्मिणः ।
सर्वधातुक्षयार्तस्य बलं तस्य हि विड्वलम् ॥
रसः स्रोतःसु रुद्धेषु स्वस्थानस्थो विवर्धते ।
स उफर्ध्वं कासवेगेन बहुरूपः प्रवर्तते ॥
जायन्ते व्याधयश्चातः षडेकादश वा पुनः ।
येषां संघातयोगेन राजयक्ष्मेति कथ्यते ॥

C.S.Ci. 8/38-44

Dhātvāgnis metabolise the respective *Dhātus* and gets their nourishment by respective channels. But in case of *Rājayakṣmā* there is obstruction to their channels of circulation or if there is diminution of *Raktādi Dhātus* or depletion of *Dhātvāgnis* resulting in the manifestation of *Rājayakṣmā*. During this period whatever food is digested in the gastrointestinal tract by *Jatharāgni* is mostly converted to *Malās* and little amount contributes for the formation of *Ojas*. In *Rājayakṣmā* patients, more emphasis has been given to preservation of stool because in the state of depletion of *Dhātus*, the stool provides strength to the body. Due to blockade in the channels *Rasa* accumulates in its own place and becomes *Vidagdha*. *Rasadhātugata mala* comes out from upward channels in the form of cough etc. There after, six or eleven symptomatology or diseases are manifested and this congregation of symptomatology is known as *Rājayakṣmā*.

Anuloma Rājayakṣmā

Nidāna Sevana (Consumption of Etiological factors)



Aggravation of *Kaphādi doṣās*
Depletion of *Jaṭharāgni* causes formation of more *Malās* and little amount contributes for the formation of *Ojas*.



Development of *Āma* inside the gastro intestinal tract



Aggravated *Vāta* produces increase of both *Pitta* and *Kapha* spreads to all the joints of the body & to the *Sirās* ramify upwards, downwards, & sideways, either obstructing or greatly dilating channels associated with Obstruction in *Rasavaha Srotas*



But in case of *Rājayakṣmā* there is obstruction to their channels of circulation or if there is diminution of *Raktādi Dhātus* or depletion of *Dhātvāgnis* resulting in the manifestation of *Rājayakṣmā*.



Rājayakṣmā.

(In *Rājayakṣmā* patients, more emphasis has been given to preservation of stool because in the state of depletion of *Dhātus*, the stool provides strength to the body. Due to blockade in the channels *Rasa* accumulates in its own place and becomes *Vidagdha*. *Rasadhātugata mala* comes out from upward channels in the form of cough etc.)

Pratiloma Rājayakṣmā

Nidāna Sevana (Consumption of Etiological factors)



Depletion of *Śukra Dhātu*



Aggravation of *Vātādi doṣās*



Aggravated *Vāta* produces increase of both *Pitta* and *Kapha* spreads to all the joints of the body & to the *Sirās* ramify upwards, downwards, &

sideways, either obstructing or greatly dilating channels



Rājayakṣmā.

राजयक्ष्मा संप्राप्ति घटक (Samprāpti Ghaṭaka of Rājayakṣmā)

Doṣa : *Kapha Pradhāna Tridoṣaja*

Vāta → *Vyāna Samāna, Apāna, Udāna & Prāṇa*

Pitta → *Pācaka, Sādhaka*

Kapha → *Kledaka, Bodhaka, Avalambaka*

Dūṣya : *Dhātu* → *Rasa, Raktādi Dhātus*

Upadhātu → *Sirā, Sandhi*

Śārīrika mala → *Mūtra, Puriṣa*

Dhātumala → *Kapha, Pitta, Sveda, Keśa, Loma, Nakha*

Agni : *Jaṭharāgni, Dhātvāgni, Bhūtāgni*

Agniduṣṭi : *Mandatā*

Āma : *Āgnijanya*

Srotas : *Annavaha, Rasavaha & Śukravaha* mainly, *Rasavaha Srotas* (*Anuloma Kṣaya*), *Śukravaha Srotas* (*Pratiloma Kṣaya*) later all the *srotas*

Srotoduṣṭi : *Saṅga, & Vimārgagamana*

Udbhavasthāna : *Āmāśayottha & Pakvāśayottha*

Adhiṣṭhāna : *Sarvaśarīra*

Vyaktasthāna : *Mukha & Sarvaśarīra*

Sancārasthāna : *Rasavāhinyah*

Svabhāva : *Cirakāri*

Prabhāva : Curable in strong
Incurable in emaciated & weak

Roga bheda : 1. *Pratiloma & Anuloma Rājayakṣmā*

2. Four types depending on etiological factors
(*Sāhasaja, Sandhā-raṇaja, Viśāmāṣanaja & Kṣayaja*)

Roga Mārga : *Madhyama*

पूर्वरूप (Pūrvārūpa)

तस्येमानि पूर्वरूपाणि भवन्ति; तद्यथा-प्रति-श्यायः, क्ष्वथुरभीक्ष्णं, श्लेष्मप्रसेकः, मुखमाधुर्यम्, अनन्नाभिलाषः, अन्नकाले चायासः, दोषदर्शनमदोषे-ध्वल्पदोषेषु वा भावेषु पात्रोदकान्नसूपापूपोपदंश-परिवेशकेषु, भुक्तवतश्चास्य हल्लासः, तथोल्लेखन-मप्याहारस्यान्तरान्तरा, मुखस्य पादयोश्च शोफः, पाण्योश्चावेक्षणमत्यर्थम्, अक्ष्णोः श्वेतावभासता चातिमात्रं, बाह्योश्च प्रमाणजिज्ञासा, स्त्रीकामता, निर्घृणित्वं, बीभत्सदर्शनता चास्य काये, स्वप्ने चाभीक्ष्णं दर्शनमनुदकानामुदकस्थानानां शून्यानां च ग्रामनगरनिगमजनपदानां शुष्कदग्धभग्नानां च वनानां कृकलासमयूरवानरशुकसर्पकाकोलूकादिभिः संस्पर्शनमधिरोहणं यानं वा श्वोष्ट्रखरवराहैः केशास्थिभस्मतुषाङ्गारराशीनां चाधिरोहणमिति (शोषपूर्वरूपाणि भवन्ति) ॥ C.S.Ni. 6/13

पूर्वरूपं प्रतिश्यायो दौर्बल्यं दोषदर्शनम् ।
अदोषेष्वपि भावेषु काये बीभत्सदर्शनम् ॥
घृणित्वमश्नतश्चापि बलमांसपरिक्षय ।
स्त्रीमद्यमांसप्रियता प्रियता चावगुण्ठने ॥
मक्षिकाघुणकेशानां तृणानां पतनानि च ।
प्रायोऽन्नपाने केशानां नखानां चाभिवर्धनम् ॥
पतत्रिभिः पतङ्गैश्च श्वापदैश्चाभिवर्धनम् ।
स्वप्ने केशास्थिराशीनां भस्मनश्चाधिरोहणम् ॥
जलाशयानां शैलानां वनानां ज्योतिषामपि ।
शुष्यतां क्षीयमाणानां पततां यच्च दर्शनम् ॥
प्राग्रूपं बहुरूपस्य तज्ज्ञेयं राजयक्ष्मणः ।

C.S.Ci. 8/33-38

The following prodromal signs and symptoms observed before the manifestation of **Rājayakṣmā** : *Rhinitis*; frequent sneezing; excess salivation, sweet taste in the mouth, aversion towards food; feeling of exhaustion during the meal time; findings fault in things which are free from fault or have little fault specially that of utensils, water, cereals, pulses, flour preparations, spicy preparations, things which are chewed before taking food (*Upadamśa*) and caterers, nausea after meals; intermittent vomiting during meal; swelling on the face & feet; frequent looking at the hands; excessive whitishness of eyes; curiosity about the measurement of arms, passionate attachment with women; cruel disposition; frightful appearance in his body.

The following things appear in dreams- seeing empty reservoirs; deserted villages, towns, cities and countries, dried, burnt and destroyed forest; coming in contact with chameleon, peacock, monkeys, parrots, serpents, crows, owls etc. or riding over dog, camels, donkeys, and pigs or vehicles drawn by them; climbing over heaps of hairs, bones, ash, chaff and charcoal; fall of planets; appearance of ugly signs & symptoms in the body; abhorrence for eatables, diminution of strength & muscle tissue; attachments to alcohol, women & meat; desire for veiling; fall of flies, insects, hair & grass in food & drink; rapid growth of hair & nails; assault by birds, wasps & animals.

रूप (Rupa)**त्रिरूप राज्यक्ष्मा (Trirupa Rājayakṣmā)**

त्रिभिर्वा पीडितं लिङ्गैर्ज्वरकासासुगामयैः ।

S.S.Utt. 41/15

The following are the three cardinal features of *Rājayakṣmā*

1. *Jvara* (Fever)
2. *Kāsa* (cough)
3. *Asrugamaya* (haemoptysis)

षड् रूप राजयक्ष्मा (Ṣaḍrūpa Rājayakṣmā)

कासोऽसतापो वैस्वर्यं ज्वरः पार्श्वशिरोरुजा ।
छर्दनं रक्तकफयोः श्वासो वर्चोगदोऽरुचिः ॥
रूपाण्येकादशैतानि यक्ष्मणः षडिमानि वा ।
कासो ज्वरः पार्श्वशूलं स्वरवर्चोगदोऽरुचिः ॥
सर्वैर्धैस्त्रिभिर्वाऽपि लिङ्गैर्मांसबलक्षये ।
युक्तो वर्ज्यश्चिकित्स्यस्तु सर्वरूपोऽप्यतोऽन्यथा ॥

C.S.Ci. 8/45-47

Six cardinal signs & symptoms of *Rajayakṣmā* are as follows:

1. *Kāsa* (Cough)
2. *Jvara* (Fever)
3. *Pārśvasūla* (Pain in both sides)
4. *Svara gada* (Derangement of voice)
5. *Varcogada* (Diarrhoea)
6. *Arūci* (Anorexia/loss of appetite)

एकादश रूप (Ekādaśa Rupa)

Eleven cardinal signs & symptoms of *Rājayakṣmā* are as follows :

1. *Kāsa* (Cough)
2. *Ansatapa* (Burning sensation in shoulders)
3. *Vaiśvarya* (Derangement of voice)
4. *Jvara* (Fever)
5. *Parśvarūja* (Pain in both sides)
6. *Śīrorūja* (Headache)
7. *Chardan Rakta* (Haemoptysis)
8. *Chardan Kapha* (Spitting of sputum)
9. *Śvasa* (Dyspnoea)
10. *Varcogada* (Diarrhoea)
11. *Arūci* (Anorexia/loss of appetite)

प्रतिश्याय (Pratiśyāya)-Coryza

घ्राणमूले स्थितः श्लेष्मा रूधिरं पित्तमेव वा ।
मारुताध्मातशिरसो मारुतं श्यायते प्रति ॥
प्रतिश्यायस्ततो घोरो जायते देहकर्शनः ।
तस्य रूपं शिरःशूलं गौरवं घ्राणविप्लवः ॥
ज्वरः कासः कफोत्क्लेशः स्वरभेदोऽरुचिः क्लमः ।
इन्द्रियाणामसामर्थ्यं यक्ष्मा चातः प्रजायते ॥

C.S.Ci. 8/48-50

Inflation of head with abnormal *Vāta*, *Kapha*, *Rakta* or *Pitta* situated at the root of nose rushes towards *Vāyu* as a result of which manifest severe *Pratiśyāya* and which causes emaciation of the body. Signs & symptoms of *Pratiśyāya* are headache, heaviness, stuffy nose, fever, cough, excessive sputum, hoarseness of voice, anorexia, fatigue and sense organs unable to perform their normal functions, lastly *Rājayakṣmā* manifests.

Nature of sputum

पिच्छिलं बहलं विस्त्रं हरितं श्वेतपीतकम् ।
कासमानो रसं यक्ष्मी निष्ठीवति कफानुगम् ॥

C.S.Ci. 8/51

Patient of *Rājayakṣmā* spits out sputum, which is slimy, thick, putrid in odour, green, white or yellow in colour.

Nature of fever

अंसपार्श्वाभितापश्च संतापः करपादयोः ।
ज्वरः सर्वाङ्गश्चेति लक्षणं राजयक्ष्मणः ॥

C.S.Ci. 8/52

Characteristic feature of *Jvara* in *Rājayakṣmā*.

i) Burning sensation in the shoulders & sides of the chest; ii) Burning sensation in the hands and feet and iii) Generalised fever. Some physicians consider these signs and symptoms as *trirūpa rājayakṣmā*.

Nature of Voice

वातात्पित्तात्कफाद्रक्तात् कासवेगात् सपीनसात् ।
स्वरभेदो भवेद्वाताद्रक्षः क्षामश्चलः स्वरः ॥
तालुकण्ठपरिप्लोषः पित्ताद्वक्तुमसूयते ।
कफान्मन्दः विबद्धश्च स्वरः खुरखुरायते ॥
सन्नो रक्तविबद्धत्वात् स्वरः कृच्छ्रात् प्रवर्तते ।
कासातिवेगात् कषणः पीनसात्कफवातिकः ॥

C.S.Ci. 8/53-55

Hoarseness of voice is caused abnormal *Vāta*, *Pitta*, *Kapha*, *Rakta*, impulse of coughing & chronic rhinitis. If caused by *Vāyu*, the voice becomes rough, feeble & unstable; if affected by *Pitta* causes burning sensation in the palate & throat and aversion to speaking; if affected by *Kapha* the voice becomes slow, obstructed, and stertorous; if affected by *Rakta* the voice becomes low because of obstruction & voice comes out with difficulty. If it is affected by strain of excessive coughing as a result throat manifest abnormal voice. If affected by *Pinasa*, manifest mixed feature of *Kaphaja* & *Vātaja* features.

Nature of pain on sides

पार्श्वशूलं त्वनियतं संकोचायामलक्षणम् ।

C.S.Ci. 8/56

Pain in the sides of chest is irregular sometimes, it is associated with constriction & expansion.

Nature of headache

शिरःशूलं ससंतापं यक्ष्मिणः स्यात्सगौरवम् ॥

C.S.Ci. 8/56

Headache in *Rājayakṣmā* patients associated with burning sensation & heaviness.

Nature of blood

अभिसन्ने शरीरे तु यक्ष्मिणो विषमाशनात् ।
कण्ठात्प्रवर्तते रक्तं श्लेष्मा चोत्क्लिष्टसंचितः ॥

C.S.Ci. 8/57

Due to irregular meals patients of *Rājayakṣmā* becomes debilitated and agitated, & accumulated blood & sputum comes out from the throat.

Due to obstruction in *Raktavaha Srotas*, it does not reach *Māmsādi dhātus* & get accumulated in excess in *Āmāsaya* and comes out from throat.

Nature of breathlessness

वातश्लेष्मविबद्धत्वादुरसः श्वासमृच्छति ।
C.S.Ci. 8/59

Due to obstruction in *Prāṇavaha Srotas* by *Vāta* & *Kapha* patient of *Rājayakṣmā* suffers from dyspnoea.

Nature of diarrhoea

दोषैरूपहते चाग्नौ सपिच्छपतिसार्यते ॥
C.S.Ci. 8/59

Patient of *Rājayakṣmā* suffers from diarrhoea due to impaired *Agni* & vitiated *Doṣās* associated with sliminess.

Nature of Anorexia

पृथग्दोषैः समस्तैर्वा जिह्वाहृदयसंश्रितैः ।
जायतेऽरुचिराहारे द्विष्टैरर्थैश्च मानसैः ॥
कषायतिक्तमधुरैर्विद्यान्मुखरसैः क्रमात् ।
वाताद्वैरुचिं जातां मानसीं दोषदर्शनात् ॥
C.S.Ci. 8/60-61

Anorexia occurs due to involvement of single *Doṣā* or simultaneous vitiation of all the *Doṣās* in the region of tongue as well as heart. Psychic anorexia may manifest due to disgusting objects. Anorexia caused by *Vāta*, *Pitta* & *Kapha* should be identified by astringent, bitter and sweet tastes in mouth respectively. Psychic anorexia patients finds fault with substances.

Nature of Chardi

अरोचकात् कासवेगाद्दोषोत्प्लेशाद्भयादपि ।
छर्दिर्या सा विकाराणामन्येषामप्युपद्रवः ॥
C.S.Ci. 8/62

Chardi is caused by anorexia, impulse of coughing, excitement of *Doṣās* & fear and it may occur as complication in other diseases.

Doṣic predominance

स्वरभेदोऽनिलाच्छूलं संकोचश्चांसपार्श्वयोः ।

ज्वरो दाहोऽतिसारश्च पित्ताद्रक्तस्य चागमः ॥
शिरसः परिपूर्णत्वमभक्तच्छन्द एव च ।
कासः कण्ठस्य चोर्ध्वसो विज्ञेयः कफकोपतः ॥

S.S.Utt. 41/12-13

Hoarseness of voice, constriction of the shoulders and flanks and pain all over the body are due to aggravation of *Vāta*, exacerbated *Pitta* manifest fever, burning sensation, diarrhoea & haemoptysis, agitated *Kapha* produces fullness feeling in the head, lack of desire for food, cough and loss of function of the throat.

उपशय/पथ्य (Upaśaya/pathya)

Auśadha : *Sitopalādi Cūrṇa*, *Durālabhādighṛta*, *Jivantyādyaghṛta*, *Tālisādyā Cūrṇa* & *Guṭikā*

Anna : *Rājayakṣmā* patients should take corns and cereals which were harvested before one year, which are properly cooked, which are light, not devoid of potency, tasty and having good smell.

Foods & drinks which are nourishing, cooling, *Avidhāhi*, wholesome food, milk, ghee, meat etc.

Vihāra : Medicated bath by using *Jivaniya gaṇa dravyās*, apply perfume, wear garlands & ornaments, touch auspicious objects, offer prayer to the gods, physicians and Brahmins, massage, unction, external cleansing, and perform *Yajña* (sacrificial ceremony).

For a patient of consumption, the following diet and drinks are wholesome: 1. *Śāli* and *Śaṣṭhi* variety of rice, wheat, barley, *Mudga*, etc. 2. Different type of alcoholic drinks: and 3. Meat of animals, birds and different types of deer inhabiting *Jāṅgala* (arid) lands. If the patient is emaciated having diminished muscle tissue, then the nourishing meat of animals belonging to *Kravyādi* group (carnivorous animals) should be given. (B.R. 14/3-4)

If there is excessive aggravation of *Doṣās*, then the patient should be administered *Vamana* (emetic) and *Virecana* (purgation) therapies preceded by *Snehana* (oleation) and *Svedana* (fomentation) therapies. All these therapies should be administered with drugs which should have oleating and not a depleting effect. (B.R. 14/5)

In case of such a *Rājayakṣmā* patient that has become very lean and thin and who is attacked by several problems should be first treated with the *Vamana* (emetic), purgative, *Niruhaṇa*, *Anuvāsana* and *Svedana* therapies. The patient can be treated either with one or all of these therapies. However, it is not advised to treat a patient with *Pañcakarma* who has badly lost weight and strength. This might prove fatal to the patient. (B.R. 14/6)

Eating of the meats of animals and birds, the pulse of *Mudga* (kidney beans), red variety of rice, wheat, barley is helpful for patients of *Rājayakṣmā*. If the patient is well built, he should be administered with the *Virecana* (purgation) therapy. The patient should be served with the following edibles: wheat, *Mudga*, gram, mutton, milk of goat and its butter as well as *Ghrta*, meat of *Kravyādya* (carnivorous) animals, meat of wild animals, dust of unbaked meats dried in sharp sun, *Kāmblika*, *Rāga Śāḍava* and *Veśavāra*. The moon light is helpful for the patient. He should stay in a place where goat's are tied. He should apply *Kalka* prepare out of urine and droppings of goat. He should also coat his body with sandalwood and other aromatic herbs. He should also bath with water treated with the aromatic herbs. The patient should wear good quality of clothes and jewelry. He should stay in palaces. He should sport garland of flowers. He should listen to as well as indulge in erotic discussions. He should also listen to instrumental music. He should stare at beautiful women. Helpful edibles for him also include banana fruits, jackfruit and mango, *Āmalakī*, date fruits, *Kamala Kanda*, *Paruṣka*, coconut, drum sticks, *Kāga Tindu*, palm fruits, raisin, aniseeds, rock salt, leaves of *Aḍuṣā*, *Ghrta* prepared out of cow and buffalo milk, raw sugar and sweet dish called *Śikharīṇī*. The patient should offer sacrifices and donations to priests and Gods. Cardiac drinks and foods are also prescribed for the patients of *Rājayakṣmā*. (B.R. 14/318-325)

अनुपशय/अपथ्य (*Anupaśaya/Apathya*)

The eatables and avoidable in the case of *Rājayakṣmā* : Avoidable activities: suppression

of natural urges hard labour, intercourse, sweating, waking in night hours, application of *Añjana*, eating tasteless meals, taking meals in odd hours, getting angry, performing hard exercises and the like. Avoidable eatables: eating melons, *Kulattha*, *Māṣa*, garlic bulbs, asafoetida, shoots of bamboo, *Urada* pulse, brinjal, bitter gourd, *Bilva* fruit, etc. (B.R. 14/326-329).

शोष (Śoṣa)

Introduction

Some other scholars say that *Soṣa* produces due to excessive sexual intercourse, grief, senility, physical activities, walking long distances, fasting, wounds & injury to the chest.

Causes of Śoṣa

व्यवायशोकस्थविर्यव्यायामाध्वोपवासतः ।
ब्रणोरःक्षतपीडाभ्यां शोषानन्ये वदन्ति हि ॥

S.S.Utt. 41/21

Some other scholars say that *Soṣa* produces due to excessive sexual intercourse, grief, senility, physical activities, walking long distances, fasting, wounds & injury to the chest.

व्यवाय शोषी (Vyavāya Śoṣī)

व्यवायशोषी शुक्रस्य क्षयलिङ्गैरुपद्रुतः ।
पाण्डुदेहो यथापूर्वं क्षीयन्ते चास्य धातवः ॥

S.S.Utt. 41/22

Śoṣa develops due to excessive sexual intercourse characterised by symptoms of *Śukrakṣaya* (exhaustion, *Daurbalya*, *Aśyaśoṣa*, *Aṅgamarda*, *Paṇḍutā* etc.), yellowish whitish discoloration of the body & person suffers from depletion of tissues in the preceding order.

शोक शोषी (Śoka Śoṣī)

प्रध्यानशीलः स्वस्ताङ्गः शोकशोष्यपि तादृशः ।
विना शुक्रक्षयकृतैर्विकारैरभिलक्षितः ॥

S.S.Utt. 41/23

Śoṣa develops due to excessive grief is characterised by the person who always looks like grief stricken, debility and features of *Śukrakṣaya* though not actually having *Śukrakṣaya*.

जरा शोषी (Jarā Śoṣī)

जराशोषी कृशो मन्दवीर्यबुद्धिबलेन्द्रियः ।
 कम्पनोऽरुचिमान् भिन्नकांस्यपात्रहस्तस्वरः ॥
 ष्ठीवति श्लेष्मणा हीनं गौरवारुचिपीडितः ।
 सम्प्रसृतास्यनासाऽक्षः शुष्करूक्षमलच्छविः ॥
 S.S.Utt. 41/24-25

Śoṣa develops due to old age is characterised by emaciation; loss of vitality, intelligence, strength; loss of normal functions of sense organs; tremors, loss of appetite, broken voice like the sound of bronze bell; spits devoid of sputum, heaviness of body, anorexia, more elimination of liquid from mouth, nose & eyes, numbness, rough & dirty complexion.

अध्व शोषी (Adhva Śoṣī)

अध्वप्रशोषी स्रस्ताङ्गः सम्भृष्टपरुषच्छविः ।
 प्रसुप्तगात्रावयवः शुष्कक्लोमगलाननः ॥
 S.S.Utt. 41/26

Śoṣa develops due to excessive walking is characterised by weakness of body, rough & lusterless complexion, absence of sensation in the body parts similar to a sleeping person, dryness of *Kloma*, throat and face.

व्यायाम शोषी (Vyāyāma Śoṣī)

व्यायामशोषी भूयिष्ठमेभिरेव समन्वितः ।
 उरःक्षतकृतैर्लिङ्गैः संयुक्तश्च क्षताद्विना ॥
 S.S.Utt. 41/27

Śoṣa develops due to excessive physical exercise is characterised by the same symptoms as described under *Adhva Śoṣī* in greater degree associated with symptoms of *Urahkṣata* (injury to chest) though not actually suffering from the same.

व्रण शोषी (Vraṇa Śoṣī)

रक्तक्षयाद्वेदनाभिस्तथैवाहारयन्त्रणात् ।
 व्रणितस्य भवेच्छोषःस चासाध्यतमः स्मृतः ॥
 S.S.Utt. 41/28

Śoṣa develops in wounds due to excessive loss of blood, severe pain & restriction in the food intake & it is very difficult to treat.

उरक्षत शोषी (Urahkṣata Śoṣī)

व्यायामभाराध्ययनैरभिघातिमैथुनैः ।
 कर्मणा चाप्युरस्येन वक्षो यस्य विदारितम् ॥
 तस्योरसि क्षते रक्तं पूयः श्लेष्मा च गच्छति ।
 कासमानश्छर्दयेच्च पीतरक्तासितारुणम् ॥
 सन्तप्तवक्षाः सोऽत्यर्थं दूयनात्परिताप्यति ।
 दुर्गन्धवदनोच्छ्वासो भिन्नवर्णस्वरो नरः ॥
 S.S.Utt. 41/29-31

Urahkṣata Śoṣa develops due to excessive physical exercises, lifting heavy weights, walking long distances, studying in loud pitch for longer period of time, injury, excessive sexual intercourse leads to injury in the chest. This leads to exudation of blood, pus, sputum via cough or vomiting, which are either yellow, red, white or mild red, associated with delusion, foul smell from the mouth & breath, loss of colour & voice.

MCQs

1. *Rogaraditi/rogarat* is synonym of
 a. *Rajayakshma* b. *Jwara*
 c. *Sannyasa* d. *Atatva-Abhinivesha*
2. *Shosha* is synonym of
 a. *Rajayakshma* b. *Jwara*
 c. *Sannyasa* d. *Atatva-Abhinivesha*
3. *Trirupa* of *Rajayakshma* are
 a. *Jwara kasa aruchi*
 b. *Jwara swarabheda shirooruja*
 c. *Jwara shwasha atisara*
 d. *Jwara kasa asrugamaya*
4. There are *trirupa*, *shadrupa* & *ekadsha rupa* features observed in
 a. *Rajayakshma* b. *Jwara*
 c. *Sannyasa* d. *Atatva-Abhinivesha*
5. *Picchila*, *Bahala*, *Visram*, *Haritam*, *Swetapitakam* nature of sputum is observed in
 a. *Rajayakshma* b. *Kshayaja Kasa*
 c. *Kaphaja Kasa* d. *Tamak Shwasa*
6. *Akshnoh shwetavabhasata chatimatram* feature observed in *purvarupa* of
 a. *Pandu* b. *Rajayakshma*
 c. *Kasa* d. *Kamala*

7. *Keshanam nakhanam chabhivardanam* feature observed in purvarupa of

- a. *Prameha* b. *Jwara*
c. *Rajayakshma* d. *Shwasha*

8. *Shtree Madhya mamsa priyata* feature observed in purvarupa of

- a. *Prameha* b. *Jwara*
c. *Rajayakshma* d. *Shwasha*

9. कासो ज्वरः पार्श्वशूलं स्वरवर्चीगदोऽरुचितः are features observed in

- a. *Parinam shoola* b. *Jwara*
c. *Rajayakshma* d. *Shwasha*

10. Which among the following is not the *Trirupa* of *Rajayakshma*

- a. *Amsaparswaabhitapa*
b. *Karapadasantapa*
c. *Sarvangajwara*
d. *Swarabheda*

11. *Kshaya* is synonym of

- a. *Rajayakshma* b. *Jwara*
c. *Sannyasa* d. *Atatva-Abhinivesha*

Answer

1.	a	2.	a	3.	d
4.	a	5.	a	6.	b
7.	c	8.	c	9.	c
10.	d	11.	a		