

CHAPTER

4



Shula Parinama Shula Annadrava Shula

Learning Objectives

- ⇒ To learn the concept of Shula
- ⇒ To learn the Nidana Panchaka of Shula mentioned in Ayurveda literatures
- ⇒ To frame out the probable Samprapti Ghataka based on the progression of the disease

Introduction




Figure 7: Pratyatma Lakshana of Shula

Shula¹ is the spectrum of diseases where the person will be suffering from pricking type of pain in the abdominal region. It is sharp and piercing type of pain. It is Annavaha Srotovikara which is caused by the vitiation of Vata Dosha.

This is manifested by Sanga and Vimargagamana type of Srotodushti. As far as the type of Vyadhi as per Sushruta, this is caterorised under Pakvashayasamuttha, Doshabala Pravritta Vikara of Adhyatmika Vikara.

Definition of Shula

शङ्कुस्फोटनवत्तस्य यस्मात्तीव्रश्च वेदनाः।

शूलासक्तस्य लक्ष्यन्ते तस्माच्छूलमिहोच्यते॥8 1॥

Su.Ut. - 42/81

Shula is the term when an individual is presented with severe pricking type of pain in the abdominal region. This is caused by the vitiation of Vata Dosha.

Nidana of Shula

वातमूत्रपुरीषाणां निग्रहादतिभोजनात्॥7 7॥

अजीर्णाध्यशनायासविरुद्धात्रोपसेवनात्।

पानीयपानात् क्षुत्काले विरूढानां च सेवनात्॥7 8॥

पिष्टान्नशुष्क मांसानामुपयोगात्तथैव च।

एवंविधानां द्रव्याणामन्येषां चोपसेवनात्॥7 9॥

Su.Ut. - 42/77-79

- Suppression of urges of flatus, urine and faecal matter²
- Excess consumption of food substances
- When an individual is suffering from Ajirna (indigestion)
- Excess consumption of food substances at a time in large quantity

GK

1 Figure 7: Pratyatma Lakshana of Shula

2 When an individual suppresses these urges of flatus, faecal matter and urine, that will abnormally increase the Apanavata in the body, which leads to the reverse movement of Vata in the body. This event will lead to the abnormal increase of Samanavata in the body. Samanavata is considered to be one of the six factors responsible for the proper digestion of food (Ahara Parinamakara Bhava). When Samanavata is disturbed, this may have an impact on Ushma, Kleda, Sneha, Kala and Samayoga of Ahara Parinamakara Bhava, leading to dysfunction of Agni. If the person still does suppression of urges, that may lead to the abnormal functioning of Pranavata (reversal of Pranavata).

- Consumption of food substances in excess quantity at a time when he is not having appropriate appetite¹
- Exertion⁴
- Viruddha Ahara (excess consumption of food substances having opposite qualities) e.g. milk and fish together⁵
- Excess consumption of liquid substances at the time of hunger⁶
- Excess consumption of sprouted cereals at the time of hunger⁷
- Excess consumption of substances prepared from flour⁸
- Excess consumption of substances prepared by dry meat⁹

Samprapti of Shula

वायुः प्रकुपितः कोष्ठे शूलं संजनयेद्भृशम्।
निरुच्छ्रासो भवेत्तेन वेदनापीडितो नरः॥८०॥ Su.Ut. - 42/80

- Vata will be vitiated due to above said etiological factors
- Sudden development of pricking type of pain in the abdomen
- Breathing discomfort due to pain abdomen

Samprapti Ghataka

- Dosha : Vata
- Dushya : Rasa, Mamsa
- Srotas : Rasavaha, Annavaha, Mamsavaha Srotas
- Srotodushti Prakara: Sanga and Vimargagamana

- When an individual consumes food substances in these patterns, then food substances stay in the stomach for more than 2 hours. This will lead to the increase of Shuktatva (sourness) of ingested food. This sourness is due to the excess of hydrochloric acid in the stomach. As the food substances with hydrochloric acid stay in the stomach for more amount of time, there will be more damage occurs to the gastric mucosa resulting in thinning of mucosa. This could be considered as a primary event for the occurrence of peptic ulcer.
- More exertion inducing activities will lead to the depletion of body nutrients, glucose, fats and electrolytes such as sodium, potassium and calcium. There will be more amount of water loss from the body. If the individual after having such a profound nutrient loss, he is not consuming the food, that may lead to the initial hydrochloric acid secretion to be increased and in next 3 or 4 days later, the person may have reduced gastric juice secretion. Both of these mechanisms are harmful for gastric mucosa.
- पाण्ड्यान्वयसर्पदकोदराणां विस्फोटकोन्मादभगन्दराणाम्। मूर्च्छामदाध्यानगलग्रहाणां पाण्ड्यामयस्यामविषस्य चैव॥ 102।
किलास कुष्ठग्रहणीगदानां शोथाम्लपित्तज्वर पीनसानाम्। सन्तानदोषस्य तथैव मृत्योविरुद्धमन्नं प्रवदन्ति हेतुम्॥१०३॥
Usually, when an individual indulges in Viruddha Ahara, that will lead to inflammation of gastric mucosa. This occurs as a result of prolonged stay of ingested food and incompatible food substances intake. This will lead to the gastric mucosal damage and thus resulting in acid peptic disease.
- When an individual consumes more amount of Drava (liquid) substances, that will lead to the increase of Drava quality in the alimentary canal which is one of the qualities of Pitta Dosha. Due to the consumption of excess liquid, there is a possibility of abnormal increase of Pitta because of Drava quality, but there will be normal proportions of other qualities of Pitta.
As per current understanding, when an individual consumes more amount of water or liquid substances at the time of taking food, that will dilute the hydrochloric acid and the person may suffer from indigestion owing to poor hydrochloric acid and inactivation of pepsinogen.
- Consumption of sprouted cereals particularly soaked in contaminated water is considered to be the main reason for the development of symptoms of food poisoning.
- Flour is a low moisture food product, a high risk for microbial contamination. This has been identified as a source of pathogenic bacteria, including salmonella and E coli. Thus, frequent flour consumption can have adverse effects on the health of the individual.
- Though in current days, dry meat is considered to be safe food, but elimination of contamination of pathogen cannot be ensured after processing of meat. That may be the reason, if a person has the habit of consumption of dry meat, the person may have digestive impairment in due course of time.

- Agni : Jatharagnimandya
- Ama : Jatharagnimandyaajanya
- Udbhava Sthana : Pakvashaya
- Sanchara Sthana : Sarva Sharira (as Rasa Dhatu involved)
- Vyakta Sthana : Kukshi
- Rogamarga : Abhyantara and Bahya
- Vyadhyavastha : Ashukari

Types of Shula

8 types of Shula

1. Vataja Shula
2. Pittaja Shula
3. Kaphaja Shula
4. Vata Pittaja Shula
5. Pitta Kaphaja Shula
6. Kapha Vataja Shula
7. Sannipataja Shula
8. Amaja Shula

Vataja Shula

निराहारस्य यस्यैवं तीव्र शूलमुदीर्यते।
प्रस्तब्धगात्रो भवति कृच्छ्रेणोच्छ्रसितीय च॥८२॥
वातमूत्रपुरीषाणि कृच्छ्रेण कुरुते नरः।
एतैर्लिङ्गैर्विजानीयाच्छूलं वातसमुद्भवम्॥८३॥ Su.Ut. - 42/82,83
व्यायामयानादतिमैथुनाच्च प्रजागराच्छीतजलातिपानात्।
कलायमुद्राढकिकोरदूषादत्यर्थरुक्षाध्यशनाभिघातात्॥८४॥

Ca.Su. - 26/102, 103

कषायतिकातिविरुद्ध ज्ञानविरुद्धवरक शुष्क शाकात्।
 विशुक्त मूत्रानिलवेगरोधाच्छोकोपवासादतिहास्य भाष्यात्॥३॥
 वायुः प्रवृद्धो जनयेद्धि शूलं हृत्पार्श्वपृष्ठन्त्रिकवस्तिदेशे।
 जीर्णं प्रदोषे च धनागमे च शीते च कोपं समुपैति गाढम्॥४॥
 मुहुर्मुहुर्दुःशमप्रकोपी विद्वानसंस्तम्भनतोदभेदेः।
 संस्वेदनाभ्यञ्जनमर्दनायैः स्निग्धोष्णभोज्यैश्च शमं प्रयाति॥५॥

Ma.Ni. – 26/2-5

- ⊗ Excess physical exercise
- ⊗ Excess traveling
- ⊗ Excess sexual intercourse
- ⊗ Avoiding sleep at night
- ⊗ Excess consumption of cold water
- ⊗ Excess consumption of *Kalaya*, *Mudga*, *Adhaki*, *Koradusha*
- ⊗ Excess consumption of dry foods
- ⊗ Excess consumption of food substances before the digestion of previously ingested meal
- ⊗ Trauma to the body
- ⊗ Excess consumption of substances having *Kashaya* (astringent) and *Tikta* (bitter) *Rasa*
- ⊗ Excess consumption of sprouted substances
- ⊗ Excess consumption of unwholesome food substances
- ⊗ Excess consumption of dry meat
- ⊗ Excess consumption of dry leafy vegetables
- ⊗ Suppression of natural urges – faecal matter, semen, urine and flatus in particular
- ⊗ Grief
- ⊗ Fasting
- ⊗ Excess laughing and talking

Lakshana of Vataja Shula

- ⊗ Pricking type of pain in the *Hridaya* (chest), *Parshva* (sides of the chest), *Trika* (sacrum) and *Basti* (lower abdomen or supra pubic region)
- ⊗ Worsening of pain after the digestion of food or during evening or exposure to cold environment or cloudy days
- ⊗ The person will have episodes of pain which may vary in intensity from mild dull aching pain to severe and intolerable pain
- ⊗ There will be association of constipation, no passage of flatus, stiffness, pricking type and tearing type of pain
- ⊗ The *Lakshana* may subside on performing *Svedana* (fomentation therapy), *Abhyanga* (massage), *Mardana* (pressing the body parts), *Snigdha* and *Ushna Bhojana* (consumption of unctuous and hot substances)

Pittaja Shula

तृष्णा दाहो मदो मूर्च्छा तीव्रं शूलं तथैव च।
 शीताभिकामो भवति शीतेनैव प्रशाम्यति॥४॥
 पतैर्लिङ्गैर्विजानीयाच्छूलं पित्तसमुद्भवम्। Su.Ut. – 42/84,85
 क्षारातितीक्ष्णोष्णविदाहितैल निष्पावपिण्याककुलत्थ्यूषैः।
 कवम्प्लसौवीरसुराविकारैः क्रोधानलायासरविप्रतापैः॥६॥
 ग्राम्यातियोगादशनैर्विदग्धैः पित्तं प्रकुप्याशु करोति शूलम्।
 तृणमोहदाहार्तिकरं हि नाभ्यां संस्वेदमूर्च्छाभ्रमचोषयुक्तम्॥७॥
 मध्यन्दिने कुप्यति चार्धरात्रे विदाहकाले जलदात्यये च।
 शीते च शीतैः समुपैति शान्तिं सुस्वादुशीतैरपि भोजनैश्च॥८॥

Ma.Ni. – 26/6-8

- ⊗ Excess consumption of strong alkaline substances
- ⊗ Excess consumption of highly irritating substances
- ⊗ Excess consumption of *Ushna* (hot in potency) substances
- ⊗ Excess consumption of *Vidahi* (burning sensation of the chest and thirst inducing) substances
- ⊗ Excess consumption of oily substances
- ⊗ Excess consumption of beans, horse gram and soups
- ⊗ Excess consumption of *Katu* (pungent) and *Amla* (sour) *Rasa* substances
- ⊗ Excess consumption of alcoholic beverages
- ⊗ Anger
- ⊗ Excess exposure to fire such as people having the occupation of cooking
- ⊗ Excess physical exertion
- ⊗ Excess exposure to sunlight
- ⊗ Excess sexual intercourse

Lakshana of Pittaja Shula

- ⊗ Pain in the umbilical region
- ⊗ Thirst
- ⊗ Confusion
- ⊗ Burning sensation
- ⊗ Sweating
- ⊗ Altered state of consciousness
- ⊗ Giddiness
- ⊗ Sucking type of pain
- ⊗ Worsening of pain in mid-noon, midnight, during the digestion of food and *Sharat Rtu* (autumn)
- ⊗ Relief from pain by exposure to cold environment and consumption of substances having *Shita Virya* (cold in potency), cold water and sweet substances

Kaphaja Shula

शूलेनोत्पीड्यमानस्य हृल्लास उपजायते॥५॥

अतीव पूर्णकोष्ठत्वं तथैव गुरुगात्रता।

एतच्छ्रेष्मसमुत्थस्य शूलस्योक्तं निदर्शनम्॥८६॥ Su.Ut. - 42/85,86

आनूपवारिजकिलाटपयोविकारैर्म सेक्षुषिष्टकृशरा तिलशङ्कुलीभिः।

अन्यैर्बलासजनकैरपि हेतुभिश्च श्लेष्मा प्रकोपमुपगम्य करोति शूलम्॥९॥

हल्लासकास सदनारुचिसंप्रसेकैरामाशये स्तिमितकोष्ठ शिरोगुरुत्वैः।

भुक्ते सदैव हि रुजं कुरुतेऽतिमात्रं सूर्योदयेऽथ शिशिरे कुसुमागमे च॥१०॥ Ma.Ni. - 26/9-10

- Excess consumption of meat of aquatic animals such as fish
- Excess consumption of meat of domestic animals such as chicken
- Excess consumption of *Kilata*
- Excess consumption of milk and milk products
- Excess consumption of meat, sugar cane products, flour substances, sesamum products
- Exposure to other *Kapha* vitiating etiological factors

Lakshana of Kaphaja Shula

- Nausea
- Cough
- Sluggish movements of body parts
- Tastelessness
- Excess salivation
- Feeling of sensation of covering wet cloth over abdominal region
- Heaviness of the abdomen
- Heaviness of the head
- Pain abdomen worsens soon after the consumption of food, during sunrise, in cold season and in winter season

Dvandvaja Shula: These are 3 in number depending upon the dominance of *Dosha* in the manifestation of the disease. All these three types show the clinical features which indicate the involvement of two *Dosha* vitiation in the manifestation of disease. It may either *Vata Pitttaja*, *Vata Kaphaja* or *Pitta Kaphaja Shula*.

Kapha Vataja Shula

बस्तौ हृत्पार्श्वपृष्ठेषु स शूलः कफवातिकः। Ma.Ni. - 26/13

- Kapha Vataja Shula* is presented with pricking type of pain in the lower abdomen, chest and sides of the chest and back region

Kapha Pitttaja Shula

कुक्षौ हृत्पार्श्वमध्येषु स शूलः कफपैतिकः॥ Ma.Ni. - 26/13

- In this condition, the vitiation of *Dosha* will be mild, usually duration of the illness will be shorter. Degree of involvement of deeper parts of the body is less likely.
- In this situation, vitiation of *Dosha* will be moderate to severe, duration of the illness is prolonged, multiple *Dhatu* involvement can be observed, depending upon the involvement of tissue, the patient may require more time to have complete recovery from the illness.

- Kapha Pitttaja Shula* is presented with pricking type of pain in epigastric region

Vata Pitttaja Shula

- दाहज्वरकरो घोरो विज्ञेयो वातपैतिकः। Ma.Ni. - 26/14
- Vata Pitttaja Shula* is presented with pricking type of pain in the abdomen associated with burning sensation and raised body temperature.

Sannipataja Shula

- सर्वाणि दृष्ट्वा रूपाणि निर्दिशेत्सन्निपातिकम्। Su.Ut. - 42/87
- सन्निपातसमुत्थानम साध्यं तं विनिर्दिशेत्॥८७॥
- सर्वेषु दोषेषु च सर्वलिङ्गं विद्याद्विषक सर्वभवं हि शूलम्।
- सुकष्टमेनं विषवङ्काकल्पं विवर्जनीयं प्रवदन्ति तज्ज्ञाः॥११॥ Ma.Ni. - 26/11
- In this type of *Shula*, the individual will have the exposures of all three *Dosha* vitiating factors, *Lakshana* of all three *Dosha* vitiation will be observed and such type of *Shula* is considered to be *Asadhya* in nature.

Amaja Shula

- आदोपहल्लासवमीगुरुत्व स्तैमित्यकानाहकफप्रसेकैः।
- कफस्य लिङ्गेन समानलिङ्गमामोद्धवं शूलमुदाहरन्ति॥१२॥ Ma.Ni. - 26/12

- This type of *Shula* is seen in the patients who are having the presence of *Ama* in the *Koshtha*. The *Lakshana* of *Amaja Shula* are
- Gurgling sounds in the abdomen
- Nausea
- Vomiting
- Heaviness of the abdomen
- Sensation of covering the body with wet cloth
- Distension of the abdomen
- Excess salivation
- Lakshana* which indicate *Kapha Dosha* vitiation

Sadhyasadhya of Shula

एकदोषोत्थितः साध्यः कृच्छ्रसाध्यो द्विदोषजः॥१४॥ सर्वदोषोत्थितो घोरस्त्वसाध्यो भूर्युपद्रवः। Ma.Ni. - 26/14,15

- Shula* which is manifested due to the vitiation of single *Dosha* is *Sadhya*¹⁰ (curable)
- Shula* which is manifested due to the vitiation of dual *Dosha* is *Krichrasadhya*¹¹ (curable with difficulty)
- Shula* which is manifested due to the vitiation of all

- In this condition, the vitiation of *Dosha* will be mild, usually duration of the illness will be shorter. Degree of involvement of deeper parts of the body is less likely.
- In this situation, vitiation of *Dosha* will be moderate to severe, duration of the illness is prolonged, multiple *Dhatu* involvement can be observed, depending upon the involvement of tissue, the patient may require more time to have complete recovery from the illness.

three *Dosha* and associated the presence of *Upadrava* (complication)¹² is *Asadhya* (incurable)

Upadrava of Shula

'वेदना च तृषा मूर्च्छा आनाहो गौरवारुची।
कासः श्वासश्च हिका च शूलस्योपद्रवाः स्मृताः'

Madhu, Ma.Ni. – 26/14,15

- ⊗ Pain abdomen¹³
- ⊗ Thirst
- ⊗ Altered state of consciousness¹⁴
- ⊗ Distension of the abdomen
- ⊗ Heaviness of the abdomen¹⁵
- ⊗ Tastelessness¹⁶
- ⊗ Cough
- ⊗ Breathing discomfort
- ⊗ Hiccup¹⁷

Parinama Shula

स्वैर्निदानैः प्रकुपितो वायुः संनिहितस्तदा॥1 5॥

भुक्ते जीर्यति यच्छूलं तदेव परिणामजम्॥1 6॥

तस्य लक्षणमप्येतत्समासेनाभिधीयते।

कफपित्ते समावृत्य शूलकारी भवेद्वली। Ma.Ni. – 26/15-17

- ⊗ As the name suggests, the term *Parinama Shula*¹⁸ refers to the occurrence of pain during the digestion of ingested food.
- ⊗ This is manifested due to the vitiation of *Vata Dosha*.
- ⊗ Due to the *Avarana* of *Kapha* and *Pitta*, *Vata* becomes more stronger and responsible for the severe form of abdominal pain.
- ⊗ *Parinama Shula* is of 7 types depending upon the dominance of *Dosha* in the body.

1. *Vataja Parinama Shula*
2. *Pittaja Parinama Shula*
3. *Kaphaja Parinama Shula*

- 12 This is very difficult to manage. All the three *Dosha* are involved in the pathogenesis and progression of the disease, Deeper tissues involvement can be noticed. The person will have one or more *Upadrava* during the progression of the disease. Similar *Srotas* or related *Srotas* or *Srotomula* affliction can be observed when there is *Upadrava* observed in the patient. The treating physician gets confusion which *Dosha* to be treated first or what should be early line of treatment, unless he is getting necessary expertise in treating such patients.
- 13 As *Annavaha Srotas* is afflicted, its *Srotomula* i.e. *Amashaya* can be afflicted in due course of time. Probably, this might be the reason for the development of *Upadrava*. It may be temporary or persistent. Sometimes, the pain abdomen may occur as a result of perforation of peptic ulcer.
- 14 This may be observed when there is involvement of *Rasavaha Srotas*.
- 15 Distension or heaviness of the abdomen may be seen in case of *Samana Vata* dysfunction. Because of this, the person may have distension and heaviness of the abdomen in the epigastric region.
- 16 *Arochaka* (tastelessness) is the *Lakshana* observed when there is affliction of either *Annavaha Srotas* or *Rasavaha Srotas*.
- 17 This is indicative of involvement of *Pranavaha Srotas*. When the person is having disturbance of *Ahara Parinamakara Bhava*, *Pranavata* affliction can be observed. We know the *Pranavata* has different functions such as *Nishvasa* (inspiration), *Annapravesha* (deglutition), *Udgara* (belching) etc. When there is abnormal *Pranavata* function, one or all of the above said functions may be disturbed.
- 18 The term *Parinama Shula* indicates the appearance of pain during the digestion of food. It refers to the occurrence of pain after certain time of food consumption. When an individual consumes food, there will be storage of food in the stomach for a period of 2 hours. After about 2 hours, the ingested food which is also called as chyme starts entering into the duodenum. When this chyme comes in contact with the ulcer present in the duodenum, develops the pain. This is termed as *Parinama Shula*.

4. *Vata Pittaja Parinama Shula*
5. *Pitta Kaphaja Parinama Shula*
6. *Vata Kaphaja Parinama Shula*
7. *Sannipataja Parinama Shula*

Vataja Parinama Shula

आध्मानाटोपविण्मूत्रविबन्धारतिवेपथुः॥1 7॥

स्निग्धोष्णोपशमप्रायं वातिकं तद्वदेद्विषक्। Ma.Ni. – 26/17,18

- ⊗ Distension of the abdomen with pain
- ⊗ Gurgling sound in the abdomen
- ⊗ Retention of urine
- ⊗ Constipation
- ⊗ Excess involuntary movements
- ⊗ The relief of symptoms by administration of *Snigdha* (unctuous) and *Ushna* (hot in potency) medications

Pittaja Parinama Shula

तृष्णादाहारतिस्वेदं कट्वम्ललवणोत्तरम्॥1 8॥

शूलं शीतशमप्रायं पैत्तिकं लक्षयेद्बुधः। Ma.Ni. – 26/18,19

- ⊗ Thirst
- ⊗ Burning sensation
- ⊗ Excess sweating
- ⊗ Worsening of discomfort on consumption of *Katu* (pungent), *Amla* (sour) and *Lavana* (salt) *Rasa* substances
- ⊗ Relief from symptoms by administering *Shita* line of treatment (measures which increase cold impact in the body)

Kaphaja Parinama Shula

छर्दिहल्लाससंमोहं स्वल्परुग् दीर्घसन्तति॥1 9॥

कटुतिक्तोपशान्तं च तच्च ज्ञेयं कफात्मकम्। Ma.Ni. – 26/19,20

- ⊗ Vomiting

- Nausea
- Confusion
- Mild discomfort in the abdomen
- Persistence of discomfort for longer duration
- Relief from symptoms by using *Katu* (pungent) and *Tikta* (bitter) line of treatment

Dvandvaja and Sannipataja Parinama Shula

संस्पृष्टलक्षणं बुद्ध्वा द्विदोषं परिकल्पयेत्॥२०॥

त्रिदोषजमसाध्यं तु क्षीणमांसबलानलम्। Ma.Ni. – 26/20,21

- *Dvandva Doshajanya Parinama Shula* are having mixed clinical features of two Dosha vitiation
- *Sannipataja Parinama Shula* and the person with *Sannipataja Parinama Shula* presented with depletion of muscular tissue, poor physical strength and poor digestive fire is *Asadhya* (incurable) in nature.

Annadrava Shula

जीर्णं जीर्यत्यजीर्णं वा यच्छूलमुपजायते॥२१॥

पथ्यापथ्यप्रयोगेण भोजनाभोजनेन च।

न शमं याति नियमात्सोऽन्नद्रव उदाहृतः॥२२॥

(अन्नद्रवाख्यशूलेषु न तावत्स्वास्थ्यमश्रुते।

वान्तमात्रे जरत्पित्तं शूलमाशु व्योहति॥२३॥)

Ma.Ni. – 26/21,22

- In *Annadrava Shula*¹⁹, the person is presented with pain abdomen in any period of time.
- It occurs during the digestion of food, after the complete digestion of food and in the state of indigestion, in case of use of *Pathya* and *Apathya Ahara* and can even occur in the state of fasting or after full meals.
- It will not subside by any means other than vomiting.
- When the person vomits, the vitiated *Pitta* will be expelled out through mouth, the person will be getting relief from the present complaint.

Key points of the chapter

शत्रुस्फोटनवत्तस्य यस्मात्तीवाश्च वेदनाः। शूलासक्तस्य लक्ष्यन्ते तस्माच्छूलमिहोच्यते॥२४॥

Su.Ut. – 42/81

- Pricking type of severe pain as if pricked by pointed object such as needle etc is termed as *Shula*. This is manifested due to the vitiation of *Vata Dosha*. This is observed in the *Kukshi* region. It is a *Vata* dominant disease, involving *Rasa*, *Mamsa*, afflicting *Annavaha*, *Rasavaha* and *Mamsavaha Srotas* with *Sanga* and *Vimargagamana* as the type of *Srotodushti* involved in the disease process. Initially there will be involvement of *Abhyantara Rogamarga*, later we can observe the *Bahya Rogamarga* involvement during the progression of the disease.
- *Sankhya Samprapti* of *Shula* mentioned by *Madhavakara* is 8. They are *Vataja*, *Pittaja*, *Kaphaja*, *Vatapittaja*, *Pittakaphaja*, *Vatakaphaja*, *Sannipataja* and *Amaja Shula*.
- *Madhavakara* has described two more terminologies under *Shula*, they are *Parinama Shula* and *Annadrava Shula*.
- *Parinama Shula* is the disease where an individual gets pain during the digestion of food after a certain period of time after the consumption of food. They are of 7 types depending upon the *Dosha* dominance. *Vataja*, *Pittaja*, *Kaphaja*, *Vatapittaja*, *Pittakaphaja*, *Vatakaphaja* and *Sannipataja*. This type of pain can be seen in duodenal ulcer.
- *Annadrava Shula* is the disease where an individual develops pain soon after the consumption of food and it will persist till the food remains in the *Amashaya*. It gets relieved by vomiting. This type of pain can be seen in gastric ulcer.

Probable questions asked in the university examination

Long essay questions

- Define *Shula*. Explain the *Nidana*, *Samprapti*, *Samprapti Ghataka*, *Bheda*, *Sadhyasadhyata* and *Upadrava* of *Shula*
- Define *Shula*. Explain *Parinama Shula* and *Annadrava Shula* in detail

Short essays

- Explain *Parinama Shula*
- Explain *Annadrava Shula*
- Explain the differences between *Parinama Shula* and *Annadrava Shula*

- Explain *Samprapti* and *Samprapti Ghataka* of *Shula*
- Explain *Vataja Shula*

MCQs

1. *Shula* is considered to betype of *Vikara*.
a. *Adhyatmika*;
b. *Adhibhautika*;
c. *Adhidaivika*;
d. None of the above

Answer: (a)

2. Types of *Parinama Shula* as per *Madhavakara*
a. 3; b. 5;

G K 19 The term *Annadrava Shula* refers to persistence of pain in the abdominal region in any period of time, soon after the consumption of food, during the digestion of food whether the food is either wholesome or unwholesome or compatible or non-compatible. This usually subsides after vomiting. This is usually seen in ulcer present in gastric ulcer.

- c. 7; d. Not mentioned

Answer: (c)

3. In which of the following type of Shula, vomiting will relieve the discomfort?

- a. Vataja Shula;
b. Parinama Shula;
c. Annadrava Shula;
d. Amaja Shula

Answer: (c)

4. Sankhya Samprapti of Shula as per Madhavakara is

- a. 3; b. 5;
c. 7; d. 8

Answer: (d)

5. Anubandhya Dosha involved in the manifestation of Shula is

- a. Vata; b. Pitta;
c. Kapha; d. Vata and Kapha

Answer: (a)

6. Pain increases after the intake of the food in case of

- a. Amashaya Shula;
b. Annadrava Shula;
c. Parshva Shula;
d. Grahani

Answer: (b)

7. Pain relieved after vomiting of Jaratpitta (digestive juice) followed by quick relief can be observed in

- a. Parinama Shula;
b. Annadrava Shula;
c. Kaphaja Shula;
d. Sannipataja Shula

Answer: (b)

8. Relief of pain in Annadrava Shula can be observed immediately after

- a. Taking medicine;
b. Eating;
c. Vomiting;

- d. Bending forward

Answer: (c)

9. The Shula manifests during the digestion of food is termed as

- a. Annadrava Shula;
b. Parinama Shula;
c. Vataja Shula;
d. Kaphaja Shula

Answer: (b)

10. The term 'Jirne Jiryatyajirne Va' is associated with which of the following?

- a. Vataja Shula;
b. Parinama Shula;
c. Annadrava Shula;
d. Kaphaja Shula

Answer: (c)

Chapter resources

- ✱ Madhava Nidana 26th chapter – Shula Nidana
- ✱ Sushruta Samhita Uttara Tantra 42nd chapter Gulma Pratishedha Adhyaya
- ✱ Golwalla's medicine for students by Aspi F Golwalla and Sharukh A Golwalla, edited by Milind Y Nadkar, 25th edition, Jaypee Brothers Medical Publishers (P) Ltd, New Delhi, 2017
- ✱ The Merck Manual of Diagnosis and Therapy by Robert S Porter and Justin L Kaplan, 19th edition, Merck Sharp & Dohme Corp, New Jersey, 2011
- ✱ Chamberlain's symptoms and signs in clinical medicine by Colin Ogilvie and Christopher C Evans, 12th edition, Butterworth-Heinemann Publishers, 1997
- ✱ Best & Taylor's physiological basis of medical practice by O P Tandon and Y Tripathi, 13th edition, Wolters Kluwer Health (India) Pvt. Ltd, Gurgaon, 2012
- ✱ Textbook of Medical physiology by Arthur C Guyton and John E Hall, 11th edition, Saunders Elsevier publications, Philadelphia, 2006
- ✱ www.pubmed.com
