

कुष्ठ (Kuṣṭha)

Introduction

त्वचः कुर्वन्ति वैवर्ण्यं दुष्टाः कुष्ठमुशन्ति तत् ।
कालेनोपेक्षितं यस्मात् सर्वं कुष्णाति तद्वपुः ॥

A.H.Ni. 14/3-4

The disease *Kuṣṭha* is characterised by discolouration, loss of touch sensation, appearance of rashes, excessive or no perspiration etc. Chronicity of the disease develops deformity and makes the entire body ugly.

कुष्ठ हेतु (Kuṣṭha Hetu)

विरोधीन्यन्नपानानि द्रवस्निग्धगुरुणि च ।
भजतामागतां छर्दि वेगांश्चान्यान्प्रतिघ्नताम् ॥
व्यायाममतिसंतापमतिभुक्तोपसेविनाम् ।
शोतोष्णलङ्घनाहारान् क्रमं मुक्त्वा निषेविणाम् ॥
घर्मश्रमभयार्तानां द्रुतं शीताम्बुसेविनाम् ।
अजीर्णाध्याशिनं चैव पञ्चकर्मापचारिणाम् ॥
नवान्नदधिमत्स्यातिलवणाम्लनिषेविणाम् ।
माषमूलकपिष्टान्नतिलक्षीरगुडाशिनाम् ॥
व्यवायं चाप्यजीर्णेति निद्रां च भजतां दिवा ।
विप्रान् गुरुन् धर्षयतां पापं कर्म च कुर्वताम् ॥

C.S.Ci. 7/4-8

मिथ्याहाराचारस्य विशेषाद् गुरुविरुद्धासात्म्याजीर्णाहिताशिनः
स्नेहपीतस्य वान्तस्य वा व्यायामग्राम्यधर्मसेविनो ग्राम्यान्-
पौदकमांसानि वा पयसाऽभीक्ष्णमश्नतो यो वा मज्जत्यप्सूष्माभितप्तः
सहसा छर्दिर्वा प्रतिहन्ति । S.S.Ni. 5/3

Causative factors of the disease are as follows-

- Consumption of foods and drinks, which are mutually contradictory, liquid, unctuous and heavy. Suppression of natural urges especially vomiting.
- Performance of physical exercise and exposure to intense heat just after taking heavy meals.
- Improper implementation of prescribed order in relation to cold, heat, fasting and diet.
- Usage of cold water just after exposure to intensive sun heat, exertion and fear.

- Indulgence of food during indigestion and intake of food before the digestion of previous meal.
- Improper administration of biopurificatory procedures i.e *Vamana*, *Virecana*, *Basti* and *Nasya Karma*.
- Consumption of freshly harvested grains, curd, fish, salt and sour substances in excess.
- Adequate intake of black gram, radish, flour preparations, sesamum, milk and jaggery.
- Performing sexual intercourse during indigestion.
- Sleeping during day time.
- Indulging in mischievous acts like insulting Brahmins, teachers, elders and other respectful persons, along with other sinful and heinous activities.

Along with above *Suśruta* included following etiological factors.

- Indulging in physical exercise and sexual intercourse after intake of *Sneha* (unctuous substances) or *Vamana Karma* (emesis).
- Regular consumption of meats of domestic, marshy and aquatic animals with milk.
- Immersion in water immediately after having been exposed to heat.
- Sudden suppression of bouts of vomiting

स्त्रीपुंसयोः कुष्ठदोषाद् दुष्टशोणितशुक्रयोः ।
यदपत्यं तजोर्जातं ज्ञेयं तदपि कुष्ठितम् ॥

S.S.Ni. 5/28

तत्रादिबलप्रवृत्ता ये शुक्रशोणितदोषान्वयाः कुष्ठार्शःप्रभृतयः ।

S.S.Su. 24/5

तत्रादिबलप्रवृत्तं पौण्डरीकं काकणं चासाध्यम् ।

S.S.Ni. 5/18

Kuṣṭha manifest due to morbidity of *Śukra* and *Śoṇita*. *Puṇḍarika* and *Kākaṇaka* are caused by *Ādibala pravṛtta* etiology are incurable.

प्रसङ्गाद् गात्रसंस्पर्शाग्निश्चासात्सहभोजनात् ।
 सहशय्याऽऽसनाच्चापि यस्त्रमाल्यानुलेपनात् ॥
 कुष्ठं ज्वरश्च शोषश्च नेत्राभिष्यन्द एव च ।
 औपसर्गिकरोगाश्च सङ्क्रामन्ति नरात्रयम् ॥
 S.S.Ni. 5/33-34

Kuṣṭha manifest due to following causative factors-

If person adopts following behaviour with *Kuṣṭha* patient then it leads to manifestation of *Kuṣṭha* in that individual.

- Constant close intimacy with the patient
- Touching the patient oftenly
- Inhaling expired air of the patient
- Eating together
- Sleeping and sitting together
- Wearing dress, garlands and unguents used by patient who is suffering from contagious diseases likes *Kuṣṭha*, *Śoṣa* etc.

In *Aṣṭaṅga Sangraha* *Kuṣṭha* disease included under *Sahaja Vyādhi* A.S.Su. 22/01

म्रियते यदि कुष्ठेन पुनर्जातेऽपि गच्छति ।
 नातः कष्टतरो रोगो यथा कुष्ठं प्रकीर्तितम् ॥
 S.S.Ni. 5/31

If *Kuṣṭha rogi* dies and if he is born again, it appears in next birth also. That's why it is said to be troublesome disease.

रक्तज क्रिमि

कुष्ठजाः सपरीसर्पा ज्ञेयाः शोणितसम्भवाः ॥
 ते सरक्ताश्च कृष्णाश्च स्निग्धाश्च पृथक्स्थिताः ।
 रक्ताधिष्ठानजान् प्रायोविकारान् जनयन्ति ते ॥
 S.S.Utt. 54/15-16

Kuṣṭhaja is a subtype of *Raktaja Krimi* and it manifests *Kuṣṭha* disease.

शोणितजानां तु खलु कुष्ठैः समानं ।
 C.S.Vi. 7/11

Śoṇitaja Krimi Vikāra manifest due to consumption of *Kuṣṭha* producing causative agents. Treatment similar to *Kuṣṭha roga*.

ब्रह्मस्त्रीसज्जनवधपरस्वहरणादिभिः ।
 कर्मभिः पापयोगस्य प्राहुः कुष्ठस्य संभवम् ॥
 S.S.Ni. 5/30

Kuṣṭha may manifest due to killing of *Brāhmaṇa*, women, pious persons, robbing the wealth of others and indulging in sinful acts.

कुष्ठ सम्प्राप्ति (Samprāpti of Kuṣṭha)

त्रयो दोषाः युगपत् प्रकोपमापद्यन्ते; त्वगादयश्चत्वारः शैथिल्यमापद्यन्ते; तेषु शिथिलेषु दोषाः प्रकुपित्ताः स्थानमधिगम्य संतिष्ठमानास्तानेव त्वगादीन् दूषयन्तः कुष्ठान्यभिनिर्वर्तयन्ति ॥ C.S.Ni. 5/6

Due to consumption of *Nidāna tridoṣās* become agitated and brings looseness in *Dhātus* [*Tvak* (*Rasa*), *Rakta*, *Māmsa* and *Ambu*]. Thus the vitiated *Doṣās* getting accommodation in those tissues, staying there in affect *Tvagādi Dhātus* morbidity leading to manifestation of *Kuṣṭha*.

त्रयो दोषा वातपित्तश्लेष्माणः प्रकोपणविकृताः, दूष्याश्च शरीर- धातवस्त्वङ्मांसशोणितलसीकाश्चतुर्धा दोषोपघातविकृता इति। एतत् सप्तानां सप्तधातुकमेवङ्गतमाजननं कुष्ठानाम्, अतः प्रभवाण्यभिनिर्वर्तमानानि केवलं शरीरमुपतन्ति ॥ C.S.Ni. 5/3

वातादयोस्त्रयो दुष्टास्त्वग्रक्तं मांसमम्बु च ।
 दूषयन्ति स कुष्ठानां सत्पको द्रव्यसंग्रहः ।
 अतः कुष्ठानि जायन्ते सप्त चैकादशैव च ।
 न चैक दोषजं किञ्चित् कुष्ठं समुपलभ्यते ।

C.S.Ci. 7/10

Due to adaptation of etiological factors there will be a continuous involvement of localised (*Sthira*) *doṣās* for a prolonged period (*Cirakāri*) simultaneously involving *tvak* (*Rasadhātu*), *Rakta*, *Māmsa* and *Ambu* leading to their *Sammārchanā* at a particular site resulting into the development of 18 varieties of *Kuṣṭha*. Three *doṣās* and four *dhātus* (*Rasa*, *Rakta*, *Māmsa* & *Ambu*) are considered as seven fold substances and these act as a original causative factors. *Kuṣṭha* manifest by involving all the three *doṣās* and it never manifests by involving only one *doṣa*. *Doṣās* brings laxity in the four *dhātus*, which favours the development of *Kuṣṭha*.

सर्वाणि कुष्ठानि सवातानि सपित्तानि सश्लेष्माणि सक्रिमीणि च भवन्ति, उत्सन्नतस्तु दोषग्रहणमभिभवात् ॥ S.S.Ni. 5/6

There is an involvement of *Vāta*, *Pitta*, *Śleṣma* and *Krimi* in all varieties of *Kuṣṭha* and the same

can be understood by observing their predominance in the manifestation of *Kuṣṭha*.

तस्य पित्तश्लेष्माणौ प्रकुपितौ परिगृह्यानिः प्रवृद्धस्तिर्यग्गाः
सिराः सम्प्रतिपद्य समुद्भूय बाह्यं मार्गं प्रति समन्ताद्विक्षिपति यत्र
यत्र च दोषो विक्षिप्तो निःसरति तत्र तत्र मण्डलानि प्रादुर्भवन्ति,
एवं समुत्पन्नस्त्वचि दोषस्तत्र तत्र च परिवृद्धिं प्राप्याप्रति-
क्रियमाणोऽभ्यन्तरं प्रतिपद्य धातून्भिदूषयति ॥S.S.Ni. 5/3


Due to exposure to etiological factors *Pitta* and *Kapha* aggravate initially followed by *Vāta*. All the increased *Doṣās* enter blood vessels and move inside in haphazard direction and reach the interior pathway and manifest disease due to laxity in *Dhātus* (*Rasa*, *Rakta*, *Māmsa* & *Ambu*) in that particular area. Wherever these *Doṣās* move, there they manifest patches over the skin and get localised in that area. If neglected, enters into the consequent *Dhātus*.

कालेनोपेक्षितं यस्मात्सर्वं कुष्णाति तद्वपुः ।
प्रपद्य धातुन्व्याप्यान्तः सर्वान् संक्लेद्य चावहेत् ।
स स्वेदक्लेद सङ्कोथान् कृमीन् सूक्ष्मान् सुदारुणात् ।
लोमत्वक्स्नायु धमनीतरुणास्थीनि यैः क्रमात् ।

A.H.Ni. 14/4-5

As the disease advances it spreads to entire body resulting into ugly look because it brings deformity in various tissues. It is due to development of moisture inside the *Dhātus* leading to flow of sweat, exudation, putrefaction, favours the growth of minute parasites, which in turn gives trouble to body and eat away the hairs, skin, tendons, arteries, veins and cartilages one after the other.

Nidān Sevana (Consumption of Etiological factors)



Localised in the particular area and develop morbidity in the skin

Kuṣṭha (18 varieties)

**Kuṣṭha* manifest by involving all the three *doṣās* and it never manifests by involving only one *doṣa*.

Pathogenesis of dhātugata Kuṣṭha

If *Kuṣṭha* is neglected, enters into the consequent *Dhātus*.

As the disease advances it spreads to entire body resulting into ugly look because it brings deformity in various tissues.

It favours the development of moisture inside the *Dhātus* leading to flow of sweat, exudation, putrefaction

favours the growth of minute parasites

These gives troubles to body

Destroy the hairs, skin, tendons, arteries, veins and cartilages one after the other.

Dhātugata Kuṣṭha

**Kuṣṭha* manifest by involving all the three *doṣās* and it never manifests by involving only one *doṣa*.

कुष्ठ संप्रति घटक (Samprāpti Ghaṭaka of Kuṣṭha)

Doṣa → *Pitta-Slēṣma-Vāta* in successive order.

कुष्ठस्य पुनरमन्दपित्तमिति । S.N. 5/3

Involvement of *Pitta* is in the state of *Manda* (sluggish activities) [*Nyāya Candrikā*].

Dūṣya : *Dhātu* → *Rasa*, *Rakta*, *Māmsa* and *Lasikā* initially later all the seven *Dhātus*.

Upadhātu → *Sirā*, *Tvacā*, *Snāyu*

Other → *Ambu*, *Dhamanī*, *Taruṇāsthī*
Sārīrikamala →

Dhātumala → *Sveda*, *Loma*, *Tvacā*
Snehāmśa.

Agni : *Jaṭharāgni, Dhātvāgnī*

Agniduṣṭi : *Mandāgni*

Āma : *Āgnijanya*

Srotas : *Rasavaha, Raktavaha, Māmsa-vaha, Svedavaha*

Later all the remaining *Dhātuvaha* *Srotas* are involved.

Srotoduṣṭi : *Sanḡa*

Sancārasthāna : *Sirā, Dhamani, Tiryak Sirā*

Vyaktasthāna : *Tvacā*

Udbhavasthāna : *Śākhā (Tvakādi Dhātus)*

Adhiṣṭhāna : *Tvak, Lasikā, Asṛk*

Svabhāva : *Cirakāri*

Prabhāva : *Nava and Ekadoṣaja*
predominance Curable
Due to negligency in treatment
disease become incurable
Rasagata, Raktagata,
Māmsagata → Curable
Medagata → Manageable
Asthigata, Majjāgata &
Śukragata → Incurable

Roga bheda : *Mahākuṣṭha* → 7
Kṣudrakuṣṭha → 11

पूर्वरूप (Prodromal Symptoms)

स्पर्शान्नत्वमिति स्वेदो न वा वैवर्ण्यमुन्नतिः ।

कोठानां लोमहर्षश्च कण्डूस्तोदः श्रमः क्लमः ॥

व्रणानामधिकं शूलं शीघ्रोत्पत्तिश्चिरस्थितिः ।

दाहः सुप्ताङ्गता चेति कुष्ठक्षणमग्रजम् ॥

C.S.Ci. 7/11-12

तस्य पूर्वरूपाणि त्वक् पारुष्यमकस्माद्रोमहर्षः । कण्डूः
स्वेदबाहुल्यमस्वेदनं वाऽङ्गप्रदेशानां स्वापः क्षतविसर्पणमसृजः
कृष्णता चेति । *S.S.Ni. 5/4*

तेषामिमानि पूर्वरूपाणि भवन्ति; तद्यथा-अस्वेदनमतिस्वेदनं
पारुष्यमतिश्लक्ष्णता वैवर्ण्यं कण्डूर्निस्तोदः सुप्ता परिदाहः
परिहर्षो लोमहर्षः खरत्वमूष्मायणं गौरवं श्वयथुर्वीसर्पाण-
मनमभीक्षणं च काये कायच्छिद्रेषूपदेहः पक्क दग्ध
दष्टभग्नक्षतोपस्खलितेष्वतिमात्रं वेदना स्वल्पानामपि च व्रणानां
दुष्टिरसंरोहणं चेति ॥ *C.S.Ni. 5/7*

Before the actual manifestation of *Kuṣṭha* certain Symptomatology has been observed are as follows-

- Loss of touch sensation or numbness
- Excessive perspiration or absence of perspiration
- Discolouration and appearance of rashes in the skin
- Horripilation, itching, piercing pain, physical exhaustion and tingling sensation.
- Feeling of exhaustion without any physical work followed by not suffering from difficulty in breathing and it disturbs sense perception greatly.
- Excessive pain in case of suppuration, burn, bite, fracture and dislocation.
- Excessive pain in ulcerated wounds with their quick origin and delayed healing of even small wounds.
- Production of heat and heaviness.
- Burning sensation and numbness in the extremities.
- Roughness in skin or smoothness in skin.
- Spreading of wound to other body parts and frequent occurrence of oedema.
- Blackish discolouration of the blood.
- Sticking of excreta in the body especially in the orifices.

रूप (Rupa)

General Symptoms of *Kuṣṭha* : Complete manifestation of premonitory symptoms may be considered as general characteristic features.

वात प्रधान कुष्ठ लक्षण (Vāta Pradhāna Kuṣṭha Lakṣaṇa)

कुष्ठेषु तु त्वक् संकोचस्वापस्वेदशोफभेद कौण्य स्वरोपघाता वातेन । *S.S.Ni. 5/18*

The following clinical features manifest if *Kuṣṭha* manifest due to *Vāta* Predominance : Constriction in skin, loss of sensation, sweating, swelling, cracking, shortening of extremities and loss of voice.

पित्त प्रधान कुष्ठ लक्षण (Pitta Pradhāna Kuṣṭha Lakṣaṇa)

पाकावदरणाङ्गुलिपतनकर्णनासाभङ्गाक्षिराग सत्वोत्पत्तयः पित्तेन। S.S.Ni. 5/8

The following clinical features manifest in case of Pitta predominant Kuṣṭha i.e ulceration and suppuration; cracking; loss of extremities, toes, ear and nose; redness in eye and appearance of Krimi over Kuṣṭha lesion.

कफ प्रधान कुष्ठ लक्षण (Kapha Pradhāna Kuṣṭha Lakṣaṇa)

कण्डूर्वर्ण भेद शोफस्त्राव गौरवाणि श्लेष्मणा ।

S.S.Ni. 5/18

The following clinical features manifest in case of Kapha predominant Kuṣṭha i.e itching, discolouration, swelling, exudation and heaviness.

Specific Symptomatology in Kuṣṭha

Classification of Kuṣṭha

तत्र सप्त महाकुष्ठानि, एकादश क्षुद्रकुष्ठानि; एवमष्टादश कुष्ठानि भवन्ति । तत्र महाकुष्ठान्यरुणौदुम्बरर्ष्यजिह्वकपालकाकण-कपुण्डरीकदद्रुकुष्ठानीति । क्षुद्रकुष्ठान्यपि स्थूलारुष्कं महाकुष्ठमेककुष्ठं चर्मदलं विसर्पः परिसर्पः सिध्मं विचर्चिका किटिभं पामा रकसा चेति ॥ S.S.Ni. 5/5

18 types of Kuṣṭha are described are as follows:-

Mahā Kuṣṭha-07

Kṣudra Kuṣṭha-11

Mahā Kuṣṭha-07 (Suśruta) Caraka

- | | |
|--------------|--------------|
| 1. Aruṇa | 1. Kāpāla |
| 2. Udumbara | 2. Audumbara |
| 3. Rṣyajihvā | 3. Maṇḍala |
| 4. Kapāla | 4. Rṣyajihva |
| 5. Kākaṇaka | 5. Puṇḍarika |
| 6. Puṇḍarika | 6. Sidhma |
| 7. Dadru | 7. Kākaṇaka |

Kṣudrakuṣṭha-11 (Suśruta) Caraka

- | | |
|----------------|--------------|
| 1. Sthulāruṣka | 1. Ekakuṣṭha |
| 2. Mahākuṣṭha | 2. Carmākhyā |
| 3. Eka Kuṣṭha | 3. Kiṭibha |
| 4. Carmadala | 4. Vipādikā |
| 5. Visarpa | 5. Alasaka |

6. Parisarpa
7. Sidhma
8. Vicarcikā
9. Kiṭibha
10. Pāmā
11. Rakasā

6. Dadru
7. Carmadala
8. Pāmā
9. Viṣphoṭaka
10. Śatāru
11. Vicarcikā

सर्वाणि कुष्ठानि सवातानि सपित्तानि सश्लेष्मणि सक्रिमिणि च भवन्ति, उत्सन्नतस्तु दोषग्रहणमभिभवात् । S.S.Ni. 5/6

All kinds of Kuṣṭha manifest either by Vāta, or Pitta or Śleṣma or Kṛimi or in combination with Vāta-Pitta, Kapha-Pitta and Vāta Kapha or by all the three Doṣās.

वातेऽधिकतरे कुष्ठं कापालं मण्डलं कफे ।
पित्ते त्वौदुम्बरं विद्यात् काकणं तु त्रिदोषजम् ॥
वातपित्ते श्लेष्मपित्ते वातश्लेष्मणि चाधिके ।
ऋष्यजिह्वं पुण्डरीकं सिध्मकुष्ठं च जायते ॥
चर्माख्यमेककुष्ठं च किटिभं सविपादिकम् ।
कुष्ठं चालसकं ज्ञेयं प्रायो वातकफाधिकम् ॥
पामा शतारुर्विस्फोटं दद्रुश्चर्मदलं तथा ।
पित्तश्लेष्माधिकं प्रायः कफप्राया विचर्चिका ॥

C.S.Ci. 7/27-30

अरुः ससिध्मं रकसा महच्च यच्चैककुष्ठं कफजान्यमूनि ।
वायोः प्रकोपात्परिसर्पमेकं शेषाणि पित्तप्रभवाणि विद्यात् ॥

S.S.Ni. 5/16

Name of the Kuṣṭha Doṣa Predominance

Kāpāla	→ Vāta
Maṇḍala	→ Kapha
Audumbara	→ Pitta
Kākaṇa	→ All the three doṣās
Rṣyajihvā	→ Vāta-Pitta
Puṇḍarika	→ Kapha-Pitta
Sidhma	→ Vāta-Kapha
Carmākhyā	→ Vāta-Kapha
Ekakuṣṭha	
Kiṭibha	
Vipādikā	
Alasaka	→ Pitta-Kapha
Pāmā	
Śatāru	
Viṣphota	
Dadru	
Carmadala	

According to *Suśruta Samhitā*

Name of <i>Kuṣṭha</i>	<i>Doṣa</i> Predominance
<i>Aruṇa</i>	→ <i>Vāta</i>
<i>Parisarpa</i>	→ <i>Vāta</i>
<i>Puṇḍarika</i>	→ <i>Kapha</i>
<i>Audumbara</i>	→ <i>Pitta</i>
<i>Kapāla Kuṣṭha</i>	→ <i>Pitta</i>
<i>Kākaṇaka</i>	→ <i>Pitta</i>
<i>Visarpa</i>	→ <i>Pitta</i>
<i>Vicarika</i>	→ <i>Pitta</i>
<i>Kiṭibha</i>	→ <i>Pitta</i>
<i>Pāmā</i>	→ <i>Pitta</i>
<i>Rṣyajihva</i>	→ <i>Pitta</i>

सर्वं त्रिदोषजं कुष्ठं दोषाणां तु बलाबलम् ।
C.S.Ci. 7/31

All varieties of *Kuṣṭha* manifest due to all the three *Doṣās* but expression of symptoms may be by a dominated *Doṣās*.

Specific Symptoms of *Kuṣṭha*कापाल कुष्ठ (*Kāpāla Kuṣṭha*)

कृष्णारुणकपालाभं यदृक्षं परुषं तनु ।
कापालं तोदबहुलं तत्कुष्ठं विषमं स्मृतम् ॥
C.Ci. 7/14
कृष्णकपालिकाप्रकाशानि कपालकुष्ठानि ।
S.Ni. 5/8

Characteristic features of *Kāpāla Kuṣṭha* are as follows-

- Blackish-red patches resemble like that of broken pieces of earthen pot.
- Patches are rough, coarse and thin to touch with severe pain.
- It is incurable.

औदुम्बर (*Audumbara*)

दाहकण्डूजारागपरीतं लोमपिञ्जरम् ।
उदुम्बरफलाभासं कुष्ठमौदुम्बरं विदुः ॥
C.Ci. 7/15
पित्तेन पक्वोदुम्बरफलाकृतिवर्णान्यौदुम्बराणि ।
S.Ni. 5/8

It is diagnosed based on following characteristics:-

- Burning sensation, itching, pain and redness in the affected area.

- Colour of the hair in the affected area changed to brown in colour.
- Whole appearance of the symptoms resemble like that of ripened *Udumbara* fruit (fig) especially in respect to shape & colour.
- It manifests due to abnormal *Pitta*.

मण्डल कुष्ठ (*Maṇḍala Kuṣṭha*)

श्वेतं रक्तं स्थिरं स्यात् स्निग्धमुत्सन्नमण्डलम् ।
कृच्छ्रमन्योन्यसंसक्तं कुष्ठं मण्डलमुच्यते ॥
C.Ci. 7/16

Clinical features of *Maṇḍala Kuṣṭha* are as follows :

- Patches are white and red in colour.
- Patches are stable, compact, unctuous and circular in shape with elevated margins.
- It is difficult for management.
- Patches are matted with each other.

ऋष्यजिह्व (*Rṣyajihva*)

कर्कशं रक्तपर्यन्तमन्तःश्यावं सवेदनम् ।
यदृष्यजिह्वासंस्थानमृष्यजिह्वं तदुच्यते ॥
C.S.Ci. 7/17
ऋष्यजिह्वाप्रकाशानि खराणि ऋष्यजिह्वानि ।
S.S.Ni. 5/8

It is diagnosed based on following characteristic features:-

- Patches are rough with red margins.
- Patches are internally blackish or brownish discolouration.
- Patches are painful
- Appearance of the symptomatology similar to that of tongue of *Rṣya* (a type of antelope with blue testicles).

पुण्डरीक कुष्ठ (*Puṇḍarika Kuṣṭha*)

सश्वेतं रक्तपर्यन्तं पुण्डरीकदलोपमम् ।
सोत्सेधं च सदाहं च पुण्डरीकं तदुच्यते ॥
C.S.Ci. 7/18
पुण्डरीकपत्रप्रकाशानि पौण्डरीकाणि श्लेष्मणा ।
S.S.Ni. 5/8

It is diagnosed by following clinical features:-

- Patches are raised with red margins having

whitish discolouration resemble like the leaf of lotus.

- Burning sensation

सिध्म कुष्ठ (Sidhma Kuṣṭha)

श्वेतं ताम्रं तनु च यद्रजो घृष्टं विमुञ्चति ।
अलावूपुष्पवर्णं तत् सिध्मं प्रायेण चोरसि ॥

C.S.Ci. 7/19

कण्ड्वन्वितं श्वेतमपायि सिध्म विद्यात्तनु प्रायश ऊर्ध्वकाये ।
S.S.Ni. 5/12

It is diagnosed by following clinical features:-

- Patches are white and copper colour.
- Patches are thin, leaves out dust like powder on rubbing, which is in the form of dust.
- The whole appearance of disease simulating like that of *alābupuspa* (flower of bottle gourd). Main location is chest.
- Itching in the affected parts.
- Generally seen in the upper part of the body and usually not troublesome.

Suśruta included this diseases under *Kṣudra Kuṣṭha*.

काकण कुष्ठ (Kākana Kuṣṭha)

यत् काकणन्तिकावर्णमपाकं तीव्रवेदनम् ।
त्रिदोषलिङ्गं तत् कुष्ठं काकणं नैव सिध्यति ॥

C.S.Ci. 7/20

काकणन्तिकाफलसदृशान्यतीव रक्तकृष्णानि काकणकानि ।
S.S.Ni. 5/8

It can be diagnosed by following clinical features:-

- Patches are red in colour simulates like that of *Guñjā* seed (*Abrus precatorius* Linn.)
- Patches does not suppurate and manifest severe pain.
- Appearance of all the symptoms of *Tridoṣa* variation.
- It is incurable. Some patches are black in colour.

Common Symptoms are found in *Audumbara*, *Rṣyajihvā*, *Kāpāla* and *Kākanañtika* in addition to the above specific symptoms mentioned earlier are as follows:-

तेषां चतुर्णामप्योषचोषपरिदाहधूमायनानि क्षिप्रोत्थानप्रपा-

कभेदित्वानि क्रिमिजन्म च सामान्यानि लिङ्गानि ।

S.S.Ni. 5/8

- Burning sensation in the affected part as well as in whole body.
- Sucking type of pain
- Patient feels as if hot fumes are coming out from mouth
- Onset, suppuration, progress and development of the *Krimi* is quick.

अरुण कुष्ठ (Aruṇa Kuṣṭha)

तत्र, वातेनारुणाभानि तनूनि विसर्पीणि तोदभेदस्या-
पयुक्तान्यरुणानि । S.S.Ni. 5/8

It is diagnosed by following clinical features:-

- Patches are light red in colour, thin and spreads to different body parts.
- Nature of the pain is either pricking or cutting.
- Loss of sensation in affected areas.

It is included under *Mahākuṣṭha* in *Suśruta Samhitā*.

दद्रु कुष्ठ (Dadru Kuṣṭha)

अतसीपुष्पवर्णानि ताम्राणि वा विसर्पीणि पिडकावन्ति च
दद्रुकुष्ठानि । S.S.Ni. 5/8

सकण्डूरागपिडकं दद्रुमण्डलमुदगतम् ॥ C.S.Ci. 7/23

It is diagnosed by following features:-

- Patches are coppery in colour
- Spreads quickly by manifesting skin eruptions.
- Patches are characterised by itching, red in colour with development of pimples and circular in shape.
- Symptomatology of the disease appears like the flower of *Atasi* (i.e red in colour)

It is included under *Mahākuṣṭha* and *Kṣudrakuṣṭha* in *Suśruta Samhitā* & *Caraka Samhitā* respectively.

General clinical features observed in *Puṇḍarika* and *Dadru Kuṣṭha* in addition to the specific symptomatology mentioned above are as follows:-

तयोर्द्वयोरप्युत्सन्नता परिमण्डलता कण्डूश्चिरोत्थानत्वं चेति
सामान्यानि रूपाणि । S.S.Ni. 5/8

- Patches are elevated and circular in shape.
- Itching and onset of the disease is slow.

क्षुद्र कुष्ठ (Kṣudra Kuṣṭha)**एक कुष्ठ (Eka Kuṣṭha)**

अस्वेदनं महावास्तु यन्मत्स्यशकलोपमम् ।
तदेककुष्ठं, ॥

C.S.Ci. 7/21

कृष्णारुणं येन भवेच्छरीरं तदेककुष्ठं प्रवदन्ति कुष्ठम् ।

S.S.Ni. 5/10

It is diagnosed by observing following clinical features:-

- Absence of perspiration, occupies larger areas and simulates like fish scales.
- Entire body becomes blackish red.

चर्मार्ख्यं (Carmākhyam)

चर्मार्ख्यं बहलं हस्तिचर्मवत् । C.S.Ci. 7/21

Affected area becomes thick like elephant skin is diagnosed as *Carmākhyam*.

किटिभ कुष्ठ (Kiṭibha Kuṣṭha)

श्यावं किणखरस्पर्शं परुषं किटिभं स्मृतम् ।
C.S.Ci. 7/21

यत् स्त्रावि वृत्तं घनमुग्रकण्डु तत् स्निग्धकृष्णं किटिभं वदन्ति ।
S.S.Ni. 5/14

It is diagnosed by observing following clinical features : Patches are blackish brown in colour, rough like a corn and coarse in nature. Patches are exudative, round, thick. Patches are unctuous and black with severe itching.

विपादिका कुष्ठ (Vipādikā Kuṣṭha)

कण्डूमती दाहरुजोपपन्ना विपादिका पादगतेयमेव ॥
S.S.Ni. 5/13

वैपादिकं पाणिपादस्फुटनं तीव्रवेदनम् ॥
C.S.Ci. 7/22

It is diagnosed by following clinical features : Manifestation of cracks in hand & feet with excessive pain associated with itching and burning sensation.

अलसक कुष्ठ (Alasaka Kuṣṭha)

कण्डूपद्भिः सरागैश्च गण्डैरलसकं चितम् ।
C.S.Ci. 7/23

It is diagnosed by observing following clinical features : Appearance of nodular growth associated with itching and reddish discolouration.

दद्रु कुष्ठ (Dadru Kuṣṭha) C.S.Ci. 7/23

Discussed under *Mahākuṣṭha* because *Suśruta* considered in that category.

चर्मदल कुष्ठ (Carmadala Kuṣṭha)

रक्तं सकण्डू सस्फोटं सरुग्दलति चापि यत् ।
तच्चर्मदलमाख्यातं संस्पर्शासहमुच्यते ॥
C.S.Ci. 7/24

स्युर्येन कण्डूव्यथनीयचोपास्तलेषु तच्चर्मदलं वदन्ति ॥
S.S.Ni. 5/10

It is diagnosed by observing following features : Patches are reddish associated with itching, pain, burning sensation and sucking type of pain in the palms and soles.

पामा (Pāmā)

पामा श्वेतारुणश्यावाः कण्डूलाः पिण्डका भूषम् ।
C.S.Ci. 7/25

सास्त्रावकण्डूपरिदाहकाभिः पामाऽणुकाभिः पिण्डकाभिः हृद्गा ।
(स्फोटैः सदाहैरिति सैव कृच्छः स्फिक्पाणिपादप्रभवैर्निरुहया) ॥
C.S.Ci. 7/14-25

It is diagnosed by following clinical features : Excessive itching, patches are either white, reddish or blackish brown in colour. Skin eruptions are small in size and exudates comes out from them and burning sensation all over the body.

कच्छु (Kacchu)

Development of visicles associated with burning sensation and appear on the buttock, hands and feet are known as *Kacchū*.

स्फोट (Sphoṭa)

स्फोटाः श्वेतारुणाभासो विस्फोटाः स्युस्तनुत्वचः ।
C.S.Ci. 7/25

It is diagnosed by following clinical features :
Skin eruptions are either white or reddish having thin skin.

शतारु (Śatāru)

रक्तं श्यावं सदाहार्ति शतारुः स्यादबहुव्रणम् ।
C.S.Ci. 7/26

It is diagnosed by following clinical features :
Multiple skin eruptions with ulceration and the colour is red or blackish brown in colour and it is associated with burning sensation and pain.

विचर्चिका (Vicarçikā)

सकण्डूः पिडका श्यावा बहुस्त्रावा विचर्चिका ॥
C.S.Ci. 7/26

राज्योऽतिकण्ड्वर्तिरुजः सरूक्षा भवन्ति गात्रेषु विचर्चिकायाम् ।
S.S.Ni. 5/13

It is diagnosed by following clinical features :
Skin eruptions are black in colour having excessive exudation and itching; striae appear all over the body which are dry, painful along with itching.

Description of Mahākuṣṭha in Caraka Samhitā

कपाल कुष्ठ (Kapāla Kuṣṭha)

रूक्षारुणपरुषाणि विषमविसृतानि खरपर्यन्तानि
तनूयुद्धतबहिस्तनूनि सुप्तवत्सुप्तानि हृषितलोमाचितानि
निस्तोदबहुलान्यल्पकण्डूदाहपूयलसीकान्याशुगतिसमुत्थाना-
न्याशुभेदीनि जन्तुमन्ति कृष्णारुणकपालवर्णानि च
कपालकुष्ठानीति विद्यात् । C.S.Ni. 5/7 (1)

- Patches are dry (rough), reddish, coarse, uneven shape, having coarse edges which is thin and elevate in the periphery.
- Excessive numbness.
- Area is covered by erect hairs associated with severe pain. Mild itching, burning sensation, discharge of pus along with serous exudation.
- Development, causation and ulcerations are instantaneous.
- Appearance of parasites and resemble like pieces of earthen pot having black or reddish colour.

औदुम्बर कुष्ठ (Audumbara Kuṣṭha)

ताम्राणि ताम्रखररोमराजीभिरवनन्दानि बहलानि
बहुबहलपूयरक्तलसीकानि कण्डूक्लेदकोथदाहापाकवन्त्या-
शुगतिसमुत्थानभेदीनि ससंतापक्रिमीणि पक्वोदुम्बरफलवर्णान्या-
दुम्बरकुष्ठानीति विद्यात् । C.S.Ni. 5/7 (2)

- Patches are coppery in colour surrounded by coppery discoloured hairs.
- Patches are thick and associated with pus, blood and serous exudation in large quantity.
- Patches are associated with itching, sticky exudation, sloughing, burning sensation and suppuration.
- Causation, manifestation and ulceration are very fast.
- Increased temperature associated with parasitic infestations.
- Appearance of the whole disease resemble like ripened Udumbara fruit.

मण्डल कुष्ठ (Maṇḍala Kuṣṭha)

स्निग्धानि गुरुण्युत्सेधवन्ति श्लक्ष्णस्थिरपीतपर्यन्तानि
शुक्लरक्तावभासानि शुक्लरोमराजीसन्तानानि बहुबहलशुक्ल-
पिच्छिलस्त्रावीणि बहुक्लेदकण्डूक्रिमीणि सक्तगतिसमुत्थान-
भेदीनि परिमण्डलानि मण्डलकुष्ठानि विद्यात् ।
C.S.Ni. 5/7 (3)

Patches are unctuous, heavy, swollen associated with fixed and yellow border. These are either white or red in colour associated with white hairs in large quantity. Excessive thick exudation having white colour associated with itching and copious parasitic infestations.

Causation, manifestation and ulceration are sluggish and resemble like round in shape.

ऋष्यजिह्वा (Rṣyajihvā)

पुरुषाण्यरुणवर्णानि बहिरन्तः श्यावानि नीलपीतताम्राव-
भासान्याशुगतिसमुत्थानान्यल्पकण्डूक्लेदक्रिमीणि दाहभेद-
निस्तोद (पाक) बहुलानि शूकोपहतोपमवेदनान्युत्सन्नमध्यानि
तनुपर्यन्तानि कर्कशपिडकाचितानि दीर्घपरिमण्डलान्युष्य-
जिह्वाकृतीनि ऋष्यजिह्वानीति विद्यात् । C.S.Ni. 5/7 (4)

Patches are rough, reddish in colour having blackish discolouration at the interior and exterior lesions. Lustre or shade of the lesion is either blue, yellow or coppery colour.

Causation and manifestations are instantaneous. Itching, oozing and parasitic infestations are mild. But it is associated with excessive burning sensation and pain i.e cutting & piercing pain along with suppuration.

Severe pain as if inflicted with bristles. In the centre, Patches are elevated patches and their margins are thin. It is associated with coarse boils, having large circumference and resemble like the tongue of white footed antelope (deer).

पुण्डरीक कुष्ठ (Punḍarīka Kuṣṭha)

शुक्लरक्तावभासानि रक्तपर्यन्तानि रक्तराजीसिरासन्त-
तान्युत्सेधवन्ति बहुबहलरक्तपूयलसीकानि कण्डूक्रिमिदाहपाक-
वन्त्याशुगतिमुत्थानभेदीनि पुण्डरीकपलाशसंकाशानि
पुण्डरीकाणीति विद्यात् । C.S.Ni. 5/7 (5)

Luster or shade of the patches is either white or red. Having red margins pervaded with red blood vessels.

Copious discharge of thick blood, pus and serous associated with itching, parasitic infestations, burning sensation and suppuration. Causation, manifestation and ulcerations are instantaneous. Appearance of disease resembles like that of petals of lotus & flower.

सिध्म कुष्ठ (Sīdhma Kuṣṭha)

परुषारुणानि विशीर्णबहिस्तनूयन्तः स्निग्धानि शुक्लर-
क्तावभासानि बहून्यल्पवेदनान्यल्पकण्डूदाहपूयलसीकानि
लघुसमुत्थानान्यल्पभेदक्रिमिण्यलाबुपुष्पसङ्काशानि सिध्म-
कुष्ठानीति विद्यात् । C.S.Ni. 5/7 (6)

Patches are rough and reddish in colour. Periphery is fissured and thin. Central portion is smooth. Shade is either white or red associated with numerous number having little pain, itching, burning sensation, pus and serous discharge.

Causation and ulcerating are sluggish with less parasitic infestation. Appearance of the disease resembles like bottle gourd flower.

काकण कुष्ठ (Kākaṇa Kuṣṭha)

काकणान्तिकावर्णान्यादौ पश्चात् सर्वकुष्ठलिङ्गसमन्वि-
तानि पापीयसा सर्वकुष्ठलिङ्गसंभवेनानेकवर्णानिका-
कणानीति विद्यात् । तान्यसाध्यानि, साध्यानि पुनरितराणि॥

C.S.Ni. 5/8

Patches are red in colour like that of *Gunjā* seeds. In the initial stage but later it is associated with appearances of all symptoms of sinful *Kuṣṭhās*. That's why, later it develops multiple colour in the lesions. It is incurable.

धातुगत कुष्ठ (Dhātugata Kuṣṭha)

रस धातुगत कुष्ठ (Rasa Dhātugata Kuṣṭha)

स्पर्शहानिः स्वेदनत्यमीपत्कण्डूश्च जायते ।

वैषण्यं रुक्षभावश्च कुष्ठे त्वचि समाश्रिते ॥

S.S.Ni. 5/22

Rasadhātugata Kuṣṭha is diagnosed by observing following clinical features :

- Loss of touch sensation
- Perspiration, mild itching, discolouration, roughness.

रक्त धातुगत कुष्ठ (Raktadhātugata Kuṣṭha)

त्वक्स्वापो रोमहर्षश्च स्वेदस्याभिप्रवर्त्तनम् ।

कण्डूर्विपूयकश्चैव कुष्ठे शोणितसंश्रिते ॥

S.S.Ni. 5/23

Raktadhātugata Kuṣṭha is diagnosed by following clinical features : Numbness in skin, horripilation, sweating, itching, formation of pus having bad smell.

मांस धातुगत कुष्ठ (Māmsadhātugata Kuṣṭha)

बाहुल्यं वक्त्रशोषश्च कार्कश्यं पिङ्कोद्गमः ।

तोदः स्फोटः स्थिरत्वं च कुष्ठे मांससमाश्रिते ॥

S.S.Ni. 5/24

Māmsadhātugata Kuṣṭha is diagnosed by following clinical features : Thickness of skin, dryness of the mouth, roughness of the skin, appearance of skin eruptions, pricking and bursting pain and stability.

मेद धातुगत कुष्ठ (Medadhātugata Kuṣṭha)

दौर्गन्ध्यमुपदेहश्च पूयोऽथ क्रिमयस्तथा ।

गात्राणां भेदनं चापि कुष्ठे मेदःसमाश्रिते ॥

S.S.Ni. 5/25

Medadhātugata Kuṣṭha is diagnosed by observing following clinical features : Bad smell and accumulation of dirt over body, pus formation,

manifestation of parasitic infestations (*Krimi*) in the wounds and mutilation of body parts.

अस्थिमज्जागत कुष्ठ (Asthi Majjāgata Kuṣṭha)

नासाभङ्गोऽक्षिरागश्च क्षते च क्रिमिसंभवः ।
भवेत् स्वरोपधातश्च हास्थिमज्जसमाश्रिते ॥

S.S.Ni. 5/26

Asthi-Majjāgata Kuṣṭha is diagnosed by following clinical features : Deformity in nose, reddish discolouration of eyes, appearance of parasitic infestations in the wounds and loss of voice.

शुक्रधातुगत कुष्ठ (Śukradhātugata Kuṣṭha)

कौण्यं गतिक्षयोऽङ्गानां संभेदः क्षतसर्पणम् ।
शुक्रस्थानगते लिङ्गं प्रागुक्तानि तथैव च ॥

S.S.Ni. 5/27

Śukradhātugata Kuṣṭha is diagnosed by following clinical features : Shortening of extremities, limited motion, splitting of body parts, gradual spreading of wounds and all above symptoms.

उपद्रव (Upadrava)

एवं कुष्ठं समुत्पन्नं त्वचि कालप्रकर्षतः ।
क्रमेण धातून् व्याप्नोति नरस्याप्रतिकारिणः ॥

S.S.Ni. 5/21

Initially *Kuṣṭha* is confined to skin and gradually invades the other tissues in due course of time, if it is not treated early and properly.

साध्यानामपि ह्युपेक्ष्यमाणानां त्वङ्मांसशोणितलसी-
काकोथक्लेदसंस्वेदजाः क्रिमयोऽमूर्च्छन्ति; ते भक्षयन्तस्त्वगादीन्
दोषाः पुनर्दूषयन्त इमानुपद्रवान् पृथक् पृथगुत्पादयन्ति तत्र वातः
श्यावारुणवर्णं परुषतामपि च रौक्ष्यशूलशोषतोदवेपथुह-
र्षसङ्कोचायासस्तम्भसुप्तिभेदभङ्गान्, पित्तं दाहस्वेदक्लेद-
कोथस्त्रावपाकरागान्, श्लेष्मा त्वस्य श्वेत्यशैत्यकण्डूस्थैर्यगौर-
वोत्सेधोपस्नेहोपलेपान्, क्रिमयस्तु त्वगादींश्चतुरः सिराः
स्नायूश्चास्थीन्यपि च तरुणान्याददते ॥

अस्यां चैवावस्थायामुपद्रवाः कुष्ठिनं स्पृशन्ति; तद्यथा-
प्रस्त्रवणम् डग्भेदः पतनान्यङ्गावयवानां तृष्णाज्वरातीसारदाह-
दौर्बल्यारोचकाविपाकाश्च, तथाविधमसाध्यं विद्यादिति ॥

C.S.Ni. 5/10-11

If treatment is not employed correctly & early leads to development of *Krimi* over *Tvaca*, *Māmsa*, *Rakta* and *Lasika*, *Kotha* (slough), *Kleda* (discharge) and *Sveda* (sweat). *Krimi* gradually invaded to deeper *Dhātus* and start eating other tissues & softening the body parts.

Doṣaja Upadrava manifest in Kuṣṭha are as follows

Upadrava due to Vāta predominant Kuṣṭha are as follows : Blackish brown and reddish colour, roughness, dryness, piercing pain, emaciation, pricking pain, trembling, horripilation, contraction, exhaustion. Stiffness, numbness, decay and breaking down of body parts.

Upadrava due to Pitta predominant Kuṣṭha are as follows : Burning sensation, sweating, moistening, sloughing, serous discharge, suppuration and redness.

Upadrava due to Kapha predominant Kuṣṭha are as follows : Whitishness, coldishness, itching, steadiness, heaviness, swelling, unctousness and adhesion. *Krimi* invades to *Tvak*, *Rakta*, *Māmsa*, *Lasikā*, *Sirā*, *Snāyu*, *Asthi*, *Taruṇāsthi*. As a result following complications manifest. Profuse exudation, ulceration of body parts, sequestration of the organs of the body, thirst, fever, diarrhoea, burning sensation, general debility, anorexia and indigestion. *Kuṣṭha* with such type of complications are incurable.

साध्यासाध्यता (Sādhyāsādhyatā)

सर्वैलिङ्गैर्यत्कं मतिमान् विवर्जयेदबलम् ।
तृष्णादाहपरीतं शान्ताग्निं जन्तुभिर्जग्धम् ।
वातकप्रबल याधोदेकदोषोल्बणं न तत् कृच्छ्रम् ।
कफपित्त वातपित्तप्रबलानि तु कृच्छ्रसाध्यानि ।

C.S.Ci. 7/37-38

Don't treat *Kuṣṭha* patients if following symptoms are observed;

Symptomatology of all the *Tridoṣaja* features, debility, severe thirst, burning sensation, complete loss of digestive fire and development of *Krimi* over the affected lesions. *Vāta-Kapha* predominant

and single *Doṣa* predominant is not difficult for management. However predominance of *Kapha-Pitta* or *Vāta-Pitta* are difficult for management.

तत्र यदसाध्यं तदसाध्यतां नातिवर्तते, साध्यं पुनः किञ्चित् साध्यातामतिवर्तते कदाचिदपचारात्। C.Ni. 5/9

Incurable *Kuṣṭhā*'s are always incurable, however, curable *Kuṣṭhās* may become incurable due to unwholesome regimen.

उपशय/पथ्य (*Upaśaya/Pathya*)

C.Ci. 7th Chapter, S.Ci. 9th Chapter, B.P. 54th Chapter, A.H.Ci. 19th Chapter

<i>Auśadha</i>	→ कुष्ठे खदिरः C.Ni. 3/10 (<i>Gaṅgādhara</i>) <i>Khadira</i> is best drug for <i>Kuṣṭha</i> , <i>Rasona</i> , <i>Haritaki</i> , <i>Pippali</i> , <i>Kuṣṭhaghna</i> <i>Mahā-kaṣāya</i> , <i>Āragvadhādi gaṇa</i> , <i>Sālasarādi gaṇa</i> , <i>Lākṣādi gaṇa</i> , <i>Paṭolādi Kasāya</i> .
<i>Cūrṇa</i>	→ <i>Mustādi Cūrṇa</i> , <i>Triphalādi Cūrṇa</i> , <i>Kuṣṭādi Cūrṇa</i> , <i>Hapuṣādi Cūrṇa</i> . <i>Lauha Rasayana</i> , <i>Ayaṣkṛiti</i> .
<i>Āsava</i>	→ <i>Lodhrāsava</i> , <i>Madhvāsava</i> , <i>Triphalāsava</i> .
<i>Ariṣṭa</i>	→ <i>Kanakabindvāriṣṭa</i> , <i>Khadirāriṣṭa</i> , <i>Rohit-akāriṣṭa</i>
<i>Vaṭi</i>	→ <i>Pathyādi Guṭikā</i> , <i>Maṇḍūra Vaṭaka</i> , <i>Candraprabhāvaṭi</i> .
<i>Guggulu</i>	→ <i>Kaiśora Guggulu</i> , <i>Mahāyogaraja Guggulu</i> , <i>Eka Viṃśatika</i> , <i>Guggulu</i> .
<i>Yavāgu</i>	→ <i>Khadira Yavāgu</i>
<i>Rasa</i>	→ <i>Tālakeśvara Rasa</i> , <i>Kuṣṭha</i>
<i>Auśadāhi</i>	<i>kuṭhāra rasa</i> , <i>Mahā tālakeśvara Rasa</i> .
<i>Avaleha</i>	→ <i>Danti haritaki</i> , <i>Amrita Bhalla-takāvaleha</i> , <i>Maha Bhallāta-kāvaleha</i> .
<i>Ghṛta</i>	→ <i>Nilīnādhya Ghṛta</i> , <i>Paṭola Ghṛta</i> , <i>Mahatiktaka Ghṛta</i> , <i>Nimba Ghṛta</i> , <i>Pancatikta Ghṛta</i> .

Bāhya Snehana

Bhallātaka Taila, *Tuvaraka Taila*

Rasāyana → *Endra Rasāyana*

Lepa → *Citrakādi lepa*, *Kuṣṭha Nāśaka lepa*, *Indrayava Kalka*, *Sidhma lepa*, *Apāmārga Lepa*, *Guḍūcī Lepa*.

Anna → *Śāli and Śaṣṭika Anna* (old rice), *Mudga*, *Ādhaki*, *Nimba*, *Flesh of Jāṅgala animals devoid of fat*, *Khadira decoction for drink*.

विहार (*Vihāra*)

Khadira decoction bath, *Siddhārthaka Snāna*, *Upavāsa*, *Thirst*, *Ātapa Sevana*, *Māruta Sevana*, *Ubatana* by *Cakramarda* seeds, *Sarja Rasa*.

ततः शालिषष्टिकयवगोधूमकोरदूषश्यामाकोदालकादीननवान् भुञ्जीत मुद्गाढक्योरन्यतरस्य यूषेण सूपेन वा निम्बपत्रारुष्कर-व्यामिश्रेण मण्डूकपर्ण्यवल्गुजाटरूषकरूपिकापुष्पैः सर्पिःसिद्धैः सर्षपतैलसिद्धैर्वा, तिक्तवर्गेण वाऽभिहितेन; मांससात्म्याय वा जाङ्गलमांसममेदस्कं वितरेत्; तैलं वज्रकमभ्यङ्गार्थे, आरग्व-धादिकषायमुत्सादनार्थे, पानपरिषेकावगाहादिषु च खदिरकषायम्, इत्येष आहाराचारविभागः ॥ S.S.Ci. 9/5

Patients of *Kuṣṭha* should consume food prepared from old *Śāli*, *Śaṣṭika*, *Yava*, *Godhūma*, *Koradūṣa*, *Śyāmāka*, *Uddālaka* etc. *Yūṣa* (soup) prepared from *Mudga*, *Ādhaki*, *Sūpa* (meat soup) added with *Nimba Patra* or *Āruṣkara Patra*.

Intake of ghee or *Sarṣapa Taila* (mustard oil) boiled with *Maṇḍūkaparṇi*, *Avalgujā*, *Ātārūṣaka* and *Rupika Puṣpa* or with drugs of bitter taste group (*Tikta Varga*).

For non-vegetarian person meat soup of animals of *Jāṅgala* (desert land) region may be given, it should be free from fat.

Vajraka taila should be used regularly for anointing and massage.

Āragvadādi gaṇa decoction for massage, *Khadira* decoction for drinking, pouring over body and for tub bath.

In cases of simple *Kuṣṭha* one should have the *Pracchāna* therapy, but whereas it is the case of severe *Kuṣṭha* one should have the *Śirāvyadha*.

When the *Doṣās* are highly concentrated, after diagnosing the condition and strength of the patient, proper and continuous treatment (*Samśodhana - Vamana, Virecana, etc.*) should be administered. (B.R. 54/2)

The following measures and products are considered to be beneficial for a patient of *Kuṣṭha*: doing *Vamana* therapy after every 15 days, doing *Virecana* (purgation) therapy every month, doing nasal therapy after every three months, opening *Phasta* after every six months period, intake of *Ghṛtam*, pasting (*Lepa*), old barley, wheat, *Śālī* rice, *Mudga*, *Arahara*, *Masūra*, honey, meat of wild animals and birds, fruits (*Karkaṭī*, cucumber and the like) which grows in *Āṣāḍha* month, soft leaves of *Vetra*, *Parbara*, *Vyāghrī* fruit, *Kākamācī*, *Neem* leaves, garlic, *Sūryāvarta*, *Punarnavā*, *Meṣāśṛṅgī*, leaves of *Cakramarda*, *Bhallātaka*, ripe fruits of palm, *Khadira*, *Citraka*, *Triphalā*, *Jāṭiphala*, *Nāgakeśara*, *Keśara*, old *Ghṛtam*, bitter *Koṣataki*, *Karañja*, sesame oil, mustard oil, *Neem* oil, *inguda* oil, light rice, oils of *Sarala* wood, *Devadāru*, *Śimśapa* and *Aguru*, urines of cow, donkey, camel, horse and buffalo, *Kastūrī*, *Gandhaka*, *Tikta* products and *Kṣāra* therapy. (B.R. 54/372-378)

अनुपशय/अपथ्य (*Anupaśaya/Apathya*)

S.S.Ci. 9th chapter, A.H.Su. 14th chapter

Meat of animal and bird residing in aquatic region, milk, curd, *Tila*, *Kulattha*, *Māṣa*, *Niṣpāva*, *Sugar & Jaggery* Preparations. Sour taste, pungent taste, salt, incompatible foods, over eating, consumption of food before the digestion of previous meal, over eating, sleeping during

daytime, excessive indulgence in sex. All *Kuṣṭha Nidāna*.

तत्र त्वग्दोषी मांसवसादुग्धदधितैलकुलत्थमाषनिष्पावेक्षुपिष्ट-
विकाराम्लविरुद्धाध्यशनाजीर्णविदाह्यभिष्यन्दीनि दिवास्वप्नं व्यवायं
च परिहरेत् ॥ S.S.Ci. 9/4

The following regimen should be strictly avoided for *Kuṣṭha* patients : Avoid the consumption of Meat, Fat, Milk, Curd, Oil, *Kulattha*, *Māṣa*, *Niṣpāva*, *Ikṣu*, *Piṣṭa Vikāra* (eatable prepared from corn flour). Sour preparations, in compatible foods, over eating, food which is not properly processed, food which causes burning sensation, food which promotes moisture inside the tissues or blocks the channel, sleeping during day time and sexual intercourse.

In *Kuṣṭha* disorder, foods containing citric, salty and warm (*Kaṭu*) properties should be avoided. Also, curd, milk, *Guda*, meat of marshy animals and birds, sesame and *Urada* pulse should be avoided. (B.R. 54/371)

The following measures and products are considered to be harmful to the patient of *Kuṣṭha*: involvement in evil deeds, denying their evil deeds, disrespecting teachers, threatening teachers, eating and drinking incompatible foods, sleeping during day time, roaming under extreme heat of sun, eating unequal foods, *Svedana* therapy, sex, obstructing the flow of urine and stool, eating products of sugarcane, wresting, exercising, sour edibles, sesame, *Urada*, thin products, heavy rice, fresh rice, products that have burning sensation and *Viṣṭambhakāraka*, radish, water of rivers originated from the mountains of *Sahyādri* and *Vindhyācala*, meat of marshy animals and birds, curd, milk, liquor and raw sugar (*Guda*). (B.R. 54/379-381).

Differential diagnosis of Mahākuṣṭha and Kṣudra Kuṣṭha

S.No.	Mahākuṣṭha	Kṣudra Kuṣṭha
Doṣa	Bahudoṣa	Alpadoṣa
Clinical features	Many clinical presentations	less clinical presentations
Pain and discomfort	More	less
Dhātus involvement	Deeper dhātus involved	Superficial dhātus involved
Cikitsā	Purification followed by pacification and local application measures required	Pacification and local application measures required

<i>Prabhāva</i>	May be chronic	May not be chronic Some may be chronic
Deformities Morphological changes	Manifestation of deformities More morphological changes with widespread Involvement of area with chronicity and complications	May not develop deformities Less morphological changes with local spread Involvement of area with no chronicity and complications. However some <i>Kṣudra Kuṣṭha</i> may be superficially widespread over the skin with chronicity and less complications
Classification <i>Suśruta S.S.Ni. 5/5</i>	07 1. <i>Aruṇa</i> 2. <i>Audumbara</i> 3. <i>Rṣyañihvā</i> 4. <i>Kapāla</i> 5. <i>Kākaṇaka</i> 6. <i>Puṇḍarika</i> 7. <i>Dadru</i>	11 1. <i>Sthūlaruṣka</i> 2. <i>Mahākuṣṭha</i> 3. <i>Eka Kuṣṭha</i> 4. <i>Carmadala</i> 5. <i>Visarpa</i> 6. <i>Parisarpa</i> 7. <i>Sidhma</i> 8. <i>Vicarcikā</i> 9. <i>Kiṭibha</i> 10. <i>Pāmā</i> 11. <i>Rakaṣā</i>
<i>Caraka C.S.Ci. 7/13-26</i>	1. <i>Kapāla</i> 2. <i>Audumbara</i> 3. <i>Maṇḍala</i> 4. <i>Rṣyañihvā</i> 5. <i>Puṇḍarika</i> 6. <i>Sidhma</i> 7. <i>Kakaṇaka</i>	1. <i>Ekakuṣṭha</i> 2. <i>Carmākhyā</i> 3. <i>Kiṭibha</i> 4. <i>Vipādika</i> 5. <i>Alasaka</i> 6. <i>Dadru</i> 7. <i>Carmadala</i> 8. <i>Pāmā</i> 9. <i>Visphoṭaka</i> 10. <i>Śataru</i> 11. <i>Vicarcika</i>

Note - Kāśyap Saṁhitā-Cikitsasthāna - Kuṣṭha cikitsā Adhyāy

Sādhya Kuṣṭha -9

- | | | | | |
|------------------|-----------------------|-------------------|------------------|-------------------|
| 1. <i>Sidhma</i> | 2. <i>Vicarcikā</i> | 3. <i>Pāmā</i> | 4. <i>Dādru</i> | 5. <i>Kitibha</i> |
| 6. <i>Kapāla</i> | 7. <i>Śthūlaruṣka</i> | 8. <i>Maṇḍala</i> | 9. <i>Viṣaja</i> | |

Asādhya Kuṣṭha -9

- | | | | | |
|---------------------|---------------------|---------------------|---------------------|----------------------|
| 1. <i>Puṇḍarika</i> | 2. <i>Śvitra</i> | 3. <i>Rṣyañihvā</i> | 4. <i>Śatāruṣka</i> | 5. <i>Audumbhara</i> |
| 6. <i>Kākaṇaka</i> | 7. <i>Carmadala</i> | 8. <i>Ekakuṣṭha</i> | 9. <i>Vipādika</i> | |

A separate chapter on *Carmadala* has been described & 4 varieties namely *Vātaja*, *Pittaja*, *Kaphaja* and *Sannipātaja* (K.S.Khi. 15 th Chapter)

Differentiate Mahā Kuṣṭha and Kṣudra Kuṣṭha

S.N.	Kṣudra Kuṣṭha	Lakṣaṇas	Skin Disorders	Signs and Symptoms
1	<i>Ekakuṣṭha</i>	<i>Doṣa- Vāta Kapha</i> resembles <i>Matsyaśakalopam</i> (scales of fish), <i>Mahāvastu</i> , <i>Aśweda</i>	Ichthyosis	Fish skin Dry, scaly skin Deep painful cracks
2	<i>Carmākya</i>	<i>Doṣa- Vāta Kapha</i> <i>Hasticarm-avāt</i> (skin is thick resembling elephant skin), <i>Bahala</i>	Lichen Simplex Chronicus	Leathery induration, well circumscribed Erythematous Thickened lichenified skin
3	<i>Kiṭibha</i>	<i>Doṣa- Vāta Kapha</i> <i>Śyāva</i> <i>Kinakarasparsa</i> (touch similar to granulation process in wound), <i>Paruśa</i> (hard to touch) <i>Kaṇḍu</i>	Psoriasis	Silvery scales Erythematous Rounded plaques Roughness of skin Intense Itching

4	Vipādikā	Doṣa- Vāta Kapha Panipad- asphūṭana Tivravedana	Palmo Plantar Psoriasis	Affects palms & soles Itching, scaling Cracking, raised thickened skin
5	Visphoṭa	Doṣa- Pitta Kapha Śvetārūṇa Tanutvaca	Folliculitis	Small white headed pimples Red inflamed skin Pus filled sores
6	Śataru	Doṣa- Pitta Kapha Rakta, Śyāva varṇa Dāha, arati Bahu varṇa	Furuncle	Typical red Contains pus Painful, tender
7	Vicarcikā	Doṣa- Pitta Kapha Śyāva- varṇa, Kaṇḍu, Bahusrava	Weeping Eczema	Dry crusts Tiny vesicles Itchy and inflamed skin Weep & ooze golden yellow or clear fluid
8	Pāmā	Doṣa- Pitta Kapha, Śveta Arūṇa, Śyāvapiḍakā Kaṇḍu	Scabies	Tiny reddish Blisters Intense itching
9	Charmadala	Doṣa- Pitta Kapha Rakta Sphota, Kaṇḍu, Rūjā	Tinea Pedis	Rash between toes Redness Itching with peeling, fissuring and maceration
10	Dadru	Doṣa- Pitta Kapha Rāga Maṇḍala, pīḍikā Kaṇḍu	Ringworm	Red raised Blisters Round ring shape Itching
11	Alasaka	Doṣa - Vāta Kapha, Rāga gaṇḍa, Kaṇḍu	Prurigo Nodularis (PN)	Red, Hard lumps, Intensely Pruritus causing people to scratch themselves to point of bleeding or pain.

MCQs

- Dosha predominance of Dadru
 - Kapha-Pitta
 - Vata-Pitta
 - Vata-Kapha
 - Kaphaja
- Dosha predominance of Sidhma
 - Kapha-Pitta
 - Vata-Pitta
 - Vata-Kapha
 - Kaphaja
- Resemblance with Gunja is seen in
 - Dadru
 - Pundarika
 - Charmadala
 - Kakananthika
- Colour of Kakanaka is
 - Rakta-Krishna
 - Krushna-Aruna
 - Krushna
 - Aruna
- Aruna Kushtha according to Susrutha is
 - Kshudra Kushtha
 - Kaphaja Kushtha
 - Mahakushtha
 - Pittaja kushtha

- Parisarpa according to Susrutha is
 - Vatika
 - Paittika
 - Kaphaja
 - Vata-Kaphaja
- Vicarcika according to Susrutha is
 - Vataja
 - Pittaja
 - Kaphaja
 - Vata-Kaphaja
- Rishyajihva Kushta is
 - Vataja
 - VataKaphaja
 - Vatapittaja
 - Pittaja
- Varna of Eka-Kushta is
 - Snigdha-Krushna
 - Krushna-Aruna
 - Sita-Aruna
 - Atasipushpa-Varna
- Varna of Kitibha is
 - Snigdha-Krushna
 - Krushna-Aruna
 - Sita-Aruna
 - Atasipushpa-Varna

11. Varna of Pundarika is
 a. Snigdha-Krushna b. Krushna-Aruna
 c. Sashwetam raktaparyantam
 d. Atasipushpa-Varna
12. Varna of Dadru is
 a. Snigdha-Krushna b. Krushna-Aruna
 c. Sita-Aruna d. Atasipushpa-Varna
13. Kakananthika has resemblance with
 a. Gunja Phala b. Atasipushpa
 c. Matsya d. Gaja-Carma
14. विस्तृतासमपर्यन्तं हृषितैर्लोमभिश्चितम् । तोदढ्यमल्पकण्डूकं are the lakshana of
 a. Dadru b. Kapala Kushta
 c. Kakananthik d. Pundarika
15. दीर्घप्रताना दूर्वावदतसीकुसुमच्छविः । उत्सन्नमण्डला are the lakshana of
 a. Dadru b. Kapala Kushta
 c. Kakananthik d. Pundarika
16. Angulipatana karna nasa occurs in
 a. Vatottara Kushta b. Pittottara Kushta
 c. Kaphottara Kushta
 d. Vata kaphaja Kushtha

17. Jantutpatti krimijanma occurs in
 a. VatottaraKushta b. Pittottara Kushta
 b. KaphottaraKushta d. Vata kaphaja Kushtha
18. Dosha predominance of Rakasa according to Nyayachandrika is
 a. Vata b. Kapha
 c. Pitta d. Vata-Kapha
19. कौण्यं गतिशयोऽङ्गानां दलनं स्याच्च is a feature of which dhatugatakushta as per Ashtanga Hridaya
 a. Shukra b. Rakta
 c. Mamsa d. Medas
20. Dosha predominance of Kacchu according to Nyayachandrika is
 a. Vata b. Kapha
 c. Pitta d. Vata-Kapha
21. Consumption of Cilicima fish with milk causes
 a. Kushta b. Prameha
 c. Rakta-Pitta d. Jwara

Answer

1. a	2. c	3. d
4. a	5. c	6. a
7. b	8. c	9. b
10. a	11. c	12. d
13. a	14. b	15. a
16. b	17. b	18. b
19. d	20. c	21. a