

Introduction

Painful discharge of urine, strangury; a class of urinary afflictions (of which 8 kinds are enumerated). *Mūtra Kṛcchra* is an indisposition resulting from various produces leading to painful micturation. In this indisposition the patient passes frequently small quantity of urine with difficulty, pain and burning sensation. The urine could also contain blood.

मूत्रकृच्छ्र हेतु (Mūtrakṛcchra Hetu)

व्यायामतीक्ष्णौषधरुक्षमद्य प्रसङ्गनित्यद्रुतपृष्ठयानात् ।

आनूपमत्स्याध्यशनादजीर्णात् स्युर्मूत्रकृच्छ्राणि नृणामिहाद्यै ॥

C.S.Ci. 26/32

Causative factors of Mūtrakṛcchra are as follows : Excessive physical exercises, consumption of irritant drugs, rough food, regular intake of wine, riding over the back of the fast moving animals, eating meat of marshy land animals & fish; eating during indigestion and indigestion.

Due to above *Hetus* eight varieties of *Mūtrakṛcchra* develops.

पृथङ्मलाः स्वैः कुपिता निदानैः सर्वेऽथवा कोपमुपेत्य बस्तौ ।

मूत्रस्य मार्गं परिपीडयन्ति यदा तदा मूत्रयतीह कृच्छ्रात् ॥

C.S.Ci. 26/33

Due to above etiological factors *Doṣās* vitiated separately by their respective causes or all together get localised in the *Basti* and afflicts its passage leading to genesis of *Mūtrakṛcchra*.

Nidāna Sevana (Consumption of Etiological factors)



Aggravation of *Vātādi Doṣās*



Get localised in the *Basti* region



Afflicts its passage due to amalgamation of *doṣa* *evam dūṣya*



Mūtrakṛcchra

मूत्रकृच्छ्र संप्राप्ति घटक (Samprāpti Ghaṭaka of Mūtrakṛcchra)

Doṣa	: <i>Tridoṣaja (Vātapradhāna)</i> <i>Vāta</i> → <i>Apāna</i> <i>Pitta</i> → <i>Pācaka</i> <i>Kapha</i> → <i>Kledaka</i>
Dūṣya	: <i>Dhātu</i> → <i>Rasa, Rakta, Śukra</i> <i>Updhātu</i> → <i>Śārīrika Mala</i> → <i>Mūtra, Puriṣa</i> <i>Dhātu Mala</i> → <i>Kapha, Pitta</i>
Agni	: <i>Jaṭharāgni, Dhātvāgni</i>
Agniduṣṭi	: <i>Mandāgni</i>
Āma	: <i>Āgnijanya</i>
Srotas	: <i>Mūtravaha, Puriṣavaha</i>
Srotoduṣṭi	: <i>Sanḡa, Sirāgranthi</i>
Adhiṣṭhāna	: <i>Basti</i>
Udbhavasthāna	: <i>Pakvāśayottha & Āmāśayottha</i>
Sancārasthāna	: <i>Mūtravāhinyah</i>
Vyaktasthāna	: <i>Mūtravaha Sroto Avayava, Basti, Mehana</i>
Svabhāva	: <i>Cirakāri & Āśukāri</i>
Prabhāva	: <i>Kṛcchrasādhya</i>
Rogamārga	: <i>Madhyama</i>

रोग भेद (Roga Bheda)

वातेन पित्तेन कफेन सर्वैस्तथाऽभिघातैः शकृदशमरीभ्याम् ।

तथाऽपरः शर्करया सुकष्टो मूत्रोपघातः कथितोऽष्टमस्तु ॥

S.S.Utt. 59/3

Mūtrakṛcchra is classified into eight varieties.

- | | |
|-----------------------|-----------------------|
| 1. <i>Vātaja</i> | 2. <i>Pittaja</i> |
| 3. <i>Kaphaja</i> | 4. <i>Sannipātaja</i> |
| 5. <i>Abhighātaja</i> | 6. <i>Śakṛdaja</i> |
| 7. <i>Aśmarīja</i> | 8. <i>Śarkarāja</i> . |

Caraka classified into eight kinds namely :

- | | |
|--------------------|-----------------------|
| 1. <i>Vātaja</i> | 2. <i>Pittaja</i> |
| 3. <i>Kaphaja</i> | 4. <i>Sannipātaja</i> |
| 5. <i>Aśmarīja</i> | 6. <i>Śarkarāja</i> |
| 7. <i>Śukraja</i> | 8. <i>Kṣataja</i> . |

वातज मूत्रकृच्छ्र (Vātaja Mūtrakṛcchra)

तीव्रा रुजो वङ्क्षणबस्तिमेद्वे स्वल्पं मुहुर्मुत्रयतीह वातात् ।
C.S.Ci. 26/34

अल्पमल्पं समुत्पीड्य शुष्कमेहनबस्तिभिः ।
फलद्विरिव कृच्छ्रेण वाताघातेन मेहति ॥
S.S.Utt. 59/4

Vātaja Mūtrakṛcchra is characterised by elimination of little quantity of urine oftenly with difficulty associated with excruciating pain in the groins, scrotum, penis and urinary bladder.

पित्तज मूत्रकृच्छ्र (Pittaja Mūtrakṛcchra)

आनूपमत्स्याध्यशनादजीर्णात् स्युर्मूत्रकृच्छ्राणि नृणामिहाद्यै ॥
C.S.Ci. 26/34

हारिद्रमुष्णं रक्तं वा मुष्कमेहनबस्तिभिः ।
अग्निना दह्यमानाभैः पित्ताघातेन मेहति ॥
S.S.Utt. 59/5

Pittaja Mūtrakṛcchra is characterised by elimination of yellowish, hot & red urine associated with burning sensation in the scrotum, penis & bladder, passes urine very frequently with difficulty & pain.

कफज मूत्रकृच्छ्र (Kaphaja Mūtrakṛcchra)

वस्तेः सलिङ्गस्य गुरुत्वशोथौ मूत्रं सपिच्छं कफमूत्रकृच्छ्रे ।
C.S.Ci. 26/35

स्निग्धं शुक्लमनुष्णञ्च मुष्कमेहनबस्तिभिः ।
संहृष्टरोमा गुरुभिः श्लेष्माघातेन मेहति ॥
S.S.Utt. 59/6

Kaphaja Mūtrakṛcchra is characterised by elimination of unctous, white, little warm, slimy urine associated with heaviness & swelling in bladder & penis, feeling of heaviness in scrotum, penis & bladder.

सन्निपातज मूत्रकृच्छ्र (Sannipātaja Mūtrakṛcchra)

सर्वाणि रूपाणि तु सन्निपाताद् भवन्ति तत् कृच्छ्रतमं हि
कृच्छ्रम् ॥ C.S.Ci. 26/35

दाहशीतरूजाविष्टो नानावर्णं मुहुर्मुहुः ।
ताम्यमानस्तु कृच्छ्रेण सन्निपातेन मेहति ॥
S.S.Utt. 59/7

Sannipātaja Mūtrakṛcchra is characterised by elimination of multi coloured urine, oftenly associated with burning sensation or cold, pain & loss of consciousness. Appearance of all the above signs & symptoms are observed. It is very difficult for management.

अश्मरीज मूत्रकृच्छ्र (Aśmarīja Mūtrakṛcchra)

विशोपयेद्वस्तिगतं सशुक्रं मूत्रं सपित्तं पवनः कफं वा ।
यदा तदाऽश्मर्युपजायते तु क्रमेण पित्तेष्विव रोचना गोः ॥
कदम्बपुष्पाकृतिरश्मतुल्या श्लक्ष्णा त्रिपुट्ययथवाऽपि मृद्वी ।
मूत्रस्य चेन्मार्गमुपैति रुद्ध्वा मूत्रं रुजं तस्य करोति वस्तौ ॥
ससेवनीमेहनबस्तिशूलं विशीर्णधारं च करोति मूत्रम् ।
मृद्राति मेढ्रं स तु वेदनार्तो मुहुः शक्नुमुञ्चति मेहते च ॥
क्षोभात् क्षते मूत्रयतीह सासृक् तस्याः सुखं मेहति च व्यपायात् ।
C.S.Ci. 26/36-39

Aggravated *Vāta* dries up the semen, urine, *Pitta* & *Kapha* located in the urinary bladder leading to development of *Aśmarī* (stones) like gallstone in cow.

It is classified into four varieties namely :

- | | |
|-------------------|---------------------|
| 1. <i>Vātaja</i> | 2. <i>Pittaja</i> |
| 3. <i>Kaphaja</i> | 4. <i>Śukraja</i> . |

Vātaja Aśmarī appears like the flower of *Kadamba* & is of *tripuṭi* (having three layers).

Pittaja Aśmarī appears like stone & which is smooth.

Kaphaja & *Śukraja Aśmarī* are soft.

Obstruction to urinary passage takes place due to *Aśmarī* as a result patient suffers from pain in the urinary bladder, perineum, phallus & hypogastric region associated with splitting of urine while micturition. Due to agonising pain, patient squeezes penis and frequently passes urine & stool. If the urinary passage gets injured by *Aśmarī* leading to elimination of urine mixed with blood. Patient passes urine easily after eliminating *Aśmarī*. *Suśruta* says symptoms of *Aśmarī* & *Sarkarā* are similar.

शर्कराज मूत्रकृच्छ्र (Śarkarāja Mūtrakṛcchra)

एषाऽश्मरी मारुतभिन्नमूर्तिः स्याच्छर्करा मूत्रपथात् क्षरन्ती ॥

C.S.Ci. 26/39

पच्यमानस्य पित्तेन भिद्यमानस्य वायुना ।
श्लेष्मणोऽवयवा भिन्नाः शर्करा इति संज्ञिताः ॥
हृत्पीडा वेपथुः शूलं कुक्षौ वह्निः सुदुर्बलः ।
ताभिर्भवति मूर्च्छा च मूत्राघातश्च दारुणः ॥
मूत्रवेगनिरस्तासु तासु शाम्यति वेदना ।
यावदन्या पुनर्नैति गुडिका स्रोतसो मुखम् ॥
शर्करासम्भवस्यैतन्मूत्राघातस्य लक्षणम् ।

S.S.Utt. 59/12-15

When *Aśmarī* becomes disintegrated into small particles by *Vāta* & these come out from urinary passage is known as *Śarkarā*.

Aśmarī undergoing processing by *Pitta*, broken into many pieces by *Vāta*, separated into parts by *Kapha* & the same comes out of urine is known as *Śarkarā*. It is characterised by pain in the region of heart, shivering, abdominal pain, sluggishness of digestive fire, fainting & severe dysuria. Pain subsides after elimination of urine & appears again when the passage is blocked by stone gravel.

शुक्रज मूत्रकृच्छ्र (Śukraja Mūtrakṛcchra)

रेतोऽभिघाताभिहतस्य पुंसः प्रवर्तते यस्य तु मूत्रकृच्छ्रम् ।
स्याद्वेदना वङ्क्षणवस्तिमेद्रे तस्यातिशूलं बुष्मातिवृत्ते ॥
शुक्रेण संरुद्धगतिप्रवाहो मूत्रं स कृच्छ्रेण विमुञ्चतीह ।
तमण्डयोः स्तब्धमिति ब्रुवन्ति रेतोऽभिघातात् प्रवदन्ति कृच्छ्रम् ॥
शुक्रं मलाश्रयं पृथक् पृथक्वा मूत्राशयस्थाः प्रतिवारयन्ति ।
तद्वाहतं मेहनवस्तिशूलं मूत्रं सशुक्रं कुरुते विबद्धम् ॥
स्तब्धश्च शूनो भृशवेदनश्च तुद्येत वस्तिर्वृषणौ च तस्य ।

C.S.Ci. 26/40-43

Śukraja Mūtrakṛcchra is characterised by pain in the groin, urinary bladder & penis, testicles become enlarged & painful. Due to obstruction to urinary flow by semen patient passes urine with difficulty and stiffness in testicles.

All the *Malās (Doṣās)* located in the urinary bladder obstruct the passage of semen causing pain in the penis & urinary bladder. Patient suffers difficulty in micturition & ejaculation of semen associated with stiffness, swelling, excessive

pricking pain in the region of urinary bladder & testicles.

क्षतज मूत्रकृच्छ्र (Kṣataja Mūtrakṛcchra)

क्षताभिघातात् क्षतजं क्षयाद्वा प्रकोपितं वस्तिगतं विबद्धम् ॥
तीव्रार्ति मूत्रेण सहाश्मरीत्वमा याति तस्मिन्नतिसंचिते च ।
आध्याततां विन्दति गौरवं च वस्तेर्लघुत्वं च विनिःसृतेऽस्मिन् ॥
C.S.Ci. 26/43-44

Blood present in the urinary bladder gets vitiated due to trauma, *Śukra Kṣaya*, it causes obstruction & excruciating pain in the urinary bladder. Excessively accumulated vitiated blood forms calculus in association with urine, which causes distension & heaviness in the urinary bladder and which is relieved after the calculus passes out.

शकृतज मूत्रकृच्छ्र (Śakṛtāja Mūtrakṛcchra)

शकृतस्तु प्रतीघाताद्वायुर्विगुणतां गतः ।
आध्मानञ्च सशूलञ्च मूत्रसङ्गं करोति हि ॥

S.S.Utt. 59/9-10

Vāta getting aggravated by the retention of stool, causes flatulence, painful micturition & retention of urine.

शकृतज मूत्रकृच्छ्र चिकित्सा (Śakṛtāja Mūtrakṛcchra Cikitsā)

मूत्रकृच्छ्रे शकृज्जाते कार्या वातहरी क्रिया ।
स्वेदावगाहावभ्यङ्गवस्तिचूर्णक्रियास्तथा ॥

S.S.Utt. 59/26

The therapies alleviating *vāta* like sudation, tubbath, anointing, enema and consumption of the powders.

उपशय/पथ्य (Upaśaya/Pathya)

The following products are very much beneficial for the patient suffering from *Mūtrakṛcchra*: old red coloured *Śālī* rice, *Kṣāra* products, barley, hot products, buttermilk, milk, curd of cow, meat of wild animals and birds, water of *Mudga* pulse, sugar, fruit of *Kūṣmāṇḍa*, leaves of *Paṭola*, wild ginger, *Gokṣura*, *Ghṛtakumārī*, betel nut, date fruit, pulp of unripe coconut, cucumber, smaller cardamom, cold edibles, fresh water of river and camphor. (B.R. 34/67-69)

अनुपशय/अपथ्य (Anupaśaya/Apathya)

व्यायामसंधारणशुष्कहृक्षपिष्टान्नवातार्ककशव्यवायान् ।

खर्जूरशालूककपित्थजम्बूबिसं कषायं न रसं भजेत् ॥

C.S.Ci. 26/76

Mūtrakṛchra patients should avoid exercise, suppression of natural urges, dry & rough food substances, & flour preparations, exposure to wind, sexual intercourse, *Kharjūra*, lotus root, *Kapittha*, *Jambū*, lotus stem & substances having astringent taste.

The following measures are prohibited to the patient of *Mūtrakṛchra*: hard labour, suppression of natural urges, intercourse and riding elephants or horses. The patient should also avoid taking incompatible meals, excessive or very less amount of food, betel nuts, fishes, salty edibles, ginger, oily edibles, *Kalka* of sesame seeds, asafoetida, sesame oil, mustard oil, *Māṣa* or foods prepared from it, the *Karīraphalā* or the like bitter, hot, unctuous and citrus edibles. (B.R. 34/70-71)

MCQs

- Types of *Mutrakrichra* as per *Ashtanga Hridaya*
 - 20
 - 13
 - 4
 - 12
- Dahashitarujavisto* feature seen in
 - Vataja Mutrakrichra*
 - Pittaja Mutrakrichra*
 - Kaphaja Mutrakrichra*
 - Sannipatika Mutrakrichra*

- Nityadrutaprishtayana* is the *nidana* of which disease as per *Madavanidana*
 - Mutrakrichra*
 - Mutraghata*
 - Asmari*
 - Gulma*
- Types of *Mutrakrichra* as per *Madavanidana*
 - 4
 - 20
 - 13
 - 8
- What is the prognosis of *Tridoshaja Mutrakrichra*
 - Sadya*
 - Krichrasadya*
 - Krichratama*
 - Asadya*
- The features of *Mutrakrichra* is seen in *Salyaabhighataja Mutrakrichra*
 - Vataja Mutrakrichra*
 - Pittaja Mutrakrichra*
 - Asmari Mutrakrichra*
 - Sannipatika Mutrakrichra*
- Brisadarunam* is the prognosis of which type of *Mutrakrichra*
 - Asmari Mutrakrichra*
 - Sannipatika Mutrakrichra*
 - Salyaabhighataja Mutrakrichra*
 - Sukraja Mutrakrichra*
- Vasthimehanasoola* seen in
 - Asmari Mutrakrichra*
 - Sannipatika Mutrakrichra*
 - Sukraja Mutrakrichra*
 - Salyaabhighataja Mutrakrichra*

Answer

1.	c	2.	d	3.	a
4.	d	5.	c	6.	a
7.	c	8.	c		