



Free software



Richard Stallman
1953



Xerox 9700



```
;; -*- Mode: LISP; patch-file: t; Syntax: Common-lisp; Package: COMMON-LISP-USER; Base: 10 -*-
```

```
(setq fs::*remember-passwords* t)

(defun kr-prompt (stream ignore)
  (progl
    (if *use-date-prompt*
        (format stream "~\ndatetime\ \ ~A command: " neti:*local-host*)
        (format stream "Command: "))
    ;;inspired by the con-save-scroll-position IE command, but using constant register Z
    (LET ((WINDOW *TERMINAL-IO*))
      (LET* ((POS (setq *current-position*
                        (CONS WINDOW
                              (MULTIPLE-VALUE-LIST (SEND WINDOW :VIEWPORT-POSITION))))))
        (lastpos *last-position*)
        (Q-REG #\Z))
        (unless (eqlp pos lastpos)
          (setf (gethash #\X cp::*POSITION-Q-REGS*)(gethash #\Y cp::*POSITION-Q-REGS*))
          (setf (gethash #\Y cp::*POSITION-Q-REGS*) (GETHASH Q-REG CP::*POSITION-Q-REGS*))
          (SETF (GETHASH Q-REG CP::*POSITION-Q-REGS*) lastpos))
        (setq *last-position* *current-position*))))))

(defun gp ()
  (terpri)
  (terpri)
  (sc1::present (list 'a "B" 123) 'sys::expression) (terpri)
  (dw::with-output-as-presentation (:type 'string :object "circle")
    (graphics::with-room-for-graphics (nil 80) (graphics::draw-circle 40 40 20 :filled nil)))
  )

(defun part)
  (defun part ()
    (let ((imd (sc1::send (images::find-image-named :wallpaper-402118) :data-array)))
      (setq part (color::make-image
        'color::32b-image
        :name "part" :width 200 :height 200
        :data-array (si::make-raster-array
          200 200
          :type 'si:art-fixnum
          :displaced-to imd
          :displaced-conformally t
          :displaced-index-offset
          (si::array-row-major-index imd 300 560))))
      ))

  (defun redline (&optional (pixel #x0000ff))
    (loop with array = (sc1::send (images::find-image-named "part") :data-array)
```

```
Zmacs (LISP) demo.lisp >reti WILSON: (4) [More below]
Reading WILSON:>RETI>demo.lisp.4 ... 2K characters
```

2.0

Machine™,
64 Linux workstation.

/reti/Desktop/big3.vlod
til available.


System 3.2	Static Runtime	466.1	New pixel mappin
54.10	Static Server	466.2	Vlm lms patch
4.23	Static Browser	466.0	Calendar clock y2
427.1	Symbolics Concordia	444.0	Patch TCP hang o
421.0	C	440.0	Real 32b image p
16.0	Pascal	433.0	Identify workstat
10.0	Lambda Information Retrieval System	22.5	Fix http load
10.0	Experimental Jpeg Lib	1.0	Test permit patch
431.2	Genera program	9.0	Add clor to mx li
466.0	DEC OSF/1	V127	Telnet.nawc.pato

and window operations.

Copyright (c) 1998-1999, Symbolics, Inc. All Rights Reserved. Use the
Show Legal Notice command to see important legal notices. Symbolics, Open
Genera, Macivory, Symbolics Concordia, and Virtual Lisp Machine are trademarks
of Symbolics, Inc. and Genera and Document Examiner are registered trademarks of Symbolics, Inc.
OSF/1 is a trademark of the Open Software Foundation, Inc. DEC is a trademark
of Digital Equipment Corporation.

Mouse-L: Move to end of this line; Mouse-M: Mark line; Mouse-R: Editor menu.
To see other commands, press Shift, Control, Meta-Shift, or Super.

[Thu 17 Jan 5:30:13] Lisp-Machine CL USER: User Input



GNU



FREE SOFTWARE
F O U N D A T I O N



St. IGNUcius



GNU/Linux Operating System Architecture



User
Space

Users



(multi-user)

Programs (multi-tasking)

Shell

Applications

Commands & Utilities

X / Desktops

GNU C Library (glibc)

Kernel
Space

Kernel¹

System Call Interface

Process
Management

Memory
Management

Virtual
File System

Network
Stack

Architecture Dependent
Kernel Code

Device Drivers

Hardware



