

notebook

October 1, 2025

1 Pick the best cherries (or drop the rotten ones)

Filter out really bad performers (e.g. subjects that never learned the task, or subjects that have too few trials)


2 2AFC_2


Number of responded trials per subject with $P > 0$:


```
325: 7279 trials
326: 2211 trials
327: 9386 trials
328: 0 trials
329: 11541 trials
330: 4658 trials
331: 0 trials
332: 27879 trials
333: 25533 trials
334: 102 trials
335: 12712 trials
337: 20602 trials
```


Bad subjects: `[np.int64(328), np.int64(331), np.int64(334)]`


Good subjects: `['325', '326', '327', '329', '330', '332', '333', '335', '337']`

























3 2AFC_3


Number of responded trials per subject with $P > 0$:


387: 0 trials
 395: 0 trials
 398: 0 trials
 419: 10403 trials
 420: 20117 trials
 422: 21061 trials
 501: 0 trials
 614: 0 trials
 615: 0 trials
 616: 14090 trials
 617: 1728 trials
 618: 0 trials
 619: 7257 trials
 620: 949 trials
 623: 13642 trials
 625: 0 trials
 627: 0 trials


Bad subjects: [np.int64(387), np.int64(395), np.int64(398), np.int64(501),
np.int64(614), np.int64(615), np.int64(618), np.int64(620), np.int64(625),
np.int64(627)]
Good subjects: ['419', '420', '422', '616', '617', '619', '623']

















4 2AFC_4

Ephys pilot group (loads of infections)


Number of responded trials per subject with $P > 0$:


```


561: 8079 trials
562: 0 trials
791: 0 trials
801: 0 trials
802: 0 trials
804: 0 trials
807: 4259 trials
808: 0 trials
820: 31998 trials
821: 37049 trials
873: 25979 trials
875: 16135 trials
876: 2504 trials
907: 36258 trials
909: 13755 trials
911: 35334 trials


```


Bad subjects: [np.int64(562), np.int64(791), np.int64(801), np.int64(802),
np.int64(804), np.int64(808)]
Good subjects: ['561', '807', '820', '821', '873', '875', '876', '907', '909',
'911']


























5 2AFC_5

Ephys group (no evidences)

Number of responded trials per subject with $P > 0$:

Bad subjects: []

Good subjects: []

6 2AFC_6

Number of responded trials per subject with $P > 0$:

11: 0 trials

14: 10896 trials

15: 3739 trials

16: 11058 trials

17: 12772 trials


18: 7451 trials


19: 8305 trials


20: 10752 trials
21: 11004 trials
22: 10453 trials
23: 10169 trials
24: 10118 trials
25: 9890 trials


Bad subjects: [np.int64(11)]


Good subjects: ['014', '015', '016', '017', '018', '019', '020', '021', '022',
'023', '024', '025']
































7 Save all notebook's figures