

notebook

October 3, 2025

1 Pick the best cherries (or drop the rotten ones)

Filter out really bad performers (e.g. subjects that never learned the task, or subjects that have too few trials)

2 2AFC_2

Number of responded trials in data collection (with evidences):

325: 7279 trials
326: 2211 trials
327: 9386 trials
328: 0 trials
329: 11541 trials
330: 4658 trials
331: 0 trials
332: 27879 trials
333: 25533 trials
334: 102 trials
335: 12712 trials
337: 20602 trials

Subjects left behind (never learnt):


328: 0 trials
331: 0 trials
334: 102 trials


Bad subjects (based on lapses): []


Good subjects:


325: 0.32 lapses
326: 0.65 lapses
327: 0.17 lapses
329: 0.34 lapses
330: 0.35 lapses
332: 0.36 lapses
333: 0.14 lapses


335: 0.22 lapses
337: 0.35 lapses























3 2AFC_3

Number of responded trials in data collection (with evidences):

387: 0 trials
 395: 0 trials
 398: 0 trials
 419: 10403 trials
 420: 20117 trials
 422: 21061 trials
 501: 0 trials
 614: 0 trials
 615: 0 trials
 616: 14090 trials
 617: 1728 trials
 618: 0 trials
 619: 7257 trials
 620: 949 trials
 623: 13642 trials
 625: 0 trials
 627: 0 trials


Subjects left behind (never learnt):


387: 0 trials
395: 0 trials
398: 0 trials
501: 0 trials
614: 0 trials
615: 0 trials
618: 0 trials
620: 949 trials
625: 0 trials
627: 0 trials


Bad subjects (based on lapses): []


Good subjects:


419: 0.3 lapses
420: 0.32 lapses
422: 0.24 lapses
616: 0.4 lapses
617: 0.34 lapses
619: 0.22 lapses
623: 0.4 lapses

















4 2AFC_4

Ephys pilot group (loads of infections)

Number of responded trials in data collection (with evidences):

```

561: 8079 trials
562: 0 trials
791: 0 trials
801: 0 trials
802: 0 trials
804: 0 trials
807: 4259 trials
808: 0 trials
820: 31998 trials
821: 37049 trials
873: 25979 trials
875: 16135 trials
876: 2504 trials
907: 36258 trials
909: 13755 trials
911: 35334 trials

```

Subjects left behind (never learnt):

562: 0 trials

791: 0 trials

801: 0 trials

802: 0 trials

804: 0 trials

808: 0 trials

Bad subjects (based on lapses): ['876']

Good subjects:

561: 0.49 lapses

807: 0.52 lapses

820: 0.65 lapses

821: 0.6 lapses


873: 0.54 lapses


875: 0.62 lapses


907: 0.43 lapses


909: 0.61 lapses


911: 0.42 lapses























5 2AFC_5

Ephys group (no evidences)

6 2AFC_6

Number of responded trials in data collection (with evidences):

Subjects left behind (never learnt):

Bad subjects (based on lapses): []

Good subjects:

7 Save all notebook's figures

```
[NbConvertApp] Converting notebook notebook.ipynb to html
[NbConvertApp] WARNING | Alternative text is missing on 25 image(s).
[NbConvertApp] Writing 3530409 bytes to notebook.html

Saved 25 images to notebook_files/

[NbConvertApp] Converting notebook notebook.ipynb to pdf
[NbConvertApp] Support files will be in notebook_files\
[NbConvertApp] Making directory .\notebook_files
[NbConvertApp] Writing 27738 bytes to notebook.tex
[NbConvertApp] Building PDF
[NbConvertApp] Running xelatex 3 times: ['xelatex', 'notebook.tex', '-quiet']
[NbConvertApp] Running bibtex 1 time: ['bibtex', 'notebook']
[NbConvertApp] WARNING | b had problems, most likely because there were no
citations
[NbConvertApp] PDF successfully created
[NbConvertApp] Writing 2218260 bytes to notebook.pdf
```