

notebook


August 18, 2025




1 Analyses of drug data from batch #6



glue_animals_intersessions took 0.16 seconds to run

1.1 Behavioral metrics

Accuracy: t-statistic = 3.049, p-value = 0.008
AccMaxEvi: t-statistic = 3.333, p-value = 0.004
LateralBias: t-statistic = -0.441, p-value = 0.665
AbsLatBias: t-statistic = -2.308, p-value = 0.035
MissRate: t-statistic = 0.391, p-value = 0.701
CorrRepBias: t-statistic = -3.939, p-value = 0.001








1.2 Psychometrics


1.2.1 Probability choose RIGHT


Single animals


Animal 014
 Animal 016
 Animal 017
 Animal 020
 Animal 021
 Animal 022
 Animal 023
 Animal 024


Animal 025



























Mean across animals




Stats

sensitivity: t-statistic = -0.561, p-value = 0.583
 bias: t-statistic = 0.111, p-value = 0.913
 lr_right: t-statistic = -1.813, p-value = 0.089
 lr_left: t-statistic = -1.068, p-value = 0.301










1.2.2 Probability choose REPEAT


Single animals


Animal 014
Animal 016
Animal 017
Animal 020
Animal 021
Animal 022
Animal 023
Animal 024
Animal 025



























Mean across animals




Stats

sensitivity: t-statistic = -0.249, p-value = 0.806
 bias: t-statistic = 1.293, p-value = 0.214
 lr_rep: t-statistic = -3.346, p-value = 0.004
 lr_alt: t-statistic = 0.307, p-value = 0.763







1.3 Kernels

1.3.1 Pshycophysical kernels

Mean across animals

1.3.2 History kernels

1.4 Serial dependence

0.70% of premature lick trials (before response window)

Port1In or Port2In are already lists

	Trial	Side	PreviousSide	RepSide	RepTrial	Reward	Punish	Miss	\
0	1	1	1.0	1	NaN	1	0	0	
1	2	1	1.0	1	1.0	1	0	0	
2	3	0	1.0	0	0.0	1	0	0	
3	4	0	0.0	1	1.0	1	0	0	
4	5	1	0.0	0	0.0	1	0	0	

	WrongLick	Hit	...	SessionEnd	\
0	0	1.0	...	12:19:39.607264	
1	0	1.0	...	12:19:39.607264	
2	0	1.0	...	12:19:39.607264	
3	0	1.0	...	12:19:39.607264	
4	0	1.0	...	12:19:39.607264	

	LicksLeft	\
0	[]	
1	[]	
2	[1.8217999999999996, 1.9610000000000003, 2.059...	
3	[1.8061999999999996, 1.9127999999999998, 2.009...	

4

[]

	LicksRight	nLicksLeft	nLicksRight	\
0	[1.8024, 1.9372000000000003, 2.0817]	0	3	
1	[1.9699000000000004, 2.1862, 2.2955, 2.4038999...	0	8	
2	[2.5639000000000003, 2.6929]	8	2	
3	[2.516, 2.6639999999999997]	8	2	
4	[1.7715, 1.9083999999999999, 1.9987, 2.1058999...	0	9	

	nLicks	ILI_Left	\
0	-3.639988	NaN	
1	1.360012	NaN	
2	1.360012	[0.13920000000000066, 0.09879999999999978, 0.1...	
3	1.360012	[0.10660000000000025, 0.0968, 0.111600000000000...	
4	2.360012	NaN	


	ILI_Right	RT	RT2
0	[0.13480000000000025, 0.14449999999999985]	-0.026308	-0.026308
1	[0.21629999999999995, 0.10930000000000017, 0.10...	0.141192	0.141192
2	[0.12899999999999956]	-0.006908	-0.006908
3	[0.1479999999999997]	-0.022508	-0.022508
4	[0.13689999999999998, 0.09030000000000005, 0.10...	-0.057208	-0.057208

[5 rows x 93 columns]


```
array([-140., -78., -74., -72., -70., -68., -66., -62., -16.,
       -12., -10., -8., -6., -4., -2., 0., 2., 4.,
        6., 8., 10., 12., 16., 62., 66., 68., 70.,
        72., 74., 78., 140.] )
```


1.4.1 Measured as Reaction Times (RTs)

RT: t-statistic = -2.615, p-value = 0.009





Δ ILD






Absolute Δ ILD





1.4.2 Measured as N licks

nLicks: t-statistic = -2.847, p-value = 0.004



Δ ILD

Absolute Δ ILD

Save notebook's output