

Question bank critical care and emergency nursing

MCQ

What is the main function of the buffer system in the body?

- A. Increase blood pressure
- B. Neutralize bacteria
- C. Regulate acid-base balance
- D. Produce energy

What is the effect of increased exhalation of CO₂ during metabolic acidosis?

- A. Increases the acid level
- B. Decreases the acid level
- C. Increases blood glucose
- D. Has no effect

Which of the following patients should be given the highest priority during triage? A patient with

- A. Mild abdominal pain
- B. A sprained ankle
- C. Chest pain and difficulty breathing
- D. A patient with a cold

What is the triage category for a patient who needs immediate life-saving intervention?

- A. Non-urgent
- B. Urgent
- C. Emergent
- D. Delayed

How does ARDS affect the lungs?

- A) It increases the lungs' ability to exchange gases
- B) It prevents proper oxygen and carbon dioxide transfer
- C) It causes high blood pressure
- D) It leads to swelling in the legs

Which of the following the immune cells quickly migrate into the inflamed lung parenchyma in ARDS?

- A. B-lymphocytes and macrophages
- B. Neutrophils and T-lymphocytes
- C. Eosinophils and basophils
- D. Red blood cells and platelets

Which condition is most likely to cause a fat embolism?

- A. Amniotic fluid aspiration
- B. IV drug use
- C. Long bone fracture
- D. Central line insertion

Which of the following medications is used to dissolve clots in PE?

- A. Bronchodilators
- B. Fibrinolytic therapy
- C. Sedatives
- D. Analgesics

SIMV is often used for:

- A. Initial full ventilatory support
- B. Weaning patients from mechanical ventilation
- C. Treating respiratory arrest
- D. Sedated, paralyzed patients

Which of the following is a common cause of a low-pressure alarm?

- A. Patient coughing
- B. Circuit or tubing disconnection
- C. Bronchospasm
- D. Mucus plugging

Shock is best defined as:

- A. Decrease in blood pressure
- B. Inadequate tissue perfusion leading to cellular dysfunction
- C. Failure of the heart to pump blood
- D. Decrease in blood volume

During the progressive stage of shock, failure of the sodium-potassium pump leads to:

- A. Cellular dehydration
- B. Cellular swelling and dysfunction
- C. Increased ATP production
- D. Improved perfusion

Paradoxical chest wall motion is:

- A) Outward movement during inspiration
- B) Inward movement during inspiration
- C) Normal chest wall movement
- D) Chest expansion is equal

Which of the following best defines cardiac arrest?

- a) Slow heart rate
- b) Cessation of effective cardiac activity
- c) Chest pain only
- d) Shortness of breath

Which of the following drug overdose is commonly associated with extra-pulmonary respiratory failure?

- A. Antibiotics
- B. Opioids
- C. Antihistamines
- D. Diuretics

Which of the following is an extra-pulmonary cause of respiratory failure?

- A) Pneumonia
- B) Pulmonary embolism
- C) Myasthenia gravis
- D) ARDS

Behavior Pain Scale (BPS) assess which of the following

- a- Facial Expression
- b- Upper Limbs
- c- Compliance with Ventilation
- d- All of the above

Normal sinus rhythm characterized by

- A- Present of atrial and ventricular depolarization and repolarization
- B- Present of atrial depolarization only
- C- Present of ventricular depolarization
- D- Present of atrial depolarization and ventricular re-polarization

Which of the following Atrial depolarization indicates on an electrocardiogram rhythm strip?

- A. U waves
- B. QRS complexe
- C. T waves
- D. P waves

Atrial fibrillation characterized by which of the following

- a- Rapid sinus rhythm
- b- Slow irregular rhythm
- c- Rapid irregular rhythm with absence of p wave
- d- Slow regular rhythm

Causes of unstable angina includes

- a- Heart failure
- b- Coronary atherosclerosis
- c- Coronary artery thrombosis
- d- Aneurysm

Types of open heart surgery includes all of the following except

- A- Coronary artery bypass graft
- B- Valvular heart disease
- C- Internal application
- D- Heart transplantation

13. Which of the following is an indication of cardiac surgery?

- A. Multi vessel coronary artery disease
- B. Unstable angina
- C. Heart block
- D. Hypertension

Short answer question

Causes of Respiratory Acidosis

Causes Metabolic Acidosis

Steps in Arterial Blood Gas Interpretation

Triage priority Levels (methods)

Definition and causes, risk factors for ARDS

Characteristics of acute pain

Nursing management ARDS

Characteristics of ventricular tachycardia

Acute management of ventricular fibrillation