




Procedure



Appliance



Pouches



Stoma Measuring Guide





Removing Appliance




Cleaning Stoma



Measuring Stoma



past the appliance




Types of cast:

Short arm cast: extends from below the elbow to the palm, secured around the base of the thumb. If the thumb is included, it is known as a thumb Spica or gauntlet cast. Used for fracture of hand and wrist.



Long arm cast: extends from the upper level of the axillary fold to the palm. The elbow usually immobilized at right angle. Used for fracture of forearm, elbow or humerus.



Short leg cast: extends from below the knee to the base of the toes. The foot is flexed at a right angle in a neutral position. Used for fracture of foot, ankle or distal tibia or fibula.



Long leg cast: extends from the junction of the upper and middle third of the thigh to the base of the toes. The knee may be slightly flexed. Used for fracture of distal femur, knee or knee dislocation.



Body cast: Encircles the trunk. Used to stable spine injuries or the thoracic or lumbar spine



Shoulder Spica cast: A body jacket that encloses the trunk and the shoulder and elbow.



Hip Spica cast: Encloses the trunk and a lower extremity. A double hip Spica cast includes both legs. Used for fracture of femur or pelvis.



Types of cast material

1. Non plaster cast

Generally referred to as fiberglass cast, it is a synthetic material used for casts that is lighter and has shorter drying time than plaster of Paris.




Non plaster cast



Plaster of Paris

Cutting Wafer





Cast removal

Equipment that used in cast removal

- One cast cutter (cast saw)




- One cast spreader



- Scissors and Skin lotion
- Basin, water, washcloths, towels
- Appropriate supportive device such as elastic stocking.

Skin Traction







a-Straight or running traction: - applying the pulling force in a straight line with the body part resting on the bed.

↳ **Balanced suspension traction:** supports the affected extremities off the bed and allows for some patient movement without disruption of the line of pull.


Skeletal traction



Lumbar Puncture



Spinal Needle, 20 and 22-gauge



Renal Biopsy Procedure



Types of renal biopsy:

Performance phase:

Skin is prepared with antiseptic solution and the skin



Fig. 2. Prone native kidney biopsy position. A posterior approach is used for native kidneys. The wedge is placed under the abdomen to eliminate the lumbar lordosis.

